

garden fencing & gates



www.jacksons-fencing.co.uk

Jacksons
Quality that lasts
Fine Fencing, Gates & More

jakposts panels finials gravel boards railings & garden gates





jakposts and standard posts

Slotted Jakposts

Posts are 100 x 100mm with two 50 x 25mm slots for panels.

Fence Height	Post Length
	1.1m
0.75m & 0.9m	1.5m
1.05m & 1.2m	1.8m
1.4m & 1.5m	2.1m
1.65m & 1.85m	2.4m
2.0m	2.7m
Heavy Duty Jakposts	
120 x 124mm	2.7m
120 x 124mm	3.0m
120 x 124mm	3.3m
120 x 124mm	3.6m
120 x 124mm	3.9m

Intermediate		Corner Posts		End Posts	
Ref	Price	Ref	Price	Ref	Price
667900 ●	£7.80	667990	£7.80	668900 ●	£8.50
667200 ●	£9.90	667220 ●	£9.90	668200 ●	£11.75
667300 ●	£11.75	667330 ●	£11.75	668300 ●	£13.95
667400 ●	£13.55	667440 ●	£13.55	668400 ●	£16.10
667500 ●	£15.35	667550 ●	£15.35	668500 ●	£18.30
667800 ●	£17.15	667880 ●	£17.15	668800 ●	£20.50
669000 ●	£25.20	669010 ●	£27.75	669011 ●	£28.50
669100 ●	£27.70	669110 ●	£30.50	669111 ●	£31.40
669200 ●	£30.15	669220 ●	£33.25	669222 ●	£34.20
669300 ●	£32.90	669330 ●	£36.30	669333 ●	£37.35
669400 ●	£35.75	669440 ●	£39.40	669444 ●	£40.50

Our slotted Jakposts are designed to work with all of our fencing panels from Jaktop and Palisade to Featherboard, and even our Premier Trellis panels. Jakposts are 100 x 100mm, planed finish with two 50 x 25mm slots for panels. All panels slot easily into position as shown here, and there are many other benefits of using Jakposts, as opposed to old fashioned square section posts all listed below.

- All timber is Jakcured softwood guaranteed for 25 years
- Jakposts reduce damage caused by wind movement when panels are nailed to posts
- No more frost damaged cracked or chipped concrete posts
- Easy to carry - lighter than concrete posts
- Environmentally friendly
- More supportive than square section posts
- Easier to erect than concrete posts
- Complete range of panels to slot in Jakposts
- Gravel boards, capping and finials available
- Stainless steel screws used throughout

Square Section Panel Posts. Planed finish (not slotted). These are standard square section posts without the unique slot that our superior slotted Jakposts have

Standard Panel Posts

Size: 75 x 75mm nominal All fencing styles can use a common post in Jakcured timber to match your fence.

Fence Height	Post Length	Ref	Price
0.6m	1.2m	640100 ●	£3.95
0.9m	1.5m	640200 ●	£4.95
1.2m	1.8m	640300 ●	£5.95
1.5m	2.1m	640400 ●	£6.95
1.8m	2.4m	640500 ●	£7.95
2.1m	2.7m	640600 ●	£8.95

Larger Panel Posts

Size: 100 x 100mm nominal Jakcured posts for hanging light gates etc.

Post Length	Ref	Price
1.2m	641100 ●	6.90
1.5m	641200 ●	8.65
1.8m	641300 ●	10.40
2.1m	641400 ●	12.10
2.4m	641500 ●	13.85
2.7m	641600 ●	15.60
3.0m	641700 ●	17.30
3.3m	641800 ●	18.95
3.6m	641900 ●	20.75

We recommend posts for fences 1.2m high and over should be set in concrete. It is advisable to fix panels to posts with Jakclips when using standard posts. See page 122.

We recommend that all Gate Posts are set in concrete and a minimum of 0.6m into the ground.


Recommended screws

We recommend using 6 screws per panel or 12 per panel if using capping rails. 60mm Screws, Self-Drilling Countersunk Stainless Steel are available in packs of 100 or 200 to secure panels to posts.

For more screws see page 122

	Ref	Price
Stainless Steel Self-Drilling Countersunk Pozi Head Screw Pack of 200 60mm	809900	£10.85
Stainless Steel Self-Drilling Countersunk Pozi Head Screw Pack of 100 60mm	809911	£5.95

post caps, finials, capping and gravel boards



B1 & B2



C



D



E



F



K

Post Caps

- A for use with 75 x 75mm posts
 B1 for use with 100 x 100mm posts
 B2 for use with 125 x 125mm posts
 C for use with 100 x 100mm posts
 D for use with 75 x 75mm posts
 E for use with 75 x 75mm posts
 F for use with 100 x 100mm posts
 K for use with 100 x 100mm posts

Ref	Price
640900 ●	£0.70
641000 ●	£1.00
640660 ●	£1.80
668000 ●	£0.70
645400BM ●	£3.75
645600BM ●	£3.90
645700BM ●	£5.85
645880BM ●	£4.90

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Finials add an elegant finishing touch
- Planed all round
- Post caps or finials can be used as an alternative if capping is not used
- Selection to choose from standard to more decorative



3



4

Standard capping for panels

Planed timber with 2 rounded edges

- 1.875m x 120 x 25mm
 1.925m x 120 x 25mm
 (for use at ends and corners)

Ref	Price
667700 ●	£4.50
667770 ●	£4.50

Capping for panels weathered two ways

Sawn timber triangular shaped top capping rail.

- 1.83m x 75mm x 25mm

Ref	Price
667777 ●	£3.35



5

Pics on these pages:

1. view of Jakpost from above showing panels slotted into post (without post cap or capping)
2. Featherboard Panels slotting easily into Jakposts
3. & 4. standard panel capping rail on top of panel
5. capping for panels weathered two ways
6. gravel boards

Gravel Boards

1.83m fabricated from 150 x 28mm with 22mm packers

Ref	Price
667600 ●	£5.30



6

● STOCK ITEMS



1

featherboard panels and gates

- All timber is Jakcured softwood guaranteed for 25 years
- Rails are precision sawn, resulting in a neater finish and increased strength
- Designed for use with slotted Jakposts
- All fixings stainless steel
- Constructed with three rails for extra strength
- New improved heavier top and bottom rails for extra strength



2

One of the strongest panel fences available. Clad with 100mm featherboard pales.

We have now improved the specification on these panels by making the top and bottom rail heavier, this means an even stronger fence for you.

All panels are 1.83m wide, if you need a narrower panel to complete your fence, it is fine to cut a panel to the correct size on site, although it is important to remember to treat cut ends with Cut and Treat.

Featherboard Panels

Height (1.83m wide)	Ref.	Price
0.6m	636900	£16.85
0.9m	637000 ●	£21.85
1.05m	636100 ●	£23.95
1.2m	637100 ●	£26.25
1.35m	636200 ●	£28.50
1.5m	637200 ●	£30.60
1.65m	636300 ●	£32.95
1.8m	637300 ●	£34.95

Pics on these pages:

1. Featherboard Panels and slotted Jakposts, with additional finials, capping and gravel boards
2. Featherboard Panels and slotted Jakposts, with Premier Trellis topper panels
3. Pair of Featherboard gates
4. Featherboard Panels and slotted Jakposts, with Premier Trellis lattice topper panels
5. Standard Featherboard gate (shown left hand hanging)

Please note: some timber products will take a while to dry out after the Jakcure process and natural shrinkage can occur. To prevent unstained timber becoming visible, we recommend not staining products until they have had a prolonged period of dry weather to fully dry out.

Featherboard Gates: Standard,

Featherboard gates are 1m wide, Jakcured softwood sawn finish, constructed with galvanized bolts and stainless steel nails.

Right hand hanging as standard. (left hand hanging also available).

Wider gates are available as a special order.

Also available as pairs, please ask for price and details.

Key locks are available for featherboard gates.

For Convex or Concave gates see the following page.



For Jakposts, postcaps, finials, capping & gravelboards see pages 8 & 9

For Premier Trellis panels see pages 45 - 47

For nails see page 123

Erection instructions available



- Elegantly designed to match standard featherboard panels and concave or convex
- Capping rail on gate top to match capping rail on Featherboard fencing
- Galvanized ring latches and adjustable hinges
- All fixings galvanized or stainless steel

Featherboard Gates

Jakcure® End Grain Preservative

Where cutting or drilling after treatment cannot be avoided use Jakcure® End Grain Preservative to ensure no timber is left untreated.

	Ref.	Price
500g bottle	131212 ●	£4.95

Gate Height	To suit fence height	Gate width	Ref	Price
1.75m	1.8m	0.9m	231900 ●	£91.60
1.15m	1.2m	1.00m	231100 ●	£81.50
1.45m	1.5m	1.00m	231200 ●	£84.90
1.75m	1.8m	1.00m	231300 ●	£92.25
1.90m	1.95m	1.00m	232000	£98.30



● STOCK ITEMS

FREEfone helpline 0800 41 43 43

11



Concave Featherboard Panels

All panels are 1.83m wide and 50mm thick. Constructed with 2 or 3 rails. Clad with 100mm featherboard pales. Stainless steel nails are used throughout for longer life.



Concave and convex Featherboard Panels

- All timber is Jakcured softwood guaranteed for 25 years
- All fixings stainless steel
- New improved heavier top and bottom rails for extra strength
- Designed for use with slotted Jakposts
- Constructed with three rails for extra strength

Concave Featherboard Panels

Height (1.83m wide)	Ref	Price
1.05m at highest point	635000	£27.65
1.2m at highest point	636000	£29.95
1.35 at highest point	635100	£32.60
1.5m at highest point	636400	£34.85
1.65m at highest point	635200	£37.55
1.8m at highest point	636600	£39.75

Concave Featherboard Gates 1m wide

Gate height	To suit fence height	Ref	Price
1.15m	1.2m	231101	£89.70
1.45m	1.5m	231211	£94.30
1.75m	1.8m	231301	£102.30

For Jakposts, postcaps, finials, capping & gravelboards see pages 8 & 9.

For nails see page 123.

Erection instructions available

Pics on these pages:

1. Concave Featherboard Panels with slotted Jakposts topped with Acorn Finials
2. Concave Featherboard gate
3. Convex Featherboard gate Convex
4. Featherboard Panels with slotted Jakposts topped with Ball Finials

concave and convex featherboard panels and gates



3

Convex Featherboard Panels

All panels are 1.83m wide and 50mm thick. Constructed with 2 or 3 rails. Clad with 100mm featherboard pales. Stainless steel nails are used throughout for longer life.

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Elegantly designed to match standard featherboard panels and concave or convex
- Galvanized ring latches and adjustable hinges
- All fixings galvanized or stainless steel



4

Convex Featherboard Panels

Height (1.83m wide)

	Ref	Price
1.05m at highest point (0.9m at the sides)	635300 ●	£27.65
1.2m at highest point (1.05m at the sides)	636700	£29.95
1.35 at highest point (1.2m at the sides)	635400	£32.60
1.5m at highest point (1.35m at the sides)	636800	£34.85
1.65m at highest point (1.5m at the sides)	635500 ●	£37.55
1.8m at highest point (1.65m at the sides)	636500 ●	£39.75

Convex Featherboard Gates 1m wide

Gate height	To suit fence height	Ref	Price
1.15m	1.2m	231102	£89.70
1.45m	1.5m	231202	£94.30
1.75m	1.8m	231302 ●	£102.30

tongue and groove effect panels and gates



These luxury panels are supplied in a Jakcured frame. Panels are 1830mm wide, with heights of 0.9m to 1.8m. Top and bottom rails 70 x 51mm and sides of 45 x 51mm.

The infill of the panel is a tongue and groove board (see detail) which matches the infill used on our Courtyard Gates. The centre of the panel is given additional support with one or two 70mm wide rails depending on the fence height.

Brook Boarded Gates to match Tongue & Groove Effect Panels

Robust and versatile gates that will give ultimate privacy to any property. Supplied in natural Jakcured finish. Standard widths: 750mm, 900mm and 1m. Other widths available as specials. Height 1.8m when hung 50mm above the ground for clearance.

All gates are right hand hanging when viewed from the front as standard. Left hand hanging are available.

Tongue & Groove Effect Panels

Height	Ref	Price
0.91m	630100 ●	£41.50
1.22m	630200 ●	£52.20
1.52m	630300 ●	£63.55
1.83m	630400 ●	£72.65

Brook Gate

Gate height	Gate width	Ref	Price
1.15m	1m	275800	£105.90
1.45m	1m	275900	£114.25
1.75m	750mm	276000 ●	£112.85
1.75m	900mm	276100 ●	£118.95
1.75m	1m	276200 ●	£123.45

Please note: If you are considering colouring this product please see the note on natural shrinkage and drying Jakcured timber at the foot of page 10.



Convex Tongue and Groove Effect Panels

These attractive panels are a variation on our standard tongue and groove effect panel, with the addition of a graceful arched top in a choice of heights from 0.91 - 1.83m high. Supplied in the natural Jakcured finish. We have a range of finials to fit on the Jakposts (featured on page 9) that will add the finishing touch.

Specifications

These panels are fully framed with 50mm top and bottom rail and 45mm side rails infilled with tongue & groove effect boards. Support rails of 70mm. The panels can be erected with or without a gravel board.

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Designed for use with slotted Jakposts
- Fixings are stainless steel
- Morticed and tenoned frame for extra strength
- Centre rail(s) for additional support
- Matches Courtyard gates (see pages 67 - 69)
- All timber is planed all round

This chunky diamond trellis is only for use as a topper panel on Convex Tongue and Groove effect panels (sold separately). The trellis measures 1.83m wide x 300m high, with a planed finish.

Curved Framed Trellis

1.83m wide x 300m high diamond trellis

Ref
745300 ● £53.50

Pics on these pages:

1. Tongue & Groove effect panels and gravel boards
2. Tongue & Groove effect panel detail shown with capping rail
3. Brook Boarded gate matches the Tongue & Groove Effect panels perfectly
4. Convex Tongue & Groove Effect Panels
5. Curved framed trellis panels on Convex T & G effect panels

Convex Tongue & Groove Effect Panels

Panel Height at highest point	Ref	Price
0.91m	630110	£60.45
1.22m	630210	£71.15
1.52m	630310	£82.55
1.83m	630410 ●	£91.75



railing topper panels

Railing Topper Panels

To add a touch of elegance and extra security why not add one of our range of railing toppers to your fence?

They are designed to fit on top of our premium Tongue & Groove effect panels and like all of our panels, slot easily into Jakposts.

Available in three styles; level top, concave and convex, the attractive panels feature finial tops and collars around alternate pales.

An added advantage of the metal topper panel is the extra light allowed through the top, great if your garden suffers from lack of sunlight.



Specifications

All panels are 1830mm wide. Level Top panel is 450mm high. Concave panel is 315mm at it the lowest point, 450mm at the sides. Convex panel is 585mm at the highest point and 450mm at the sides. The bottom and side rails are 50 x 25mm drilled for fixing to the posts to prevent removal. Top rail is 50 x 6mm flat bar with 12mm vertical bars with finials and collars.

Pics on these pages:

1. Level Topper panel on Tongue and Groove base
2. Convex Topper panel on Tongue & Groove base
3. Concave Topper panel on Tongue & Groove base
4. Chevron Panels in pergola side run
5. Chevron Hit & Miss Panel in natural Jakcured finish installed with a gravel board
6. Chevron gate 7. Chevron Hit & Miss gate

- Manufactured from heavily galvanized steel for extra long life
- 25 year service life guarantee
- Polyester powder coated black with a range of other colours available
- Designed for use with slotted Jakposts
- Panels give extra light and security

Railing Topper Panels

Panel Type	Ref	Price
Level Top	084101 ●	£67.95
Concave	084201 ●	£70.65
Convex	084301 ●	£71.95

Please note: Prices were correct at the time this brochure was printed, however due to fluctuating raw material prices these may change. Please ask for a quotation for confirmation, or see our web site for current prices.

chevron and chevron hit & miss

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Hit and Miss panels' design allows some wind to pass through - offering less wind resistance
- All fixings are stainless steel
- Matching gates available
- All timber is planed all round

Chevron Panel

The Chevron is simple but effective. When used in a run these attractive panels create a delightful herringbone effect. Good for privacy whilst allowing some light to filter through. Supplied natural Jakcured finish and planed all round.

Specification

Panels are 1.83m wide, framing 45 x 50mm with 45 x 11mm cover strip, infill battens 95 x 17mm.

Chevron Hit & Miss Panel

This new design has advantages over our standard chevron panel; it offers more privacy and is a wind barrier, also its visual appearance is excellent both sides, which gives your neighbour the same fence as you.

Specification

Panels are 1.83m wide, framed with 45 x 50mm, infill boards 95 x 8mm supplied in natural Jakcured timber and planed all round.

Chevron Hit & Miss Gates and Chevron Gates

1m wide. Available in both left or right hand hanging when viewed from the outside includes galvanized hinges and ring latch.



4

Chevron Panels

Height	Ref	Price
0.91m	633900	£32.25
1.22m	633800	£41.35
1.52m	633700	£47.50
1.83m	633600	£54.75

Chevron Hit & Miss Panels

Height	Ref	Price
0.91m	662300	£51.90
1.22m	662200	£61.15
1.52m	662100 ●	£72.10
1.83m	662000 ●	£83.85



5

Chevron Gates

	Ref	Price
1.75m high Right handed	639600	£118.50
Left Handed	639660	£118.50

Chevron Hit & Miss Gates

	Ref	Price
1.75m high Right handed	662900	£141.45
Left Handed	662990	£141.45



6



7



hit & miss vertical and horizontal

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Designed for use with slotted Jakposts
- Morticed and tenoned frame for extra strength
- Hit and Miss panels' design allows some wind to pass through - less wind resistance
- All fixings are stainless steel
- All timber is planed all round



Some people prefer the boards of these panels to run horizontally, some vertically. (Please note that it is possible to see through the vertical panels, only very slightly). Whichever variation you prefer you still benefit from less wind resistance.

Vertical & Horizontal Hit & Miss Panels Specification

Panels are 1.83m wide, framing 45 x 50mm, recessed to take boards, 95 x 8mm with internal battens 50 x 12mm.



Jakcure finish ready for priming, or staining. If colour finishes are required we recommend that they be applied after the panels are erected.

Vertical Hit & Miss Panels

Height	Ref	Price
0.91m	634300 ●	£39.50
1.22m	634200 ●	£47.10
1.52m	634100 ●	£55.80
1.83m	634000 ●	£64.80

Horizontal Hit & Miss Panels

Height	Ref	Price
0.91m	631500 ●	£39.50
1.22m	631600 ●	£47.10
1.52m	631700 ●	£55.80
1.83m	634000 ●	£64.80

hit & miss convex panels and gates

Hit & Miss Convex Panels

Here's a new shape for the popular Hit and Miss panel, an elegant curved topped panel in a choice of heights from 0.91 - 1.83m high. Supplied in the natural Jakcured finish. We have a range of finials to fit on the Jakposts (featured on page 9) that will add the finishing touch.

Specification

These panels are fully framed with 70mm top and bottom rail, and 45mm side rails with Hit and Miss boards. All timber is planed. The panels can be erected with or without a gravel board.

Hit & Miss Convex Panels

Panel Height at highest point	Ref	Price
0.91m	634310	£62.80
1.22m	634210	£69.95
1.52m	634110	£78.55
1.83m	634010 ●	£87.20

Hit & Miss Gates Vertical

Gates to suit fence 1.8m high	Ref	Price
Right handed 1.75m high	631900 ●	£104.45
Left Handed 1.75m high	631990 ●	£104.45

Hit & Miss Gates Horizontal

Gates to suit fence 1.8m high	Ref	Price
Right handed 1.75m high	631800	£104.45
Left Handed 1.75m high	631880	£104.45

Pics on these pages:

1. Hit & Miss Vertical panel with diamond premier trellis topper panels 2. Horizontal Hit & Miss panels with additional capping rail and finials 3. Vertical Hit and Miss panels 4. Convex Hit & Miss panel 5. Hit & Miss gate (vertical)



3



4

Hit and Miss Gates

Designed to match the various Hit and Miss panels perfectly, the 1.75m x 1m wide gates are also morticed and tenoned for extra strength. All fixings are stainless steel, and the gates come complete with galvanized ring latch and adjustable hinges.

Available in both left or right hand hanging when viewed from the outside.

palisade panels and gates



Palisade is a classic design of garden fencing, also known as picket fencing. Please note we supply in only natural Jakured finish, (not painted), but it is shown in some of our pictures here painted white, as this is how many people like to see it finished.

Specifications

All panels are 1.83m wide. Pales are 22 x 75mm nominal section planed to finish at 19mm thick. Pale tops are machined. Each panel is backed by two 2ex 100 x 38mm cant rails fully planed for painting.

Palisade Gates

Palisade gates are hung on the right hand side when viewed from the outside of the fence. With three heights and 1.0m wide, constructed with galvanized bolts and screws. Supplied fitted with galvanized iron hinges and ring latch. Right hand hanging as standard, left also available, please ask for details.

Palisade Panels

Fence Heights	Rounded pale tops		Pointed pale tops	
	Ref	Price	Ref	Price
1.0m 2 rails	223500 ●	£23.95	224500 ●	£23.95
1.2m 2 rails	223600 ●	£27.55	224600 ●	£27.55

Palisade Gates

Gate Height	To suit Fence Height	Rounded pale tops		Pointed pale tops	
		Ref	Price	Ref	Price
0.95m	1m	223300 ●	£75.80	222700 ●	£75.80
1.15m	1.2m	224300 ●	£79.90	222600 ●	£79.90
1.75m	1.8m	225800 ●	£93.75	225900 ●	£93.75

concave palisade panels



Concave Palisade Panels

The graduating pale heights creates a curve between the posts. All the panels are supplied in natural Jakcured finish (not painted), ready for priming, painting or staining.

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Designed for use with slotted Jakposts
- Choice of pointed or rounded pale tops
- Classic traditional design
- All fittings and fixings are stainless steel
- Planed finish

Concave Palisade Panels

Panel Height	Ref.	Price
1.0m 2 rails	225050 ●	£24.95
1.2m 2 rails	225100 ●	£27.75

Specifications

All panels are 1.83m wide. Pales are 22 x 75mm nominal section planed to finish at 19mm thick. Pale tops are machine rounded. Each panel is backed by two 2ex 100 x 38mm cant rails fully planed for painting.

Pics on these pages:

1. Level Top Palisade panels rounded pale tops
2. Detail inset shows alternative pointed pale tops
3. Palisade Gate rounded pale tops
4. Palisade Gate pointed pale tops
5. Concave Palisade Panels rounded pale tops supplied Jakcured natural finish shown painted white
6. Concave Palisade rounded pale tops panel supplied Jakcured natural finish





jaktop panels and gates

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Superior planed finish
- Designed for use with slotted Jakposts
- Traditional attractive design
- Matching gates
- All fixings are stainless steel
- Hinge latches are hot dip galvanized



Gates as standard are hung on the right when viewed from the outside, but can be hung on the left (please ask for details).

Jaktop Panels are supplied in natural Jakcured finish, ready for priming, painting or staining. They come complete as a fixed panel with rails. **For details on intermediate posts, corner posts, gate posts, Jakposts and post caps see pages 8 & 9.** If colour finishes are required we recommend that they be applied after the fence is erected.



Jaktop Panels

Height	Ref	Price
0.86m	600600 ●	£21.95
1.2m	600700 ●	£27.95
1.8m	600800 ●	£38.55

Jaktop Gates

Height	Width	Ref	Price
0.86m	1m	602600 ●	£81.20
1.15m	1m	602900 ●	£89.10
1.75m	1m	603200 ●	£100.90
0.86m	1.2m	602700	£84.60
1.15m	1.2m	603000	£93.70
0.86m	1.5m	602800	£87.40
1.15m	1.5m	603100	£94.80

Specification

Jaktop Panels are made from tough 50 x 22mm half round timber used in our Traditional Jaktop fencing, backed by two rails for the 0.8m & 1.2m & three rails for 1.8m panels. All panels are 1.83m wide.

See facing page for gate posts or page 8 for slotted gate posts



traditional jaktop fencing

Traditional Jaktop fencing is a unique, robust, highly decorative garden fence. The 2.4m length of Jaktop fencing is the basic unit of the system, and is available in three heights. The pales are half round made from tough 50 x 22mm timber and of course all the timber is Jakcured. For every 2.4m of fencing run you will need one post, one 2.4m length of Jaktop fencing and two rails. Do not forget to add one post to complete the run. The fence should be erected 50mm above ground level to allow for weeding. A pack of galvanized nails is included with every panel. Supplied in a natural Jakcured finish as a concertina panel to be attached to separate rails.

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Superior planed finish
- Traditional attractive design
- Matching gates (see opposite page)
- All fixings are stainless steel
- Ideal for undulating ground
- Hinge and latches are hot dip galvanized

Traditional Jaktop Fencing

Length	Panel Height	Ref	Price
2.4m	0.6m	600100 ●	£15.85
2.4m	0.86m	600200 ●	£21.60
2.4m	1.2m	600300 ●	£28.45

Traditional Jaktop Fence Posts

70 x 70mm planed

Length	Fence Height	Ref	Price
1.2m	0.6m	640100 ●	£3.95
1.5m	0.86m	640200 ●	£4.95
1.8m	1.2m	640300 ●	£5.95



Jakcure® End Grain Preservative

Where cutting or drilling after treatment cannot be avoided use Jakcure® End Grain Preservative to ensure no timber is left untreated.

	Ref	Price
500g bottle	131212 ●	£4.95

Traditional Jaktop Rails

2.4m half round rail 35 x 75mm	Ref	Price
	600500 ●	£2.75

Traditional Jaktop Gate Posts

Made from 100 x 100mm section. Notched to take half round rails, top weathered one way.

Length	Fence Height	Ref	Price
1.5m	0.86m	602400 ●	£9.95
1.8m	1.2m	602500 ●	£11.90

Centre Gate Stop	602200 ●	£6.65
------------------	----------	-------

Guide prices

Height		Price
0.6m	per m	£10.71
0.86m	per m	£13.56
1.2m	per m	£16.87

Pics on these pages:

1. Jaktop panels
2. Jaktop Gate inset
3. Run of Jaktop panels with gate
4. Jaktop gate 1.8m high
5. Jaktop Fencing (concertina form) in natural Jakcured finish installed with a gravel board
6. Jakcure 500g bottle

● STOCK ITEMS

FREEfone helpline 0800 41 43 43

23



1

traditional featherboard fencing

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Matching gates available (see pages 11 - 13)
- Post are 125 x 100mm section for extra strength



2

Galvanized Nails

75mm for attaching rails and gravel boards 1kg. for 23m 50mm for attaching pales 1kg. for 9m. (See prices on page 123)

To calculate the materials you will need to allow one post and 29 pales for every 2.4m section. For the 1.2m fence allow two rails and for the 1.5m and 1.8m fences allow three rails per section. You will also need one gravel board for every section. Remember to add one extra post to complete the fence run.

Pales

Fence Height with gravelboard	Pale Height	Ref	Price
1.2m	1.05m	230400 ●	£0.72
1.5m	1.35m	230500 ●	£0.92
1.8m	1.65m	230600 ●	£1.13
without gravelboard			
0.9m	0.9m	232300 ●	£0.60
1.2m	1.2m	232400 ●	£0.82
1.5m	1.5m	232500 ●	£1.02
1.8m	1.8m	232600 ●	£1.23

Posts

1.2m	1.8m	230100 ●	£12.35
1.5m	2.4m	230200 ●	£16.45
1.8m	2.7m	230300 ●	£18.45

Rails

2.4m x 87 x 37mm	weathered	231400 ●	£4.45
------------------	-----------	----------	-------

Gravel Boards

2.4m x 150 x 25mm		230700 ●	£4.95
-------------------	--	----------	-------

Corner Posts

125 x 125mm weathered	two ways.	Ref	Price
1.2m	1.8m	230800 ●	£15.90
1.5m	2.4m	230900 ●	£21.15
1.8m	2.7m	231000 ●	£23.70

Guide prices per metre

1.2m per metre	£20.30
1.5m per metre	£26.34
1.8m per metre	£29.73

Featherboard Fencing (non panel form)

Featherboard Fencing is supplied in softwood Jakcured sawn finish. The pales are taper sawn, two from a 100 x 22mm section board, they are finished 150mm shorter than the height of the fence and stand on a 150mm gravel board as standard. Posts are 125 x 100mm section, for extra strength. The 1.2m fence posts have two recesses, and the 1.5m and 1.8m are recessed three times, for the rails. Post tops are weathered.



3

capping for traditional featherboard fencing

Planed timber capping rail, with counter rail and two L shaped brackets

2.4m kit with fixings

Ref	Price
232200BM ●	£12.80

traditional palisade fencing



- All timber used throughout is superior quality Jakured softwood guaranteed for 25 years
- Choice of pointed or rounded pale tops
- Superior planed finish
- Classic traditional design
- All fittings and fixings are galvanized
- Matching gates available (see page 20)

Rails

2.4m long nominal 87 x 38mm section, scarfed both ends.

Ref.	Price each
221700 ●	£4.45

Pales

(14 per section)

Height	Ref.	Rounded Tops each	Pointed Tops each
1m	223000 ●	£1.00	220400 ● £0.95
1.2m	224000 ●	£1.20	221600 ● £1.15
1.8m	225200 ●	£1.75	225300 ● £1.70

Posts

Intermediate Height

Height	Ref.	Rounded Tops each	Pointed Tops each
1.5m	223100 ●	£8.05	220100 ● £7.90
1.8m	224100 ●	£9.65	221300 ● £9.50
2.4m	225400 ●	£14.95	225500 ● £14.80

Guide prices per metre

Fence Height
1m per m
1.2m per m
1.8m per m

Rounded Tops	Pointed Tops
£14.24	£13.93
£16.23	£15.85
£24.27	£23.89

Traditional Palisade fencing (non panel form)

Pales are nominal 75 x 19mm section, planed with pointed or rounded tops. Posts for 1 and 1.2m high fences are nominal 100 x 75mm section and have two mortices with tops weathered two ways or rounded. Posts for 1.8m fences are nominal 125 x 75mm section and have three mortices with tops weathered two way or rounded. The posts are 0.6m longer than the height of the fence. When calculating the materials you will need one post every 2.28m section plus one extra for the end of the run. Rails two per section for 1 and 1.2m high and three per section for 1.8m high fence.

Corner Posts

These are 0.6m longer than the fence height & are 100 x 100mm section. Planed and morticed two ways.

Fence Height	Post Height	Ref	Rounded Tops	Ref	Pointed Tops
1m	1.5m	223200 ●	£8.61	220800 ●	£8.41
1.2m	1.8m	224200 ●	£10.15	222000 ●	£9.99
1.8m	2.4m	225600 ●	£13.59	225700 ●	£13.88

Gate Posts

1.5 & 1.8m are 100 x 75mm & 2.4m are 125 x 75mm section (not morticed).

Gate Height	Post Height	Ref	Rounded Tops	Ref	Pointed Tops
0.95m	1.5m	223400 ●	£8.05	220500 ●	£7.90
1.17m	1.8m	224400 ●	£9.64	220600 ●	£9.49
1.75m	2.4m	226800 ●	£14.97	226500 ●	£14.82

Nails

1 kg. of 50mm galvanized nails required for every 11m of 1 & 1.2m fence and for every 7m of 1.8m high fence. See page 123.

Pics on these pages:

1. Featherboard Fencing (non panel form)
2. Rear view of fence
3. Capping for traditional featherboard fencing
4. Palisade fencing in natural Jakured finish.
5. Detail showing alternative round pale tops

We reserve the right to alter specifications in accordance with our policy of continuous improvement.



● STOCK ITEMS

FREEfone helpline 0800 41 43 43

25



paliframe panel & gate

Here's a fresh approach to garden fencing; the Paliframe is a variation on our classic Palisade panel. Alternate pales have been cut at an angle to create a very pleasing decorative effect. These are ideal for creating light and airy gardens as they allow sunlight through and offer less wind resistance than solid panels.

Constructed from Jakured softwood, Paliframe panels are framed for use with our slotted Jakposts. (see page 8 of this Good Fencing Guide, or our web site). The panel height is 1.83m x 1.83m wide.

Matching gate available, 1m wide to suit panels 1.83m high, either right or left hand hanging when viewed from the front. For other sizes please ask.



Paliframe

	Ref.	Price
Panel 1.83 x 1.83m	657500 ●	£69.90
Gates for fence height 1.83m		
Gate right hand	657600	£69.90
Gate left hand	657660	£69.90



Pics on these pages:

1. Paliframe panels and gate complete with additional capping rails 2. Close up of Paliframe panel in Hampton Court Flower show garden 3. Paliframe pales detail 4. Rear of Paliframe gate 5. Venetian prototype at Hampton Court Flower show 6. Venetian panels and gate complete with additional capping rails 7. Rear of Venetian gate 8. Detail of Venetian horizontal pales



venetian panel & gate

The strikingly attractive Venetian is another panel ideal for creating a lighter garden as it allows light through the horizontal pales. This can produce bands of light and shade to dramatic effect. It also offers less wind resistance than solid panels.

Constructed from Jakcured softwood, Venetian panels are framed for use with our slotted Jakposts. (see page 8 of this Good Fencing Guide, or our web site). Five panel heights available, all at 1.83m wide. Matching gate available, 1m wide to suit fence height 1.83m, either right or left hand hanging when viewed from the front. (Other gate heights available as a special order).



Venetian Panels

Height	Ref.	Price
0.61m	657000	£31.45
0.91m	657100	£41.60
1.22m	657200	£51.90
1.52m	657300	£62.85
1.83m	657400 ●	£73.10

Venetian Gates

For fence Height	Right hand Ref.	Left hand Ref.	Price
1.83m	657700	657770	£111.50





chilham “good both sides” panel

This unique design was developed so we can offer you a premium panel that has no rails on either side to spoil either your’s or your neighbour’s view.

Chilham panels are framed for use with our slotted Jakposts. Constructed from Jakcured softwood, using a unique interlocking grooved board system. (see page 8 of this Good Fencing Guide, or our web site). Panels are 1.83m wide with four panel heights available.

Matching gate available 1m wide for fence height 1.83m, either right or left hand hanging when viewed from the front. (Other gate heights available as a special order).



Chilham Panels

Height	Ref.	Price
0.91m	656000	£46.60
1.22m	656100	£57.95
1.52m	656200	£69.50
1.83m	656300 ●	£80.75

Chilham Gates

For fence height	Right hand Ref.	Left hand Ref.	Price
1.83m	656400	656440	£139.50

Pics on this page:

1. Chilham panels and gate 2. Rear of Chilham gate with additional capping rail 3. Detail of interlocking grooved boards on Chilham panel

euroguard combi - the high security garden fence

EuroGuard Combi brings our experience and reputation in steel and timber fencing together in a design that combines the beauty of natural wood with the strength and security of steel.


The robust panels and matching gates also provide the additional advantages of a flat facing surface with no hand or foot holds, and closely spaced slats for added privacy. The Jakcure treated slats are held securely in place by sturdy top and bottom rails, and steel posts are timber clad for a finishing touch. Steel posts and mesh panels are supplied Galvanized to BS EN 1461 as standard or galvanized and powder coated to BS EN 13438 in standard black and green, with other colours available at extra cost.

EuroGuard Combi carries both our 25 year Service Life Guarantee on steel and 25 year Jakcure guarantee on timber.

Matching gates are available price on application.

Pics on this page:

1. EuroGuard Combi panel 2. Detail of post fixing shown without timber cladding 3. Bottom rail detail 4. Top rail and post cladding detail



EuroGuard Combi Panels

Panel 3.0m wide

2.0m high
2.5m high

Ref.

747200S
747250S

Price

£142.03
£162.19

EuroGuard Combi Posts

Posts

for panel height 2.0m
for panel height 2.5m

Ref.

748020S
748025S

Price

£123.57
£152.59

Please note: Prices were correct at the time this brochure was printed, however due to fluctuating steel prices these may change. Please ask for a quotation for confirmation, or see our web site for current prices.

Jakoustic barriers

Welcome to an acceptable level of noise and a better quality of life...

Jackson's have launched a revolutionary acoustic barrier system. Noise pollution, defined as "unwanted sound" is a major problem for modern society. The need for protection from noise pollution is not only desirable, under certain circumstances it can be essential, as continued exposure to high and sustained levels of noise can cause damage to hearing, irritability and loss of concentration. With this in mind Jackson's have introduced Jakoustic, specifically designed to reduce noise, to bring back the peace and quiet into your life.

"I'm delighted, I can now hold a normal conversation in my garden."

This was the reaction of Mrs Young of Canterbury, after having Jakoustic installed to reduce the constant deafening din from a nearby busy road.

Jakoustic Reflective - The Facts:

The fence consist of posts and boards and is supplied with special fixings. The boards are machined to a finished size of 125 x 34mm - this is nearly 50% heavier than standard acoustic fencing. The edges of the boards are machined with a combination of an interlocking "vee" coupled with a tongue and groove. This special profile has been carefully developed to fit the boards together in such a way that eliminates gaps that sound will easily travel through, even when boards shrink and expand with changes in the weather.

The typical fence height is 2.0m although as can be seen from the data on the opposite page, a height of 3.0m can give a far better level of protection from unwanted noise. If required, the fencing can be built to a massive 12.0m which will meet the most demanding of noisy situations. In addition the fence is supplied with a contoured capping rail as a finishing touch.



1



2

The Posts used for most applications, from 2-4.0m high, are of a unique tuning fork design which traps the boards, thereby ensuring continuous sound insulation. They are reinforced with a steel spur coated black. Jakoustic has the added benefit of having the same appearance on both sides, meaning there is no bad side to this fence. For fence heights greater than 4.0m or for highway use, galvanized steel "I" beam posts are used. These are clad with a timber cover board to enhance the visual appearance of the posts. As with all Jackson's timber products the timber has been treated with the unique Jakcure process which guarantees the products for 25 years against rot and insect attack, it also complies with highways standard for timber treatment. Jakoustic is certified to BS EN 1794 - 1:2003, BS EN 1793-1:1998 / BS EN 1793-2:1998 and Highway Sector Scheme 4 approved.

As illustrated in the table below opting for a jakoustic barrier can, in most cases, decrease noise by at least 10 decibels (dB). To put this into perspective when you consider motorway traffic produces 70dB and conversational speech rates as 60dB, 10dBs is a really significant reduction.

Sound reduction achieved in tests on Jakoustic barriers

Distance from noise generator	Fence height 2m	Fence height 2.5m	Fence height 3m
5m	13.6dB	16.5dB	17.4dB
10m	11.3dB	13.5dB	14.1dB
15m	10.3dB	12.5dB	12.9dB
20m	9.2dB	11.9dB	12.4dB

The above data shows the results from measurements taken during a field trial, which simulated the latest British Standard test procedure for acoustic fencing in a practical location.

Pics on these pages:

1. Jakoustic Reflective Barrier
2. Detail of 2 - 4m post with first board showing the unique "vee" profile.
3. Jakoustic mounted on brick piers
4. Jakoustic Absorptive rear view showing plastic membrane



Jakoustic Reflective barrier has a B3 rating when tested, this is the highest possible rating offered to reflective acoustic barriers as certified by British Standards

Even further protection is available with the **Absorptive Jakoustic** barrier - similar in design but with an additional layer of absorbent material applied to the back, which is then contained within a plastic membrane, then secured with 50mm half round machined timbers. Certified laboratory tests have shown an increase in decibel reduction of up to a further 4dB, which means the absorptive Jakoustic system can provide the ultimate in noise reduction.



playtime[®] timber panels and gates

(RoSPA approved)



- All timber used throughout is superior quality Jakured softwood guaranteed for 25 years
- Superior planed finish
- Easy to install panels with gravel boards for attaching to posts and rail connectors
- Ideal for play areas or as a garden fence
- Jakured finish or your choice of colour coating
- All fittings and fixings are galvanized
- Pales, posts and gravel boards have rounded edges for extra safety
- Flexible design will accommodate sloping sites without stepping
- Self closing gates with galvanized metal frame for longer life



Technical details

Height 1090mm overall: Post centres 2745mm;
Pale spacing 75mm, Panel Width 2625mm.

Timber: All timber is planed finish. Prior to vacuum and pressure treatment by the Jakure process it is dried below 30% moisture content.

Colours: As illustrated, Jakure treated or Jakured with decorative coatings to colours of your choice. Delivered already coated needing only minimum retouching on site.

Posts: 125 x 125mm allowing 800mm in the ground (nominal sizes)

Rails: 100 x 38mm (nominal sizes)

Pales: 100 x 38mm (nominal sizes)

Gravel boards: 150 x 38mm (nominal sizes)

Gate: Steel frame with self closing hinge, galvanized with polyester powder coating. **Prices on application.**

brook and brabourne boarded garden gates



Brook and Brabourne Boarded Garden Gates

Robust and versatile gates that will give ultimate privacy to any property. Supplied in natural Jakcured finish. Standard widths: 750mm, 900mm and 1m. Other widths available as specials. Heights: 1.2, 1.5 and 1.8m when hung 50mm above the ground for clearance.

All gates are right hand hanging when viewed from the front as standard.

Left hand hanging are available.

Pics on these pages:

1. Playtime Fencing and gate coated multi-coloured.
2. The pales are sandwiched between two pairs of strong rails.
3. Posts and corner detail.
4. Playground site surrounded by Playtime timber fencing showing hinged panel to adjust to the site's contours and the matching gate.
5. Brook Gate (shown right hand hanging).
6. Brabourne Gate (shown right hand hanging)
7. Rear view of Brook Gate

- All fittings and fixings are galvanized
- Wall plates are available for fitting these gates to walls - please ask for details
- These prices include ring latch, adjustable hook and band hinge
- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Superior planed finish
- Capping rail on Brook gate top to match fence capping rail

Brook Gate

Gate height	Gate width	Ref	Price
1.15m	1m	275800	£105.90
1.45m	1m	275900	£114.25
1.75m	750mm	276000 ●	£112.85
1.75m	900mm	276100 ●	£118.95
1.75m	1m	276200 ●	£123.45

Brabourne gate

Gate height	Gate width	Ref	Price
1.15m	1m	277100	£105.90
1.45m	1m	277200	£114.25
1.75m	750mm	277300 ●	£112.85
1.75m	900mm	277400 ●	£118.95
1.75m	1m	277500 ●	£123.45



Please note: Some timber products will take a while to dry out after the Jakcure process and natural shrinkage can occur. To prevent unstained timber becoming visible, we recommend not staining products until they have had a prolonged period of dry weather to fully dry out.

Please note: We reserve the right to alter specifications in line with our policy of continuous improvement.

● STOCK ITEMS

FREEfone helpline 0800 41 43 43

ALL PRICES
EXCLUDE VAT

33


garden railings and gates




1




2




Stelling 500mm (nominal) high panel



Stelling 1m (nominal) high panel



Postling 500mm (nominal) high panel



Postling 1m (nominal) high panel

Postling panels shown above, are the same panel as Stelling, but without the finials above the top rail.

Panel Specifications

Panel Heights: 500mm and 1.0m nominal to the top of the panel, with 65mm ground clearance.

Panel Width: 1790mm

Pales and Scrolls: 10mm diameter bar
Posts for 1m high panels: 40 x 40 x 3mm RHS

1m above ground with ball finial

700mm for concreted below ground

Posts for 500mm high panels: 40 x 40 x 3mm RHS 500mm above ground with ball finial

475mm for concreted below ground.

Panel Type

1 m high	Ref	Price
Stelling	984110	£91.95
Postling	984410	£81.42
Posts		
Stelling	984010	£19.89
Postling	984411	£20.19

Panel Type

500 mm high	Ref	Price
Stelling	984105	£71.18
Postling	984405	£53.31
Posts		
Stelling	984005	£14.69
Postling	984406	£14.85

Ball top corner posts

for 500 mm high	Ref	Price
Stelling	984006	£14.85
Postling	984407	£14.85
for 1m high		
Stelling	984011	£19.89
Postling	984412	£20.19

Please state how many corner posts are required when ordering.

Fixings are included. For connection to existing walls or timber, hook plates and catch plates are available. See facing page.

- Traditional attractive design - ideal for front gardens
- Galvanized finish to BS EN 1461 for a longer life
- Colour coatings as standard in green, white or black - other colours available
- Vandal proof connections
- Matching gates - single and double leaf
- Adjustable hinges allow the gate to swing through 180°
- Gates can be hung on the right or left side
- All gates fitted with traditional thumb latch
- Double gates fitted with drop bolts



Nominal Widths between posts in mm. 1 m high only.

Gate Type	Single	Double	Single	Double	Single	Double
	910mm	1810mm	1110mm	2210mm	1510mm	3010mm
Price	£86.95	£174.15	£99.95	£194.90	£115.95	£215.40

Stelling Postling	Ref	Ref	Ref	Ref	Ref	Ref
		984120	984122	984130	984133	984140
	984420	984422	984430	984433	984440	984444

Other widths are available, please ask for details.

	Ref	Price
Hinge bracket	985400	£2.28
Wall gate catch	985500	£4.80
Wall connector	985600	£1.60

	Ref	Price
Hanging posts	985100	£36.75
Shutting posts	985200	£27.60
Centre gate stop	985300	£9.75

Gate Specification

Height: 1m

Width: gates are available in three standard widths 910mm, 1110 mm and 1.510mm.

Pales and Scroll: 10mm diameter bar

Gate Posts: 40 x 40 x 3mm RHS. 1m above ground, 700mm for concreting below ground.

Post can be supplied on plates which bolt to concrete (please ask for details).

Frame: 25 x 25 x 1.5mm RHS



Pics on these pages:

1. Stelling Garden railings galvanized polyester powder coated black
2. Detail of Stelling railings finials and post.
3. Single Stelling gate
4. Double Stelling gate
5. Stelling railing 500mm high
6. Stelling railings

Please note: Prices were correct at the time this brochure was printed, however due to fluctuating raw material prices these may change. Please ask for a quotation for confirmation, or see our web site for current prices.



bow top panels and gates

- Tubular construction for extra strength.
- Traditional attractive design - ideal for front gardens
- Vandal proof connections
- Galvanized finish to BS EN 1461 for a longer life
- Colour powder coating available
- Matching gates - single and double leaf

Bow Top Fencing

Available in two heights: 1m and 1.2m.

The horizontal rails are sleeved on to the fitting on the posts, resulting in a seamless design. (Posts are also available with base plates for fixing to concrete).

Specifications

Posts: 60.3mm o/d for 1m and 1.2m high fence supplied with domed post caps with 700mm, to be set in concrete.

Post centres 3m. Rails: 50x25mm RHS. Tubular Infill: 19mm diameter. Tube spacing: 119mm centres giving 100mm gap.

Standard finish galvanized or with the addition of colour powder coating in: green, black, white, blue brown, yellow, grey or red.

Please note: Prices were correct at the time this brochure was printed, however due to fluctuating raw material prices these may change. Please ask for a quotation for confirmation, or see our web site for current prices.

Pics on these pages:

1. Bow Top galvanized and polyester powder coated black
2. Bow Top galvanized can be stepped to accommodate even steep slopes
3. Bow Top galvanized finish double leaf gate
4. Bow Top galvanized and coloured black single leaf gate
5. Feature post for added strength and style
6. Detail of finial in bow top

Panels

	Galvanized	Galv & Coated
Panel height	Ref	Price
1m high	071460	£110.46
1.2m high	071462	£120.27
Posts for panels		
1m high	071402	£21.60
1.2 high	071403	£23.99
Connector	020000	£1.09



Bow Top Gates

Single and double leaf matching gates are available to suit fence height and drive widths. Supplied with posts and fittings



Bow Top Gates & Posts

	Galvanized	Galv & Coated
Single gate 1.2m wide		
1m high	Ref 071416	Price £495.00
1.2 high	071417	£505.00
Double gates 3m wide		
1m high	071406	£777.00
1.2 high	071407	£793.00



Please note: Prices were correct at the time this brochure was printed, however due to fluctuating raw material prices these may change. Please ask for a quotation for confirmation, or see our web site for current prices.

Optional additional features

We have introduced two new additional features you can add to our classic Bow Top fences, just to add a little extra interest and to give your fence a different look:

An extra feature post in the shape of a larger Bow over the bow top pales.


Extra pales set between the standard pales, topped off with a finial within the bow (there is a range of different finials to personalise your fence).





euroguard fencing

- Ideal for as a modern alternative to chain link fencing for containing dogs in a domestic setting
- Galvanized finish to BS EN 1461 for a longer life
- Colour powder coating available
- Matching gates - single and double leaf



EuroGuard Fencing

EuroGuard consists of special steel wire panels which are clamped to galvanized steel posts. This makes for a thoroughly versatile system, a bit out of the ordinary, and able to be adapted to the individual needs of most users.

Two alternative installation systems:

Either, one post / one panel etc., or all posts and then all panels. Both systems can be used on even or uneven ground. The panels are fixed with special clamps.

Specifications

Panels: widths 2.5m for 1.5 and 1.8m high panels. 3m wide for 2m high panels. Mesh 200 x 50 wire. Vertical and horizontal wires 5mm diameter 2 - 4 reinforcing folds according to the height. Posts: 60 x 40mm with cap and fittings. Supplied galvanized as standard with optional powder coating.

EuroGuard Panels (Galvanized)

Height	Width	Ref.	Price
1.5m	2.5m	073046 ▲	£34.86
1.8m	2.5m	073047 ▲	£40.95
2.0m	3.0m	073058	£57.60

EuroGuard Posts (Galvanized)

fence height	Ref.	Price
1.5m	073067	£28.52
1.8m	073068	£31.95
2.0m	073069	£34.35
	073163BM	£1.71
	073160	£15.13

Clips for fixing (3 per post)
Driving tool for screws

Please note: Prices were correct at the time this brochure was printed, however due to fluctuating raw material prices these may change. Please ask for a quotation for confirmation, or see our web site for current prices.

Pics on this page:
1. EuroGuard fencing
2. EuroGuard panel and post detail