




# Agricultural Footpath Access R.O.W. & Demarcation Devices



All Jakcured timber is  
guaranteed for 25 years

**Jacksons**  
FINE FENCING

# Estate Railings



Estate Railings galvanized and polyester powder coated black

- New tubular construction for extra strength
- Galvanized finish for virtually maintenance free life
- Colour coating available
- Stronger than traditional flat bar railings
- Two options for erection

## Timeless style

Estate fencing has a classic style that everyone associates with country parks and rural estates, it's been around for years, but can look rough, ready and ancient. It needn't be that way, we have improved on the traditional fence and created an economical modern version that is stronger, lighter and virtually maintenance free.

## Even better than before

Originally estate fencing has been made from flat bar, which is prone to bending and can be considerably weighty. Jacksons tubular constructed fence is not only stronger, but it's much lighter too, something that can make a big difference if you are erecting long runs and having to transport it.

Another improvement is that we've galvanized the panels, so rust shouldn't be a problem and with an additional colour powder coating in green, black, white, blue or grey, it has even more protection from the elements.

## Specifications

Panel width: 2m overall

Panel height: 1.2m above finished ground level

End posts / uprights: 50 x 25mm RHS (end posts are capped and drilled with 3 holes for bolting to the next panel)

Rails: 19mm CHS

## Two Erection options

We offer two options for erecting the fence, which you can choose to suit the terrain you are working on.

### Option A

has extended uprights to a length of 455mm, for setting in concrete.

### Option B

has a two pronged extension that is fixed at right angles to the uprights at ground level. These consist of two bars 370mm long that act as a spiked foot buried just below ground level for a more stable means of fixing the fence in position without the need for concreting.

Panel	Ref.	Galvanized	Galv & Coated
Option A	0798	£63.35	£85.20
Option B	0797	£86.08	£110.95

For metric/imperial conversion chart see page 115

**FREEfone Helpline 0800 41 43 43 Mon - Sat 8.00am - 5.30pm**



# Estate Railings Gates

Manufactured from the same high quality materials and with all the same benefits as the Estate Railings, this elegant gate is ideal for use with the railings or in the place of any metal field gate. The graceful crook created by the diagonal strengthening brace adds an attractive feature.

## Estate Gate

3m long (includes hang and slam post).

Galvanized      Galv & Coated

0795 ● £202.60      £296.32



Estate Railings gate galvanized and polyester powder coated black

Timber Uni-Gates for the field are on page 65

## Heavy Metal Field Gates



Heavy Metal Field Gate

- Hot dip Galvanized finish
- Sliding bolt & fixed eye top hinge
- Adjustable bottom hinge

- Box section hang and slam stiles
- Six bar gate
- Extra strong tubular rails

Gates are 1.15m high. Hanging stile of 50 x 25mm box section. Slam stile of 50 x 25mm box section. Top and bottom rails 41.5mm tube, with middle rails 32mm tube.

### Hanging Posts

2m long

114mm Diam. 4531 ●□

£55.85

### Slam Posts

1.8m long

87mm Diam. 4536 ●

£37.70

Drop bolts and loop over catches are available for self fitting, if pairs are required.

Drop bolt 4538 ● £26.60

Loop over catch 4537 ● £37.30

Length	Ref.	Price each
1.2m	4408	£88.25
2.1m	4411	£107.25
2.4m	4412	£114.05
2.7m	4413	£121.25
3.0m	4402 ●	£128.40
3.3m	4403 ●□	£135.40
3.6m	4404 ●□	£142.40
4.2m	4405 ●	£156.60
4.6m	4406 ●	£163.60

For quantity discounts see inserted sheet

□ BEST BUYS

All prices shown exclude VAT

● STOCK ITEMS

# Standard Post & Rail Fencing (nailed)



Standard Post and Rail fencing (nailed)

- All timber used throughout is superior quality  
Jakcured softwood guaranteed for 25 years
- All fixings are heavily galvanized
- Machine rounded timber for regular size

## Standard Post & Rail Fencing (nailed)

This basic and versatile fencing comprises of machine rounded half round vertical posts, with three horizontal machine rounded half round rails, nailed to the flat face of the posts.

Allow one post for every 1.8m of fence, plus one for the end of the run. Allow three rails for every 3.6m of 3-rail fencing.

## Corner Posts

Jakcured softwood with two sawn flat sides from round post of 125mm minimum diameter.

Machine rounded  
1.8m  
2.4m

Ref.  
13055  
1306

Price each  
£8.75  
£11.65

## Machine rounded, half-round Posts

Half round, pointed,

Length	Ref.	Price each
1.8m 115mm face	1304 ●	£3.65
1.8m 125mm face	15011 ●	£4.40
2.4m 125mm face	1313 ●	£5.80

(2.4m posts are recommended for use in soft ground or a 1.5m high fence).

## Machine rounded, half round Rails

3.6m 100mm face 1350 ● £5.25

### Recommendation

When erecting post and rail fencing in the summer, it is advisable to set posts in concrete as it is very difficult or impossible to ram dry soil tight.

## Example: 180m comprises:

180m with 100mm machine rounded rails and 1.8m posts.

3 - rail (100 posts +1 for the end of each run + 150 rails).

Guide price per metre -

£6.62

## Nails

100mm galvanized wire nails 13kgs. - sufficient for 180m of 3-rail fence. See page 109 for prices.

## Cut & Treat® /Cut End Preservative®

Where cutting or drilling after treatment cannot be avoided use Cut & Treat® to ensure no timber is left untreated.

1 litre can

13121 ● £3.95

All prices shown exclude VAT

**FREEfone Helpline 0800 41 43 43 Mon - Sat 8.00am - 5.30pm**

# Special Post & Heavy Rail Fencing



Special Post and Heavy Rail fencing

- All timber used throughout is superior quality  
Jakcured softwood guaranteed for 25 years
- Morticed and tenoned rail and post joints
- Posts with mortices in have special galvanized fitting embedded in top to prevent splitting

- Now with extra strong tapered rail ends
- All fixings are galvanized
- Half round stump at the end of the posts for increased stability
- Follows uneven ground and still stays looking good

## Special Heavy Post & Rail Fencing

This attractive design will appeal to those who want a more unusual, retro, or "riven" look to their fence. Comprising of half round vertical posts, with either three or four mortices, for the irregular sawn horizontal rails to insert into.

Allow one post for every 1.8m of fence, plus one for the end of the run.

For a 3-rail fence allow three rails per 1.8m

And for a 4-rail fence also allow four rails per 1.8m.

## Posts

Half round with a minimum of 125mm across the face. Mortices 38 x 87mm are centred at 125mm, 500mm, 850mm, 1150mm from the top of the post.

Length	Ref.	Price each
1.8m	3 Mortices 1504	£6.20
2.3m	4 Mortices 1506	£7.70



## Galvanized Fitting

The tops of all morticed posts have a special galvanized fitting embedded to prevent splitting.

## Rails

Irregular sawn sections of softwood Jakcured with a minimum girth of 250mm peeled, with ends tapered to fit mortices.

1.93m	1505	£3.75
-------	------	-------

BEST BUYS

For metric/imperial conversion chart see page 115

STOCK ITEMS

## Nails

50mm galvanized wire nails 2kgs. for 180m of 3-rail fence. 3kgs for 180m of 4 rail fence. See page 109 for prices.

## Guide Price

3 rail	per metre	£9.77
4 rail	per metre	£12.71

## Note

After dividing the length of the fence run by the post intervals, always add one extra post to complete the run. Remember also, corner posts take the place of ordinary posts. Aids for erecting posts - Post Auger, Shuv-holer and Monkey Hole Borer - see page 111.

For quantity discounts see inserted sheet

# Post & Rail Fencing (nailed)



Post and Rail fencing (nailed) with **square rails**

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Two rail shapes; square or half round
- All fixings heavily galvanized
- Machine rounded timber for regular size



Post and Rail fencing (nailed ) with **half round rails**

## Post & Rail Fencing

This sturdy fencing comprises of sawn square section vertical posts, with three horizontal rails, nailed to the posts. There is a choice of either half round rails or sawn square section rails.

Allow one post for every 1.8m of fence, plus one for the end of the run. Allow three rails for every 3.6m of 3-rail fencing.

### Posts

125mm x 75mm section, weathered one way.  
sawn finish

Length

1.8m

2.1m

Ref.

1701

1705

Price each

£6.55

£7.60

### Corner Posts

Use ordinary posts.

### Square Rails

100 x 38mm section,  
sawn finish.

3.6m long

1702

£5.25

### Half Round Rails

Machine rounded Jakcured as inset above.  
half round.

3.6m 100mm face

1350

£5.25

BEST BUYS

For metric/imperial conversion chart see page 115

STOCK ITEMS

### Nails (see page 109 for prices)

100mm galvanized wire nails

13kgs.- for 200m of 3-rail fence.

### Example

180m comprises :

### Three Rail

100 posts plus one for the end of each run.

150 rails.

Guide price with sawn rails per metre £8.25

Guide price with 100 mm per metre £8.25

machine rounded

### Cut & Treat® /Cut End Preservative®

Where cutting or drilling after treatment cannot be avoided use Cut & Treat® to ensure no timber is left untreated.

1 litre can

1312

£3.95

# Post & Rail Fencing (morticed)



Post and Rail fencing (morticed)

- All timber used throughout is superior quality JAKcured softwood guaranteed for 25 years
- Prick posts mid bay for enhanced looks and extra support

## Post and Rail fencing (morticed)

This attractive fencing comprises of sawn square section vertical posts, with three or four horizontal square section rails, morticed into the posts. There are additional prick posts in between the posts at the mid bay point to give extra support.

Allow one post and one prick post for every 2.85m of fence, plus one post for the end of the run. Allow three rails per 2.85m run of 3-rail fence, and four rails per 2.85m of 4-rail fence.

### Posts

125mm x 75mm section, weathered one way.  
Mortices 38 x 100mm centred at 150mm, 530mm, 860mm and 1180mm from top of post. Sawn finish

Length  
1.8m 3 Mortices  
2.1m 4 Mortices

Ref.	Price each
1902 ●	£8.20
1907	£9.45

### Square Rails

100 x 38mm section, scarfed at both ends. Sawn finish

3.0m long

1903 ●	£5.20
--------	-------

- Posts with mortices in have special galvanized fitting embedded in top to prevent splitting
- All fixings heavily galvanized

### Prick Posts

100 x 38mm section, pointed. Sawn finish.

1.5m long  
1.8m long

1904 ●	£2.60
1909 ●	£3.10

### Corner Posts

125 x 125mm section, weathered two ways.  
Sawn finish

1.8m 3 Mortices  
2.1m 4 Mortices

1906 ●	£13.20
1908 ●	£15.30

### Nails (see page 109 for prices)

100mm galvanized wire nails allow 11kgs - for 200m of 3-rail fence and 14kgs for 200m of 4-rail fence

### Guide Prices

3-rail per metre  
4-rail per metre

£9.45
£11.89

For quantity discounts see inserted sheet

All prices shown exclude VAT

**FREEfone Helpline 0800 41 43 43 Mon - Sat 8.00am - 5.30pm**



# Riding Arenas



- All timber used throughout is superior quality Jakcured softwood **guaranteed for 25 years**
- Can be installed by our professional installation teams - please ask for a quote

## Normal Size

Approximately 40m x 20m inside retaining boards

## General Description

Surface of top quality conifer bark and wood fibre, permitting use under all weather conditions. Surface and base are contained by Jakcured post and three-rail fencing, complete with a 3.6m gate. The riding surface is laid upon a prepared base to allow adequate drainage under normal conditions and Polyfelt membrane is laid between sub-soil and base, base and working surface.

## Specification:

### Soil Preparation

All top soil and vegetation removed from the riding area to an immediately adjacent area. Site then levelled.

### Base Layer

Crushed stone, clean demolition rubble or similar material, as available locally, compacted to give an average thickness of 100mm and placed upon a prepared sub-soil. Drains can be installed as an optional extra.

### Working Surface

Jacksons' conifer bark and wood fibre, laid to a level thickness of 225mm on a separation and drainage membrane.



- High quality conifer bark and wood fibre surface enables all weather use
- Samples of bark and/or Polyfelt are available on request

## Riding Surfaces

Top quality conifer shavings, ideal for all weather riding surfaces for arenas and gallops, but not bedding.

### Bales

You will require approx. 1000 for a 40 x 20m arena, 225mm deep. approximately 80 litres when spread.

Delivery area south of Chester - Lincoln

25 bales min. order	0999	●	£5.45
26 - 49 bales	0999		£4.95
50 - 99 bales	0999		£4.45
100 - 150 bales	0999		£4.25
Large lorry delivery (230 bales) with fork truck unloading			£4.25

### Note:

Bales will be delivered in a lorry with a fork lift. However customers are asked to note the lorry is unable to go off hardstanding.

### Containing Boards

3.6m - 150 x 38mm	1704	●	£8.40
3.6m - 150 x 25mm	1708	●	£5.50

### Membrane

Polyfelt membrane TS20	Price per roll
100m x 2.25m	9929 £115.00
100m x 4.50m	9928 £199.00

\*\*Best quality wood shavings available for bedding, please ask for details\*\*

# Chain Mesh Fencing



Chain Mesh fencing

- All timber used throughout is superior quality  
Jakcured softwood guaranteed for 25 years
- Specially designed with horse safety in mind
- Galvanized mesh for longer life
- Smaller holes in mesh to stop horses feet becoming caught in wire and causing injuries
- Superb value

## Chain Mesh Fence

For absolute economy and horse security this fence is top. It comprises of half round vertical posts, machine rounded and pointed. One half round horizontal rail at the top of the fence and galvanized chain mesh below.

Allow one post for every 1.8m of fence plus one for the end of the run. Allow one top rail per 3.6m of fence and one 25m roll of 0.9m chain mesh per 25m run.

### Posts

Half round softwood, machine rounded and pointed 125mm across the face.

### Staples / Nails

We suggest you use galvanized (barbed) staples 30mm x 3.15mm which would require 3kg. per 200m. & 100mm galvanized wire nails 4kg. galvanized ring clips - sufficient for 200m. See pages 109 and 110 for prices.

	Length	Ref.	Price each
Posts	1.8m	15011●	£4.40
Corner Posts	1.8m	13055 ●	£8.75
Half Round Rails	3.6m	1350 ●	£5.25
Chain Mesh		3001●	£48.25

Guide price per m £6.02

EXAMPLE 200m comprises: 112 posts, 56 rails, 8 rolls chain mesh, 3kgs. Staples, 4kgs. 100mm Nails. 1 box of galvanized ring clips.

All prices shown exclude VAT

BEST BUYS

For metric/imperial conversion chart see page 115

● STOCK ITEMS

# Fencing Stakes and Posts



Fencing stakes and posts

- All timber used throughout is superior quality  
Jakcured softwood guaranteed for 25 years

- Versatile & sturdy general purpose fencing
- Machine rounded with chamfered tops

## Fencing Stakes & Posts

### Stakes

Softwood mixed cleft & round 75 -100mm across or through the butts, peeled, pointed.

Length	Ref.	Price Each
1.4m	0902 ●	£1.30
1.5m	0903 ●□	£1.45
1.65m	0904 ●□	£1.55
1.8m	0905 ●	£1.80

### Machine Rounded Jakcured Fencing Stakes

75mm diameter, pointed, with chamfered tops.

1.5m	0918 ●	£1.65
1.65m	0919 ●	£1.80
1.8m	0920 ●	£1.95

### Straining and Corner Posts

Approximately 150mm through the butts. Round and peeled.

2.3m	0906 ●	£9.80
------	--------	-------

Straining Posts and struts should be installed at a maximum of every 50m and at all changes of direction and significant changes of level.

### Struts

#### Machine Rounded

Minimum diameter of 60mm Jakcured.


1.8m	1149 ●	£1.95
------	--------	-------

### Anchor Stakes

Half round with a minimum of 75mm face, peeled to act as a thrust plate for the struts

750-900mm	0909 ●	£0.60
-----------	--------	-------


Jacksons also supply Wire Fencing, Wire netting, Wire, Barbed Wire, Staples and galvanized straining Eye Bolts and tools. Please see pages 79, 80, 107, & 108 to 111.



All prices shown exclude VAT

**FREEfone Helpline 0800 41 43 43 Mon - Sat 8.00am - 5.30pm**

# Wire Fencing




- Galvanized wire field fences that are strong, durable & economical
- Wire fencing types 1-4 are coated with Galfan, highly corrosion resistant zinc and aluminium alloy - Laboratory tests have shown these to last twice as long as ordinary galvanized wires
- Supplied in 50m or 100m rolls for high tensile

## 1 Cattle Fence 1.1m (Galfan coated)

Available in medium weight. Eight line wires and uprights 300mm apart.


Type	Ref.	Price	Gauge Top & Bottom	Gauge Intermediate
C8/11/30	3202 ●	£53.95	3.0mm	2.5mm



## 2 Pig Fence 800mm (Galfan coated)

Eight line wires and uprights 150mm apart (also lamb proof)


Medium C8/80/15	3204 ●	£37.80	3.0mm	2.5mm
* High Tensile 8/80/15	32044 ●	£83.90	all wires 2.5mm (100m) rolls	



## 3 Sheep Fence 900mm (Galfan coated)

Six line wires & uprights 300mm apart.


Heavy B6/90/30	3207	£63.50	3.0mm	3mm
Medium C6/90/30	3208 ●	£47.50	3.0mm	3mm



## 4 Forest Fence 1.0m (Galfan coated)

Seven line wires, uprights 150mm apart are available.

Medium C7/10/15	3255 ●	£54.50	3.0mm	2.5mm
-----------------	--------	--------	-------	-------



## 5 Jackson's galvanized Deer Fence conforms to B.S.S.

### Deer Fence 1.9m

High Tensile (100m rolls) Vertical wires 150mm apart for perimeter fencing.

High Tensile 13/190/15	3256	£357.75	2.5mm	2.5mm
* (close uprights)				

\* High Tensile Fence allows the posts to be further apart

## Gripplers

Grippler Wire  
Tensioning Tool

3269 ● £62.80



Grippler Wire Tensioning Tool

Gripple Wire Joiner  
Ideal for joining both Mild & High Tensile steel wire  
1.6mm-3.2mm & High Tensile barbed wire.

3268 ● £0.70



Gripple Wire Joiners

NEW Gripple for Mild steel barbed wire.

32688 ● £1.30



# Cleft Chestnut Fencing

- All timber used to manufacture the posts, struts and anchor posts on this page are Jakcured softwood guaranteed for 25 years
- Best galvanized 2mm wire strands used to assemble chestnut fencing
- Four strands per row for extra strength



Style A (2 rows of wire)



Style B (3 rows of wire)



## Intermediate Posts

Mixed cleft and round 75-100mm across or through the butts; pointed and Jakcured. Use at 2.7m intervals.



Fence Height	Post Length	Ref.	Price each
0.9m	1.4m	0902 ●	£1.30
1.1m	1.5m	0903 ●	£1.45
1.2m	1.65m	0904 ●	£1.55
1.4m	1.8m	0905 ●	£1.80
Machine rounded 75mm diam.			
1.5m	2.1m	0921 ●	£3.15
1.8m	2.4m	0922 ●	£3.60

## Cleft Chestnut Fencing

\*Please note this chestnut fencing is not Jakcured timber.

Our fencing is assembled with best galvanized 14 gauge (2mm) wire, 4 strands per row.

Pales are cleft, peeled and pointed one end.

Approximate spacing of pales 75mm.

Fence Height	Ref	Price per Roll
Style 'A' 9.1m rolls		
0.9m	2910 ●□	£30.85
1.1m	2916 ●□	£35.90
Style 'B' 9.1m rolls		
0.9m	2940	£33.40
1.1m	2946 ●	£39.60
4.55m rolls		
1.2m	2955 ●	£24.10
1.4m	2958 ●□	£27.20
1.5m	2964 ●	£30.75
1.8m	2970	£35.15

## Corner and End Posts

Machine rounded 100mm diam.  
Use at maximum 45m. intervals or corners and changes in direction.



0.9m & 1.1m	1.5m	13210 ●	£4.35
1.2m & 1.4m	1.8m	13220 ●	£5.20
1.5m	2.1m	13222 ●	£6.10
1.8m	2.4m	13230 ●	£6.95

## Struts

Machine rounded.  
60mm diam.  
Use one on end posts and two on corner and intermediate straining posts.

0.9m & 1.1m	1.4m	1147 ●	£1.45
1.2m & 1.4m	1.8m	1149 ●	£1.95
1.5m	2.1m	1150 ●	£2.30
1.8m	2.4m	1151 ●	£2.60

## Anchor Stakes

Half round with minimum of 75mm face, pointed and peeled.  
One per strut 750 -900mm



0909 ●	£0.60
--------	-------

All prices shown exclude VAT

# Tree Stakes



## Tree and Netting Stakes

Jakcured tree stakes are machine rounded in three sizes 50, 60 & 75mm diameter, and are available in lengths of up to 3 metres. A minimum nett dry salt retention of 9.6kg/m<sup>3</sup> is used because of presence in the soil of fertilisers and dressings used in the modern orchard. These dressings increase the foods in the soil and therefore aid the growth of wood destroying organisms. The Jakcure treatment process meets fruit growers' specifications, and the depth of penetration makes the timber last longer, meaning stronger stakes that will give the best support.



**Avoid this happening to your trees!**

So, when it's time to overhaul orchards, and replace any worn or rotten tree stakes. Replacing them all with Jacksons' stakes will mean that you will have good strong stakes that will stay standing for longer, and this means you'll save money by not having to replace them as soon as ordinary non Jakcured stakes, **our stakes are guaranteed for 25 years!**

- All timber is Jakcured softwood guaranteed for 25 years
- Jakcured timber is treated with a special high loading of preservative for orchard conditions - which means it will outlast ordinary treated timber
- Stakes are manufactured to fruit growers specifications

### 50mm Diameter

pointed and chamfered

Length	1140	1141	£0.95	£1.10
1.2m	●	●		
1.4m	●	●		

### 60mm Diameter

pointed and chamfered

Length	1135	1143	1144	1152	1145	1153	£1.75	£1.90	£2.05	£2.40	£2.70	£2.95
1.5m	●	●	●	●	●	●						
1.65m	●	●	●	●	●	●						
1.8m	●	●	●	●	●	●						
2.1m	●	●	●	●	●	●						
2.4m	●	●	●	●	●	●						
2.7m	●	●	●	●	●	●						

### 75mm Diameter

pointed and chamfered

Length	0921	0922	0923	0924	£3.15	£3.60	£4.55	£4.95
2.1m	●	●	●	●				
2.4m	●	●	●	●				
2.7m	●	●	●	●				
3.0m	●	●	●	●				

All prices shown exclude VAT

**FREEfone Helpline 0800 41 43 43 Mon - Sat 8.00am - 5.30pm**

BEST BUYS

STOCK ITEMS

# Timber Kissing Gates

## Jacksons Timber Kissing Gate

This unusual gate is particularly useful in districts populated by elderly people, where a stile is unsuitable.

### Specification

The set comprises of one 1.05m wide, five bar, Jakcured Uni-Field Gate. Hung on galvanized double band hinges with adjustable bottom eye. The hanging post is 2.1m long x 125 x 100mm section, shaped four ways. The two slam posts are 1.8m long x 125 x 100mm section. The 'V' shaped enclosure fence has four rails of 100 x 38mm section morticed into each side of the corner post, which is also 1.8m long x 125 x 100mm section. All manufactured from Jakcured softwood. We recommend that all posts should be set in concrete. This unit is suitable for inserting in any type of fence in almost any situation.



Jakcured Timber Kissing gate


Kissing Gate complete set

2999 ● £166.85

## Mobility Timber Kissing Gate



Jacksons Mobility Timber Kissing Gate (wheelchair friendly)



The Mobility Kissing Gate uses the same materials as the standard Timber Kissing Gate (at the top of this page), but with a 1.5m gate, which makes it accessible for wheelchair users

Mobility Kissing gate  
complete set

2998 ● £178.25

F  
O  
O  
T  
P  
A  
T  
H  
  
A  
C  
C  
E  
S  
S  
  
R  
O  
W

# Metal Kissing Gate & Combination Gate

- Galvanized steel for extra long life
- Supplied partly assembled plus fixings



Galvanized Metal Kissing gate

## Jacksons Galvanized Metal Kissing Gate

This popular six rail Kissing gate is now available manufactured from hot dip galvanized metal, so it will resist rusting for many years and will be virtually maintenance free once installed.

### Specification

Manufactured from 25 x 25mm RHS with four posts 50 x 50mm RHS including adjustable bottom hinge which allows the gate to swing shut either way. Supplied in three sections plus posts and location bars for below ground. All hot dipped galvanized

We recommend that the post should be set in concrete

This unit is suitable for inserting in any type of fence in almost any situation.

Kissing gate complete 2646 £219.90



## Combination Gate

This gate has all of the features of the metal kissing gate featured above, with the added advantage that it is joined by hinges to a 3.0m single leaf gate.

This allows the kissing gate to be used normally, however when vehicular access is required, the larger gate can be opened.

The 3.0m gate is secured in the closed position with a padlockable drop bolt, this can be used with a RADAR padlock

Ref	Price
2844	£376.10
2845	£32.20



**Jacksons**  
Service Life  
Guarantee

For metric/imperial conversion chart see page 115

**FREEfone Helpline 0800 41 43 43 Mon - Sat 8.00am - 5.30pm**

# Stiles & Bridle Gates



Stile with Dog Gate

Stile complete with dog gate

Ref.	Price
2017●	£93.40
2007●	£72.40
2018●	£22.95

Stile (without dog gate)

Dog gate for attaching to existing stile

## Jacksons' Stile with Dog Gate (Rabbit Proof)

Ever thought stiles were designed only for walkers without their canine companions, well here's Jacksons' solution. No more lifting the dog over and getting covered in mud. Now all you need to do is pull up the handle and a dog sized gap appears. Far easier all round. No need to worry if your stile is in a rabbit proofed fence, we have added a solid bottom to fill the gap so the rabbits can't get through.

### Specification (with dog gate)

(Conforms to B.S. with top rail omitted).

Three x 1.8m long x 125 x 75mm posts (2 morticed) to take 4 rails. The post length allows for 525mm to be set in the ground. Four rails 1150mm long, 100 x 38mm section. The two treads are 1.2m x 175 x 50mm section, supported by two 1.35m x 125 x 38mm and two 1.05m x 125 x 38mm tread posts.

The dog gate has a top rail for nailing between the posts, with holes to support the handle attached to the plywood gate, which is contained within the slides. All manufactured from Jakcured softwood.

We recommend that all posts are set in concrete. This unit is suitable for inserting in any type of fence in almost any situation.

## Jacksons Bridle Gates



Stile Extension Handle

Designed to screw onto the 125 x 75mm stile post, and 600mm above the post top. Hot dip galvanized with ball top, complete with screws.

2016 ● £19.95



Jakcured Bridle Gate supplied in natural jakcured finish (shown coloured brown)

## Jakcured Bridle Gates

Ref.	Price
2553●	£62.85
2740●	£49.40
2718●	£13.95
2713●	£8.25
2717	£7.50
Total	£141.95



## Two Way R.O.W. Latch

Two way latch especially suitable for self closing gates where disabled people need to gain access. Supplied complete with latch timber packer and activating pin

2711 £25.85

□ BEST BUYS

● STOCK ITEMS

All prices shown exclude VAT

# R.O.W. & Access Restrictors



## Bridge & Hand Rail

The bridge is formed from two 2.4m long 200 x 100mm landscape timbers, to give a 400mm walkway. These are fixed to the galvanized tubular hand rail to form an integral unit. This is designed to go over ditches and culverts to give better accessibility on footpaths.

Ref 2845 £107.19

## Horse Access-Vehicle Barrier

The horse access-vehicle barrier is made from galvanized heavy 60 x 60mm box section supplied with anti tamper fixings and a padlockable latch. The gate allows horses and ramblers access, but deters wheeled traffic. The standard width is 3.0m, but the design allows for the slam post to be set into a bank. (includes galvanized hang & slam post)



Ref 2841 £156.56



## Motor bike inhibitor

This is a simple design using a galvanized 48mm frame formed in a hoop, supplied with 2 Jakcured landscape timbers. It will deter motor bikes, but give horses free entry, keeping footpaths and bridle ways safe and free of motorbikes, for ramblers and horseriders. The height of the hoop is 1.1m and the landscape timbers are standard 2.4m, although shorter lengths can be supplied, the minimum should be 1.6m.

Ref 2842 £157.15

## Jacksons Bike Restriction Barrier

The bike restriction barrier is made with galvanized tubes that are set a height to prevent motorbikes gaining access to the foot paths and Bridle ways. The barriers fit with anti tamper fixings to Jakcured posts, which should be set in concrete. The width at the top of the barrier is reduced to 575mm from 1000mm and set 1500mm above the ground level.

Ref 2840 £146.24



All prices shown exclude VAT

For metric/imperial conversion chart see page 115



# Demarcation Devices

DEMARCATION DEVICES



Detail of Diamond Rail fencing showing "bird's mouth" post and galvanized strap.



Diamond Rail fencing

## Diamond Rail fencing

### Posts (for Diamond Rail fencing)

With birds mouth top, 100 x 100mm section, softwood planed finish. Galvanized strap to be formed on site and secured to post with 50mm nails (see page 109).

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Galvanized strap for longer life
- Planed finish

### Rails (for Diamond Rail fencing)

75 x 75mm nominal section 2.7m  
(Posts at 1.35m centres)  
Ditto 1.8m (posts at 1.8m centres)

Ref	Price
2009●	£5.05
2010●	£6.65

Galvanized Strap for Diamond Rail	Ref	Price
Post 0.9m long	2011●	£1.85
Post 1.2m long	6406●	£6.80
	6403●	£4.55

## Silver Rail fencing

### Posts

125 x 75mm section Jakcured soft wood with rounded tops. Allow 1 post per 2m  
(Rails can be supplied coloured.  
Price on application).



Silver Rail fencing

Intermediate Post 1.5m  
Corner Posts 1.5m  
End Post 1.5m  
Rails 6m Galvanized rail  
(41.5mm diam. inc. connector)

Ref	Price
2012●	£8.45
2013●	£13.90
2015●	£7.95
064000●	£24.45

- All Jakcured timber is guaranteed for 25 years
- Timber posts are planed finish
- Rails are galvanized, additional colour coatings if required



Chain Fencing

STOCK ITEMS \*

FREEfone Helpline 0800 41 43 43 Mon - Sat 8.00am - 5.30pm

### Chain Fencing Galvanized

50mm x 6mm links spikes  
in every other link 1m 3506 ● Price 1m £6.50

### Posts for Chain Fencing Jakcured

Softwood 100mm square  
section, planed tops shaped  
as picture (left) 1.5m 3509 ● £8.40

### Chain Hooks on Plates galvanized

For attaching chain to wooden  
posts (including screws) 3507 ● £1.60



# Timber Bollards



F



G



H



I

- All Jakcured timber bollards are guaranteed for 25 years
- Variety of bollards for a wide range of uses


Jacksons Bollards are available in a variety of shapes and sizes as pictured here from F-I. Their type varies according to their uses - from simple light weight timber bollards for demarcation purposes, separating pedestrians from traffic or for protecting vulnerable points like corners of buildings that could be accidentally hit by vehicles.

Jakcured Bollards			Ref	0.9m	Ref	1.2m	Ref	1.5m	Ref	1.8m	Ref	2.1m	Ref	2.4m
<b>F</b> Machine rounded & chamfered	75mm	1314 ●	£1.65	1315	£2.15									
	100mm	1319 ●	£3.10	1320 ●	£4.05	1321 ●	£5.05	1322	£5.95	13222	£6.95	1323	£7.95	
	125mm	1324	£4.50	1325 ●	£5.95	1326 ●	£7.35	1327	£8.80			1328	£11.70	
	150mm	1329	£7.55	1330 ●	£9.95	1331 ●	£12.40	1332	£14.80			1333 ●	£19.65	
<b>G</b> Machine rounded & grooved	150mm	1339	£8.05	1340 ●	£10.45	1341	£12.90							
<b>H</b> Square with shaped top	150mm	2721*	£12.30	2722*	£15.70						2740*	£24.70	2739*	£28.10
	175mm	2723 ●*	£15.95	2726	£20.55						2724*	£33.35	2738*	£38.15
	150mm	2742 ●*	£13.10	2743*	£16.50						2744*	£34.15		
<b>I</b> top & grooved	175mm	2746*	£16.75	2747*	£21.35									

\* STRESS RELIEVED These posts are stress relieved by having a saw cut in the middle of one side allowing the timber to move as it dries out or swells according to the weather, thus avoiding unsightly splits.

All prices shown exclude VAT  
For metric/imperial conversion chart see page 115

# Metal Bollards and Parking Posts



- Variety of bollards for a wide range of uses
- All steel bollards are galvanized
- Steel bollards 'D' & 'E' are galvanized and polyester powder coated

Galvanized Bollards	Ref	0.9m	Ref	1m	Ref	1.1m	Ref	1.2m	Ref	1.5m
Domed top		178mm x 5mm			1362	£60.50			1364	£79.50
Pyramidal top		100 x 100 x 4mm					1373	£28.05	1374	£34.30
Pyramidal top	1380	150 x 150 x 5mm	£46.16	1381	£50.91		1384	£60.49		£109.85
Gold Dome top		178 x 5mm			1385	£104.40			1386	£109.85
Silver Dome top		178 x 5mm			1387	£94.40			1388	£99.85



## Parking Post

Parking posts are made from heavily galvanized steel 75mm diameter (not alloy casting) in a strong contoured design, key operated from the top of the post. Their uses include reserving car parking places, restricting access through gateways and much more.

- Heavily galvanized steel
- Strong contoured design

Galvanized  
Galv. &  
Coated  
59120 ● £95.15  
591220 £114.50



Parking Post (coated)

**FREEfone Helpline 0800 41 43 43 Mon - Sat 8.00am - 5.30pm**

# Demarcation Devices



Jakcured round timber used as a retaining wall

**Jakcured round timber** ex stock, sizes 50, 60, 75, 90, 100, 125 and 150mm diameter, half round 75, 100 and 115mm (see timber bollards page88 for prices).

## The Warden 3-9m (18m double)

Constructed of heavily galvanized steel with anti-tamper hinges and provision for high security padlock. Supplied with hinge post and 2 catch posts. Measure size required and call for price

Prices from £505



- Heavily galvanized steel
- Anti-tamper hinges
- Padlockable

The Warden barrier

## Security Rail (or fixed hoop barrier)

Ideal for securing car / garage forecourts in galvanized tube or coloured tube available 60.3mm 2.0m wide x 850mm above ground with 400 mm below. Must be set in concrete. Other sizes available.

5813 £43.30



Security Rail (coated)



All prices shown exclude VAT

For metric/imperial conversion chart see page 115

**FREEfone Helpline 0800 41 43 43 Mon - Sat 8.00am - 5.30pm** ● STOCK ITEMS