





Garden Fencing & Gates



All Jakcured timber is guaranteed for 25 years



Slotted Jakposts

Revolutionize the way you fit your panels to your posts



Our slotted Jakposts are designed to work with all of our fencing panels from Jaktop and Palisade to Featherboard, and even our Golden Trellis panels. All panels slot easily into position as shown here. And there are many other benefits of using Jakposts, as opposed to old fashioned square section posts:

- Jakposts reduce damage caused by wind movement when panels are nailed to posts
- No more frost damaged cracked or chipped concrete posts
- Easy to carry - lighter than concrete posts
- Environmentally friendly
- More supportive than square section posts
- Easier to erect than concrete posts
- Complete range of panels to slot in Jakposts
- Gravel boards, capping and finials available
- Stainless steel nails used throughout



Featherboard Panels slotting easily into Jakposts



Panel and Jakpost, showing slot for panels



view of Jakpost from above showing panels slotted into post (without post cap or capping)

*** FREE * FREE * FREE * FREE * We are giving away a FREE post cap with every Jakpost see Post caps A, B and C on the opposite page and ask for details * FREE * FREE ***

Jakposts

Posts are 100 x 100mm, planed finish with two 50 x 25mm slots for panels.



Fence Height	Post Length	Intermediate		Corner Posts		End & Gate Posts	
		Ref.	Price	Ref.	Price	Ref.	Price
	1.1m	6679 ●	£6.20	66799	£6.20	6689 ●	£6.20
0.75m & 0.9m	1.5m	6672 ●	£8.15	66722 ●	£8.15	6682 ●	£8.15
1.05m & 1.2m	1.8m	6673 ●	£9.70	66733 ●	£9.70	6683 ●	£9.70
1.4m & 1.5m	2.1m	6674 ●	£11.20	66744 ●	£11.20	6684 ●	£11.20
1.65m & 1.85m	2.4m	6675 ●	£12.70	66755 ●	£12.70	6685 ●	£12.70
2.0m	2.7m	6678 ●	£14.20	66788 ●	£14.20	6688 ●	£14.20
Heavy Duty Jakposts							
120 x 124mm	2.7m	6690 ●	£17.95	66901 ●	£17.95	669011 ●	£17.95
120 x 124mm	3.0m	6691 ●	£19.95	66911 ●	£19.95	669111 ●	£19.95
120 x 124mm	3.3m	6692 ●	£21.95	66922 ●	£21.95	669222 ●	£21.95
120 x 124mm	3.6m	6693 ●	£23.90	66933 ●	£23.90	669333 ●	£23.90
120 x 124mm	3.9m	6694 ●	£25.85	66944 ●	£25.85	669444 ●	£25.85

Capping

Planed with 2 rounded edges for extra strength & looks
 1.875m x 120 x 25mm
 1.925m x 120 x 25mm
 (for use at ends and corners)

Ref.	Price each
6677 ●	£2.80
66777 ●	£2.90

Gravel Boards

1.83m fabricated from 150 x 25mm with spacers

66760 ●	£4.60
---------	-------

slotted Jakpost

All prices shown exclude VAT

For metric/imperial conversion chart see page 115

● STOCK ITEMS



Post Caps, Finials & Standard Posts*

(not slotted)



A * B1 & B2 * C * D

* FREE * FREE * FREE * FREE * FREE * We are giving away a FREE post cap - A, B and C (above) with every Jakpost - see Jakposts on the opposite page and ask for details.

Post Cap	Ref.	Price
E for use with 75 x 75mm posts	6456 ●	£3.60
F for use with 100 x 100mm posts	6457 ●	£5.45
G for use with 100 x 100mm posts	6458 ●	£4.85



E F G

Post Caps	Ref.	Price
A for use with 75 x 75mm posts	6409 ●	£0.60
B1 for use with 100 x 100mm posts	6410 ●	£0.90
B2 for use with 125 x 125mm posts	64077 ●	£1.60
C for use with 100 x 100mm posts	6680 ●	£0.60
D for use with 75 x 75mm posts	6454 ●	£3.45

- All timber used throughout is superior quality Jakkured softwood guaranteed for 25 years
- Finials add an elegant finishing touch
- Planed all round
- Post caps or finials can be used as an alternative if capping is not used
- Selection to choose from standard to more decorative

Standard Panel Fence Posts (planed finish)

These are standard square section posts without the unique slot that our superior Slotted Jakposts have.

Standard Panel Posts * (square section not slotted)

Size: 75 x 75mm nominal All fencing styles can use a common post in Jakkured timber to match your fence.

Fence Height	Post Length	Ref.	Price each
0.6m	1.2m	6401 ●	£2.95
0.9m	1.5m	6402 ●	£3.75
1.2m	1.8m	6403 ●	£4.55
1.5m	2.1m	6404 ●	£5.30
1.8m	2.4m	6405 ●	£6.05
2.1m	2.7m	6406 ●	£6.80

We recommend posts for fences 1.2m high and over should be set in concrete. It is advisable to fix panels to posts with Jakclips when using standard posts. See page 108.

Larger Posts * (square section not slotted)

Size: 100 x 100mm nominal Jakkured posts for hanging light gates etc.

Post Length	Ref.	Price each
1.2m	6411 ●	£5.60
1.5m	6412 ●	£6.95
1.8m	6413 ●	£8.35
2.1m	6414 ●	£9.75
2.4m	6415 ●	£11.15
2.7m	6416 ●	£12.55
3.0m	6417 ●	£13.95
3.3m	6418 ●	£15.35
3.6m	6419 ●	£16.70

We recommend that all Gate Posts are set in concrete and a minimum of 0.6m into the ground.

When ordering, don't forget one extra post for the end of a run.

Featherboard Panels



Featherboard Panels and slotted Jakposts, plus Finials, Capping and Gravel Boards

- All timber is Jakcured softwood guaranteed for 25 years
- Rails are precision sawn, resulting in a neater finish and increased strength
- Designed for use with slotted Jakposts
- All fixings stainless steel
- Constructed with three rails for extra strength
- New improved heavier top and bottom rails for extra strength


Featherboard Panels

The strongest panel fencing available. All weathered, clad with 100mm featherboard pales.

We have now improved the specification on these panels by making the top and bottom rail heavier, this means an even stronger fence for you.

All panels are 1.83m wide, if you need a narrower panel to complete your fence, it is fine to cut a panel to the correct size on site. although it is important to remember to treat cut ends with Cut and Treat.

Height	Ref.	Price each
0.9m	6370 ●	£17.40
1.05m	6361 ●	£19.35
1.2m	6371 ●	£21.30
1.35m	6362 ●	£23.20
1.5m	6372 ●	£25.10
1.65m	6363 ●	£26.95
1.8m	6373 ●	£28.95



Featherboard Panels and slotted Jakposts, with Golden Trellis top panels

For Jakposts, postcaps, finials, capping & gravelboards see pages 8 & 9

For Golden Trellis panels see pages 43 - 45

For nails see page 109
Erection instructions available

Please note: some timber products will take a while to dry out after the Jakcure process and natural shrinkage can occur. To prevent unstained timber becoming visible, we recommend not staining products until they have had a prolonged period of dry weather to fully dry out.

All prices shown exclude VAT

For metric/imperial conversion chart see page 115

Featherboard Panels and Gates



Featherboard Panels and slotted Jakposts, with Golden Trellis lattice topper panels

Featherboard Gates: Standard, Concave or Convex

Featherboard gates are 1m wide, Jakcured softwood sawn finish, constructed with galvanized bolts and nails. Right hand hanging as standard. (left hand hanging also available).

Wider gates are available as a special order. Also available as pairs, please ask for price and details.



Pair of Featherboard gates

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Elegantly designed to match standard featherboard panels and concave or convex
- Capping rail on gate top to match capping rail on Featherboard fencing
- Galvanized ring latches and adjustable hinges
- All fixings galvanized or stainless steel

Featherboard Gates 1m wide

Height	To suit fence height	Ref.	Price each
1.15m	1.2m	2311 ●	£71.50
1.45m	1.5m	2312 ●	£73.90
1.75m	1.8m	2313 ●	£78.30

Cut & Treat®/Cut End Preservative®

Where cutting or drilling after treatment cannot be avoided use Cut & Treat® to ensure no timber is left untreated.

1 litre can 13121 ● £3.95



Standard Featherboard gate (shown left hand hanging)_

Concave Featherboard Panels & Gates



Concave Featherboard Panels with slotted Jakposts topped with Acorn Finials

CONCAVE PANELS

- All timber is Jakcured softwood guaranteed for 25 years
- All fixings stainless steel
- New improved heavier top and bottom rails for extra strength
- Designed for use with slotted Jakposts
- Constructed with three rails for extra strength

Concave Featherboard Panels

All panels are 1.83m wide and 50mm thick. Constructed with 3 rails. All weathered, clad with 100mm featherboard pales. Galvanized nails are used throughout for longer life.

Height

Height	Ref.	Price
1.05m at highest point	6350 ●	£22.90
1.2m at highest point	6360 ●	£25.15
1.35 at highest point	6351 ●	£27.25
1.5m at highest point	6364 ●	£29.45
1.65m at highest point	6352 ●	£31.65
1.8m at highest point	6366 ●	£33.80

For Jakposts, postcaps, finials, capping & gravelboards see pages 8 & 9. For nails see page 109. Erection instructions available



Concave Featherboard gate

GATES

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Elegantly designed to match standard featherboard panels and concave or convex
- Galvanized ring latches and adjustable hinges
- All fixings galvanized or stainless steel

Concave Featherboard Gates 1m wide

Gate height	To suit fence height	Ref.	Price
1.15m	1.2m	231101 ●	£79.50
1.45m	1.5m	231211 ●	£81.90
1.75m	1.8m	231301 ●	£86.30

All prices shown exclude VAT

For metric/imperial conversion chart see page 115

Convex Featherboard Panels and Gates



Convex Featherboard Panels with slotted Jakposts topped with Ball Finials

CONVEX PANELS

- All timber is Jakcured softwood guaranteed for 25 years
- All fixings stainless steel
- New improved heavier top and bottom rails for extra strength
- Designed for use with slotted Jakposts
- Constructed with three rails for extra strength

Convex Featherboard Panels

All panels are 1.83m wide and 50mm thick.

Constructed with 3 rails. All weathered, clad with 100mm featherboard pales.

Galvanized nails are used throughout for longer life.

Height

	Ref.	Price
1.05m at highest point	6353 ●	£22.90
1.2m at highest point	6367 ●	£25.15
1.35 at highest point	6354 ●	£27.25
1.5m at highest point	6368 ●	£29.45
1.65m at highest point	6355 ●	£31.65
1.8m at highest point	6365 ●	£33.80

For Jakposts, postcaps, finials, capping & gravelboards see pages 8 & 9. For nails see page 109.

Erection instructions available



Convex Featherboard gate

GATES

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Elegantly designed to match standard featherboard panels and concave or convex
- Galvanized ring latches and adjustable hinges
- All fixings galvanized or stainless steel

Convex Featherboard Gates 1m wide

Gate height	To suit fence height	Ref.	Price
1.15m	1.2m	231102 ●	£79.50
1.45m	1.5m	231202 ●	£81.90
1.75m	1.8m	231302 ●	£86.30

Tongue & Groove Effect Panels



Tongue & Groove effect panels

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Designed for use with slotted Jakposts
- Matches Courtyard gates (see pages 57-59)
- All fixings are stainless steel
- Mortice & tenoned joints for extra strength
- Centre rail for additional support

Tongue & Groove Effect Panels

These luxury panels are supplied in a Jakcured frame. Panels are 1830mm wide, with heights of 0.9m to 1.8m. Top and bottom rails 70 x 51mm and sides of 45 x 51mm. The infill of the panel is a tongue and groove board (see detail) which matches the infill used on our Courtyard Gates. The centre of the panel is given additional support with one or two 70mm wide rails depending on the fence height.

Height	Ref	Price each
0.9m	6301 ●	£31.45
1.2m	6302 ●	£38.50
1.5m	6303 ●	£45.55
1.8m	6304 ●	£52.60



Tongue & Groove effect panels rear view



Tongue & Groove effect panel detail

Please note: If you are considering colouring this product please see the note on natural shrinkage and drying Jakcured timber at the foot of page 10.

Convex Tongue & Groove Effect Panels



- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Designed for use with slotted Jakposts
- New design
- Fixings are stainless steel
- Morticed and tenoned frame for extra strength
- Centre rail(s) for additional support
- Matches Courtyard gates (see pages 57 - 59)
- All timber is planed all round



Convex Tongue & Groove Effect panel

Convex Tongue & Groove Effect Panels

These attractive panels are a variation on our standard tongue and groove effect panel, with the addition of a graceful arched top in a choice of heights from 0.91 - 1.83m high. Supplied in the natural Jakcured finish. We have a range of finials to fit on the Jakposts (featured on page 9) that will add the finishing touch.

Specifications

These panels are fully framed with 70mm top and bottom rail and 45mm side rails infilled with tongue & groove effect boards. Support rails of 70mm. The panels can be erected with or without a gravel board.



Brook Boarded gate matches the Tongue & Groove Effect panels perfectly

Panel Height at highest point

Panel Height at highest point	Ref	Price
0.91m	630110	£48.90
1.22m	630210	£56.30
1.52m	630310	£63.60
1.83m	630410	£70.95

Brook Boarded Gates to match Tongue & Groove Effect Panels

Robust and versatile gates that will give ultimate privacy to any property. Supplied in natural Jakcured finish. Standard widths: 750mm, 900mm and 1m. Other widths available as specials. Height 1.8m when hung 50mm above the ground for clearance.

All gates are right hand hanging when viewed from the front as standard.

Left hand hanging are available.

Brook Gate

Gate width	Ref	Price
750mm	2760	£103.00
900mm	2761	£108.50
1m	2762●	£114.00

All prices shown exclude VAT

For metric/imperial conversion chart see page 115

Railing Topper Panels



Level Topper panel on Tongue and Groove base



Convex Topper panel on Tongue & Groove base

- Manufactured from heavily galvanized steel for extra long life
- 25 year service life guarantee
- Polyester powder coated black with a range of other colours available
- Designed for use with slotted Jakposts
- Panels give extra light and security

Railing Topper Panels

To add a touch of elegance and extra security why not add one of our range of new railing toppers to your fence? They are designed to fit on top of our luxury Tongue & Groove effect panels to make a 1.8m high fence, and like all of our panels, slot easily into Jakposts. Available in three styles; level top, concave and convex, the attractive panels feature finial tops and collars around alternate pales. An added advantage of the metal topper panel is the extra light allowed through the top, a bonus if your garden suffers from lack of sunlight.



Concave Topper panel on Tongue & Groove base

Specifications
 Panels are 1830mm wide and 450mm high. The bottom and side rails are 50 x 25mm drilled for fixing to the posts to prevent removal. The top rail is 50 x 6mm flat bar With 12mm vertical bars with finials and collars.

Panel Type	Ref	Price each
Level Top	9841 ●	£59.95
Concave	9842 ●	£62.20
Convex	9843 ●	£63.30

All prices shown exclude VAT

For metric/imperial conversion chart see page 115



Chevron Hit & Miss and Chevron Panels



Chevron Hit & Miss Panel

This new design has advantages over our standard chevron panel; it offers more privacy and is a wind barrier, also its visual appearance is excellent both sides, which gives your neighbour the same fence as you!

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Designed for use with slotted Jakposts
- NEW Design -looks good both sides
- Fixings are stainless steel
- Morticed and tenoned frame for extra strength
- Centre rail(s) for additional support
- All timber is planed all round



Chevron Hit & Miss Panel in natural Jakcured finish installed with a gravel board



Chevron Hit & Miss gate

Specification

Panels are 1.83m wide, framed with 45 x 50mm, infill boards 95 x 8mm supplied in natural Jakcured timber and planed all round.

Chevron Hit & Miss Panels

Panel Height	Ref	Price
0.91m	6623	£50.60
1.22m	6622	£57.95
1.52m	6621	£71.35
1.83m	6620	£75.95

Chevron Hit & Miss Gates and Chevron Gates

1m wide,. Available in both left or right hand hanging when viewed from the outside includes galvanized hinges and ring latch.

Chevron Hit & Miss Gates

Height	Ref.	Price
1.78m high Right handed	6629	£133.00
Left Handed	66299	£133.00

Chevron Gates

Height	Ref.	Price
1.78m high Right handed	6396	£109.50
Left Handed	63966	£109.50

Chevron Panel

The Chevron is simple but effective. When used in a run these attractive panels create a delightful herringbone effect. Good for privacy whilst allowing some light to filter through. Supplied natural Jakcured finish and planed all round.

Specification

Panels are 1.83m wide, framing 45 x 50mm with 45 x 11mm cover strip, infill battens 95 x 8mm.

- Hit and Miss panels' design allows some wind to pass through - less wind resistance
- All fixings are stainless steel
- Matching gates available
- All timber is planed all round

Height	Ref	Price each
0.9m	6339 ●	£35.35
1.2m	6338 ●	£40.75
1.5m	6337 ●	£51.90
1.8m	6336 ●	£54.60



Chevron Panel in natural Jakcured finish

Hit and Miss Vertical & Horizontal



Hit & Miss Vertical panel in natural Jakcured finish

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Designed for use with slotted Jakposts
- Morticed and tenoned frame for extra strength
- Hit and Miss panels' design allows some wind to pass through - less wind resistance
- All fixings are stainless steel
- All timber is planed all round

Vertical Hit & Miss Panels

Specification

Panels are 1.83m wide, framing 45 x 50mm, recessed to take boards, boards 95 x 8mm with internal battens 50 x 12mm. Jakcure finish ready for priming, or staining. If colour finishes are required we recommend that they be applied after the panels are erected.

Height	Ref	Price each
0.91m	6343 ●	£32.95
1.22m	6342 ●	£39.70
1.52m	6341 ●	£45.90
1.83m	6340 ●	£52.75

Horizontal Hit & Miss Panels

Some people prefer the boards of these panels to run horizontally. This variation obviously still allows the wind to pass through the panel, but gives a different appearance.

Specification

Panels are 1.83m wide, framing 45 x 50mm, recessed to take boards. Boards 95 x 8mm with internal battens 50 x 12mm. All timber is planed all round, and supplied in natural Jakcured finish.

Height	Ref	Price
0.91m	6315 ●	£32.95
1.22m	6316 ●	£39.70
1.52m	6317 ●	£45.90
1.83m	6340 ●	£52.75



Horizontal Hit & Miss panel in natural Jakcured finish

Hit and Miss Convex Panels



- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Designed for use with slotted Jakposts
- New design
- Morticed and tenoned frame for extra strength
- Centre rail(s) for additional support
- Hit and Miss panels' design allows some wind to pass through
- Fixings are stainless steel
- All timber is planed all round



Convex Hit & Miss panel in natural Jakcured finish

Hit & Miss Convex Panels

Here's a new shape for the popular Hit and Miss panel, an elegant curved topped panel in a choice of heights from 0.91 - 1.83m high. Supplied in the natural Jakcured finish. We have a range of finials to fit on the Jakposts (featured on page 9) that will add the finishing touch.

Specification

These panels are fully framed with 70mm top and bottom rail, and 45mm side rails with Hit and Miss boards. All timber is planed. The panels can be erected with or without a gravel board.



Hit & Miss gate (vertical) in natural Jakcured finish

Panel Height at highest point

Panel Height at highest point	Ref	Price
0.91m	634310	£52.95
1.22m	634210	£59.75
1.52m	634110	£65.90
1.83m	634010	£72.50

Hit and Miss Gates

Designed to match the various Hit and Miss panels perfectly, the 1.78m x 1m wide gates are also morticed and tenoned for extra strength. All fixings are stainless steel, and the gates come complete with galvanized ring latch and adjustable hinges.

Available in both left or right hand hanging when viewed from the outside.

Gates to suit fence 1.8m high	Ref.	Price
Right handed 1.78m high	6319	£82.00
Left Handed 1.78m high	63199	£82.00

All prices shown exclude VAT

For metric/imperial conversion chart see page 115

● STOCK ITEMS



Reeded Panels



Detail showing the reeded panel texture



Reeded Panels shown with gravel board

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Designed for use with slotted Jakposts
- Morticed and tenoned frame for extra strength
- New design
- Centre rail(s) for additional support
- Stainless steel fixings
- All timber is planed all round

Reeded Panels

This New design brings us luxury panels with an unusual reeded appearance. Available in range of heights from 0.91 - 1.83m high supplied in natural Jakcured finish. We have a range of finials to fit on the Jakposts (featured on page 9) that will add the finishing touch.

Specification

These panels are fully framed with 70mm top and bottom rail, and 45mm side rails infilled with reeded boards and support rails of 70mm. The panels can be erected with or without a gravel board.



Reeded gate Natural Jakcured finish (right hand hanging)

Panel Height

Panel Height	Ref	Price
0.91m	6631	£29.95
1.22m	6632	£35.90
1.52m	6633	£41.50
1.83m	6634	£47.90

Reeded Gates

Designed to match the Reeded panels perfectly, the 1m wide gates are also morticed and tenoned for extra strength. All fixings are stainless steel, and the gates come complete with galvanized ring latch and adjustable hinges.

Gates to suit fence 1.8m high	Ref.	Price
Right handed 1.75m high	663900	£112.00
Left Handed 1.75m high	663990	£112.00

Erection instructions available. For nails see page 109.

Weld-Wood Panels (Dog Fencing)



Weld-Wood Panels used as dog fencing

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Superior planed finish
- Designed for use with slotted Jakposts
- All fixings are stainless steel
- Ideal for dog fencing or as a garden fence
- Matching gates
- Welded mesh infill galvanized for a longer life

New Weld-Wood panels

The New Weld-Wood panels are an excellent idea for dog fencing without making your garden look like an industrial site. They make great plant supports providing an easy surface for climbers to grow and they are now 2.4m wide. The panels are made in two heights, 0.9m and 1.2m high, and designed to be used with a gravel board. The panels can be used with our slotted Jakposts (see page 8) or as shown above they can be used with standard posts. The mesh panels are framed and supported with 50 x 25mm nominal Jakcured softwood. The 50 x 50 x 3mm welded mesh infill is galvanized.

Panel height	Ref	Price
0.9m high	6391	£29.25
1.2m high	6392	£35.70
Gravel board		
2.4m long	2307	£4.20
Capping Rail		
2.5 long	6650	£3.90
Weld-Wood gates		
(1m wide nominal)		
0.9m high	6397	£86.00
1.2m high	6398	£99.25

Here Weld-Wood panels are incorporated into a single pergola run, to make an attractive yet effective dog safe area. (see pages 38 - 41 for pergolas).



Weld-Wood gate (non-standard 2.4m wide)

All prices shown exclude VAT

For metric/imperial conversion chart see page 115



Palisade Panels and Gates



Level Top Palisade panels 1.83m wide, rounded pale tops (shown painted white, supplied in natural Jakcured finish, which is un-painted)



Detail shows alternative pointed pale tops

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Designed for use with slotted Jakposts
- Choice of pointed or rounded pale tops
- Classic traditional design
- All fittings and fixings are stainless steel
- Planed finish

Specifications

Pales are 22 x 75mm nominal section planed to finish at 19mm thick. Pale tops are machined. Each panel is backed by two 2ex 100 x 38mm cant rails fully planed for painting. The fence should be erected 50mm above ground level to allow for weeding.

Fence Heights	Panels with rounded pale tops		Panels with pointed pale tops	
	Ref.	Price	Ref.	Price
1.0m 2 rails	2235 ●	£18.35	2245 ●	£18.35
1.2m 2 rails	2236 ●	£20.95	2246 ●	£20.95

Palisade Gates

Matching Palisade gates are made from Jakcured softwood and hung on the right hand side when viewed from the outside of the fence. With two heights to match the fence heights and 1.0m wide, constructed with galvanized bolts and screws.

Supplied fitted with galvanized iron hinges and ring latch.



Palisade Gate rounded pale tops (painted white)

Gate Height	Fence Height	Rounded Tops		Pointed Tops	
		Ref.	Price	Ref.	Price
0.95m	1m	2233 ●	£67.80	2227 ●	£67.80
1.15m	1.2m	2243 ●	£69.85	2226 ●	£69.85
1.75m	1.8m	2258 ●	£80.95	2259 ●	£80.95

For Jakposts, postcaps, finials, capping and gravelboards see pages 8 & 9
For nails see page 109
Erection instructions available

All prices shown exclude VAT

For metric/imperial conversion chart see page 115

● STOCK ITEMS



Concave & Framed Palisade Panels



Concave Palisade Panels 1.83m wide, rounded pale tops (shown painted white, supplied in natural Jakcured finish).

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Graduating pales heights creates a graceful curve between the posts
- Designed for use with slotted Jakposts
- Classic traditional design
- All fittings and fixings are stainless steel
- Planed finish

Concave Palisade Panels

The panels are supplied in natural Jakcured finish, ready for priming, painting or staining and they are designed to slot neatly into our Jakposts. We have a selection of post caps to add the finishing touch. All this creates a unique, easy to use, fencing system.

Concave Palisade Panels

Panel Height	Ref.	Price
1.0m 2 rails	22505 ●	£18.25
1.2m 2 rails	2251 ●	£21.30



1.0m high framed palisade panel with a convex top rail installed with a gravel board

Framed Palisade Panels

Panel Height (at highest point)	Ref.	Price	Gate Height	Ref.	Price
1.0m	228500	£46.55	0.95m for 1m panel	228800	£88.80
1.2m	228600	£49.75	1.15m for 1.2m panel	228900	£93.90

Specifications

Pales are 22 x 75mm nominal section planed to finish at 19mm thick. Pale tops are machine rounded. Each panel is backed by two 2ex 100 x 38mm cant rails fully planed for painting.

The fence should be erected 50mm above ground level to allow for weeding.

Framed Palisade Panels

This New design brings the classic style of palisade fencing together with a graceful convex top.

Two panel heights 1.0 and 1.2m, supplied in natural Jakcured finish ready for staining or painting. We have a range of finials to fit on the Jakposts (featured on page 9) that will add the finishing touch.


Matching gates are available.

Specifications

Pales are 22 x 75mm nominal section planed to finish at 19mm thick. the frame is 70mm throughout with the pales set in to the top and bottom rails.

The panels should be either erected 50mm above ground level, or used with a gravel board (page 9).

Jaktop Panels and Gates



Jaktop panels 1.83m wide, natural Jakcured finish

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Superior planed finish
- Designed for use with slotted Jakposts
- Traditional attractive design
- Matching gates
- All fixings are stainless steel
- Hinge latches are hot dip galvanized

Jaktop Panels are supplied in natural Jakcured finish, ready for priming, painting or staining. they come complete as a fixed panel with rails.

For details on intermediate posts, corner posts, gate posts, Jakposts and post caps see pages 8 & 9. If colour finishes are required we recommend that they be applied after the fence is erected. The fence should be erected 50mm above ground level to allow for weeding.

Specification

Jaktop Panels are made from tough 50 x 22mm half round timber used in our Traditional Jaktop fencing, backed by two rails for the 0.8m & 1.2m & three rails for 1.8m panels.

Jaktop Panels

Height	Ref.	Price
0.86m	6006 ●	£19.95
1.2m	6007 ●	£25.50
1.8m	6008 ●	£29.90

Jaktop Gates

Height	Width	Ref.	Price
0.86m	1m	6026 ●	£76.80
1.15m	1m	6029 ●	£84.40
1.75m	1m	6032 ●	£95.90
0.86m	1.2m	6027 ●	£79.95
1.15m	1.2m	6030 ●	£88.90
0.86m	1.5m	6028 ●	£82.90
1.15m	1.5m	6031 ●	£89.80



Jaktop Gate
Gates as standard are hung on the right when viewed from the outside, but as a special can be hung on the left.



Rear view showing hinges and fixings.

See facing page for gate posts or page 8 for slotted gate posts

For metric/imperial conversion chart see page 115

● STOCK ITEMS

Traditional Jaktop Fencing



Jaktop Fencing (concertina panel form) in natural Jakcured finish

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Superior planed finish
- Traditional attractive design
- Matching gates (see opposite page)
- All fixings are stainless steel
- Ideal for undulating ground
- Hinge latches are hot dip galvanized

Traditional Jaktop fencing is a unique, robust, highly decorative garden fence. The 2.4m length of Jaktop fencing is the basic unit of the system, and is available in three heights. The pales are half round made from tough 50 x 22mm timber and of course all the timber is Jakcured. For every 2.4m of fencing run you will need one post, one 2.4m length of Jaktop fencing and two rails. Do not forget to add one post to complete the run. The fence should be erected 50mm above ground level to allow for weeding. A pack of galvanized nails is included with every panel. Supplied in a natural Jakcured finish as a concertina panel to be attached to separate rails.

Traditional Jaktop Fencing

Length	Panel Height	Ref.	Price each
2.4m	0.6m	6001 ●	£13.45
2.4m	0.86m	6002 ●□	£17.75
2.4m	1.2m	6003 ●	£22.90

Traditional Jaktop Fence Posts planed

70 x 70mm

Length	Fence Height	Ref.	Price each
1.2m	0.6m	6401 ●	£2.95
1.5m	0.86m	6402 ●	£3.75
1.8m	1.2m	6403 ●	£4.55

Guide prices

Height	per m	Price
0.6m	per m	£9.00
0.86m	per m	£11.16
1.2m	per m	£13.67

Traditional Jaktop Rails

2.4m half round rail 35 x 75mm	6005 ●	£2.45
-----------------------------------	--------	-------

Traditional Jaktop Gate Posts

Made from 100 x 100mm section. Notched to take half round rails, top weathered one way.

1.5m	0.86m	6024 ●	£8.25
1.8m	1.2m	6025 ●	£9.85

Centre Gate Stop	6022 ●	£4.95
------------------	--------	-------

Cut & Treat® /Cut End Preservative®

Where cutting or drilling after treatment cannot be avoided use Cut & Treat® to ensure no timber is left untreated.

1 litre can	13121 ●	£3.95
-------------	---------	-------

FREE erection instructions available

All prices shown exclude VAT

□ BEST BUYS

FREEfone Helpline 0800 41 43 43 Mon - Sat 8.00am - 5.30pm

Traditional Featherboard Fencing



Featherboard Fencing (non panel form)



Rear view of fence showing centre stump and half round rails

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Matching gates available (see pages 11 - 13)

- Special half round rails for enhanced looks for your side of the fence
- Post are 125 x 100mm section for extra strength

Featherboard Fencing (non panel form)

Featherboard Fencing is supplied in softwood Jakcured sawn finish. The pales are taper sawn, two from a 100 x 22mm section board.

The pales are finished 150mm shorter than the height of the fence and stand on a 150mm gravel board as standard. Posts are 125 x 100mm section, for extra strength. The 1.2m. fence posts have two semi-circular recesses, and the 1.5m. and 1.8m. are recessed three times, for the rails. Post tops are weathered.

Pales

Fence Height with gravelboard	Pale Height	Ref.	Price
1.2m	1.05m	2304●	£0.62
1.5m	1.35m	2305●	£0.80
1.8m	1.65m	2306●	£0.98

Fence Height without gravelboard

1.2m	1.2m	2324●	£0.71
1.5m	1.5m	2325●	£0.89
1.8m	1.8m	2326●	£1.07

Posts

1.2m	1.8m	23011●	£10.55
1.5m	2.4m	23022●	£13.95
1.8m	2.7m	23033●	£15.75

Rails NEW improved Half round

2.4m x 2 Ex 75mm diameter	6005●	£2.45
---------------------------	-------	-------

Centre Stump

To join bottom rail to gravel board

0.75m Ex 75mm diam.	Ref. 2315●	Price £0.90
---------------------	------------	-------------

Gravel Boards

2.4m x 150 x 25mm	2307●	£4.20
-------------------	-------	-------

Corner Posts

125 x 125mm weathered two ways.

1.2m	1.8m	23088●	£14.10
1.5m	2.4m	23099●	£18.70
1.8m	2.7m	23109●	£20.95

Galvanized Nails

75mm for attaching rails and gravel boards 1kg. for 23m 50mm for attaching pales 1kg. for 9m. (See prices on page 109)

To calculate the materials you will need to allow one post and 29 pales for every 2.4m section. For the 1.2m fence allow two rails and for the 1.5m and 1.8m fences allow three rails per section. You will also need one gravel board & centre stump for every section. Remember to add one extra post to complete the fence run.

Guide prices

1.2m per metre	£16.69
1.5m per metre	£21.35
1.8m per metre	£24.30

FREEfone Helpline 0800 41 43 43 Mon - Sat 8.00am - 5.30pm

Traditional Palisade Fencing



Palisade fencing in natural Jakkured finish. Detail right showing alternative round pale tops

- All timber used throughout is superior quality Jakkured softwood guaranteed for 25 years
- Choice of pointed or rounded pale tops
- Superior planed finish
- Classic traditional design
- All fittings and fixings are galvanized
- Matching gates available (see page 22)

Traditional Palisade fencing. (non panel form)

Pales are nominal 75 x 19mm section, planed with tops pointed two ways or rounded. Posts for 1 & 1.2m high fences are nominal 100 x 75mm section and have two mortices with tops weathered two way or rounded. Posts for 1.8m fences are nominal 125 x 75mm section and have three mortices with tops weathered two way or rounded. The posts are 0.6m longer than the height of the fence. When calculating the materials you will need one post every 2.28m section plus one extra for the end of the run. Rails two per section for 1 & 1.2m high and three per section for 1.8m high fence.

Rails

2.4m long nominal 87 x 38mm section, scarfed both ends.

Ref.	Price each
2217 ●	£4.15

Corner Posts

These are 0.6m longer than the fence height & are 100 x 100mm section. Planed and morticed two ways.

Pales (14 per section)

Height	Ref.	Rounded Tops each	Ref.	Pointed Tops each
1m	2230 ●	£1.05	2204 ●	£0.95
1.2m	2240 ●	£1.15	2216 ●	£1.05
1.8m	2252 ●	£1.65	2253 ●	£1.55

Fence Height	Post Height	Ref	Rounded Tops	Ref	Pointed Tops
1m	1.5m	2232 ●	£7.20	2208 ●	£6.95
1.2m	1.8m	2242 ●	£8.50	2220 ●	£7.75
1.8m	2.4m	2256 ●	£11.30	2257 ●	£10.45

Posts Intermediate

Fence Height	Post Height	Ref	Rounded Tops each	Ref	Pointed Tops each
1m	1.5m	2231 ●	£7.15	2201 ●	£6.90
1.2m	1.8m	2241 ●	£8.50	2213 ●	£8.25
1.8m	2.4m	2254 ●	£12.95	2255 ●	£12.70

Gate Posts

1.5 & 1.8m are 100 x 75mm & 2.4m are 125 x 75mm section (not morticed).

Gate Height	Post Height	Ref	Rounded Tops	Ref	Pointed Tops
0.95m	1.5m	2234 ●	£7.20	2205 ●	£6.95
1.17m	1.8m	2244 ●	£8.50	2206 ●	£7.70
1.75m	2.4m	2268 ●	£12.95	2265 ●	£12.05

Guide prices per metre

Fence Height	Rounded Tops	Pointed Tops
1m per m	£13.81	£13.20
1.2m per m	£15.07	£14.34
1.8m per m	£22.24	£21.51

Nails

1 kg. of 50mm galvanized nails required for every 11m of 1 & 1.2m fence and for every 7m of 1.8m high fence. See page 109.

All prices shown exclude VAT

For metric/imperial conversion chart see page 115

● STOCK ITEMS

Jakoustic Barriers - More than just a Fence!



Jakoustic Barrier Panels

Welcome to an acceptable level of noise and a better quality of life.

Protection against noise pollution

Jacksons have launched a revolutionary acoustic barrier system. Noise pollution, defined as “unwanted sound” is a major problem for modern society. The need for protection from noise pollution is not only desirable, under certain circumstances it can be essential, as continued exposure to high and sustained levels of noise can cause damage to hearing, irritability and loss of concentration. Common sources of noise are roads, railways, heavy machinery and construction sites.

For every 3 decibels (dB) increase in sound ‘pressure’ the volume doubles! E.g. a rock concert is 1000 times louder than a hair dryer!!

Sound Levels and Human Response

Common sounds	Noise Level (dB)	Effect
Jet take-off (60m)	120	Maximum vocal effort
Rock concert	110	Extremely loud
Garbage Lorry	100	Very loud
Heavy Lorry (15m)	90	Hearing damage (8hrs)
Hairdryer	80	Annoying
Motorway traffic	70	Telephone use difficult
Conversational speech	60	Intrusive
Light auto traffic (30m)	50	Quiet
Bedroom	40	Very quiet
Library	30	Extremely quiet

The following set of data is the result from measurements taken during a field trial, which simulated the latest British Standard test procedure for acoustic fencing in a practical location.

Sound reduction achieved in tests			
Distance from noise generator	Fence height 2m	Fence height 2.5m	Fence height 3m
5m	13.6dB	16.5dB	17.4dB
10m	11.3dB	13.5dB	14.1dB
15m	10.3dB	12.5dB	12.9dB
20m	9.2dB	11.9dB	12.4dB

Given the above it is clear to see that the fence has a major effect and will reduce the sound level to an acceptable level.

The facts about Jakoustic fencing

Panels

The panels are pre-fabricated in our factory using 34mm boards, nearly 50% heavier than standard acoustic fencing systems, in panels of 500mm high that interlock. The edges of the boards are machined with a combination of an interlocking "vee" coupled with a tongue and groove. This special profile has been carefully developed to locate the boards in such a way that eliminates gaps the sound will easily travel through, even when boards shrink and expand with changes in the weather. The typical fence height is 2.0m although as can be seen from the following data a height of 3.0m gives a far better level of protection from unwanted noise, and if required, the fencing can be built to a massive 5.0m which will meet the most demanding situations. In addition the fence is supplied with a heavy base board & contoured capping rail to make the fence look as good as it sounds.



Detail of Jakoustic posts

Posts

The posts used for most applications, up to a 2.1m high fence, are heavy grade timber slotted posts which trap the panels thereby ensuring continuous sound insulation. For fence heights greater than 2.1m they are reinforced with a galvanized steel section on the back.



Detail of Jakoustic Barrier panels

For highway specification or very high fences galvanized steel "I" Beam posts are used. In order to continue the environmentally friendly appearance the posts are finished with a timber cover board to enhance the visual appearance of the post

As with all Jacksons timber products, the timber has been treated with the unique Jakcure process which guarantees the products for 25 years against rot and insect attack, it also complies with highways standard for timber treatment.

This is a product that has been put through vigorous tests and development until it reached the high standard Jacksons have come to expect from all our products.

Call today to discuss your specific needs with our experts who will recommend a solution that will restore the "quiet" to your life.

FREEfone Helpline 0800 41 43 43 Mon - Sat 8.00am - 5.30pm

Playtime® Timber Panels and Gates



Playtime Fencing coated multi-coloured

- All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years
- Superior planed finish
- Easy to install panels with gravel boards for attaching to posts and rail connectors
- Ideal for play areas or as a garden fence
- Jakcured finish or your choice of colour coating
- All fittings and fixings are galvanized
- Pales, posts and gravel boards have rounded edges for extra safety
- Flexible design will accommodate sloping sites without stepping
- Self closing gates with galvanized metal frame for longer life

Technical details

Height 1090mm overall: Post centres 2745mm;

Pale spacing 75mm, Panel Width 2625mm.

Timber :All timber is planed finish. Prior to vacuum and pressure treatment by the Jakcure process it is dried below 30% moisture content.

Colours:as illustrated, Jakcure treated or Jakcured with decorative coatings to colours of your choice. Delivered already coated needing only minimum retouching on site.

Posts: 125 x 50mm allowing 800mm in the ground (nominal sizes)

Rails: 100 x 38mm (nominal sizes)

Pales: 100 x 38mm (nominal sizes)

Gravel boards: 150 x 38mm (nominal sizes)

Gate: Steel frame with self closing hinge, galvanized or galvanized with polyester powder coating (nominal sizes).

Prices on application.



Playground site surrounded by Playtime timber fencing showing hinged panel to adjust to the site's contours and the matching gate.

Designed and manufactured to keep children safe

The pales are sandwiched between two pairs of strong rails, and double posts hold gravel boards and rail connectors together.



Pales, posts and gravel boards are all planed smooth with rounded edges to reduce splinters.




FREEfone Helpline 0800 41 43 43 Mon - Sat 8.00am - 5.30pm



Boarded Garden Gates



Brook Gate (shown right hand hanging)



Crundale Gate (shown left hand hanging)

- All timber used throughout is superior quality Jakkured softwood guaranteed for 25 years
- Superior planed finish
- Capping rail on Brook gate top to match fence capping rail

- All fittings and fixings are galvanized
- Wall plates are available for fitting these gates to walls - please ask for details
- These prices include ring latch, adjustable hook and band hinge

Brook and Crundale Boarded Garden Gates

Robust and versatile gates that will give ultimate privacy to any property. Supplied in natural Jakkured finish. Standard widths: 750mm, 900mm and 1m. Other widths available as specials. Height 1.8m when hung 50mm above the ground for clearance.

All gates are right hand hanging when viewed from the front as standard.

Left hand hanging are available.

Gate width	Brook		Crundale	
	Ref	Price	Ref	Price
750mm	2760	£103.00	2766	£103.00
900mm	2761	£108.50	2767	£108.50
1m	2762●	£114.00	2768●	£114.00



Rear view of Brook Gate

Please note: some timber products will take a while to dry out after the Jakcure process and natural shrinkage can occur. To prevent unstained timber becoming visible, we recommend not staining products until they have had a prolonged period of dry weather to fully dry out.

All prices shown exclude VAT

For metric/imperial conversion chart see page 115


Garden Railings and Gates




Stelling Garden Railings galvanized polyester powder coated black

Detail of Stelling Railings finials and post.


- Traditional attractive design - ideal for front gardens
- Galvanized finish to BS EN 1461 for a longer life
- Matching gates - single and double leaf
- Colour coatings as standard in green, white or black - other colours available.
- Vandal proof connections




500mm high panel



1m high panel



Postling 500mm high panel



Postling 1m high panel

Postling panels shown above, are the same panel as Stelling, but without the finials above the top rail.

Specifications

Panel Heights: 500mm and 1.0m nominal to the top of the panel, with 65mm ground clearance.

Panel Width: 1790mm

Pales and Scrolls: 10mm diameter bar

Posts for 1m high panels: 40 x 40 x 3mm RHS

1m above ground with ball finial

700mm for concreted below ground

Posts for 500mm high panels: 40 x 40 x 3mm

RHS 500mm above ground with ball finial

475mm for concreted below ground.

Panel Type	Ref Price each		Ref Price each	
	1 m high		500 mm high	
Stelling	984110	£85.47	984105	£64.80
Postling	984410	£70.25	984405	£49.40
Posts	984010	£18.35	984005	£13.50

Fixings are included.

For connection to existing walls or timber, hook plates and catch plates are available. See facing page.

Garden Railings and Gates



Single Stelling Gate



Double Stelling Gate

- Gates can be hung on the right or left side
- All gates fitted with traditional thumb latch
- Double gates fitted with drop bolts
- Matching gates - single and double leaf
- Adjustable hinges allow the gate to swing through 180°

Specification

Nominal Widths between posts in mm. 1 m high only.

Gate Type	Single		Double		Single		Double	
	910mm	1810mm	1110mm	2210mm	1510mm	3010mm	1510mm	3010mm
	£84.90	£164.10	£93.40	£182.35	£107.25	£198.95		
	Ref	Ref	Ref	Ref	Ref	Ref		
Stelling	984120	984122	984130	984133	984140	984144		
Postling	984420	984422	984430	984433	984440	984444		

Height: 1m

Width: gates are available in three standard widths 910mm, 1110 mm and 1.6m.

Pales and Scroll: 10mm diameter bar

Other widths are available, please ask for details.

Gate Posts: 40 x 40 x 3mm RHS. 1m above ground, 700mm for concreting below ground.

Post can be supplied on plates which bolt to concrete (please ask for details).

Frame: 25 x 25 x 1.5mm RHS

	Ref	Price each
Hanging posts	985100	£29.65
Shutting posts	985200	£25.35
Centre gate stop	985300	£8.95

	Ref	Price each
Hinge bracket	985400	£2.15
Wall gate catch	985500	£4.40
Wall connector	985600	£1.50



All prices shown exclude VAT

For metric/imperial conversion chart see page 115

Bow Top Panels



Bow Top galvanized and polyester powder coated black

- Tubular construction for extra strength.
- Traditional attractive design - ideal for front gardens
- Vandal proof connections
- Galvanized finish to BS EN 1461 for a longer life
- Colour powder coating available
- Matching gates - single and double leaf

Bow Top Fencing

Available in two heights: 1m and 1.2m.
 The horizontal rails are sleeved on to the fitting on the posts, resulting in a seamless design. (Posts are also available with base plates for fixing to concrete).

	Galvanized		Galv & Coated	
Panel height	Ref	Price	Ref	Price
1m high	071400	£70.12	971400	£90.36
1.2m high	071401	£76.12	971401	£98.89
Posts for panels				
1m high	071402	£21.56	971402	£25.47
1.2 high	071403	£23.12	971403	£27.61
Connector	020000	£1.57		

Specifications

Posts: 60.3mm o/d for 1m and 1.2m high fence supplied with domed post caps with 700mm, to be set in concrete. Post centres 2.3m. Rails: 50x25mm RHS. Tubular Infill: 19mm diameter. Tube spacing: 119mm centres giving 100mm gap



Bow Top galvanized can be stepped to accommodate even steep slopes



Bow Top Gates



Bow Top galvanized finish double leaf gate



Bow Top galvanized and coloured black single leaf gate

Single gate 1m wide
1m high
1.2
Double gates 3m wide
1m
1.2

Bow Top Gates

Single and double leaf matching gates are available to suit fence height and drive widths. Supplied with posts and fittings

Galvanized

Galv & Coated

Ref	Price	Ref	Price
071404	£440.00	971404	£499.00
071405	£448.00	971405	£517.00
071406	£740.00	971406	£832.00
071407	£755.00	971407	£849.00

Optional additional features

We have introduced two new additional features you can add to our classic Bow Top fences, just to add a little extra interest and to give your fence a different look.



Extra pales set between the standard pales, topped off with a finial within the bow (there is a range of different finials to personalise your fence).



Feature post for added strength and style

For metric/imperial conversion chart see page 115

All prices shown exclude VAT

EuroGuard



EuroGuard panel and post detail

EuroGuard fencing

- Ideal for as a modern alternative to chain link fencing for containing dogs in a domestic setting
- Galvanized finish to BS EN 1461 for a longer life
- Colour powder coating available
- Matching gates - single and double leaf

EuroGuard Fencing

EuroGuard consists of special steel wire panels which are clamped to galvanized steel posts. This makes for a thoroughly versatile system, a bit out of the ordinary, and able to be adapted to the individual needs of most users.

Specifications

Panels: length 2.50M Mesh 200 x 50 wire. Vertical and horizontal wires 5mm diameter
 2 - 4 reinforcing folds according to the height
 Posts: 60 x 40mm with cap and fittings.

EuroGuard Panels

Height	Ref.	Price
1.5m	073046	£32.34
1.8m	073047	£38.01
2.0m	073048	£40.74

EuroGuard Posts

For fence Height	Ref.	Price
1.5m	073067	£22.50
1.8m	073068	£25.21
2.0m	073069	£26.95
Clips for fixing (3 per post)		073163BM £1.55

Two alternative installation systems:

Either, one post / one panel etc., or all posts and then all panels. Both systems can be used on even or uneven ground. The panels are fixed with special clamps.



EuroGuard with matching gate