



Security Extras



Deter even the most persistent intruder
or defeat the most determined climber

Rota-Sp!ke®



Rota-Sp!ke above Barbican fencing.

The ultimate deterrent

With fearsomely sharp rotating steel blades on a steel tube, Rota-Sp!ke offers insurmountable protection against intruders.

Easy to install almost anywhere!

Rota-Sp!ke can be supplied with brackets that are available for fixing above any type of fence, gate or wall. This makes it easy to utilise on buildings, to protect vulnerable points, for example upstairs windows where it can be possible for intruders to gain access from adjacent buildings or roofs.

Security that's finished to last

Rota-Sp!ke is made entirely from hot-dip galvanized steel, it is also available with an additional durable coating in green, black, white, blue or grey. (Other colours on request). So it stays looking not only fierce, but good too.



Rota-Sp!ke used to protect a pharmacy

Specification

Sizes: Supplied in 6.0M lengths

Inner tube 41.5mm dia.

Blades: 90mm long rotating on outer tube 48.3mm dia.

Material: Steel, hot dip galvanized.

Fixing: Brackets at 3M centres when vertical and 2M when horizontal.

Rota-Sp!ke and Viper Spike are exclusively supplied by Jacksons.



Established 1947



For technical help call 01233 750393

Rota-Sp!ke® is a registered trade mark of H.S.Jackson & Son (Fencing) Ltd



V!per Sp!ke®



Viper Spike on Sentry Bar fencing

A new dimension in security

Viper Spike is literally a new dimension in security - more imposing than unsightly barbed wire, it offers a forbidding deterrent to the would-be climber. Designed to form an ingenious three dimensional barrier, these strong 160mm long, 10mm diameter spikes have very sharp points.

Easy to install

No problem to install, Viper Spike can be so easily fitted to any solid surface, old or new, wooden or metal fencing, walls or gates. Even around drainpipes or cables, Viper Spike creates a virtually impassible barrier to even the most determined intruders.

Security that's finished to last

Viper Spike is made entirely from hot-dip galvanized steel, it is also available with an additional durable coating in green, black, white, blue or grey. (Other colours on request). So it stays looking good.

Specification

Viper 1

1.1m long - 40mm x 5mm. Can be fitted either vertically or horizontally.

Viper 3

To prevent intruders climbing drainpipes, cable, etc. 150mm deep, 200mm wide as standard, but can be made to measure.

Fixing

All Viper Spikes are drilled ready for fixing.

Other uses

Viper Spike is ideally suited to protect electricity masts and other important installations.

Rota-Spike and Viper Spike are exclusively supplied by Jacksons.



Viper 3



Viper 1



Alarm-aFence® The fully alarmed electric fencing deterrent



Coated Sentry Bar fencing with Alarm-aFence installed as additional security

Alarm-aFence has so many benefits...

- Detects and delays would-be intruders entry and exit from a property
- Deters intruders giving a short, sharp shock
- Control unit detects break-in attempts
- Pin-points area of security breach
- Completely safe, non lethal
- Cost effective
- Low maintenance
- False alarms almost unheard of
- System activates 60 times per minute
- Visible deterrent detection system
- Can be added to existing or new fences or walls for added protection
- IEC 60335-2-76 compliant

Detects and deters!

Alarm-aFence is a fully integrated system only available through Jacksons.

It can be fitted to existing fences

Alarm-aFence is the electric fence which can be adapted to suit your needs, whatever they are. It can be attached to most existing perimeter fences or used as a stand alone fence within the existing perimeter, or as a topping for an existing fence or wall.


If you need to protect people or property Alarm-aFence is a cost effective and reliable system which provides a physical barrier to stop intruders, provides a non-lethal electric shock and alerts you to any attempted intrusion.

You can choose to have the alarm signal from the controller linked to sirens, lights, phone diallers etc.

Established 1947



EuroGuard Flatform with Alarm-aFence



Alarm-aFence detail

Safety is a priority

High tensile wires are spaced at every 50-100mm and a safe high voltage pulse is sent down alternate wires every second.

Alarm-aFence meets all current standards and carries the IEC 60335 -2-76 and it's installation height exceeds the existing perimeter fence height guidelines by a minimum of 600mm.

All systems are checked by our in-house technicians to make sure they comply with Jacksons Code of Practice. After a satisfactory check a certificate of compliance is issued.

Increased effectiveness

Alarm-aFence can be made even more effective by dividing the fence run into zones. This means if an alarm is triggered you can pinpoint very accurately where the potential breach has occurred.

By reducing the gap between the wires in situations where the fence may be most vulnerable to attack provides probably the most secure fencing system available. Ultimate protection is given by wires being a mere 50mm apart.

Market leaders providing the best protection

Jacksons entered the fence detection market in 1981. Combined with our manufacturing expertise this makes us one of the market leaders and unlike other electric fencing suppliers we supply direct to the end user, which ensures the system is designed to match every aspect of your requirements.

Jacksons offer annual maintenance contracts for Alarm-aFence, please ask for details.

For technical help call 01233 750393

Alarm-aFence® is a registered trade mark of H.S. Jackson & Son (Fencing) Ltd.

Established 1947



Barbed Tape & Wire



Loops of Concertina Barbed Tape are firmly clipped together making them impossible to part



Medium Barbed Tape



Short Barbed Tape

Flat Wrap Barbed Tape easy to install



Support posts are not required if overlapped and clipped to fence

Concertina Barbed Tape

Length of Barb	Diameter mm	Extended Diameter mm	Approx. Coil Length M
Short	450 (18")	400	10
Medium	450 (18")	400	10
	730 (29")	620	10-12
	950 (38")	800	12-15

ROLLS OF BARBED TAPE

Short and Medium barbed tape approximate coil length 200M.



Concertina Barbed Tape set on the inside of fence on special supports

Flat Wrap Barbed Tape Dimensions

Coil Height	Approximate Coil Length M
500mm (20")	12
700mm (28")	14
900mm (36")	14



Warning signs available. Details on request

Barbed Wire

High Tensile Barbed Wire

Best Jacksons galvanized barbed wire available. Two strand to B.S.S.



roll length:200M guage:1.7mm

Cobra Sp!ke®

Hot dipped galvanized steel or additional polyester powder coated in white, black or green.

Other colours available for large quantities.

Sizes: Supplied in 1.5M lengths. Spikes 110mm long. Pitch of spikes 80mm. Depth of spikes 95mm.

Fixing: Cobra Spike comes drilled ready for fixing.



Cobra Spike