



Safety and Security	
Airbags	Driver and front passenger airbags Driver and front passenger side and head airbag system
Anti-theft	Engine immobiliser (rolling code)
Body	Fully galvanised with 12 year anti-corrosion perforation warranty Door side impact protection Rigid safety cell with front and rear crumple zones Roll over protection system
Brakes	Anti-lock Braking System (ABS) Electronic Brake-pressure Distribution (EBD)
Fog lights	Front mounted in lower bumper Rear fog lamp
Head restraints	Active front head restraints, height adjustable Rear x 2
Locking	Remote central locking with deadlock mechanism 2 stage unlocking (programmable) Automatic locking after takeoff (programmable) One touch lock / unlock for driver
Seat belts	Front with pre-tensioners and belt force limiters 3 point seat belts for all passengers
Exterior Equipment / Styling	
Chrome strip on body waistline	
Colour coding	Bumper strips Door handles Outer rear view mirrors
Heat insulating tinted glass	
Rear window	Heated glass
Roof	Electro-hydraulic, 3 layer cloth
Tonneau cover	
Wheels	Alloy wheels (Las Vegas) 16 x 6½" with 205/55 R16 tyres Full size steel spare wheel
Comfort and Convenience	
Air conditioning, CFC free	
Armrest	Front centre leather armrest, lockable
Carpet mats	Front and rear
Cruise control	
Cup holders	Front x 2 Rear x 1
Driver and passenger sun visors	
Dust and pollen filter	
Entry/warning light in front doors	
Fuel filler flap	Electrically operated via switch on driver's door
Grab handle on glove box	
Headlights	Halogen headlights with clear lightweight polycarbonate lenses Headlight-on warning buzzer Combined headlight and fog light switch, internal angle adjustment
In Car Entertainment	AM/ FM radio, theft deterrent warning light and coding Single CD player 10 speakers, front x 6 / rear x 4
Instrumentation	Speedometer & tachometer, electronic odometer and tripmeter, service interval display, fuel gauge, low fuel warning light, brake pad wear indicator, blue adjustable illumination. Digital clock and outside temperature display mounted on windscreen frame
Interior lighting	Front mounted in rear-view mirror housing with time delay
Luggage compartment	Electric opener operated via switch on driver's door and remote key Luggage compartment light
Mirrors	Electrically heated and adjustable with integrated indicator lights



Comfort and Convenience (cont'd)

Power steering	
Seating	Easy entry front seats with height adjustment Individually heated front seats Rear seat lockable load through provision
Steering wheel	Height and reach adjustable 3 spoke steering wheel
Storage	Glove box with illumination, lockable Front seat backrest storage pockets Front door and rear side storage pockets
Upholstery	'Luna' cloth
Vase	With flower
Vanity mirrors	Illuminated on driver's and passenger's side with cover and pocket
Windows	Power front and rear with roll-back function, driver with one-touch up-down Driver with button for simultaneous lowering and closing of all windows Key operated convenience close and open feature
Wipers	2 speed with wash/wipe and intermittent wipe with 4 position delay

Optional Equipment

Automatic transmission (6 speed) with Tiptronic
Leather package: Including leather upholstery, individually heated front seats, leather steering wheel, leather gearshift knob and leather handbrake lever
Metallic / Pearl Effect paint

Technical Specifications

Engine	2.0 litre	
Type	4 cyl inline petrol	
Installation	Front transverse	
Cubic capacity, litres/cc	2.0 / 1984	
Bore/stroke, mm	82.5 / 92.8	
Max power, kW @ rpm	85 @ 5400	
Max torque, Nm @ rpm	172 @ 3200	
Compression ratio	10.3:1	
Fuel system	Multi-point injection system	
Ignition system	Electronic	
Exhaust emission control	Catalytic converter, oxygen sensors	
Emission level	EU IV	
Fuel type (Recommended)	Premium unleaded 95 RON	
Transmission	Front wheel drive	
Gearbox	5 speed manual	6 speed automatic
Performance		
0 – 100km/h	11.7	12.9
Top speed, km/h	184	181
Fuel consumption *	5 speed manual	6 speed automatic
Combined, L/100km	8.8	9.3
CO ₂ emission g/km	211	223
Fuel tank capacity, litres	55	55

* Fuel consumption figures according to Australian Design Rule (ADR) 81/01.
The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures which may differ from those calculated with these standards.

Technical Specifications (cont'd)

Running gear	
Front axle	McPherson struts, coil springs. Anti-roll bar.
Rear axle	Torsion beam axle, trailing arms, coil springs. Anti-roll bar.
Steering	Power assisted rack & pinion steering
Brake systems	Anti-lock braking system (ABS) with Electronic Brake-pressure Distribution (EBD)



Specifications

Brakes	front	Ventilated discs 280mm	
	rear	Solid discs 232mm	
Turning circle, m		10.9	
Weights		5 speed manual	6 speed automatic
Unladen vehicle weight kg		1324	1352
Towing capacity kg	braked	1000	
	unbraked	600	
Towbar load limit kg		75	
Exterior Dimensions			
Overall length mm		4129	
Width mm		1721	
Height mm		1502	
Wheelbase mm		2516	
Track mm	front	1507	
	rear	1487	
Interior Dimensions			
Luggage area volume L		201	
Luggage compartment floor length mm		676	
Boot width at widest point mm		1017	
Width between wheel arches mm		996	
Luggage load height mm		465	

Colour combinations

Please note pearl effect paint finish is optional at extra cost.

Available ● Optional ○ Not Available -	EXTERIOR COLOUR/ROOF COLOUR				
		Deep Black PE/Black	Salsa Red/Black	Harvest Moon/Black	Reflex Silver M/Black
INTERIOR TRIM					

Black – 'Luna' Cloth	●	●	●	●	●
Beige – 'Luna' Cloth	-	-	●	-	●
Black – Perforated Leather	○	○	○	○	○
Beige – Perforated Leather	○	-	○	-	○

Glossary

Anti-lock Braking System (ABS)

When braking, wheel speed sensors measure the road wheel speed and should one or more wheels start to lock the ABS system reduces brake pressure to that wheel. This prevents the wheels from locking during heavy or emergency braking, enabling the vehicle to remain steerable.

Electronic Brake-pressure Distribution (EBD)

Electronic, more sophisticated means of regulating the ratio of front/rear brake pressure. Settings are varied according to driving and load conditions to ensure each wheel is braked to the optimum extent.