FOR ALL YOUR TOWNE NEEDS...

Valley Industries has been producing a complete line of professional quality hitches and towing accessories for over 58 years. We carry over 400 different receiver style hitches along with fifth wheel and goose neck hitches, luggage racks, cargo carriers, bike racks, and a full assortment of towing accessories including; trailer balls, ball mounts, hitch pins, locks, and more...



Custon	n Fit H	litches			
Part No.	Year	Description	Weight	Weight	No
				Distributing	
CHEVROL	ET/GMC	Full-Size Pickups			
81840		Silverado/Sierra, 1500-2500 (New Body Style)	6000	10,000	Χ
82510		Silverado/Sierra, 1500-2500 (New Body Style)	9000	12,000	
82270		Silverado/Sierra, 2500-3500	6000	10,000	Χ
82150		Silverado/Sierra, 2500-3500	10,000	12,000	- / /
		Mid-Size Pickups & SUV's	10,000	12,000	
82640		Colorado/Canyon	4000	6000	Χ
81690		Blazer, Jimmy (down sized)	4000	6000	X
81610		S-10, S-15 Sonoma Pickup	4000	6000	
81990		Suburban, Tahoe, Yukon, Yukon XL	6000	10,000	Х
82530		Suburban, Tahoe, Yukon, Yukon XL	10,000	12,000	^
DODGE Fu			10,000	12,000	
82670		Dodge Ram Pickup All	10,000	12,000	
82600	'03-03 '03-07		5000	10,000	Х
82520		Full Size Pickup	10,000		^
		Pickups, Vans and SUV's	10,000	12,000	
	'05		E000	7500	V
82800			5000	7500	X
81470		Dakota Pickup	5000	7500	X
82280		Durango	5000	7500	X
81600		Durango	5000	7500	Χ
FORD Full					
82842		F-150, (1 pc. receiver)	6000	10,000	Χ
82710		F-150 5-1/2', 6-1/2', & 8' beds (1 pc. receiver)	6000	10,000	
82730		F-150 5-1/2', 6-1/2', & 8' beds (3 pc. receiver)	6000	10,000	Χ
81760		F-250 SD, F-350 SD (All)	5000	10,000	Χ
81760		F-150, F-250, F-350 (All)	5000	10,000	XΥ
82500		F-250 SD, F-350 SD (All)	10,000	12,000	Χ
FORD /LIN	COLN M	lid-Size Pickups & SUV's			
82210	'05-07	Escape	3500	5000	
82200	'01-04	Escape	3500	5000	
82070	'01-04	Explorer Sport Trac	5000	6000	Χ
81620	'98-07	Ranger Pickup	3500	5000	
HONDA/IS	SUZU				
82142	'06-07	Ridgeline	5000	6000	Χ
82580	'03-07	Element	3500	-	
82110	'06-07	Pilot	3500	5000	Χ
JEEP					
82810	'06-07	Commander	5000	8000	Χ
82810		Grand Cherokee	5000	8000	X
81800		Grand Cherokee	5000	8000	X
82230	'02-07		3500	5000	X
82780		Wrangler/All	3500	-	X
82370		Wrangler/All	3500	_	X
NISSAN	90-0 1	Wialigle!/All	3300		٨
81360	'06-04	Pathfinder	5000	N/A	Χ
82852		Xterra	5000	6000	X
81250	'05-07		5000	6000	X
82720	'04-07	Pathfinder Armada	6000	10,000	٨
82720					
	04-07	Titan Pickup	6000	10,000	
TOYOTA	(0.7	El Consissor	5000	6000	V
82771	'07	FJ Cruiser	5000	6000	X
81880	'00-06	Tundra	5000	10,000	X
82790	'05-07	Tacoma Pickup	5000	N/A	X
81590	'95-04	Tacoma Pickup	5000	N/A	Х
81310	'04-07	Highlander	3500	4000	



Trailer Brake

Odyssey Brake Control

Part No. Qty. Description

1 Odyssey™ Trailer Brake Control for 2-8 Brake Syste 1 Replacement Slide-In Mounting Bracket





- Pre-Wired with Quality OE ConnectorsConvenient 36" Harness

- No Leveling RequiredSolid State Dependability

Year	Description
	Ford Expedition
00-07	Ford Explorer (w/OEM Tow Pkg)
94-07	Ford F-150 Pickups
97-04	Ford F-250 & F-350 Super Duty Pickups
98-07	Lincoln Navigator
97-07	Dodge Dakota Pickups (w/OEM Tow Pkg)
98-07	Dodge Durango (w/OEM Tow Pkg)
95-07	Dodge RAM Pickups (All Models)
	97-07 00-07 94-07 97-04 98-07 97-07 98-07


Part No.	Year	Description
30452	03-06	
	03-06	Chevrolet Avalanche
	03-06	Chevrolet Silverado Pickups
	07	Chevrolet Silverdo Classic Pickups
	03-06	Chevrolet Suburban
	03-06	Chevrolet Tahoe
	03-06	GMC Denali & Denali XL
	03-06	GMC Sierra Pickups
	07	GMC Sierra Classic Pickups
	03-06	GMC Yukon & Yukon XL
	03-06	Hummer H2 & H2 SUT
30453	05-07	Ford F-250, F-350, F-450 &
	05-07	F-550 Super Duty Pickups
	05-06	Ford Excursion
30454	03-06	
	02-06	Toyota Sequoia
	06	Toyota Tacoma (w/OEM Tow Pkg)
	03-07	Toyota Tundra


How to choose the right hitch for our application **It All Comes Down To This**

Selecting the right hitch is dependent on the type of vehicle used for towing and the size and weight of trailer to be towed. Gross Trailer Weight and Trailer Tongue Weight determine the class of hitch.

Trailer Tongue Weight (TW)


Trailer Tongue Weight is the downward pressure that the tongue of a fully loaded trailer exerts on the hitch ball. Tongue weight can be measured on a commercial scale, or on a bathroom scale, as illustrated. Be sure the trailer is level and the wheels are chocked.





Gross Trailer Weight (GTW)

Gross Trailer Weight (GTW) is the total weight under fully-loaded trailer conditions, including food, water, gear,



Vehicle Towing Capacity

Vehicle Towing Capacity is the manufacturer's specification of the weight the vehicle is designed to tow. Although some hitches may have a higher stated capacity since they fit other vehicles, never exceed the manufacturer's stated trailer capacity. The specifications are found in the vehicle's owner manual, or can be obtained by writing to the vehicle manufacturer.

etc. <i>N</i> traile	Aeasure r on a co	the gro	ss trailer al scale.	load by (See chart be	placing clow to choos	the fully e the hitch y	y-loaded ou need.)
		CHOOS	E THE RIGHT	HITCH TO	HANDLE TH	E LOAD	
	TRAILER	<u>*</u>	-		-	طعه	0000

	CHOOS	E THE RIGH	T HITCH TO	HANDLE TH	E LOAD	
TRAILER TYPES			-		طيه	
HITCH CLASS:	Class I	Class II	Class III	Class IV-V	5th Wheel	Gooseneck
MAXIMUM LOAD CAPACITY	2,000 lb. GTW and 300 b. TW	3,500 lb. GTW and SIG b. TW	5,000 lb. GTW and 500 lb. TW Weight Carrying	15,000 lb. GTW and 1,300 lb. TW Weight Distributing	24,000 lb. GTW and 6,000 lb. Pin Weight	30,000 lb. GTW and 7,500 lb. Fin Weight
TOW VEHICLE Sub-Compact & Compact Cars	V	NOT HECONAMENDED**	NOT RECONNENDED	MOT RECOMMENDED	NOT APPLICABLE	NOT APPLICABLE
Mid Size Cere:	V	~	NOT RECONMENDED	NOT RECOMMENDED**	HOT APPLICABLE	NOT APPLICABLE
Mid Size Pickups & Sport Utility Vehicles & Minivans	V	V	V	MOT MECOMMENCES	PONIPS ON T	POSPEDE
Full Size Cars Pickups & Sport Utility Vehicles & Varis	~	V	~	~	PICKUPS ONLY	POKUPE DILY

Multi-Fit Hitch

Class III Receiver fits most Pickups, SUV's and Vans. Bolt together 2-inch square receiver tube. This hitch tows up to 5,000 lbs weight carrying and up to 10,000 lbs weight distributing. Having a powder polyester black paint finish makes this receiver corrosion resistant. Order ball mount, trailer ball, safety chain and hitch pin separately.

82270 Multi-Fit Hitch - 5000 lbs./10,000 WDH

Chevrolet/GMC

Silverado, Sierra Long and Short Bed (Including HD)

Dodge

Full Size Pickup Long and Short Bed 2500 and 3500

1972-01 Full Size Pickup Long and Short Bed 1500

Ford


2004 F150 Heritage (Old Body) Full Size P/U, Long and Short Bed F150 / F-250 Full Size P/U Long and Short Bed Light Duty

1999-04 F250 / F-350 Full Size P/U Long and Short Bed Super Duty

2000-05 Tundra Pickup



Chrome F	litch Ba	alls	
Package No.	Bulk No.	Ball Dia. x Shank Dia. x Length	Rating
50010	50011	1-7/8 x 3/4 x 1-3/4	2,000
50090	50091	1-7/8 x 1 x 2-7/8	2,000
50110	50111	2 x 1 x 2-7/8	2,000
50030	50031	2 x 3/4 x 1-3/4	3,500
50520	50521	2 x 3/4 x 2-5/16	3,500
50660	50661	1-7/8 x 1 x 2-1/8	2,000
50280	50281	2 x 1 x 2-1/8	5,000
50290	50291	2-5/16 x 1 x 2-1/8	5,000





Class	III Ball Mou	ints		
Part #	Weight Rating		Rise	Drop
Black Fi	inish Ball Mount	S		
76540	5,000 lbs.	8"	3/4"	2"
75100	6,000 lbs.	8"	1"	2-1/4"
75900	6,000 lbs.	12"	1″	2-1/4"
75080	5,000 lbs.	8"	2"	3-1/4"
75910	5,000 lbs.	10-1/2"	2"	3-1/4"
75920	5,000 lbs.	8"	3"	4-1/4"
75930	5,000 lbs.	10"	3″	4-1/4"
76420	5,000 lbs.	12"	3″	4-1/4"
75880	5,000 lbs.	10-1/2"	3-3/4"	5″
75940	5,000 lbs.	9"	3-3/4"	5″
75150	5,000 lbs.	9"	6-3/4"	8"
75160*	3,500 lbs.	10"	Χ	10"
Chrome	Finish Ball Mou	nts		
76520	5,000 lbs.	8″	1″	2-1/4"
76530	5,000 lbs.	8″	2″	3-1/4"
Stainle	ss Steel Ball Mou	nts		
76430	6,000 lbs.	8″	3/4"	2"
76440	5,000 lbs.	8-1/2"	2″	3-1/2"
Super D	outy 10,000 lb.			
76970	10,000 lbs.	8-1/2"	1″	2″
76980	10,000 lbs.	9-1/4"	3″	4"
76990	10,000 lbs.	10-1/4"	5″	6"
*3,500 lk	os, gross load ratir	ig, 3/4" ba	ıll shank	hole.
		-		

The best way to even out a load is to select the best fitting ball mount. Ball mounts vary by weight rating, shaft length and rise/drop measurements. Valley manufactures Class I and II ball mounts with a

precise rise or drop to suit each of the applications. Rise/Drop measurements become important in Class III and IV, and Valley offers you a wide range of rise/drop choices.

X Not to be used in Rise position.

Stow-A-Ball TM **Installation** Kits

Stow-A-Ball ™ Gooseneck Hitch

- Storable ball

- Ball rotates in the socket Eliminates coupler binding
 Requires a 3-3/4" drilled hole in truck bed
 Handle can be moved from passenger side to driver side
- Ball socket is offset to increase ball placement options
- Head and Installation Kits sold separately, listed below



	CHOO	se the right installation kit to go with the Stov	v-A-Ball	gooser	іеск г	ulgn
	Year	Model	Head	Install	No	No. of
			Assembly	Kits*	Drill	Holes
	Chevro	let/GMC	-			
	01-07	Silverado/Sierra 3500, 8' Bed (old body style) 2 & 4WD	69643	69833	Χ	
	99-07	Silverado/Sierra 1500 & 2500 LD & HD, 6-1/2 Bed, 2 & 4WD	69643	69832		2
	99-07	Silverado/Sierra 1500 & 2500 LD & HD, 8' Bed, 2 & 4WD	69643	69831		2
	88-00	C/K Pickup, 6-1/2 & 8' Bed (old body style) 2 & 4WD	69662	69580		4
	Dodge					
	03-07	Ram Pickup 2500 HD & 3500, 6-1/2 & 8' Bed, 2 & 4WD	69662	69552	Χ	
L	02-07	Ram Pickup 1500, 6-1/2 & 8' Bed, 2 & 4WD	69662	69551	Χ	
Æ	94-02	Ram Pickup 1500, 2500 & 3500, 6-1/2 & 8' Bed, 2 & 4WD	69662	69600	Х	
		(Except 2002 ram 1500)	07002	0,000	Λ.	
	Ford					
	99-07	F-250 SD & F-350, 6-1/2 & 8' Bed, 2 & 4WD	69662	69610	Χ	
	04-07	F-150 (New Body Style), 6-1/2 & 8' Bed, 2 & 4WD	69662	69560	Χ	
	04 -07	F-150 Heritage (Old Body Style), 6-1/2 & 8'Bed, 2 & 4WD	69662	69620		2
	97-03	F-150 & F-250 Lt Duty (Old Body Style), 6-1/2 & 8'Bed, 2 & 4WD	69662	69620		2

DELUXE FIXED Hitch Mounted Basket Cargo Carrier

- Basket dimensions measure 60" x 20" x 6"
- Made to fit in 2" receiver hitch
- Heavy Duty steel 5/8" dia. tubular construction
- Expanded steel mesh floor
- Easy to install 2 piece bolt together unit
- Formed 2" square extension bar is reversible to be used in drop or rise position
- Sides are 6" high to keep cargo secure and in place
- Black powder coat finish is weather resistant

Part No. Description

Hitch Mounted Basket Cargo Carrier - Fixed



DELUXE FOLDING Hitch Mounted Basket Cargo

- Basket dimensions measure 60" x 20" x 6"
- Made to fit in 2" receiver hitch
- Heavy Duty steel 5/8" dia. tubular construction
- Expanded steel mesh floor
- Easy to install 2 piece bolt together unit
- Sides are 6" high to keep cargo secure and in place
- Black powder coat finish is weather resistant
- Hitch must have a minimum Class III/IV rating
- Total weight of carrier & cargo not to exceed 500 lbs.

Part No. Description Hitch Mounted Basket Cargo Carrier - Folding Shank 90190 91190 Folding Shank for Deluxe Basket





1999-2006 CHEVY/GMC 1500 4WD VEHICLES WITH TORSION BAR FRONT SUSPENSION

The factory GM version of Independent Front Suspension (IFS) consists of springs, in the form of torsion bars, upper / lower control arms and a differential with Constant Velocity (CV) axle shafts. When lifting the GM IFS, the primary factors that ensure good vehicle driveability traits and component service life are: steering geometry, suspension travel control and CV axle operating angles. This statement holds true regardless of how much the vehicle is lifted, whether it is 2", 7.5" or anything in between.

Superlift offers numerous lift heights and methods for these very popular vehicles. Step one in your decision making process is determining what size tire you wish to run (refer to chart below). Secondly, consider what the vehicle will be used for; will it be basic commuting or performance driving? For most lift heights, Superlift offers different products with corresponding levels of performance and cost.

TIRE DIAMETER (inches)	31	32	33	34	35	36
SUSPENSION LIFT HEIGHT (inches)	2	23/4	31/2	5	6	71/2
NOTE: GM full-size vehicles with torsion bar suspension, manufactur						



Part No

Suburban/Yukon XL, Avalanche Part No Lift K900B SS-Blitzen 6" Front / 5" Rear Lift K830 (no Shocks) K900R SSR -Remote 6" Front / 5" Rear 2" Front / 0" Rear

01-06 Avalanche 99-06 Silverado/Sierra K1500 4WD Part No Lift Part No Lift K831 Superide K367 Superide 6" Front / 5" Rear 31/2" Front / 11/2" Rear K367 SS Blitzen 6" Front / 5" Rear K838 Shock BRKT 3½" Front / 1½" Rear

1988-2006 CHEVY/GMC FULL SIZED VEHICLES WITH TORSION BAR FRONT SUSPENSION BRACKET & REPLACEMENT CONTROL ARM STYLE LIFT

• 1988-1998 1/2-Ton Pickup • Blazer / Jimmy • Tahoe / Yukon • Suburban • 1988-2006 3/4 and 1-Ton Pickup (including 1500HD) • Avalanche Hummer H2 • Suburban

When lifting 4" or more, Superlift offers our proven bracket style systems for this family of vehicles, as opposed to replacement knuckle lift systems. When new knuckles are used on these particular models, design limitations require tire track width (measurement from outside of tire-to-outside of tire) increases of up to 3" with some competitor's lifts! Additionally, most 3/4 and 1-ton trucks come from the factory with 2" more track width on the front axle than the rear, which can result in an overall front-to-rear track width increase of almost 5"! Problems associated with increased front track width are: reduced tire-to-fender clearance when turning, uncovered front tires slinging whatever you drive through onto your truck body and the obviously "odd" look. Also, our bracket lift method does not require trimming-off any of the differential housing, which is common with most replacement knuckle systems.



2001-2005 HUMMER H2 6" LIFT SYSTEM

More products are available, ask your sales person for details

GM introduced in 1988. Superlift offers our proven bracket style lift method, instead of replacement knuckles, primarily because using knuckles on the H2 creates a substantial increase in front tire track width.

Lowering the factory upper and lower control arms in relation to the frame brings ride height up. By utilizing the factory control arms and torsion bars, we are able to retain stock alignment geometry and ride quality. Superlift's new control arm brackets tie into crossmembers that span the distance between each frame rail to form an exceptionally strong assembly.

01-02 GM Hummer H2 6" Lift System Part No Lift

K844 Superide 6" Front / 5" Rear K844B SS Blitzen 6" Front / 5" Rear K844R SSR Remote 6" Front / 5" Rear







F-150 Pickup • Expedition 2.5" Lift System for 2WD and 4WD F-150 and Expedition

Urethane spacers are inserted atop the factory coilover shocks to level-off the pickup. If you want your truck to maintain the factory nosedown rake, also order the 2.5" rear add-a-leaf kit. Since the Expedition sits closer to level (front-torear) from the factory, this system also includes 2" rear coil spacers. Factory rear shocks can be reused, although Superide upgrades are available.

• 4.5" F.I.T. Series Performance Lift System for 4WD F-150 Pickup Superlift's new F.I.T. series lift system is the choice

for Ford truck owners that will not compromise. Our design concept involves relocating (lowering) the front differential, lower control arms and the factory coilovers - the truck's upper control arms remain in their factory location. New cast iron steering

knuckles span the increased distance between the upper / lower control arms. The following key design features ensure optimum driveability and durability without busting your budget.

04-06 Ford F150

04-06 Ford F150

Part No Lift 9950

Part No I ift K789 Superide 4" Front / 2.5" Rear K789B SS Blitzen 4" Front / 2.5" Rear K789R SSR Remote 4" Front / 2.5" Rear

2.5 front / 0 Rear

F-150 Pickup 4" to 5" Lift System

Superlift's lift method keeps the F-150's good driveability traits intact, plus it increases front wheel travel by 20%. New front and rear crossmember assemblies drop the lower control arms 4.5". The crossmembers, made from .25" wall thickness square tubing and .25" thick steel plate, span the full width of the frame to enhance overall system strength and rigidity. Tubular kicker braces further strengthen the rear crossmember. The factory torsion bars' adjustability feature affords a 4" to 5" lift height range.

LIFT FEATURES

- Retains factory ride quality, steering geometry, and CV axle angles
- Increases wheel travel
- New nodular iron steering knuckles, not ball joint spacers
- Centerlink, with stabilizing link, maintains precise steering linkage angles
- Load bearing bracketry made of .25" thick plate steel or heavywall tubing
- Full width differential / control arm cross-members provide lateral rigidity • Crossmember kicker braces span from cross-member-to-frame and add strength front to rear
- Two-piece front skid plate protects steering and differential; steering linkage plate available in brushed stainless steel with Superlift flame logo
- Longer DOT approved front brake hoses
- TruSpeed speed sensor calibrator available
- Limited Lifetime Warranty

F-250 & F-350 Pickups

The truck is very sensitive to caster angle change. As it is lifted, the frame mounted radius arms cause the front axle to rotate, resulting in less caster angle. Incorrect caster angle makes the truck more difficult to steer, and the truck's normal tendency to self-center is reduced. Incorrect caster can also induce steering shimmy and a propensity to drift and wander. One more point that emphasizes the importance of correct caster angle and steering geometry in general... as a truck is loaded, by adding cargo or trailer tongue weight, caster is lost as the vehicle's rear ride height drops. When hauling or towing, driveability is even more important. We use two different methods to correct caster, depending on lift height: our exclusive Caster Bracket Alignment Technology (patent

pending) is used on the 2" to 2.5" lift, while radius arm lowering brackets that lower the rear (frame mounted) ends of the radius arms are used on our 4" and 6" lifts. The 8" lift utilizes both methods.

05-06 F250-350 V8 Part No Lift K777 Superide 2" Front / 0" Rear K777B SS Blitzen 2" Front / 0" Rear K791 Superide 2.5" Front / 0" Rear K791B SS Blitzen 2.5" Front / 0" Rear

1997-2003 FORD 1/2 TON 4WD

WITH TORSION BAR FRONT SUSPENSION

97-03 F150 Lift Part No K246 Superide

4.5" Front / 3" Rear K246B SS Blitzen 4.5" Front / 0" Rear

2005-2006 FORD SUPER DUTY WITH COIL SPRING FRONT SUSPENSION



4" Front / 2.5" Rear

K792R SSR Remote 4" Front / 2.5" Rear

K792B SS Blitzen

K800 Superide

K800B SS Blitzen

6" Front / 5" Rear

6" Front / 5" Rear

K800R SSR Remote 6" Front / 5" Rear

2002-2005 DODGE 1/2 TON PICKUP WITH TORSION BAR FRONT SUSPENSION

2002-2005 4" - 5.5" Lift System

In 2002 Dodge abandoned the coil spring / 4-link setup in favor of a torsion bar suspension with upper and lower control arms. Superlift started with a clean slate as well. This Dodge lift represents the first of a new generation of Superlift lift systems that feature Frame Integrated Technology (FIT). The FÍT design concept, new to the aftermarket suspension lift industry, incorporates several key design features. It starts with one-piece, high-clearance lower control arm crossmembers made of .25" thick steel. The front and rear crossmembers are connected by a flushmounted belly-pan that seals-off and protects the entire differential. The belly-pan and crossmembers connect via an interlocking fit, made even stronger yet by the use of countersunk fasteners.

94-2006 DODGE 4WD 3/4 & 1 TON WITH SOLID AXLE / 4 LINK SUSPENSION

In 1994 Dodge moved away from traditional leaf spring front suspension in favor of a coil spring / 4-link design. This design features good ride quality while maintaining the durability of a solid front axle.

• 2003-2006 2", 4" and 6" Systems All three lift heights feature new pre-set coil springs. Different rated coils are offered for the Hemi and the heavier diesel and V-10 gas engines. The coils are matched sets with an improved rate curve and ride quality that is second to none. The only other components used in the 2" front leveling kit are new Urethane compression travel-stops.

02-05 Ram 1500 Part No Lift K375 Superide K375B SS Blitzen 4.5" Front / 3" Rear 4.5" Front / 3" Rear

NO JO JO DINEELI	1.5 TTOTIC / 5 TICUI
K375R SSR Remote	4.5" Front / 3" Rear
03-06 Ram 2500-3500	
Part No	Lift
K515 V8	2" Front / 0" Rear
K426 V10	2" Front / 0" Rear
K834 Superide V8	4" Front / 2" Rear
K834B SS Blitzen V8	4" Front / 2" Rear

K834R SSR Remote V8

06 Ram 2500/3500/N	Mega Cab
Part No	Lift
K821 Superide	6" Front / 4" Rear
K821B SS Blitzen	6" Front / 4" Rear
K821R SSR Remote	6" Front / 4" Rear

4" Front / 2" Rear

The 4" system also includes a dropped pitman arm for steering correction, specially designed compression travel stops for the front and rear axles, a new track bar relocation bracket, and all new axle-to-frame link arms to restore factory alignment specifications.

The 6" system is basically a taller version of the 4" lift. As with the 4" lift, the 6" is available with standard onepiece front axle-to-frame links, or with Rockrunner swivel links.

2005-2006 JEEP GRAND CHERO & 4WD SUPERLIFT AEV F.I.T PERFORMANCE SERIES

If you are a Jeep fan, you've probably heard about AEV. They've created numerous concept vehicles for Jeep over the years, most recently the Mojave, the Liberty Liberator and the Brute TJ pickup. Normally, their concept rig inspired "builds" end up being available from AEV, turnkey, to new Jeep buyers. Nothing was left unaddressed in this Superlift / AEV jointeffort design. Front lift is achieved, and factory ride quality maintained, by using towers to relocate the tops of the factory coilovers. Thin preload plates install on top of the coilover springs to boost spring rate slightly and offset the increased load / leverage generated by wider tires and wheels. The lower

control arms and differential are relocated via bracketry, then new cast ductile iron steering knuckles span the increased distance from the relocated lower control arms to the upper arms, which remain in the stock location.



K828 Superide 2WD 4" Front / 4" Rear K828 SSR Remote 2WD 4" Front / 4" Rear K829 Superide 4WD 4" Front / 4" Rear K829 SSR Remote 4WD 4" Front / 4" Rear

1997-2006 WRANGLER-TJ 4WD INCLUDING RUBICON & UNLIMITED-TJD

While the suspension is definitely more complicated, ride quality is improved along with suspension articulation. With a little more tire size, and Superlift's suspension upgrades, your TJ can be quite the off-road machine, and it can be done without sacrificing on-road driveability. With the "bigger is better" evolution process in mind, a notable feature of our

TJ suspension systems is that they are upgradeable. If your Jeep already has our, or a competitor's 1.75" lift or 4" system, we offer relatively inexpensive components to upgrade your existing TJ suspension to a 5.75" system without throwing away a bunch of components.

- Jeep TJ / TJD 1.75" Lift System The 1.75" lift uses easy-to-install coil spacers, and provides clearance for 32 x 11.50" tires. • Jeep TJ / TJD 4" Lift System The 4" system utilizes replacement coils, plus numerous other components, and will allow your TJ to clear 33 x 12.50" tires.
- Jeep TJ 6" Lift System Our 6" system gives clearance for 35" tires without a body lift. All eight axle-to-frame links are replaced with Rockrunner swivel-links to allow precise caster adjustment, driveline alignment and maximum articulation.
- Rockrunner™ Series System Upgrades Coax the remaining twist out of your TJ by installing Superlift Rockrunner links in place of the one-piece factory axle-to-frame links.





World's Leading Manufacturer of Body Lift Kits

Performance Accessories is a pioneer in the body lift industry. With over 25 years in business, PA has elevated the body lift to a superior level of quality and durability.



WHY BODY LIFTS?

- Performance Accessories body lift kits are an affordable method to get a moderate lift for your vehicle.
- Will not compromise the quality factory ride while increasing body clearance for improved off-road ability.
- Kits allow for larger tires and wheels.
- In many cases kits will fit both 2WD and 4WD vehicles.
- Complete with all hardware required.
- Factory warranty is not affected.

escription	Year	2" Part#	3* Part#	Gap Guard 2WD / 4WD	Gap Guard Rear
VALANCHE 1/2 TON ONLY	02	NA	10073	6533	
VALANCHE 1/2 TON ONLY	03-05		10173	6542	
OLORADO / CANYON, STD, CREW, EXT. CAB, 2WD	04-05		10153	6545	
HEVY/GMC 1500 STD.,EXT.CAB,CREW CAB, 2WD, 4WD	06		10163	6543	
500 NON-HD ONLY, STD, EXT, 2WD, 4WD	03-05	10132	10133	FLEETSIDE 6537 SPORTSIDE 6534 / 6536	
500/3500 DURAMAX DIESEL STD, EXT, 2WD, 4WD	03-05	10122	10123	6543	
500/3500 DURAMAX DIESEL STD, EXT, 2WD, 4WD	- 06	20000	10203	6543	
500 HD ONLY, STD, EXT, CREW CAB, 2WD, 4WD	03-05	10092	10093	6543	
500 HD ONLY, STD, EXT, CREW CAB, 2WD, 4WD	03	10102	10103	6537	
500 HD ONLY, STD, EXT, CREW CAB, 2WD, 4WD	01-02	N/A	10063	6537	
500 HD, 3500, EXCEPT 8.1L & DIESEL, 2WD, 4WD	01-02	N/A	183	6537	
/2, 3/4, 1 TON NON-HD ONLY 2WD/4WD	99-02	N/A	10053	PLEETSIDE 6537 SPORTSIDE 6534 / 6536	
-10 BLAZER / S-15 JIMMY (+ZR2) 2WD, 4WD	98-03	152	N/A	6526	
UBURBAN, TAHOE, YUKON 2500 8.1 LTR	05	N/A	10143	6544	
UBURBAN, TAHOE, YUKON, 1500, 2500, 2WD, 4WD (EXC DENALI)	00-05	N/A	10113	6542	
UBURBAN, TAHOE, YUKON, 1500, 2500, 2WD, 4WD (EXC DENALI)	95-99	122	123	6533	6522
AHOE, SUBURBAN, YUKON 2500 B.1 LTR	05	N/A	10143	8544	
AHOE, YUKON, SUBURBAN, 1500, 2500, 2WD, 4WD (EXC DENALI)	00-05	N/A	10113	6542	
AHOE, YUKON, SUBURBAN, 1500, 2500, 2WD, 4WD (EXC DENALI)	95-99	122	123	8533	6522
UKON, SUBURBAN, TAHOE 2500 8.1 LTR	05	N/A	10143	6544	
UKON, SUBURBAN, TAHOE, 1500, 2500, 2WD, 4WD (EXC DENALI)	00-05	NA	10113	6542	
UKON, SUBURBAN, TAHOE, 1500, 2500, 2WD, 4WD (EXC DENALI)	95-99	122	123	6533	6522
HET EXTENSION FOR MANUAL TRANSMISSION	01-05	N/A	4701		

When you lift your vehicle with a Performance Accessories body lift be sure to add a set of our exclusive Gap Guards. Our Gap Guards are manufactured from durable polyurethane and are custom lift for the factory look.





Description	Year	2" Part#	3* Part#	Gap Guard 2WD / 4WD	Gap Guard Rear
DAKOTA STD.EXT.QUAD CAB, AUTO TRANS ONLY	05	N/A	60163	6625	
DAKOTA STD,EXT,QUAD CAB	03-04	N/A	60153	6617	
DAKOTA STD, EXT, QUAD CAB, 2WD, 4WD	00-02	N/A	60043	6617	
DAKOTA STD, EXT CAB, 2WD	97-99	682	683	6617	
DAKOTA STD, EXT CAB, 4WD	97-99	692	693	6617	
DURANGO 2WD, 4WD	00-02	N/A	60053	6619	
DURANGO 2WD ONLY	98-99	N/A	60033	6619	
DURANGO 4WD ONLY	98-99	N/A	60003	6619	
RAM 2500, 3500, STD, EXT, DUALLY, 2WD, 4WD, GAS ENGINES	05	N/A	60123	6624	
RAM 2500/3500, 2WDI4WD, CUMMINS DIESEL	04-06	N/A	60143	6623	
RAM 1500 2WD, 4WD, ALL GAS ENGINES	03-05	N/A	60123	6624	
RAM 1500 2WD, 4WD, ALL GAS ENGINES	06	N/A	60173	6626	
RAM 1500, STD, EXT, DUALLY, 2WD, 4WD, HEMI ONLY	03	N/A	60103	NA/6624	
RAM 2500,3500, 4WD ONLY, DIESEL ONLY	03	N/A	60113	NA/6623	
RAM 2500,3500, STD, EXT, DUALLY, 2WD, 4WD, HEMI ONLY	03	N/A	60093	NA / 6623	
RAM 1500 STD, EXT, DUALLY, 2WD, 4WD, AUTO & MANUAL	02	N/A	60083	6622	
RAM 2500,3500, 2WD, 4WD, NON-SPORT, AUTO & MANUAL	02	N/A	60073	6615 / 6616	
RAM 2500,3500, 2WD, 4WD, SPORT ONLY, AUTO TRANS	02	N/A	60063	6615/6616	
RAM 2500,3500, DIESEL, NON-SPORT	00-02	N/A	60133	6615/6616	
RAM 1500,2500,3500, 2WD, 4WD, NON-SPORT, AUTO & MAN.	00-01	N/A.	60073	6615/6616	
RAM 1500,2500,3500, 2WD, 4WD, NON-SPORT, MAN TRANS	00-01	672	673	6615/6616	
RAM 1500,2500,3500, 2WD, 4WD, SPORT ONLY, AUTO TRANS	00-01	N/A	60063	6815/6616	
RAM 1500,2500,3500, 2WD, 4WD, SPORT ONLY, MAN. TRANS	00-01	60012	60013	6615 / 6616	
RAM 1500,2500,3500, 2WD, 4WD, SPORT MODEL ONLY	99	60012	60013	6815/6616	
RAM 1500,2500,3500, 2WD, 4WD, ALL EXCEPT 99 SPORT	97-99	672	673	6615 / 6616	



World's Leading Manufacturer of Body Lift Kits







When you lift your vehicle with a Performance Accessories body lift be sure to add a set of our exclusive Gap Guards. Our Gap Guards are manufactured from durable polyurethane and are custom fit for the factory look.

Ford Bodu Lift Kits			
1 1			

Description	Year	Part#	Part#	Gap Guard 2WD / 4WD	Gap Guard Rear	
EXPEDITION 2WD, 4WD	97-02	872	873	6735		
EXPLORER SPORT TRAC 2WD, 4WD	01-02	NA	70023	6741		
F150 2WD, 4WD (EXCEPT HERITAGE)	04-05	1011	70063	6742		
F150 2WD, 4WD (EXCEPT HERITAGE)	06	NA	70083	6742		
F150 STD, EXT, CREW, 2WD, 4WD	03	70042	70043	FLARESIDE 6730 FLARESIDE 6734		
F150 SUPER CREW 4 DR, LIGHT DUTY, 2WD, 4WD INCLUDING ADJUSTABLE PEDAL (ALSO FITS REG F150)	01-02		70013	FLEETSIDE 6730 FLARESIDE 6734		
F250, F350 SUPER DUTY, STD, EXT, CREW, DUAL, 2WD, 4WD, EXC DESEL	99-02		893	6740		
F150, F250 LIGHT DUTY (NEW BODY STYLE), STD, EXT CAB, 2WD, 4WD	97-02	862	863	FLEETSIDE 6730 FLARESIDE 6734		
RANGER / SPLASH STD, EXT CAB, 2WD, 4WD	01-05	N/A	70033	6737 / 6732 SPLASH = 6733		
RANGER / SPLASH STD, EXT CAB, 2WD, 4WD	98-00	N/A	883	6737 / 6732 SPLASH = 6733		
SHIFT EXTENSION FOR RANGER MANUAL TRANS	83-02	3700	3700			



Jeep Body Lift Kits

Description	Year	1* Part#	2" Part#	3* Part#	Gap Guard 2WD / 4WD	Gap Guard Rear	
WRANGLER TJ, RUBICON, TJL, 6 SPEED MANUAL TRANS	05-06		982	983	6908		ı
WRANGLER TJ, RUBICON, TJL, 5 SPEED & AUTO TRANS	97-06		972	973	6908		
WRANGLER TJ, RUBICON TJ, UNLIMITED TJL	97-06	951			6908		ı



5603 Tacoma Lift Kit Shown



To be division in	-		Charles Sedential	B 1 2 2 4	3 7 2-7 10000
4 7 L. L	2011	# 47#	14158	HE I HE H	Kits
		English of the last	decision J.D.		

Description	Year	Part#	Part#	Gap Guard 2WD / 4WD	Gap Guard Rear
FRONTIER ALL EXCEPT CREW CAB, 2WD, 4WD	01-03	NA	40033	5420	
FRONTIER CREW CAB, 2WD, 4WD	01-02	N/A	40043	6420	
FRONTIER CREW CAB, 2WD, 4WD AUTO	05-06	N/A	40083	6423	
FRONTIER CREW CAB, 2WD, 4WD	00	N/A	40003	6415/6416	
FRONTIER STD, EXT CAB, 2WD	00	N/A	4083	5415 / NA	
FRONTIER STD, EXT CAB, 4WD	98-00	N/A	4083	NA/6416	
FRONTIER STD, EXT CAB, 2WD	98-99	N/A	4073	8415 / NA	
TITAN 2WD, 4WD, ALL EXCEPT XE	04-05		40053	6421	
XTERRA 2WD, 4WD	00	N/A	40013	6411/6419	

Toyota Body Lift Kits

TACOMA 2WD, 4WD & TRD-PRERUNNER W/O DE HITCH	05	NA	5603	6337	
TACOMA 4WD & TRD-PRERUNNER	03-04	NIA	5593	6336	
TACOMA 4WD & TRD-PRERUNNER	01-02	NA	5583	6335	
TACOMA 4WD & TRD-PRERUNNER	00	N/A	5573	6335	
TACOMA 2WD ONLY EXCEPT TROPRERUNNER	95.5-00	N/A	5543	6334	6738
TACOMA STD, EXT CAB, ALL 4WD, 2WD TRD/PRERUNNER	95.5-99	5532	5533	6335	6738
TACOMA 2WD, 4WD, TRD WIHITCH BUMPER BRACKET KIT	05-06	NA	5903		
TUNDRA 2WD, 4WD	00-02	NA	5563	6343 / 6339	
TIMODA STO CAR EVY CAR SWO AND	AC.	BUILD	6622	E220	





Suspension Pioneer for Over 25 Years

Trailmaster Suspension has been the pioneer in developing suspension lift systems for light trucks and SUV's for over 25 years. Trailmaster Suspension products are engineered to extreme quality standards to deliver off road performance with the enthusiast in mind.

CHEVY/GMC SUSPENSION SYSTEMS

NEW

2007 6" Chevrolet/GMC System Silverado/Sierra 1500 4WD

- The industry's first true 6" suspension system for the 2007 Silverado/Sierra, (except 2007 Classic)
- CNC Machined ductile iron cast steering knuckles.
- Complete with rear crossmember compression struts, independent crossmembers linked with lateral struts, and differential skid plate for rigidity and ease of installation.

Part No.

C4721SSV

(with SSV front struts and SSV rear shocks)

2001-06 6" Chevrolet/GMC System C2500 HD/3500 2wd/4wd (except dually)

- Full 6" of lift with factory set torsion bars.
- Easy installation design, complete with all hardware required.
- · CNC Machined ductile iron steering knuckles.
- Powder coated Trail Master silver vein for long lasting looks and durability.
- SSV shocks included. Valved for high performance on and off road.
- · Limited lifetime warranty



Part No.

C4101SSV, C2101SSV (2wd), C4102SSV, C4106SSV

1999-06 6" System Silverado/Sierra P/U k 1500 4WD

Part No.

C4105 SSV (with SSV shocks) C4105 (without shocks)





DODGE SUSPENSION SYSTEMS

2003-06 Ram 2500, 3500 4" System

- 03-06 dodge Ram 2500/3500 4WD 4" system
- · Fit 35" tall tires.
- System features new replacement upper and lower trailing arms, 2" rear blocks, and replacement pittman arm for proper geometry.
- · New coil springs for quality ride
- System comes complete with SSV shocks specifically engineered for the Dodge Ram's suspension requirements and performance.

Part No.

D4501SSV (Diesel) D4502SSV (Gas Only) System comes complete with SSV shocks specifically engineered for the Dodge Ram's suspension requirements and performance.







Suspension Pioneer for Over 25 Years



FORD SUSPENSION SYSTEMS



F150 4wd featured with Or-fab front bumper



NEW



Part No. F4405SSV

2004-06 F150 4wd 6" System

- 6" system featuring CNC machined ductile iron steering knuckles.
- Exclusive design replaces front driveline for vibration free performance.
- · Fit 35" tall tires.
- System DOES NOT require rotation of front differential, which can compromise lubrication and durability of the gears, bearings and seals in the front differential.
- SSV engineered shocks including new front replacement struts, no spacers.
- Powder coated Trail Master silver vein for long lasting looks and durability.

Part No. F4531SSV

2005-06 F250, F350 4WD 6" System

- 6" system for the Ford F250/350
- · Fit 35" tall tires.
- · Race inspired replacement radius arms.
- Brackets are engineered to eliminate bump steer.
- Replacement DOT approved braided steel, kevlar lined, brake lines included.
- · Replacement pitman arm is standard in the kit.
- System includes SSV shocks for the ultimate in ride performance and durability.
- Soon to be available with Trailmaster's exclusive "long arm" design for improved articulation and wheel travel. F4533SSV

1997-04 F250, F350 4WD 6" System

- · 4" and 6" kits for the popular 97-04 SuperDuty.
- Replacement front leaf springs, also available with rear leaf springs for the ultimate in perfor mance
- Complete with pitman arm and drop down brackets.
- · Braided steel brake lines are standard
- SSV shocks tuned for the ultimate in ride and performance.





Part No.

F4521SSV, F4523SSV, F4525SSV, F4541SSV

JEEP SUSPENSION SYSTEMS

2003-06 Jeep TJ, TJL 4" System

- Engineered by Jeep enthusiasts with the rock crawler in mind.
- Control arms are engineered for vibration free performance with maximum articulation and quick release swaybar disconnects standard.
- Constructed of race proven chrome-moly steel making the Trailmaster system 30% lighter than the competition
- Lighter weight increases suspension response both on and off the road.
- Kits are available with SSV shocks tuned for the ultimate in ride and performance.
- · Also Available for the TJL Unlimited.



Part No.

TJ- J4505, J4505SSV TJL- J4550, J4550SSV









Suspension Pioneer for Over 25 Years



2005 Toyota Tacoma 2wd, 4wd 3" Spacer System

- 3" system for the new 2005 Toyota Tacoma.
- · Billet front strut spacers maintains quality factory ride
- · Allows for 33" tall tires.
- · Great value-impressive look.
- · Requires longer rear shocks (sold separately)





Part No. T4501

TOYOTA SUSPENSION SYSTEMS



2005-2006 Toyota Tacoma 2wd & 4wd NEW exclusive Trailmaster Suspension 6" (3+3) Lift System

- Exclusive system combines Trailmaster's 3" suspension spacer kit with a 3" Performance Accessories body lift kit for 6" of lift.
- · Provides 6" of lift front 5" rear for a level look.
- 3" CNC machined billet aluminum front coil strut spacers and 2" cast rear blocks with U- bolts.
- New Front skid plate included with stainless steel TM logo.
- SSV rear shocks, Performance Accessories Gap Guards and 2 sets of rear bumper brackets included (fitting vehicles with or without factory trailer hitch)
- · All necessary hardware and brackets included.
- Save hundreds of dollars compared to competitors.
 T4606

LEVELING KITS

Trailmaster front coil spring leveling suspension systems provide 2 or 2 1/2 inches of front end lift (depending on application) to select Ford, Dodge, Nissan, and Toyota trucks, removing the OE factory rake. New Urethane bushings replace the stock rubber spring bushing on top of the OE coil and include a built in recess to accept factory coil, insuring a snug fit. Kits come complete with machined aluminum spacers (where application requires), new grade 8 bolts, and detailed installation instructions.

2005 Ford F250,350 4wd 2 1/2" Front Coil Spring Leveling System



Part No. FL222



Also Available for:

- 2004-06 F150
- 2005-06 F350
- Dodge 2500
- Nissan Titan
- Toyota Tacoma
- · Toyota Tundra
- Kit brings the nose up 2.5" for a level ride.
- · Billet coil spacer.
- · Spacer is installed at the base of the coil spring for a quality ride.
- · Does not require replacement of front shock absorbers.
- New shock extension brackets and brakeline relocation plates included. All hardware included.



Trail Tested Body Protection

OR-FAB has been manufacturing high-quality, rugged, body protection for the off-road enthusiast for several years.

OR-FAB product quality features include:

- .120 wall steel tube construction.
- · Black wrinkle-finish or new Silver powdercoat.
- · Graded hardware.

Pro-Guard Truck Systems

- Constructed of rugged DOM steel tube with black wrinkle-finish or new silver powdercoat.
- · Included light bracket allows mounting of up to four off-road lights
- · Graded hardware.

	Description OR FAB PRO GUARD FRONT BUMPER GUARD	Year	Part#
hts.	F150	04-06	83500
na.	CHEVY SILVERADO	03-06	83600
	NISSAN TITAN	TBA	TBA

Rock Doors

- Designed to enhance your off road experience by increasing your visibility of trail obstacles
- · Stylish tubular design with solid full loop construction
- Latch kit and exclusive OR-FAB "Gecko" nylon pad kit with inner zipper map pouch included
- · No drilling, uses factory hinges

TJL SHOWN WITH ROCK DOORS INSTALLED



Description	Year	Part#
ROCK DOORS		
ROCK DOORS WITH PAD KIT TJ, TJL	97-06	88000
ROCK DOORS WITH PAD KIT YJ	80-95	88001
ROCK DOORS WITH PAD KIT 2 DOOR FRONT JK	07	88002
ROCK DOORS WITH PAD KIT 4 DOOR REAR JK	07	88003

OIR-IFAIR

Jeep Cherokee Rock Slider Bumpers

- · Constructed with rugged .120 wall steel tube with gloss black powder coat finish in an easy to assemble bolt together design.
- Available with accessory grille guard hoop and winch mount center section that fits popular winch brands.
- · Replaceable outer bumper wings for ease of repair and auxiliary light mount tabs.





Description	Year	Part#
JEEP CHEROKEE ROCK SLIDER BUMPERS		
ROCK SLIDER FRONT BUMPER	84-01	83202
ROCK SLIDER FRONT BUMPER FOR WINCH MOUNTING	84-01	83203
ROCK SLIDER GRILLE GUARD	84-01	87016
MULTI-LIGHT MOUNT BRACKET	ALL	87011

Sport Cages and Accessories (U.S. Patent No. 6,419,304)

- Removes your restrictive factory front bar and allows for lowering of the windshield.
- Available dash bar, additional "streamer bars" for added stability, and optional pad kit designed to match factory fabric.



Jeep Unlimited TJL shown with Sportcage, streamer bars, and pad kit

- · Designed to fit with both hard top and soft top
- · Easily bolt to door pillar: no drilling required
- · Gloss black powder coat finish

Description	Year	Part#
SPORT CAGES AND ACCESSORIES		
SPORT CAGE CJ WELD IN	79 & EARLIER	82079
SPORT CAGE CJ WELD IN	80-86	82086
SPORT CAGE YJ	87-95	82095
SPORT CAGE TJ & T.A. (UNLIMITED)	97-06	82200
DASH BAR FOR SPORT CAGE TJ & TJL (UNLIMITED)	97-06	87008
DASH BAR FOR SPORT CAGE YJ	87-95	87009
PAD KIT FOR TJ SPORT CAGE - BLACK DENIM VINYL	97-06	87250
PAD KIT FOR TJ STREAMER BAR - BLACK DENIM VINYL	97-06	87251
SPORT CAGE FLOOR MOUNT KIT TJ & TJL (UNLIMITED)	97-06	87001
STREAMER BAR TJ & TJL (UNLIMITED) BLACK	97-06	87002
STREAMER BAR YJ BLACK	87-95	87003

Swing-Away Tire and Tire/Can Carriers

- Easy to use swing out design holds two gas/water Gerry cans and up to a 35" tall tire
- · Exclusive OR-FAB secured latching system
- Accessory mount for non lip style cans and accessory security box available





Jeep Unlimited TJL shown with Tire/Can Carrier

- · Added security with anti theft wheel lock system
- · Retain factory CHMSL light with available accessory bracket.

Description	Year	Part#
5WING AWAY TIRE AND TIRE/CAN CARRIERS		
SWING-AWAY TIRE/CAN CARRIER TJ BLACK	03-06	85201
SWING-AWAY TIRE CARRIER TJ BLACK	97-06	86201
SWING-AWAY TIREICAN CARRIER YJ BLACK	87-95	85095
SWING-AWAY TIRE CARRIER YJ BLACK	87-95	86095
BOLT PLATE ADAPTER		87012
ADAPTER KIT FOR NON-LIP GAS CAN		87013
CARGO BOX		87269
STOP LAMP MOUNTING BRKT FOR TIRE/CAN CARRIER	97-06	87270
STOP LAMP MOUNTING BRKT FOR TIRE CARRIER	97-06	87271






'02-'05 Tahoe 4wd 6" lift



THE BEAR OF SUSPENSIONS

No Destruction Required

Unique To Skyjacker's design, removal of the upper differential mount is not necessary. This allows the housing to retain its structural integrity. This also allows the vehicle to be returned to stock ride height later if desired. Both the 3" and 6" kits include Skyjacker's high quality steering knuckles, differential brackets,











04-06 GM Coloroado/Canyon 2WD / 4WD 4" lift

4" Kit For the '04-'06 GM Canyon/Colorado 4WD Skyjacker® has designed a simple answer for those of you looking for a lift for the new torsion bar GM Colorado/Canyon. A full 4" Suspension lift with precisely engineered steering knuckles. Each kit also includes differential drop brackets and front and rear cross members. Kit also features Skyjacker's unique front torsion bar mount relocation brackets. Rear lift options include Softride® rear springs or add-a-leafs.

Applications

2007 GM 1500 Avalanche, Tahoe, Yukon 4WD C720MS 2" Aluminum Value Kit (rear shocks ordered separately)

2007 GM 1500 Suburban, Yukon XL 4WD

C720MS 2" Aluminum Value Kit (rear shocks ordered separately)

'99-'06 GM K1500 4WD

C9461K 3" KIT with Rear Blocks (Shocks Ordered Separately) C9661K 6" KIT w Rear Blocks & Add-A-Leafs (Shocks Ordered Separately) C9661KS 6" System with Rear Springs (Shocks Ordered Separately)

'02-'05 GM 1500 Suburban, Yukon XL 4WD

C9341K 3" KIT with Softride® Rear Coil Springs (Shocks Ordered Separately) C9631K 6" KIT with Softride® Rear Coil Springs (Shocks Ordered Separately)

'02-'05 GM 1500 Avalanche, Tahoe, Yukon 4WD

C9331K 3" KIT with Softride® Rear Coil Springs (Shocks Ordered Separately)
C9631K 6" KIT with Softride® Rear Coil Springs (Shocks Ordered Separately)

'04-'06 Torsion Bar GM Colorado / Canyon 2WD

CC421K 4" Kit for vehicle with rear Add-A-Leafs (Shocks Ordered Separately) CC421KS 4" Kit for vehicle with rear Springs (Shocks Ordered Separately)

'04-'06 Torsion Bar GM Colorado / Canyon 4WD

CC401K 4" KIT for vehicle with Rear Add-A-Leaf (Shocks Ordered Separately) CC401KS 4" KIT for vehicle with Rear Springs (Shocks Ordered Separately)

'01-'06 GM K2500HD 4WD 3" & 6" Lifts


C9381K 3" KIT with Rear Blocks (Shocks Ordered Separately) C9681K 6" KIT with Rear Blocks (Shocks Ordered Separately) C9681KS 6" System with Rear Springs (Shocks Ordered Separately)

Lateral Strut Bars

LCSB968 Strut Bar Kit 2500HD LCSB268 Strut Bar Kit Hummer H2 LCSB966 Strut Bar Kit K1500

Multiple Shock Kits

MS968 Multiple Shock Kit 2500HD (Shocks Ordered Separately)
MS268 Multiple Shock Kit Hummer H2 (Shocks Ordered Separately) MS966 Multiple Shock Kit K1500 (Shocks Ordered Separately)



off-road readiness in a heavy-duty way.



6" System For The '02-'05 Dodge Ram 1500 **Dodge** may have 're-designed' the Ram, but Skyjacker® has developed a Refined Revolution of Suspension Technology that reaches new heights of performance and durability.



5" System For The '03-'06 Dodge Ram 2500 / 3500

Skyjacker® continues its' reputation in the Dodge market. The new 5"suspension lift for the '03-'06 Dodge Ram Mega Cab 2500 and 3500 4x4 includes all the same features as the earlier models. New full-height Softride® frontcoil springs, greaseable upper and lower control arms, relocation brackets for the upper arms, pitman arm, bump stops and all necessary hardware. Class II kits include dual front shock brackets.



F4601KS

F9701KS

03-06 Dodge Ram 2500 / 3500 5" lift

Skyjacker® Suspensions' 6" Suspension for the '04-'07 F-150 4x4 This 6" suspension was voted 'Runner Up' in SEMA SHOW 2003 NEW PRODUCT AWARD in the 'Best New 4-Wheel Drive/Off-Road Product' category. Skyjacker's award winning design improves ride quality and wheel travel. No grinding or cutting of the front differential is

Platinum Series mono-tube front shocks are included. The front skid plate even encompasses the front factory crossmember and reinforces the strength against those off-road twisting forces. All of this and more combine to produce a true 6 inches of lift.

Applications

Dodge

'02-'05 Dodge Ram 1500 4x4

D2601K 6" Kit with rear blocks (Shocks Ordered Separately) D2601KS 6" System with rear springs (Shocks Ordered Separately)

'03-'06 Dodge Ram 2500/3500 & Mega Cab D2513K 2.5" Kit with rear add-a-leafs (Shocks Ordered Separately)

D4513K 5" Kit with rear add-a-leafs (Shocks Ordered Separately) D4513KS 5" System with rear springs (Shocks Ordered Separately) D4523K 5" Class II Kit with rear add-a-leafs (Shocks Ordered Separately) D4523KS 5" Class II System with rear springs (Shocks Ordered Separately)

Ford

'04-'07 Ford F-150 4WD

FF25 2.5" Poly Value Kit (Rear Shocks Ordered Separately) FF25MS 2" Aluminum Value Kit (rear Shocks ordered separately) F4301K 3" Kit with rear add-a-leafs (Rear Shocks Ordered Separately) F4601K 6" Kit with rear blocks (Rear Shocks Ordered Separately) F4601KS 6" system with rear springs (Rear Shocks Ordered Separately)

'04-'07 Ford F-150 2WD

FF25 2.5" Poly Value Kit (Rear Shocks Ordered Separately) FF25MS 2" Aluminum Value Kit (Rear Shocks Ordered Separately) F4321K 3" Kit with rear add-a-leafs (Rear Shocks Ordered Separately) F4621K 6" Kit with blocks and or rear add-a-leafs (Rear Shocks Ordered Separa

'97-'03 Ford F-150 4WD

F9701K 6" Kit with rear blocks (Shocks Ordered Separately) F9701KS 6" system with rear springs (Shocks Ordered Separately)




crossmembers, 2-piece 4-point skid plate and front steering knuckles. 6 inches of lift and clears 35" tires.



Skyjacker® Suspension Systems for the '05-'06 Super Duty. The 2", 4", 6", and 8.5" Suspension Lifts feature full-height Softride® front coil springs, a heavy-duty track bar relocation bracket to center the axle, extended sway bar end links, and radius arm drop brackets. Class

II 8.5" also includes a heavy-duty 4-link design.







Skyjacker® Z-Link Platinum Series Coil-Over **Conversion** Available for the '00-'04 Ford Super Duty. This innovative suspension design is the Winner of the 1st Annual 'TECHNOLOGY AWARD' from Primedia's Off-Road Truck/SUV Part... Four Wheeler, 4 Wheel & Off-Road, Off-Road and 4 Wheel Drive & Sport Utility magazines.

Ford Applications

FC09852MKS

F9652MKS

F-250 / F-250 w/ Diesel Engine F525K 2" Kit with rear add-a-leafs (Shocks Ordered Separately) F5451K 4" Kit with rear blocks (Shocks / Pitman Arm Ordered Separately) F5451KS 4" System with rear springs (Shocks / Pitman Arm Ordered Separately) F5651K 6" Kit with rear blocks (Shocks / Pitman Arm Ordered Separately) F5651KS 6" System with rear springs (Shocks / Pitman Arm Ordered Separately) F5852K 8.5"Kit with rear blocks (Shocks / Pitman Arm Ordered Separately) F5852KS 8.5" System with rear springs

(Shocks / Pitman Arm Ordered Separately)

F-250 / F-250 w/ Gas Engine F520K 2" Kit with rear add-a-leafs (Shocks Ordered Separately) F5401K 4" Kit with rear blocks (Shocks / Pitman Arm Ordered Separately) F5401KS 4" System with rear springs (Shocks / Pitman Arm Ordered Separately) F5601K 6" Kit with rear blocks (Shocks / Pitman Arm Ordered Separately) F5601KS 6" System with rear springs (Shocks / Pitman Arm Ordered Separately) F5802K 8.5" Kit with rear blocks (Shocks / Pitman Arm Ordered Separately) F5802KS 8.5" System with rear springs (Shocks / Pitman Arm Ordered Separately)

'00-'04 Super Duty 4WD - V10 / Diesel Engine Z-Link System

FCO9652MK 6" Kit with rear blocks (Rear Shocks / Pitman Arm Ordered Separately) FCO9652MKS 6" System with rear springs (Rear Shocks / Pitman Arm Ordered Separately) FCO9852MKS 8" System with rear springs (Rear Shocks / Pitman Arm Ordered Separately)

'00-'04 Super Duty 4WD - V10 / Diesel Engine

F93203K 2" Kit with front add-a-leafs (Shocks Ordered Separately) F9452MK 4" Kit with front springs and rear blocks (Shocks Ordered Separately) F9452MKS 4" System with front and rear springs (Shocks Ordered Separately) F9652MK 6" Kit with front springs and rear blocks (Shocks Ordered Separately) F9652MKS 6" System with front and rear springs (Shocks Ordered Separately) F9852MKS-A 8" System with front and rear springs includes pitman arm (Shocks Ordered Separately)



2.5", 3", 4", 6" and 8" Lifts For Gas or Diesel '-'04 Super

extensive line-up of suspensions in various height for the

Ford Super Duty and Excursions. From the 2.5" leveling kit

the Excursion and the Super Duty. NOTÉ: Call for details on

for the Super Duty to the awesome 8" systems for both

Duty and Excursion Skyjacker® produces a rather

'05-'06 Toyota Tacoma 4WD 3" lift

FJ730STK

Toyota Applications

'00-'04 Super Duty

F250/F350 4WD 6" lift

2007 FJ Cruiser Suspension Systems

FJ730STK 3" Performance Strut Kit with coil springs

(Shocks Ordered Separately) FJ20MS 2"Value Kit (Shocks Ordered Separately)

'95.5-'06 Toyota Tacoma & '00-'05 Tundra Suspension Systems

TC530STK 3" Performance Strut Kit for '05-'06 Tacoma with add-a-leaf (Shocks Ordered Separately) TC5305TKS 3" Performance Strut Kit for '05-'06 Tacoma with Leaf Springs (Shocks Ordered Separately)
TTC305TK 3" Performance Strut Kit for '95.5-'04 Tacoma with add-a-leaf (Shocks Ordered Separately)

TTC30STKS 3" Performance Strut Kit for '95.5-'04 Tacoma with Leaf Springs (Shocks Ordered Separately)

TTU30STK 3" Performance Strut Kit for '95.5-'04 Tundra with add-a-leaf (Shocks Ordered Separately)

TT20MS 2"Value Kit for '05-'06 Tacoma (Shocks Ordered Separately)

Now Available For Your '97-'06 Wrangler And Rubicon.

The 6"Value Flex Kit offers huge articulation at an affordable price. Kit includes heavyduty steering box skid plates, polyurethane tie rod boots, and sway bar disconnects. The lower control arms "Long Arm" design come with a massive 1.25" Teflon®/Kevlar® lined, rod end at one end, and a greaseable polyurethane bushing at the other. 6" kit features Skyjacker's new bolt-on Sub Frames.



TJ Adjustable Rear Sway Bar Part # RSBA410



Limiting Straps

Skyjacker® has recently released a complete line of Heavy-Duty Rock Ready® Limiting Straps for all applications. Available in 16", 20", 24", 28", and 32" lengths. Sold in Pairs.

Grab Handles

Skyjacker® has introduced another superior 'handling' system to their Rock Ready® line... it's new Rock Ready® Grab Handles.

Limiting Straps

LS16K 16" Limiting Straps LS20K 20" Limiting Straps LS24K 24" Limiting Straps LS28K 28" Limiting Straps LS32K 32" Limiting Straps

97-'06 TJ RockLock® Sway Bar Part # JFSBA10



'03-'06 Jeep Wrangler TJ / Rubicon 4" lift

When it comes to Suspension Lifts, Skyjacker® continues to set the bar with New Suspension Lifts for the Únlimited ranging from 2.5"-8". Skyjacker® has precisely engineered a Suspension System to fit your lifestyle. 6" and 8" Lifts feature Skyjacker's new Bolt-On Sub Frames

'89-'99 Cherokee XJ 4WD & 2WD Rock Ready® Systems

Skyjacker® Suspensions now offers Jeep Cherokee XJ owners the ultimate in suspension technology.Whether you're twisting it up on the Red Rocks of Moab or conquering the South American jungles of Peru, Skyjacker® has designed the ultimate

suspension to get you Rock Ready®.



Grab Handles

RRGH20-K 2" Black Grab Handles RRGH30-K 3" Black Grab Handles RRGH20-R 2" Red Grab Handles RRGH30-R 3" Red Grab Handles



2007 Jeep Wrangler JK Unlimited 2.5" lift 4" also available Call for part

Jeep Applications

'97 - '02 Jeep TJ 4WD Value Flex System

TJ251K-SVX 2.5" Value Flex System (Shocks Ordered Separately) TJ401K-SVX 4" Value Flex System (Shocks Ordered Separately) TJ601K-SVX 6" Value Flex System (Shocks Ordered Separately)

'03 - '06 Jeep TJ 4WD Value Flex System

TJ253K-SVX 2.5" Value Flex System (Shocks Ordered Separately) TJ403K-SVX 4" Value Flex System (Shocks Ordered Separately) TJ603K-SVX 6" Value Flex System (Shocks Ordered Separately)

'04-'06 Jeep TJ Unlimited 4WD Suspension Systems

TJ253KU 2.5" Standard System (Shocks Ordered Separately) TJ253KU-SVX 2.5" Value Flex System (Shocks Ordered Separately) TJ403KU 4" Standard System (Shocks Ordered Separately) TJ403KU-SVX 4"Value Flex System (Shocks Ordered Separately) TJ403KU-DX 4" Double Flex System (Shocks Ordered Separately) TJ603KU-SVX 6"Value Flex System (Shocks Ordered Separately) TJ803KU-DX 8" Double Flex System (Shocks Ordered Separately)

'07 Jeep Wrangler JK Unlimited 2.5" Suspension

JK2500K 2.5" Kit (Rear Shocks Ordered Separately)

'89-'01 Cherokee XJ Suspension Systems

JC301K 3" Kit for '84-'01 with add-a-leafs (Shocks Ordered Separately) JC301KS 3" System for '84-'01 with rear springs (Shocks Ordered Separately)
JC301K-SVX 3" Value Flex for '84-'01 with rear springs (Shocks OrderedSeparately) JC601KS-SVX 6" Value Flex for '89-'99 w/ rear springs (Shocks Ordered Separately) JC801KS-DX 8" Double Flex for '89-'99 w/rear springs (Shocks Ordered Separately)



P/N RS6559B

- Fits up to a 285/70/16 tire
- Two piece cross-member provides maximum ground clearance
- Maintains factory location of rack & pinion
- No drivetrain or exhaust modifications required
- Exclusive Rancho/Realift™ torsion bar relocation technology
- Extended cast steering knuckles

- Fits up to a 315/70/17 tire
- One piece reinforced sub-frame
- No exhaust modifications required Extended cast steering knuckles
- Maintains factory location of rack & pinion

Optional 6749B Kit





Maximum Tire Fitment Reference* Width 315 mm Height 70 mm Diameter 17 in Backspacing 5.5 in

* Fitment of the maximum tire diameter may require trimming or modification to provide proper clearance. Before installing any other wheel/tire combinations, consult your local tire & wheel specialist. Wheels under 17"diameter can not be used.



221 Optional front skid plate RS8716B and differential skid plate (RS6201) can be purchased separately. 222 Optional front multiple shock kit can be purchased separately. Part numbers ending with the letter "B" designate black finish.

liyerado/Sierra P/N RS6553B • Fits up to a 315/70/17 tire

- One piece reinforced sub-frame

2007/ ½-ton

- Maintains factory location of rack & pinion
- No exhaust modifications required

RS9000X

Extended cast steering knuckles

YEAR	MODEL	SHOCK KIT	SKID PLATE	SUSPENSION	FRONT	REAR
Chevro	let Truck - Silverado 4WD					
2007	4WD Silverado (1/2 Ton) w/ Automatic Transmission.	RS6749B222		DCCEC2D	000706	DC00207
دسته دا	- Exc AWD & Auto ride. let Truck - Silverado 2WD		RS6201221	RS6563B	RS99786	RS99297
Cnevro 2007	2WD Silverado (1/2 Ton) w/ Automatic Transmission.	DC6740P222	DC0716P221	RS6563B	RS99786	RS99269
	ruck - Sierra 4WD	K30/49D222	K38/10D221	K20202D	K399760	K399209
2007	4WD Sierra (1/2 Ton) w/ Automatic Transmission.	RS6749B222	RS8716B	RS6563B	RS99786	RS99297
2007	- Exc AWD & Auto ride.	11307 470222	RS6201221	11303030	11322760	1(3))2),
GMC Tr	ruck - Sierra 2WD		1130201221			
2007	2WD Sierra (1/2 Ton) w/ Automatic Transmission.	RS6749B222	RS8716B221	RS6563B	RS99786	RS99269
				PRIMARY	RS9000X	RS5000
				SYSTEM	RSX17000	
YEAR	MODEL		SKID PLATE	SUSPENSION	FRONT	REAR
Chevro	olet Truck - Avalanche 2 & 4WD					
2007	4WD Avalanche (1/2 Ton) w/ Automatic Transmission - Exc AWD, Autoride (Elec) & air leveling suspension.	& auto track	RS8716B RS6201 221	RS6562B	RS99786	RS99274 RS5274
2007	2WD Avalanche (1/2 Ton) w/ Automatic Transmission ride (Elec) & air leveling suspension.	ı - Exc Auto-	RS8716B RS6201 221	RS6562B	RS99786	RS99274 RS5274
Chevro	olet Truck - Suburban 2 & 4WD					
2007	4WD Suburban (1/2 Ton) w/ Automatic Transmission - Exc AWD, Autoride (Elec) & air leveling suspension.	w/auto track	RS8716B RS6201 221	RS6562B	RS99786	RS99274 RS5274
2007	2WD Suburban (1/2 Ton) w/ Automatic Transmission (Elec) & air leveling suspension.	- Exc Autoride	RS8716B RS6201 2211	RS6562B	RS99786	RS99274 RS5274
Chevro	olet Truck - Tahoe 2 & 4WD					
2007	4WD Tahoe (1/2 Ton) w/ Automatic Transmission w/a AWD, Autoride (Elec) & air leveling suspension.		RS6201 221	RS6562B	RS99786	RS99274 RS5274
2007	2WD Tahoe (1/2 Ton) w/ Automatīc Transmission - Ex (Elec) & air leveling suspension.	c Autoride	RS8716B RS6201 221	RS6562B	RS99786	RS99274 RS5274
GMC Tr	ruck - Yukon 2 & 4WD					
2007	4WD Yukon (1/2 Ton) w/ Automatic Transmission w/a - Exc AWD, Autoride (Elec) & air leveling suspension.		RS8716B RS6201221	RS6562B	RS99786	RS99274 RS5274
2007	2WD Yukon (1/2 Ton) w/ Automatic Transmission - Ex (Elec) & air leveling suspension.	c Autoride	RS8716B RS6201221	RS6562B	RS99786	RS99274 RS5274
GMC Truck - Yukon XL 2 & 4WD						
2007	4WD Yukon XL (1/2 Ton) w/ Automatic Transmission v - Exc AWD, Autoride (Elec) & air leveling suspension.		RS6201221	RS6562B	RS99786	RS99274 RS5274
2007	2WD Yukon XL (1/2 Ton) w/ Automatic Transmission - (Elec) & air leveling suspension.	- Exc Autoride	RS8716B RS6201221	RS6562B	RS99786	RS99274 RS5274
Foot Note	<u> </u>					

RS6588/ RS6588B RS6589/RS6589B

- Fits up to a 35" tire
- One piece reinforced sub-frame
- Maintains factory location of rack & pinion
- No drivetrain or exhaust modifications required
- Allows for reuse of the stock wheels
- Extended cast steering knuckles



P/N RS6511/RS6511B

- Fits up to a 35" tire
- No drivetrain or exhaust modifications required
- Allows for reuse of the stock wheels
- New forged pitman arm
- Competition style radius arm design
- Complete bolt- on installation



05-07/ Ford F250 / F650 Superduty 41/4

P/N RS6577B / RS6579B


- Fits up to a 37" tire
- No exhaust modifications required
- Allows for reuse of the stock wheels
- New forged pitman arm
- New heavy duty tubular-style upper & lower links
- Front track bar relocation bracket

06 Ram 1500 Mega Cab & 08-06 Ram 2500 / 2500 Mega cab pic

P/N RS6581B

- Fits up to a 35" tire
- One piece reinforced sub-frame
- Maintains factory location of rack & pinion
- No exhaust modifications required
- Allows for reuse of the stock wheels
- New tie-rod assemblies bolt-on with no cutting or grinding
- Extended cast steering knuckles





approximately four hours. This uncompromising design, value-priced, features coil springs forged pitman arm, front/rear track bar relocation brackets and front upper/lower link drop bracket assemblies. These Rancho® features result in a simplified and time-saving installation. The new system fits up to a 35" tire*.

Features Benefits

• High-clearance drop bracket design • Maintains optimal caster geometry • Allows for use of up to 35" tires • Improves approach and departure angles • 4-hour install time • Bolt-on system does not require cutting or welding • Front and rear coil springs

- Optimal spring rate for uncompromised on-/off-road performance • Front and rear track bar relocation bracket
- Re-aligns axle centers Forged pitman arm Optimizes steering geometry for minimal bump steer • Bump stop relocation brackets





D7/JK Wrangler Unlimited 4-door 24/D/44/JD family

- Rancho's best-selling, high performance light truck shock absorber.
- Exceptional performance both on and off road.
- Twin-tube cellular gas design with 10stage velocity sensitive valving.
- Available for popular light truck and SUV applications.
- Long-travel & spring seat shock applications available.
- Limited lifetime warranty.





RSX Performance Struts and Shocks.

- Features patented "Impact Sensing" technology.
- Provides improved stability and control without sacrificing ride quality.
- Available for popular light truck and SUV applications.
- Limited lifetime warranty.

<u> Puick Lift:</u>"

- Provides 1 to 2.5 inches* of lift (fixed spring seat)
- Nitrogen gas-charged internal tri-tube mono-flow design
- RS9000X nine-position adjustable technology control compression and rebound
- Accommodates larger wheel and tire options
- Manually adjusted at the shock, or adjust on-the-fly with Rancho's in-cab RCX remote damping control system
- Backed by Rancho limited lifetime warranty and 90-day free ride offer
- Varies per application



The Ultimate Adjustable **Shock Absorber.**

(Ideal for towing and hauling)

- Features a 2.75 inch diameter reserve tube* • Constructed with a 18mm diameter
- double-chromed piston rod*
- Nitrogen gas-charged internal tri-tube mono-flow design
- Nine (9) precise settings control compression and rebound damping
- Manually adjusted at the shock, or adjust on-the-fly with Rancho's in-cab RCX remote damping control system
- Backed by Rancho limited lifetime warranty and 90-day free ride offer
- On select applications only

High Performance Remote Reservoir Design

- Utilizes Rancho's patented nine-position damping control for compress and rebound.
- Manually adjusted at the shock, or adjust on-the-fly with Rancho's in-cab RCX remote damping control system.(RS99701)
- Anodized aluminum reservoir with stainless steel braided hose, Piggyback cushions and clamps provided.
- Limited lifetime warranty.

Coil-Over Remote Reservoir Shock Absorbers.

- Gas charged remote reservoir design.
- Includes slider, adjuster and spring retainer.
- Includes Dual "Rancho" by Eibach" coil springs.
- Equipped with spherical rod ends.
- Available in extended lengths (32" & 36")

SSOODX**ProSeries oil-Oyer:Shock

RCX™ In-Cab Remote Control offers the "Next Level" of damping adjustment!

- Allows you to adjust your ride from the cab of the vehicle.
- Push-to-connect fittings though the system.
- Heavy duty all-weather compressor.
- Limited 2 Year 24,000 Warranty.

Committed to developing the finest suspension kits and components available for nearly three decades!

The same of the sa	
Ford	
9911	97-03 F-150 2/4 Drop
9933	04-07 F-150 2/5 Kit Drop
9944	04-07 F-150Lincoln Mark LT-New body 2/4+
9949	04-07 F-150 2WD Lincoln Mark LT-New body 2/4
9966	04-07 F-150 4WD 2/3 Drop
Chevy	
9906	99-06 C-1500 Reg cab 2/4 Drop
9909	99-06 C-150 Ext. Cab 3/5 drop
9917	00-05 Yukon XL/Sub. 2/3 Drop
9932	04-07 GMC Canyon/Chevrolet Colorado 2/3 drop
9956	00-06 Suburban Non Z71 4WD 2/3
9957	01-05 Tahoe/Sub 4WD Z-71 2/3 drop
9972	01-06 Avalanche 2WD/4Wd Non Air 2/2.5
9977	2007 Tahoe 4Wd Non Air 1.5/2.75
9979	Tahoe, Yukon, Avalanche 2WD/4Wd Autoride
9990	04-06 GM SSR 1/1.5
9991	2007 Tahoe 2WD Non Air 1.5/2.5
9993	2007 C-1500 Pickup New Body Style
1086	00-06 Suburban 2WD/4WD 2.5
Dodge	
9930	02-05 Ram 1500 Quad cab. 1.5/4.5 Drop
9947	04-06 Ram SRT-10 Viper Reg Cab 1/2
9948	04-06 Ram SRT-10 Viper Quad Cab 2WD 2/4
9970	02-05 Dodge 1500 4WD 1.5/4.3 drop
9980	2006 Ram 1500 Quad Cab 4WD 2/4
9982	2006 Ram 1500 Quad Cab 2.5/4.3
Cadillac	
9958	01-06 Escalade 2WD/4WD Auto-ride Apps 2/3
9976	2007 Denali/Escalade AWD w/autoride 1.5/2.5
Hummer	
9963	03-06 GM H2 Hummer AWD (rear coil) 2/3.5

9974 06-07 Hummer H3 1/3 99-05 Reg Cab GM 97-03 Ford 1/2 Ton 2"Shackle Kit 04-05 Ford F-150 2"Shackle Kit Universal 2"Block Kit Universal 3"Block Kit U2-UP Dodge 15001.5"Shackle Kit 01-UP Toyota Tundra 1"drop Shackle 04-07 F150 Lincoln Mark LT 2WD 2" 4WD 1.5" 04-07 F150 Lincoln Mark Includes pinion wedge 04-07 Canyon/Colorado 2"Rear Z-85 04-07 Canyon/Colorado 3"Rear Z-85 04-07 Canyon/Colorado 2" W/Z-Q8 Suspension 06-07 H3 Hummer 4WD 2"Rear block kit Genuine Components 91143 91155 91200 120 120 91142 91202 91201 91200 91198 99199 91203 91205

03-06 GM H2 Hummer AWD (rear air) 2/3.5

9965









Adjustable Air Helper Spring and On Board Air Compressor Systems

Air adjustability is the difference. **SPRINGS** Our air adjustable springs allow you to

tune your suspension for heavy loads, towing or rough roads. A level balanced vehicle improves ride, handling and brake performance. You can't buy a better air spring!

Air Lift air spring systems put an end to these common problems:









Super DUTY



57000 Series

- Fits many ¾ ton and 1 ton pickups, vans and motorhomes with leaf springs
- · Up to 5,000 pounds of leveling capacity*
- · Air adjustable from 5 to 100 psi



RideCONTROL



59500 Series

- Fits many 1/2 ton and mini pickups, full-size and mini vans and SUVs with leaf springs
- Up to 2,000 pounds of leveling capacity*
- · Air adjustable from 5 to 100 psi



RoadTAMER



Ultimate Suspension Upgrade

- Full rear air suspension for 34 and 1 ton pickups towing heavy loads, 5th wheels, horses, RVs and Class "C" motorhomes
- · Complete with automatic electronic leveling, compressor
- · Smooth, safe, comfortable ride loaded or unloaded

Air Lift1000



60000-80000 Series

- Fits open coil springs on the front or rear
- . Up to 1,000 pounds of leveling capacity
- Air adjustable custom tune the ride you want
- · Lower ETS and improve your hole shot
- · Improve ride, handling, stability and eliminate bottoming out.



Best-selling Air Lift Kits

PICKU	PS • AIR HELPER SPRINGS	Drive	Rear Part #
99-07	Chevy/GMC Silverado/Sierra 1500 GMT 800 Classic series	2 & 4	59501
2007	Chevy/GMC Silverado/Sierra 1500 GMT 900 series	2 & 4	59565
99-04	Chevy/GMC Silverado/Sierra 2500 3/4 Ton Pickup (Except 2500 HD)	2 & 4	57250 🥱
01-06	Chevy/GMC Silverado/Sierra 2500 HD & 3500 1 Ton Pickup	2 & 4	57275 🥱
00-07	Chevy/GMC Tahoe/Yukon 4 Door (with coil springs)	2 & 4	60769 🗇
02-06	Dodge Ram 1500 1/2 Ton Pickup	2 & 4	59551 🕱
03-06	Dodge Ram 2500 & 3500 (Single & Dual Wheel)	2WD	57206 🥱
03-06	Dodge Ram 2500 & 3500 4WD (Single & Dual Rear Wheel)	4WD	57280 🥱
04-06	Ford F-150 1/2 Ton Pickup (New Body)	2 & 4	59544
97-04	Ford Heritage F-150 1/2 Ton Pickup	2 & 4	59501
97-04	Ford Heritage F-150 with 5th wheel hitch	2 & 4	59542
69-04	Ford F-250 3/4 Ton & F-350 1Ton Pickup	2 & 4	57215
05-06	Ford F-250 & F-350	2 & 4	57212
99-06	Ford F-250, 350 Under Frame for 5th Wheel and Gooseneck	2WD	57293 🕱
99-06	Ford F-250, 350 Under Frame for 5th Wheel and Gooseneck	4WD	57294 🥱
PICKUI	PS • ROADTAMER SUSPENSION	Drive	Rear Part #
01-06	Chevy/GMC 2500 HD & 3500 RoadTamer suspension	2 & 4	39020K
03-05	Dodge 3500 RoadTamer suspension	2 WD	39033K
99-06	Ford F-350 RoadTamer suspension	2 & 4	39015K
99-06	Ford F-450 / 550 RoadTamer suspension	2 & 4	39014
This is a	nly a partial listing – call for your application!	\bigcirc = r	o-drill application

Air LIft On Board Air Compressor Systems are the Best in the Business!

WARRANTY! For maximum convenience and leveling on-the-go, nothing beats an Air Lift on board air compressor system. Whether automatic or dash-mounted control, it quickly adjusts your vehicle for changes in load or road conditions. Air Lift on board air systems are the most advanced in the industry and work with all brands of air springs.

Sure**SET**

SureSet Electronic Leveling System

Ultimate digital control for air springs! Compact controller mounts in cab with no air lines! Remembers the pressure setting for each spring, automatically maintains the driver-selected air pressure. Controls two air springs independently for front-to-rear and side-to-side leveling. P/N 25004



SmartAir Automatic Leveling System

Air Lift's unique non-contact height sensor maintains level ride with any load, on any road! Fully automatic and no lines or controls in the cab! Single sensor model features frontto-rear leveling. Dual sensor model controls two air springs independently for front-to-rear and side-to-side leveling. P/N Single Sensor 25415, Dual Sensor 25430



Load Controller II



Which compressor system is right for your vehicle?

ı							
	What type of vehicle are	SureSet	Sma	rtAir	Load Controller II		
	you driving?		SINGLE	DUAL	SINGLE	DUAL	
	Pickup with any towable	Х	XX		х		
	Pickup with a truck camper	XX		х		х	
	Van/SUV/CUV towing or heavy load	XX	х		х		
	Car with rear coil air springs	XX			х		
	Motorhome with rear air springs*	XX		Х		х	
1	All others	XX	Х		х		

*Four air springs require TWO compressor systems

x = Better choice xx = Best choice

