

Product Groups 708 - 780

Section 7 Contents

Description	Group	
Automotive Maintenance & Repair	732	1266 - 1271
Automatic Lubricators	740	
Cartridge Applicator Guns		
Cleaning Baths		
Cleaner Sprays	727	1256 - 1257
Cleaning Products		
Fire Safety	714	1228 - 1230
Food Industry Lubricants	740	1285 - 1286
Food Safe Greases & Sprays	740	1286 - 1287
Gaskets & Joining Compounds	720	1234 - 1236
Greases	740	1284 - 1285
Hand & Skin Care	780	1298 - 1309
Hot Dips Coatings	708	
Hydraulic Oils/Engine Oils	740	
Instant Adhesives		
Machine Lubricants & Corrosion Preventatives	740	
Machine Mounting Adhesive	703	
Maintenance & Repair Compounds	711	1225 - 1227
Maintenance Sprays & Lubricants	732	1258 - 1265
Markers - Line		
- Paint	734	1273 - 1276
Melting Pots	709	
Metal Working Lubricants	740	1278 - 1280
'0' Rings	726	1250 - 1251
Paints	721	1237 - 1241
Process & System Cleaners		
Retainers & Threadlockers		
Sealants & Fillers	716	1231 - 1233
Secondary Containment Storage		
Shaft Seals & Gland Packing	726	
Solvent Degreasers	727	
Spill Response/Spill Control	742	1291 - 1297
Structural Adhesives	725	1246 - 1249
Tapping & Drilling Lubricants	732	
Two Part Adhesives		

TWO-PART ADHESIVES The Araldite 2000 **Epoxy System**

Mixes and dispenses adhesive and hardener as a single-component product. The user can easily deliver a measured quantity of adhesive, accurately and with minimum waste. A choice of pneumatic and manual guns is available.

Product features Include: Load bearing epoxies - for bonding metals and composites. Resilient and flexible epoxies - for bonding thermoplastics and combinations of materials. Slow and rapid cure epoxies. Epoxies which have high resistance to chemicals or temperatures. Gap filling epoxies - for vertical or gap filling applications on a choice of substrates. Transparent epoxies for bonding glass and other transparent substrates.

2010 - General-Purpose Epoxy - Fast Cure Room temperature curing, high shear and peel strength. Particularly suitable for applications requiring a tough and resilient bond. Fast cure/ different substrates. Ideal for ferrous metals, aluminium, copper, rubbers, rigid plastics and ceramics etc. Light handling strength at 30 minutes.

Resistance Properties

Chemical - Good. Heat - Good. Water - Good. Impact - Excellent.



Product	Size	Order Code	Offer
Number		ARA-700	Price/1
2010	200ml	-0140L	£42.88

2013 - Metal Coloured Epoxy Paste

Metallic appearance, thixotropic with good gap filling properties. Non-sagging up to 5mm thickness. Suitable also for a variety of substrates, including ceramics, glass, rubbers and rigid plastics. Ideal for vertical applications. Ideal for ferrous metals, aluminium, copper, zinc and galvanised metal etc. Light handling strength at four hours.

Resistance Properties

Chemical - Excellent. Heat - Good. Water - Good,

Araldite Product Offer Order Code Size

Number		AI(A-100	
2013	200ml 2kg	-0165L -0166M	£40.06 £150.00

2011 - Multi-Purpose Epoxy -Long Working Life

Room temperature curing, high strength and toughness. Versatile and excellent resistance to dynamic loading. Ideal for large areas of bonding and/or a long working time. Ideal for ferrous metals, aluminium, copper, zinc and galvanised metal, polyamides, polystyrene foams, PU foams, ceramics, wood etc. Light handling strength at seven hours.

Resistance Properties Impact - Excellent.



2014 - High Chemical & Temperature **Resistance Epoxy Paste**

Gap filling properties. Non-sagging up to 5mm thickness. Low out gassing/ volatile loss. Temperature resistant to 120°C. Ideal for metals, electronic components, GRP structures etc. Light handling strength at 31/2 hours.

Resistance Properties

Chemical - Excellent. Heat - Excellent.

Water - Excellent. Very resistant to water and Arnidite chemicals. Product Offer Order Code Size Price/1 Number ARA-700 50ml -01690 £16.00 2014 £40.06 200ml -0170R -0172T £126.16 2kg

2012 - Multi Purpose Epoxy -**Very Fast Cure**

Room temperature curing, high strength and peel strength. Multi-purpose, versatile with rapid cure. Ideal for ferrous metals, aluminium, copper, zinc and galvanised metal, rubbers and wood etc. Light handling 20 minutes.

Resistance Properties

Chemical - Good.

Heat - Good	2012	Araldite			
Product	Size	Order Code	Offer		
Number		ARA-700	Price/1		
2012	50ml	-0161T	£15.56		
	200ml	-0163F	£40.44		
	2kg	-0164G	£139.16		
Product	Size	Order Code	Offer		
Number		ARD-700	Price/1		
2012	2 x 100ml	-2012M	£36.58		

2015 - Toughened Epoxy Paste

Thixotropic with good gap filling properties. Non-sagging up to 10mm thickness. Toughened, high shear and peel strength. Ideal for bonding dissimilar substrates. Particularly suitable for SMC and GRP bonding. Also ferrous metals, aluminium, copper etc. Light handling strength at four hours.

Resistance Properties





CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

2018 - Flexible Polyurethane

Room temperature curing. Very flexible. Lightly thixotropic liquid PU. Ideal for large areas of bonding and/or a long working time. Bonds well to most thermoplastics, including GRP/SMC/GRE/ thermoset composites/ABS/ PVC/acrylics/ -polycarbonates etc. Light handling strength four hours.

Resistance

Properties Impact - Excellent.	đ	Araldite"	Б
Product Number	Size	Order Code ARA-700	Offer Price/1
2018	200ml	-0218M	£38.96

2021 - Rapid Curing, Toughened **Multi-Purpose Methacrylate**

High shear and peel strengths. Very fast curing, good gap filling properties. Suitable for service at temperatures up to 100°C. Ideal for ferrous metals, aluminium, ABS/PVC, acrylics, polycarbonates polyamides, polystyrene foams, PU foams etc. Light handling four minutes.

Resistance Properties

Chemical - Good. Heat - Excellent.



£91.00

2022 - Toughened, Resilient Methacrylate for Thermoplastics

Versatile, excellent for a wide range of plastics, composites and metals. Excellent resistance to petrol and oils. Tolerant to less pre-treatment. Rapid cure. Ideal for GRP/SMC/GRE/ thermoset composites, ABS/PVC, acrylics, polycarbonate, polyamides, polystyrene foams, PU foams etc. Light handling strength at 18 minutes. Gap filling up to 4mm thickness.

Resistance Properties

Chemical - Excellent. Heat - Good.

Water - Good Impact - Excellent.	20	aldite"	
Product	Size	Order Code	Offer
Number		ARA-700	Price/1
2022	50ml	-0238W	£20.14
	400ml	-0240X	£81.40
Manval			



Page 1222

LOCTITE Clear Epoxy

Hysol 3430 Fast cure. Ultra clear Toughened. Water resistant. Fixture time 12mins. Size: 24ml.

2 PARI



Part Number	Order Code	List Price/1	Offer Price/1
Hysol 3430	-4215E	£8.66	£6.75

Toughened Epoxy



PÁRT 20

Part Number	Order Code	List	Offer
	LOC-725	Price/1	Price/1
Hysol 9461	-8310J	£12.73	£9.93

Double Bubble Epoxy Adhesive

Will bond to a wide variety of materials (i.e. wood, metal, plastic and ceramic) and cures rapidly to give handling strength in approximately five minutes. Packed into a handy sachet, and supplied complete with a mixing stick and pallet for fast and effective repair work.

Pack size: 50 x 3g



Metal Set Syringe 3450

A two-part filled epoxy resin supplied in a small handheld dual syringe giving accurate dispensing for small scale repairs.



'5 Minute' Devcon Epoxy Adhesive

Clear, permanent non-shrinking bonds. Bonds metals, glass, ceramics, concrete and wood. Works down to -40°C when cured

		ter Pot li	operating mperature: 93°C. fe: 4mins. ratio: 1:1.
Size	Order Code DEV-711	List Price/1	Offer Price/1
500g	-2070N	£45.77	£40.28
70g	-2071P	£12.11	£10.66
28g	-2073R	£6.69	£5.89

'2 Ton' Epoxy

Extremely powerful and water-resistant. Permanent non-shrinking bonds. Bonds metals, wood, concrete, glass and ceramics. Max. operating temperature: 93°C. Pot life: 10mins. Mix ratio: 1:1.



100 SA Bostik **Acrylic Adhesive**

A two-part acrylic adhesive to provide a tough, impact resistant bond on a wide range of materials. Temperature and chemical resistant. Low in odour.



PÁRI

Product Offer List Order Code Size Numbe **BST-705** Price/1 Price/1 AX10M 80ml -0644K £21.40 **£19.26**

GROUP **TWO-PART ADHESIVES** 700 **Two-Part** Adhesive

Fast Cure

PART

30ml fast cure two-part epoxy adhesive. DIY blister pack (2 x 15ml). Sets in minutes. Slow Cure

Repositionable for 2hrs. Ideal for large areas.



Cure	Size	Order Code ARD-700	List Price/1	Offer Price/1
Fast	2x 15ml	-7820B	£5.19	£4.41
Slow	ZX TOUI	-7350E	£4.23	£3.60
Fast	2x 24ml	-7810A	£6.20	£5.27
Slow	2X 24mi	-7340D	£5.25	£4.46

Two-Part Epoxy Adhesives

Two component, high strength adhesives that cure at room temperature. Suitable for bonding a wide variety of metals, ceramics, glass, rubber, rigid plastics and most other materials in common use. Versatile adhesives for the craftsman as well as most industrial applications.

2011 provides a slow cure, 2012 provides a fast cure.



Mixing Nozzles

2012

For all Araldite 50ml, 200ml and 400ml cartridges. Ensure accurate mixing and application.

-2012M

a same and	Charles Contraction		
Product Number	Size	Order Code ARA-700	Offer Price/1
115488900	200ml	-0128J	£2.38
163552400	400ml	-0129K	£2.68
115489000	50ml	-0130L	£1.80

£36.58

Page 1223

Lubricants

20

Chemical

Prod

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

708 MACHINE MOUNTING ADHESIVE/HOT DIP COATINGS **Machine Mounting** Protective Coating ADHAESIUM N ED **Adhesive - Roll Form**

ADHAESIUM is a unique mounting system, which does not rely on bolting and grouting, and can be applied and used without destroying surface and floor slab integrity. Used to site and secure medium and heavy engineering machinery such as lathes, presses, punches etc. Equipment can be easily removed and re-sited, without detriment to either floor or machine base.

No pre-mixing or substantial preparation is needed prior to installation. Does not require special tools or skills for installation. No drilling or grouting required. Positive machinery alignment with minimum effort. Scientifically shown to reduce vibration and noise transmission, reducing operator fatigue. Water based, non-toxic,



2.50kg

-2001A

£41.50

Protective Coating CROCELL **Hot Dip**

2m x 10cm





Single Bar

	Marin Marine and		Sec. 97.27777
Description	Weight	Order Code	Offer
(Bars)	each	CRO-708	Price/1
SH25 single	0.24kg	-1035E	£2.42
SH25 (60)	15.0kg	-1030D	£116.36

Red-Hot-Dip



Hot dip strippable plastic coating moulds itself around the component or tool being coated to provide 100% coverage and protects against corrosion and impacts, for up to ten years. The component protected can be easily identified through the translucent coating. Simply removed by peeling it off, leaves behind a thin oil film to provide short term protection against corrosion. The removed protective dip can be reused. Never directly apply heat to melt the protective dip, always use with a suitable melting pot. Working temperature 130°C to 160°C (for optimum results 140°C to 145°C).



Industrial Melting Pots

0.50kg

25.00kg

AD160 Single Bar

AD160 Case (50)

A range of melting pots which have been designed for industrial melting of waxes, glues and plastics etc. for coating casting, protecting etc. The pots are electrically heated and thermostatically temperature controlled from 50°C to 200°C. Constructed from anodised aluminium with ceramic fibre insulation. Pots supplied with 2m cable and fused plug, lifting handle, double-wall heat-conserving lid, on/off switch and safety thermal cut-out. 220/240V as standard.

-0500K

-0550K

£3.99

£193.00

£3.35

£144.75



Cap	pacity	Internal D	imensions				Offer
Litres	Pints	Diameter	Depth	Wattage	KEN-709	Price/1	Price/1
0.7	1.20	100mm	90mm	275	- 1010K	£245.00	£220.50
2.5	4.40	150mm	140mm	600	-1030K	£297.00	£267.30
6.0	10.5	200mm	190mm	1125	-1060K	£355.00	£319.50
12.0	21.0	250mm	240mm	1650	-1120K	£495.00	£445.50
20.0	35.0	300mm	290mm	1975	-1200K	£710.00	£639.00

Page 1224



Multi-use epoxy resin to repair damaged concrete floors, steps and ramps. fast setting (3 - 6 hours) to a granite hard finish. For use where fillers or normal mortars would fail. Ideal for thin screeds (5mm+) on concrete, stone, steps, floors and sills. No priming necessary. **Coverage:** 1kg covers approximately 0.12m² at 5mm thick.



each	ANG-707	Price/1	Price/1
5.0kg	-1200D	£48.59	£41.79
25.0kg	- 1210E	£177.02	£152.24

Speed Patch

The special polymeric formula provides excellent bonding power on worn or cracked floors. Cures in approximately one hour and is suitable to repair holes 10mm and above. Suitable for the floors of storage areas, steps, ramps etc.

Coverage:

10kg covers 0.5m² at 10mm depth.



Size	Order Code	List	Offer
each	ANG-707	Price/1	Price/1
10.0kg	-1750L	£41.09	£35.34
20.0kg	-1760M	£71.77	£61.72

Speed Screed

Pourable, self-smoothing material for levelling damaged or uneven concrete floors. Rapidly cures to a durable, hard wearing, anti-slip, grey finish. Epoxy resin coatings can be applied when dry. Ideal for workshops, garages, factory and warehouse floors. Usually applied 3 - 5mm thick. **Coverage:**

3.7m² per 25kg pack at 3mm thick.



Size	Order Code	List	Offer
each	ANG-707	Price/1	Price/1
25.0kg	-1810Q	£68.58	£58.98

MAINTENANCE & REPAIR COMPOUNDS 711

Asphalt Restorer

A single application, black refurbishing coating for car parks, driveways and footpaths. Anglo Asphalt Restorer provides an 'as new' appearance that will mask old line markings and repairs and will hide ingrained dust from building works etc. Upgrades drab, grey, stained asphalt. Covers old line markings and repairs. Avoids costly resurfacing. Usage rate: Up to 10m² per five litres. Size available: five litres.



Speed Patch Pourable

Quick setting, pourable patch repairs for heavily trafficked floors. A quick and easy way to fill holes in heavily used concrete floors inside and outside. No primer is required just mix the powder with water and pour into the hole. This rapid setting concrete repair bonds to damp or dry surfaces and can be applied at thicknesses from feather edge to 100mm. Sets for foot traffic after 30 minutes and heavy traffic after 2 hours. Usage rate: 10kg covers 1m² at 5mm thickness.



£73.10

£62.87

BULL Waterseal

Waterseal is a high performance transparent water repellent specially formulated to prevent water penetration on all mineral substrates such as brick, stone, concrete, pebble-dashed and rendering. Based on the latest technology in silicone resins, Waterseal does not contain solvents harmful to the user or the environment and is non-

flammable.



Devcon Floor Patch

Bonds to new or old concrete producing a walkable surface in eight hours. Resistant to chemicals and heat up to 120° C.



Size each	Order Code DEV-711	List Price/1	Offer Price/1
5.0kg	-2066J	£79.91	£70.32

25kg

-1740K

Page 1225

GROUP **MAINTENANCE & REPAIR COMPOUNDS** LOCTITE Metal Set

LOCTITE

3473A

Hysol

LOCTITE

3473B

Hysol

2K-Epoxy adhesive, for emergency repairing and rebuilding worn metal parts. Ideal for repairing pipes and castings as well as cracks in housings and machine parts.

General Properties:

Mix ratio by volume: 1:1. Mix ratio by weight: 100:100. Colour: Grey. Viscosity: Putty. **Operating temperature:** up to 120°C.

Hysol® 3473 A&B - Metal Set S3 - Fast Cure Steel filled. Pot life: 6mins Fixture time: 15mins.

Shear strength (GBMS) (N/mm²): 20. Compressive strength (N/mm²): 60.

Hvsol® 3475 A&B - Metal Set A1 - Slow Cure Aluminium filled. Pot life: 45mins. Fixture time: 180mins. Shear strength (GBMS) (N/mm²): 20. Compressive strength (N/mm²): 70.

Туре	Size	Order Code LOC-725	List Price/1	Offer Price/1
3473 Fast Cure	500g	-5903C	£33.72	£26.30
3475 Slow Cure	500g	-5904D	£33.72	£26.30

Maintenance & Repair Epoxies Devcon.

Stainless Steel Putty (ST)

Stainless steel filler for repairs. Used for rust-free patching and rebuilding. Bonds to ferrous, non-ferrous metals and concrete. FDA approved.

Compressive strength (N/mm²): 58. Max. operating temperature: 121°C. Pot life: 45mins. Mix ratio: 9.0:1.



Number	5126	DEV-711	Price/1	Price/1
10271	500g	-2022N	£49.10	£43.21

Aluminium Putty (F)

Ú

Machinable. Resistant to rust, CFC's and other chemicals. Bonds to other metals and thermoset plastics.

Max. operating temperature: 121°C.



Plastic Steel Putty (A)

Steel filler. Bonds to metals, concrete, and some plastics. Resistant to rust, oil, petrol, water and chemicals. Machinable.

Compressive strength (N/mm²): 57. Max operating temperature: 121°C. Pot life: 45mins.



10112 0.5kg -2013D £28.97 £25.49 10115 1.0kg -2014E £55.96 £49.24

Plastic Steel 5-Minute Putty (SF)

Steel filled, fast curing epoxy putty for durable emergency repairs. Rust resistant. Bonds to steel, iron, aluminium, brass and concrete at temperatures as low as 4°C.

Descon

SF

Compressive strength (N/mm²): 72. Max. operating temperature: 93°C Pot life: 5mins. Mix ratio: 1.7:1



Product	Weight	Order Code	List	Offer
Number	each	DEV-711	Price/1	Price/1
10241	0.50kg	-2019K	£40.46	£35.60

Flexane Liquid

Good for abrasion/tear resistant linings. Protects against vibration, shock and wear. Cost-efficient moulds (self-levelling).

Flexane 80 Shore 80, some flexibility. Max. operating temperature: 82°C Pot life: 30mins. Mix ratio: 3.33:1.

Flexane 94 Shore 94, relatively rigid. Max. operating temperature: 82°Č Pot life: 10mins. Mix ratio: 2.19:1.



Product	Size	Order Code DEV-711	List Price/1	Offer Price/1
Flexane 80	500g	-2098B	£45.42	£39.97
Flexane 94	500g	-2102J	£45.42	£39.97



CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

Devcon Tooling & roduction **Epoxies**

Devcon high performance tooling and production epoxies provide a fast and economical method of manufacturing moulds, patterns and tools. They may be machined, drilled and tapping using conventional machine tools, while their properties allow accurate and detailed reproduction when cast over existing models.

Plastic Steel Liquid (B) Fast-curing, self-levelling for low-cost moulds and dies. Reproduces fine detail. Excellent surface finish. Machinable to close tolerances. Max operating temperature: 121°C Pot life: 45mins. Mix ratio: 9.0:1.

				and the second se
Product Number	Size	Order Code DEV-711	List Price/1	Offer Price/1
10211	500g	-2016G	£30.05	£26.44

Emergency Repairs

Emergency repair products offer a method of making fast, permanent repairs in minutes. Easy to use, they are ideal for making repairs to a wide variety of materials with minimum surface preparation and offer a solution of returning vital equipment to service with minimum downtime.

High Speed Emergency Repairs Zip Patch™

Adhesive impregnated patch. For repairs to pipes, tanks, containers, etc.

Hardens at room temperature to form a tough waterproof finish in minutes. Bonds to most common substrates.

Max operating temperature: 93°C Pot life: 5mins.



			-	
Product Number	Size	Order Code DEV-711	List Price/1	Offer Price/1
11500	500g	-2068C	£41.24	£36.29

Magic Bond

A two colour stick which seals leaks and repairs gouges in steel, aluminium, wood, fibreglass, concrete and ceramics. Works on wet surfaces, can be painted, sanded, machined, tapped or drilled and is ready for use in 1 hour.

Max operating temperature: 121°C. P



ot life: 10)mins.			
Product Number	Size	Order Code DEV-711	List Price/1	Offer Price/1
11600	4oz Stick	-2058K	£9.15	£8.05

	metai
660	
Ideal for keeping	COLORE .
machinery running by	
repairing worn coaxial	
parts without the need	
for total dismantling	
and re-machining.	
Allows the re-use of	
worn bearing seats,	re Filmer

MAINTENANCE & REPAIR COMPOUNDS

key ways, splines, tapes or retaining shims. (Use with Activator 7240 or 7649).

Size

50ml



£31.31

£24.42

Maintenance & Devcon. **Repair Epoxies**

Devcon precision maintenance and repair epoxies allow fast, durable repairs to critical equipment. These are an economical way to repair and maintain a wide range of industrial equipment, improving its performance and extending service life.

-5445A

Titanium Putty (HP)

Machinable. Repairs damaged equipment in hours. Resists rust, abrasion, high temperatures and chemicals. High compression strength.

Compressive strength (N/mm²): 130. Max operating temperature: 177°C. Pot life: 21mins. Mix ratio: 4.30:1.



. Product	Size	Order Code	List	Offer
Number		DEV-711	Price/1	Price/1
10761	500g	-2023S	£51.41	£45.24

Wet Surface Repair Putty (UW)

High-exothermic, non-rusting epoxy putty for use in wet environments and under water. Bonds securely to steel, iron, aluminium, brass, bronze, concrete, wood and plastics. Non-rusting, applies and cures in temperatures down to 4°C.

Compressive strength (N/mm²): 39. Max operating temperature: 93°C. Pot life: 45mins. Mix ratio: 1.40:1.

Size

500g

-2048Q

Product

Numbe


11801



£48.96

Page 1227

£43.08



Α

Model

No.

X/F2

X/F6

X/F9

KSPS1X-UK

Offer

Price/1

£43.90

3

🔊 В

Size

2ltr

6ltr

Fire

Rating

8A/55B

13A/113B

Multi-Purpose Fire Extinguisher

9ltr 21A/183B

<u>8</u> A

Model

No

X/W9

Auto Fire Kidde Extinguisher

Fire

Rating

21A

Size

9ltr

Order Code FXF-714

-1300M

Contains non-toxic dry extinguishing agent sodium bicarbonate, to prevent the fire re-



CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

Name

1kg, for use on any

Order Code FXF-714

-1080H

-1090J

-1100K

Offer

Price/1

£41.00

£51.10

£54.90

B

Size

Fire

Rating

Multi-Purpose Fire Extinguisher

For use on any type of fire where safe to do

so. Pressure gauge reassures you that the

3Ltr 13A/89B

Model

No.

X/SF3

Fixfire

Offer

Price/1

£54.90

Order Code FXF-714

-10855



have been designed for warehouse and factory applications to maximise the visual impact of extinguisher positions and to make it obvious when equipment has been removed. All versions are based on a standard design for consistency whether extinguishers are wall mounted, mounted on stanchions/mezzanine barriers or on free standing versions. The statutory

European fire extinguisher symbol is incorporated with a separate blank section for the Identi extinguishant identification label.

Note: remember to order labels and brackets separately.

X/SBP

INDUSTRIAL COMMERCIAL

DENTIPIate The IdentiPlate is constructed from high visibility red 'foamex' rigid plastic and is pre-drilled at the corners for fixing.

X/SBP Identi single fire extinguisher back plate. Size (H x W): 900 x 300mm. X/DBP Identi double fire extinguisher back plate. Size (H x W): 900 x 600mm. Extinguisher(s)					powder ext three litre of two CO ₂ br and 5kg ve IdentiStand where extin mounted. Model Number
supplied separately. Remember to order labels and brackets separately.	X/SE		X/DBF		S/4326 S/4320 S/4328 S/4327
	Model	Size	Order Code	Offer	
INDUSTRIAL	Number	(H x W)	FXF-714	Price/1	X/JB
COMMERCIAL	X/SBP X/DBP	900 x 300mm 900 x 600mm	-2520K -2540M	£13.65 £24.60	X/LB2 X/LB5
					· · · · · ·

IDENT'Stand

The IdentiStand is of a very rugged design and is ideal for any situation within factory/ warehouse environments where extinguishers are required but there is no available wall space to mount them to. The stand is constructed from steel and is finished with a high visibility red polyester coating. The feet have pre-drilled holes to enable floor fixing if required. The back plate features a unique bracket mounting slot to facilitate quick and simple bracket installation. Extinguisher(s) supplied separately.

Remember to order labels and brackets separately.





Ideal for use in office environments including situations where there is no available wall

1.

space to mount extinguishers to or where the wall surface is not suitable for hanging extinguishers on. The stands are available in red as standard, and marble grey or cream to special order. Extinguisher(s)

supplied separately.



Double Stand

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

X/TS2/R

-3040D

£59.90



	COMMERCIAL	1	
Model Number	Туре	Order Code FXF-714	Offer Price/1
	Labels	3	
S/4326	Water	-9040D	£2.50
S/4320	AFFF Foam	-9020B	£2.50
S/4328	Powder	-9060F	£2.50
S/4327	CO ₂	-9050E	£2.50
	Bracke	ts	
X/JB	J Bracket	-9420K	£1.10
X/LB2	2kg CO ₂ Lug Bracket	-9460M	£2.20
X/LB5	5kg CO2 Bracket	-9680P	£2.20

Blankets

Fire blanket supplied in a quick release dispenser which can be attached to a wall near possible fire hazards. The blanket is manufactured from neoprene coated glass cloth. Conforms to BS6575 1985 light duty. B.A.F.E. approved, Kitemarked to BS EN1 869: 1997 and independently tested by the Loss Prevention Council. Guaranteed for five

years. Unique patented 3-ply blanket material will effectively extinguish cooking oil fires.

1.8m x 1.8m



-3040K

GROUP

FIRE SAFETY 7

INDUSTRIAL COMMERCIAL

THE EXTNOLISHED TYPE

A F F FOAM

112. 24

ana 🛐

IDENTIL

Identi product.

BEFORE

For Luminescent

Extinguisher Signs

For use with IdentiStand and IdentiPlate.The Identi extinguishant

labels are all sized at 140 x 140mm and fit in a dedicated blank

section. The labels should be ordered separately to the relevant

2

WATER

£32.57

£35.40



0915UK

Smoke alarm for protection to the family and home. Battery operated ionisation smoke alarm with a low battery warning chirp notifies you when the battery needs to be replaced.

Certified by LPCB and conforms to the latest European standard. 9V alkaline battery supplied as standard. Five year manufacturer's warranty. Replace alarm after 10 years.



Offer Part Battery Order Code List Offer Type KID-714 Price/1 Price/1 Number 0915UK LR61-9V -1720C £5.99 £5.27

Dual Sensor Smoke Alarm

PI9000(UK)

Dual

Sensor

Advanced 'Dual-Sensor' technology smoke alarm. Ionisation and photoelectric sensors in a single unit with a hush button feature allows nuisance alarms (cooking, steam, etc) to be easily paused. 9V battery supplied as standard with a low battery warning chirp notifies you when the battery needs to be replaced. UL (Underwriters Laboratories) approved. Five year manufacturer's warranty.

Fire Escape Ladder

Two storey webbing escape ladder. Simply hooks over the window ledge to provide an escape route from upstairs rooms. Compact for easy storage and



Hallwavs 0918UK

Premium smoke alarm for protection to the family and home. Powerful escape light illuminates to guide you to safety during a fire. Hush button feature allows nuisance alarms (cooking, steam, etc) to be easily paused. Battery operated ionisation smoke

alarm with a low battery warning chirp notifies you when the battery needs to be replaced. 2x 9V alkaline batterv supplied as standard. Certified by LPCB and conforms to the latest European standard. Five year manufacturers warranty. Replace alarm after 10 years.



Offer List Battery Order Code Type KID-714 Price/1 Price/1 Type Hallways LR61-9V -1460P £13.45 £11.84

Kidde

Combination Smoke and

Carbon Monoxide Alarm

Smoke & Carbon Monoxide Alarm

900-0122UK Unique voice alarm tells you which danger has been detected. Kidde Proprietary Electrochemical sensor technology with a peak level memory to alert you if dangerous CO levels where detected during your absence. Battery operated - works even during a power-cut, batteries supplied as standard, Loud 85db alarm - to wake you as you are sleeping. Low battery warning chirp notifies you when the battery needs to be replaced. Test/reset button and bracket included for simple installation. End of life warning signal alerts you when alarm needs replacing after seven years. Five year manufacturers warranty

Description	Order Code	List	Offer
	KID-714	Price/1	Price/1
Standard	-4050E	£29.75	£26.18

Battery-Powered Fire Alarm

A simple, low cost fire alarm solution for small buildings or areas where a full BS5839 alarm system is not required. Battery operated, no mains required. Combined call point and sounder, can be used individually or with up to 12 units linked to form a complete fire alarm solution. Ideal for use in small retail, warehouses, village halls,

temporary buildings, construction sites, portacabins, industrial units, camp sites and marquees. Designed for ease of installation. Resets with a simple key. No glass to replace or spares required. Drop down flag, illuminated LED and 85dB sounder light, compact, industry standard format.



Dual Sensor Smoke Alarm Replace alarm after 10 years. Offer Battery Order Code List Туре Type KID-714 Price/1 Price/1

LR61-9V -3600P £17.00 £14.96

Kidde

Fixfire Log Book

Durable ring binder format. Site information page with contacts. 12 clearly defined separate sections for the recording of user and engineer testing of fire alarm, emergency lighting, fire fighting equipment, suppression, gas detection and nurse call systems. Section to record fire drills and training. Gussetted pocket for the storage of certificates and drawings. Useful and informative notes at the beginning of each

section explaining British Standard requirements for both user and engineer responsibilities. Sufficient entries to last five years based on British Standard frequency of tests.





Description

Fire Log Book

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

Description



Black Brown

Grey

White

List

Price/1

£4.16

Order Code RUS-775

-8220G

Size

310ml

Offer

Price/1

£3.74

494g

494g

494g

494g

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

-0333D

-0334E

-0335F

-0336G

£3.98 **£2.71**


£2.71 £2.71

£2.71

£3.98 £3.98 £3.98

Page 1231





7T - Oxime A low modulus neutral cure sealant with easy extrusion and good adhesion. For perimeter sealing of doors and windows and glazing applications. Conformance ISO 11600-F-25LM. Size: 310ml.

Colour	Order Code CER-716		Offer Price/1
Brown	-0782C	£4.65	£3.16
Light Oak	-0783D	£4.65	£3.16
Sherwood	-0784E	£4.65	£3.16
Clear	-0785F	£4.65	£3.16
White	-0786G	£4.65	£3.16

Bostik Matrix 500

Medium Modulus

Single part, matrix polyurethane sealant. Excellent adhesion to a wide range of materials. Size: 310ml.



Offer List Order Code Colour CER-716 Price/1 Price/1 -1001B £5.18 -1004E £5.18 Black £3.52 £3.52 -1006G £5.18 White £3.52

capability, easy extrusion and

For use on expansion and

and marine applications.

ISO 11600-F&G-25LM.

movement joints, perimeter

sealing of doors and windows

excellent adhesion.

Conformance:

Size: 310ml.



Weather Mate Sealant is a multi-use sealant based on an advanced isocrylic formula that provides the ultimate in sealant technology for adhesion to all surfaces. The product can be applied in wet weather, to wet surfaces and even under water. Adheres to many problematic surfaces such as bitumen, lead, galvanised steel and roofing felts. Size: 310ml. Offer

Order Code

EVB-716

-8280V

Colour

Clear

utile

The ser BRANT

Extremely resistant to purpose applications in adhesion to non-porous ISO 11600-F&G-20LM.

1

Polyurethane Sealants

Matrix 600FC Sealant is a faster curing, single part, polyurethanebased sealing compound which cures at a fast rate by reaction with atmospheric moisture. The cured sealant is rubbery, highly elastic, sandable and in general can be overpainted. Size: 310ml.

Offer Price/1	Colour	Order Code BST-705	Offer Price/1
£3.24	Black	-0674E	£5.92
£3.24	White	-0675F	£5.92

Acrylic Sealant & Filler 121

Fast curing, very durable, mould resistant and permanently flexible. Easy to apply and can be painted after one hour. Suitable for interior sealing of doors, window frames, filling cracks in walls and ceilings, baths and showers. Size: 310ml.

Offer Order Code List Colour CER-716 Price/1 Price/1 White -1506G £1.84 £1.25

Roof & Gutter Sealant

A premium quality bitumen based sealant and adhesive which provides instant, permanent weather-proofing to a wide variety of roofing applications. Adheres to most common roofing materials such as bitumen, asphalt, felt, metals and wood. Size: 310ml.

Price/1 £1.46

2211

Roof &

Gutter



Price/1

£5.39



Expanding Filler

Size

200ml

Offer

Price/1

£3.52

Used for filling gaps and holes in awkward areas, such as window frames sills, insulating and filling wall gaps. Adheres to all building materials, except polythene, teflon, silicone, oily and greasy surfaces. The cured foam is resistant to water and is also rot-proof. Can be cut, sanded, plastered or painted, provides good heat and sound insulation. Size: 825ml.

Order Code CTL-703

-7280S

EVOSTIK

Size

330g

Size

List Offer Order Code Size EVO-713 Price/1 Price/1 825ml -3201B £12.40 £10.79

Foam Filler

Order Code MYK-722

-2100M

filler foam based on a one-part polyurethane pre-polymer, which cures on contact with humidity and uses an environmentally safe propellant. Foam Filler is ideal for door frame setting and filling of gaps between brickwork and window frames, sealing draughty gaps around pipes as well as filling gaps in roofing eaves, roof panel joints etc. Adheres to the majority of common construction materials. Size: 750ml.

Offer

Price/1

£4.99

Size

100ml

A fast curing assembly and

Decorators Caulk

Size

Offer

Price/1

£4.99

Order Code MYK-722

-2150S

() CTATATON

EVO-ST

Foam

Solvent-free fast drying paste that sets by evaporation of water when exposed to the atmosphere. It is ideal for sealing low movement gaps around windows, door frames, skirting boards and general sealing of internal fixtures. Can be painted when set. Size: 310ml.

List Offer Order Code Size EV0-713 Price/1 Price/1 310ml -3304J

£2.46 £2.14

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

Order Code

750ml -3550M

Size

List

EV0-713 Price/1 Price/1

£5.45

Offer

£4.74

Page 1233

Order Code List Offer SHK-716 Price/1 Price/1

£7.51

(EVO-STIR

DECORATORS

TRADE ONLY

700ml -7050K £11.73

O GASKETS & JOINTING COMPOUNDS LOCTITE 55 - Pipe Sealing Cord

Versatile pipe sealant. Enables the improvements required of today's pipe systems, instantly seals (irrespective of ambient temperature) domestic and industrial pipe systems during their

assembly. Can be safely and confidently used with drinking or waste water (hot and cold), gas, compressed air and industrial oils. Potable water: WRC listed for use with potable water up to 85°C.

DETITE Meets BS 6920, Gas and water: complies

1

 Size	Order Code LOC-725	List Price/1	Offer Price/1
 150m	-5380M	£9.32	£7.27

511* - Thread Sealant

Coarse Threads

with class ARp, **DVGW** approval.

Conforms to DIN 30660. Corgi approved.

Conforms with DVGW approval (gas). Low strength and easily dismantled, seals and locks in any position. Contains teflon to prevent galling.

*Fast cure version of 572.

Size 50ml 250ml

List Price/1 £23.68 £18.47 £74.90 £96.02

KENN __⊚ NG Tape

Gas Type: 12mm x 5m roll. For gas and hot water pipes (not for potable water). Made to BS EN 751:3.

Order Code LOC-725

-5328L

-5329M

Water Type: 12mm x 12m roll. For hot and cold water pipes. Made to BS 6920 & BS 7786.

PTFE Thread Sealing Tape:

25mm x 12m roll. Made to EN571.



-9010K

£3.35

£2.21

542 - Hydraulic Thread Sealant

Conforms with DVGW approval (gas). Medium strength, medium viscosity. Impervious to all common hydraulic fluids including fire resistant synthetics. Will not clog valves or fine filters. Replaces tapes, pastes and self-sealing compression joints.



Size	Order Code LOC-725	List Price/1	Offer Price/1
10ml	-5342L	£7.01	£5.47
50ml	-5343P	£31.31	£24.42
250ml	-5344S	£134.98	£105.28

561 - Low Strength Pipe Sealant

Low strength pipe sealant in a convenient clean and easy to use stick form. It gives an instant seal on taper/parallel threads and locks the fittings in place.



Product		Order Code	List	Offer
Number		LOC-725	Price/1	Price/1
561	19g	-5349M	£8.64	£6.74

567 - Pipe Sealant

Low strength thread sealant with high lubricity to prevent galling on stainless steel fittings. With Teflon® (should be used with Activator 7649).



0.20	LOC-725	Price/1	Price/1
50ml	-5350A	£22.54	£17.58
250ml	-5350L	£91.44	£71.32

572 - Thread Sealant

Size

250ml

Coarse Threads - Slow Cure Recommended for all coarse threads where slow cure is required to allow final adjustment before sealing. Meets BS 6956 Type A for sealing gas fittings.

Thread Sealant - Coarse Threads

Conforms with BS 6920 (potable water) and BS 6956 : 7 (gas). DVGW approval (gas). Medium strength sealant for coarse threads. Suitable for copper, mild steel, cast iron, stainless

577 - Thread Sealant

steel. galvanised pipes and fittings.



Size	Order Code	List	Offer
	LOC-725	Price/1	Price/1
50ml	-5370B	£21.49	£16.76
250ml	-5371E		£68.04
25000	-5371E	£87.23	108.04

Activators

7649 'N' Recommo use wher cure of a	ended for a very fas naerobic is required roved. ended for			49
temperat below 10 Type		Order Code		Offer Price/1
7649 <i>'</i> N' 7649 <i>'</i> N'	150ml 500ml	-5608J -5609C	£7.80	£6.08
7471 T'	150ml	-5612G	£7.95	£6.20

5331 - Threadsealer

Recommended for use on threaded plastic or plastic/ metal fittings carrying hot or cold water e.g. industrial and agricultural plastic water pipe systems, or drainage systems. WRC approved for use with potable water up to 85°C. P1 NSF Reg. No.123620.

Product Number	Size	Order Code LOC-725	List Price/1	Offer Price/1
5331	100ml	-5340L	£17.14	£13.37

5900 - Silicone Gasket

High Performance Silicone Gasket Typical applications include stamped sheet metal covers. It withstands on line, low pressure tests carried out before product begins to cure. The thixotropic nature reduces the migration of liquid product after application to the substrate and has an excellent adhesion profile to an outstanding wide variety of plastic substrates. Registered to NSF Category P1 for use as a sealant where there is no possibility of food contact in and around food processing areas. Offer Price/1

Size	Order Code LOC-725	List Price/1	
300ml	-5740R	£30.50	

£23.79



Thread Sealing Tape

£49.87

CTIT

572

£38.90

7471 T' 500ml -5613H £21.50 £16.77



Offer Price/1

> Offer List Order Code Size L0C-725 Price/1 Price/1 50ml -5352C £16.45 £12.83

-5353F

e	Order Code	List	Offer
	LOC-725	Price/1	Price/1
		W.	

2



LOCTITE 510 - Flange Sealant

Recommended for high temperature applications (up to 200°C), where maximum solvent resistance is required.



Size	Order Code LOC-725	List Price/1	Offer Price/1
50ml	-5327K	£31.31	£24.42
160ml	-5325D	£91.92	£71.70
250ml	-5326G	£138.60	£108.11

515 - Gasket Eliminator

Flexes with minor flange movement. Fills gaps up to 0.25mm. Does not shrink or migrate. Temperature range: -50°C to 150°C.



Order Code List Offer Size LOC-725 Price/1 Price/1 50ml -5330N £36.83 £28.73 300ml -5332V £193.90 £151.24

518 - Flexible Fast Cure Gasket

Recommended for sealing aluminium flanges and fills up to 0.5mm. Withstands fluctuations in pressure, temperature and vibration. Replaces pre-cut gaskets on rigid parts. WRC approved and NSP 61 Registered.



Size		List Price/1	
50ml	-5334A	£24.06	£18.77
65ml	-5335B	£29.39	£22.92
300ml	-5336E	£126.74	£98.86

7200 - Chisel Aerosol

in minutes. No scraping grinding or heating.



Offer List Size LOC-725 Price/1 Price/1 400ml -5702X £9.04 £7.05

5188 - Highly Flexible Anerobic Gasket



5922 - Flange Sealant Gasket 5922

£24.06

£18.77

LOCTITE

Dressing

-6158R

50ml

Suitable for parts which require disassembly, Resistant to

Size	Order Code LOC-725		Offer Price/1
50ml	-5376J	£4.19	£3.27

water). General-purpose flange sealant for gaps up to 0.5mm. Typical applications are hydraulic and pneumatic control valves, transmission and engine flanges and marine pipework. Suitable for 90% of flange sealing





Type Size Order Code List Offer HRM-720 Price/1 Price/1 A 400g -2274A £13.10 £12.05 B 500g -2277D £18.70 £17.20

5910 - Hiah Performance Silicone

Use in place of conventional gaskets. Very flexible. Good gap fill. Good solvent resistance. Colour: Black.



Order Code List Offer LOC-725 Price/1 Price/1 Size 300ml -5744W £30.51 £23.80

598 - High Performance Silicone Sealant

High performance silicone sealant for use as flexible gaskets. Excellent oil resistance high flexibility temperature range: 200°C continuous operation

short-term 598 exposure up to 260°C.

Colour: Black.



LOC-725 Price/1 Price/1 300ml -5378W £30.53 £23.81

Hermetite Wellseal Jointing

Compound Gives the best possible sealing performance in the most varied of conditions. Threaded connections, flat faced joints, with or without a gasket depending on assembly design. Resistant to commonly used fuels, lubricants and coolants, is noncorrosive and free from abrasive fillers.

Size	Order Code HRM-720		
	-2291M -2293P	£7.14 £13.32	

YLOMAR **Gasket & Sealing** Compound

Aerograde

Specifically formulated for aerospace applications. Non-hardening and nonsetting allows for unlimited assembly time. Vibration-resistant. Allows metal to metal contact. Resistant to combustion products, water, engine coolant, petroleum, lubricating oils, kerosene and fluoro-carbon refrigerants. Seals surface imperfections. Withstands rapid variations in temperature. Flame, dust and moisture proof. Light grade for thickness up to 0.015mm. Medium grade for thickness up to 0.03mm. To Rolls Royce specification MSRR 9055. Defence specification DTD 900/4586. Size: 100g.

Offer Order Code List Offer HYL-703 Price/1 Price/1 Grade Light -2010A £7.92 £7.13 Medium -2020B £7.92 £7.13

Universal Blue Gasket & Sealing Compound

Leading non-setting gasket and sealing compound in use worldwide. $\bar{\text{U}}\text{sed}$ by some of the world's major automotive manufacturer's and several Formula 1 teams. Non-hardening and non-setting allows for unlimited assembly time. Vibration-resistant. Allows metal to metal contact. Resistant to combustion products, water, engine coolant, petroleum, lubricating oils, kerosene and fluoro-carbon refrigerants. Seals surface imperfections. Withstands rapid variations in temperature. Flame, dust and moisture proofing properties.

			222222224
Size	Order Code HYL-703	List Price/1	Offer Price/1
40g	-2500K	£4.14	£3.73
100g	-2510K	£6.25	£5.62
350g	-2520K	£18.44	£16.60

Hylotyte Red - Semi-Hardening Gasket Compound



Offer HYL-703 Price/1 Price/1 -3400M £2.80 £2.52 50gm



CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES



petrochemicals. lubricants, water, weak acids and alkalis. P

574 - General-Purpose **Flange Sealant** Conforms with BS6920 (potable

applications.

GASKETS & JOINTING COMPOUNDS

Non-Settina

Gas Seal

Non-setting, off-white compound for use on metallic threaded and face joints carrying gas including aluminium, copper, steel and zinc. Suitable for use with Propane, Butane, LPG and Natural gas. Ideal for boats, camping, motor-homes, caravans, BBQ's and most domestic appliances. Full bond strength is achieved immediately dependent upon humidity levels. Can be wiped up with a disposable cloth, any residual excess can be rinsed with water.

Temperature Range: -20°C to +125°C. Gas Maximum Gas Pressure: 2.9psi (0.2bar)



VER Pipe Weld 💵 PVC Cement

Quick setting. For bonding PVC and ABS

pipework, guttering and conduits. Thixotropic,

non-drip formula. Long open time with rapid bond development. Lid with attached brush. Conforms to BS6209. Size: 250ml. List Offer Order Code EVB-716 Size Price/1 Price/1 £7.17

£4.80



Boss White & Boss Green

-5970H

250ml

The original compound for screwed joints. For compressed air, water, acetylene and saturated or super-heated steam. For potable water pipes use Boss Green.





Gas Jointing **STAG** Compound

Plasti-Coll X10

Meets the requirements of the liquified petroleum industry and for the installation of appliances that use natural gas, propane or butane. Reddish brown in colour. Temperature resistant -40°C to +200°C. Conforms to BS695: Parts 5 & 6 Type 'A' : 1992



Pipe Jointing Compound Stag White

Linseed oil-based, lead-free jointing compound. Its smooth consistency allows easy dismantling of joints when required, also acts as a temporary lubricant during assembly of threaded pipework. Suitable for use on flanged or screw threaded joints. Used extensively in the plumbing and gas fitting industries. Conforms to BS 6956: Part 5: 1992.



Colour	Size	Order Code	List	Offer
	each	HRM-720	Price/1	Price/1
White	400g	-2279F	£2.74	£2.52

ROCOL Non-Setting Sealant

Gasseal

400g

TIN

An off-white sealant with good sealing properties for use on threaded and face joints. Temperature Range: -20°C to +125°C. Gas Maximum Gas Pressure: 2.9psi (0.2bar)



Product		Order Code	List	Offer
Number		ROC-770	Price/1	Price/1
28042	300g	-6800A	£11.73	£10.09

Pipe Jointing Compound Foliac Manganese


Designed for where there is a need for stronger joints to be made, resistant to higher temperatures and pressures. Dries harder than graphite compounds.



Product		Order Code	List	Offer
Number		ROC-770	Price/1	Price/1
30042	400g	-6302C	£8.74	£7.52

Pipe Jointing Compound Foliac Graphited

Designed for a wide range of pipe, flange and face joints, mainly for industrial applications concerned with high and low pressure, steam, air, water, gas and air mixtures.







Attractive and hard wearing, transforms drab, stained or scuffed concrete and similar surfaces. Suitable for floors in warehouses, workshops, shop floors garages, basements, etc.

Storage and Use

Store at temperatures above 12°C. Apply in warm (above 15°C) well ventilated conditions. Easy to use, oil resistant and easy to clean. No primer required. Ideal for garages, workshops and laundry rooms.

Size

5ltr

Coverage: up to 8m² per litre (two coats recommended).

Please note, colours are for guidance only.

Colour

Mid Grev

Tile Red

Mid Green

Dark Grey

Mid Blue

Safety Yellow



Anti-Slip Floor Paint Tuffgrip

Solvent free industrial quality floor paint. Applied by roller as a one-coat system, to provide traction in areas of slip hazard. Hard wearing, epoxy resin anti-slip coating suitable for use on heavy trafficked concrete, stone, steel and wooden



Please note, colours are for guidance only.



PAINTS



(

Safe

Colour	Order Code	List	Offer
501001	SOL-721	Price/1	Price/1
lid Grey	-3050E	£104.89	£81.81
ty Yellow	-3080H	£104.89	£81.81
ile Red	-3100K	£104.89	£81.81

See

Group

533

Danish ANGI

An easy to use, penetrative natural resin treatment for timber floors. Enriches and enhances the natural grain and colouring of the timber. Ideal for high traffic areas and domestic use.

Coverage:



Order Code SOL-721

-2050E

-2100K

-2030C

-2040D

-2060F

-2120K

Size	Order Code	List	Offer
	ANG-707	Price/1	Price/1
2.5ltr	-1110L	£22.06	£18.97

Floor Sealer

Solvent-free acrylic compound that penetrates deep into dusty porous concrete to seal, harden and dust-proof the surface. Applied by soft broom or brush. Suitable for paving slabs,

screeds. bricks. block work and plaster walls. Coverage:

up to 6m² per litre.

Size

5ltr



Sol	vent	Free
De	area	er.

£32.83

£32.83

£32.83

£38.99

List

Price/1

£42.09

£42.09

£42.09

£42.09

£42.09

£49.99

A powerful acting degr to remove of grease from concrete, n floors and machinery. Coverage: up to 2m ²	easer oil and n nasonry		
Size	Order Code ANG-707	List Price/1	Offer Price/1
5ltr	-1550W	£31.44	£27.04

Cement Cleaner & Floor Etcher

Foaming acidic floor etcher. Ideal for the removal of laitance from concrete and pre-paint preparation. Will also remove cement and mortar stains from brickwork, paving,

stonework etc. Coverage: up to 4m² per litre.

Size

5ltr

25ltr



ACTION CAN Non-Slip Floor Paint **NS-90**

Non-slip floor paint, transparent finish. A fast drying clear coating containing polygrains which give a textured non-slip surface to concrete, tiles, wood and metal surfaces, waterproof when dry. Size: 500ml aerosol.



			and the second se
Size	Order Code ACN-721	List Price/1	Offer Price/1
500ml	-6230H	£10.09	£8.07

Hard Hat RUST-OLEUM Anti-Slip Sprav

Ideal for pedestrian traffic on stairs, doorways, walkways and much more. Helps prevent slips and falls. Works on metal, IUST-OLEUN ceramic and wooden surfaces. Size: 500ml aerosol. Please note. colours are for guidance only. Offer Order Code List Colour Price/1 RUS-775 Price/1 -24105 £12.15 £12.15 £10.94 Clear -2444X £10.94 ellov Black -2479F £12.15 £10.94

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

Page 1237







COLD TINC

LVANISIN

Product Number	Size	Order Code SOL-732		Offer Price/1
SZ1-500B	500ml	-0900K	£11.92	£9.54

500ml

Cold Galvanisina

CGA500



Product Number	Size	Order Code SSF-732	List Price/1	Offer Price/1
CGA500	500ml	-3900K	£6.54	£5.10

ambersil Bright, Cold Galvanise

Zinc-rich acrylic coating blended with aluminium flakes to produce a bright freshly galvanised looking, aesthetic coating. Protects metalwork from corrosion. For use on bare non-rusted steel and seams. Zinc 99% pure, content 40% cured film. Bright silver, freshly galvanised appearance. Suitable as primer, can be over-coated. Suitable as top coat for Cold Galvanising Spray. Fast drying. Suitable for use as renovation media as specified in BS EN ISO 1461:1999.

Product List Order Code Size Number AMB-701 Price/1 Price/1 11501 400ml -0570X £8.75 **£7.88**



For use on bare steel and galvanised surfaces. Protects from corrosion, chemicals and mechanical wear.



Colour		Order Code RUS-775		Offer Price/1
Bright Galvanising	2117	-2117G	£10.30	£9.27
Galvaplus Silver	2120	-2120H	£9.30	£8.37
Galvanising Compound	2185	-2185P	£10.30	£9.27

Zinc Rich Primer

Highly protective primer for metals exposed to extremely corrosive elements. The high zinc content in the primer allows it to fuse to the metals surface helping to prevent corrosion. Size: 375ml.

Туре	Size	Order Code PKE-775	List Offer Price/1 Price/1
Zinc Rich	375ml	-0756A	£12.50 £10.62

ZINC RIC

RIMER

david's Zinc 182 Grey Primer

Z182/S

covers

bersi

Offer

BRIGHT, COLD GALVANISE

35sq.ft.

Colour

Grey

250ml

Anti-rust coat for all ferrous surfaces, car bodies, boats, farm and factory equipment, furniture, gates etc. One tin





MZ-90

Very rapid drying anti-rust matt finish primer. High zinc content. Shower-proof in 15 mins and touch dry in three hours. Meets three national performance standards AST MB117 hold salt spray, BS AU 148°C PT14 1969 natural weathering, and DIN EN ISO 12944-1 corrosion protection of steel structures. Size: 500ml aerosol. /1

Colour	Size	ACN-721		
Grey	500ml	-5809K	£7.72	£6.18

Fast Drying Anti-Rust Paint ZG-90

Extremely fast drying anti-rust paint. Showerproof within 15 mins. Fully dry within three hours. Exceptionally long life can be applied over light corrosion and requires no undercoat. Meets three national performance standards AST MB117 hold salt spray, BS AU 148°C PT14 1969 natural weathering, and DIN EN ISO 12944-1 corrosion protection of steel structures.



Colour	Size	Order Code ACN-721	List Price/1	Offer Price/1
Black	500ml	-9760Q	£7.72	£6.18
Blue	500ml	-9761R	£7.72	£6.18
Green	500ml	-9762S	£7.72	£6.18
Red	500ml	-9762T	£7.72	£6.18
White	500ml	-9763V	£7.72	£6.18

Brushing High Zinc Content Paint ZG-90B

ZG-90 fast drying rust protection. Ideal for exterior locations where rapid showerproof performance is required. Exceptional corrosion performance.

Meets three national performance standards AST MB117 hold salt spray, BS AU 148°C PT14 1969 natural weathering, and DIN EN ISO 12944-1 corrosion protection of steel structures. Size: 500ml.



Offer List Order Code Colour Size ACN-721 Price/1 Price/1 **-9750E** £17.49 **£13.99** Grey 500ml

Page 1238

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

£4.02

-2015Q



RX-90

Red oxide anti-rust primer fast drying formula shower proof within 15mins. Ideal for exterior locations. Can be overcoated with most common finishes. Size: 500ml aerosol.



Colour	Size	Order Code ACN-721		Offer Price/1
Red Oxide	500ml	-7416S	£5.30	£4.24

Industrial Rust Not

Rust Not penetrates the surface of the metal to form a permanent bond. Suitable for use on inside or outside projects, to produce a smooth quick drying finish that can be re-coated at anytime.

Please note, colours are for guidance only.

Colour	Size	Order Code List Offer PKE-775 Price/1 Price/1
Gloss White	500ml	-0781A £11.02 £9.37
Matt White	500ml	-0782B £11.02 £9.37
Gloss Black	500ml	-0783C £11.02 £9.37
Matt Black	500ml	-0784D £11.02 £9.37
Signal Orange	500ml	-0785E £11.02 £9.37
Fire Red	500ml	-0786F £11.02 £9.37
Mild Blue	500ml	-0787G £11.02 £9.37
Emerald Green	500ml	-0788H £11.02 £9.37
Machinery Green	500ml	-0789J £11.02 £9.37
Machinery Yellow	500ml	-0790K £11.02 £9.37
Silver Grey	500ml	-0791L £11.02 £9.37
Equipment Grey	500ml	-0792M £11.02 £9.37
Aluminium	500ml	-0794P £11.02 £9.37

Metal Primer

An industrial primer which protects and seals all bare surfaces providing a perfect finish without the need for sanding. Formulated using special anti-corrosive properties which form an impenetrable barrier against moisture and increase the durability of the top coat. Size: 500ml.

Please note colours ar guidance

Red Oxide

Grey

F Colour

780

500

re for only.		
Product Size Number (ml)	Order Code List PKE-775 Price/1	Offer Price/1
779 500	-0779T £11.02	£9.37

-0780V £11.02 £9.37

RUST-OLEUM	Rust Inhibitive Primers
------------	----------------------------

IUST O

UST-OLEU

Offer

£5.36

Protects painted metal surfaces from rust. Lead and chromate-free eliminating the danger of 11570 poisonous gases if welded. Size: 500ml aerosol. Please note, colours are for guidance only.

Colour		Order Code RUS-775	List Price/1	Offer Price/1
Red Oxide	2169	-2169D	£9.10	£8.19
Grey	2182	-2182K	£9.10	£8.19

Stain Blocker

The effective solution to problem stains on ceilings, walls, wood etc. Matt white finish, best possible hiding power. Touch dry in 5 - 10 minutes. Re-coatable with standard wall paints. Size: 500ml aerosol.



Shop Primers

A first anti-corrosion protection during construction, transportation and storage. Excellent adhesion. Non-toxic. The perfect under coat for many different coating



-6487W

£14.26

Combi RUST-OLEUM olour

Long lasting metal protection. Anti-rust primer and topcoat in one. Can be applied direct to rust or bare metal. Hides blemishes in one coat. Flexible film formula.

PAINTS

GROUP

High coverage: 10.5m² per litre.





Colour	Size	Order Code RUS-775	List Price/1	Offer Price/1	
Aluminium	2.5ltr 750ml	-7315F -7315R		£27.57 £10.84	
Light Blue	750ml 2.5ltr	-7323C -7323H		£10.84 £27.57	
Gentian Blue	750ml 2.5ltr	-7326D -7326P		£10.84 £27.57	
Emerald Green	750ml 2.5ltr	-7336A -7336D		£10.84 £27.57	
Moss Green	750ml 2.5ltr	-7337G -7337L	£12.04	£10.84 £27.57	
Safety Yellow	750ml 2.5ltr	-7348S -7348V		£10.84 £27.57	
Bright Red	750ml 2.5ltr	-7365H -7365N		£10.84 £27.57	
Black	750ml 2.5ltr	-7379D -7379F		£10.84 £27.57	
Light Grey	750ml 2.5ltr	-7381H -7381J		£10.84 £27.57	
White	750ml 2.5ltr	-7392A -7392G		£10.84 £27.57	
National Blue	2.5ltr	-7325M	£33.70	£30.33	
Resida Green	2.5ltr	-7335V	£30.63	£27.57	

No.1 Metal HAMMERITE Primer

Fast drying providing a good finish prior to , painting. Kills rust. primes and undercoats all in one application.



Page 1239

Colour	Size	Weight each	Order Code HAM-721	List Price/1	Offer Price/1
			-2711M		
Brown	2.5ltr	2700g	-2715R	£41.24	£33.82
Poirro	1.0ltr	1190g	-2709K -2713P	£17.92	£14.69
Deige	2 5ltr	27000	-2713P	£/11 2/	£33 83

Ś



Grev

6487



High gloss rust covering enamel paint. Corrosion resistant, can be applied directly to rusty metal and repels moisture providing long term protection. Touch dry in 20 mins (subject to humidity and temperature), no need for primer or undercoat.

Coverage: 0.6m² per 500ml can.



UST-OLEUP

500ml

Can

Hammered Finish - Aerosol

Colour	Size	Order Code SOL-721	List Price/1	Offer Price/1
Black Silver/Grey		-5210A -5310L		

Smooth Finish - Aerosol

Colour	Weight each	Order Code SOL-721	List Price/1	Offer Price/1
Black	500ml	-5010A	£7.20	£5.62
Blue	500ml	-5020B	£7.20	£5.62
Red	500ml	-5100K	£7.20	£5.62
Silver	500ml	-5110L	£7.20	£5.62
White	500ml	-5130N	£7.20	£5.62
Yellow	500ml	-5140P	f7 20	£5.62

High Gloss RUST-OLEUM **Top Coats**

Top Coats

QÅ

1

Provides strong surface protection in extreme conditions. Fast drying and high gloss.

Bar-BQ Black

Resists temperatures up to 530°C. Suitable for use on boilers, furnaces, Bar-B-Q's etc.

Metallic Top Coats (Sparkling/Silver Aluminium)

To enhance the appearance of machines, toolboxes, pumps, valves etc. Provides strong surface protection. Size: 500ml aerosols.

Please note, colours are for guidance only.

Colour	Colour Number	Order Code RUS-775	,	Price/1
Light Blue	2123	-2123C	£8.80	£7.92
National Blue	2125	-2125J	£8.80	£7.92
Reseda Green	2135	-2135L	£8.80	£7.92
Emerald Green	2136	-2136M	£8.80	£7.92
Moss Green	2137	-2137N	£8.80	£7.92
Light Ivory	2142	-2142P	£8.80	£7.92
Light Yellow	2143	-2143Q	£8.80	£7.92
Safety Yellow	2148	-2148R	£8.80	£7.92
Signal Orange	2154	-2154T	£8.80	£7.92
Bright Red	2165	-2164B	£8.80	£7.92
Satin Black	2176	-2176D	£8.80	£7.92
Flat Black	2178	-2178F	£8.80	£7.92
Gloss Black	2179	-2179H	£8.80	£7.92
Light Grey	2181	-2181J	£8.80	£7.92
Steel Grey	2184	- 218 4N	£8.80	£7.92
Navy Grey	2186	-2186S	£8.80	£7.92
Flat White	2190	-2190W	£8.80	£7.92
White	2192	-2192Y	£8.80	£7.92
Clear	2500	-2500R	£9.70	£8.73
Bar-BQ Black	7778	-7778M	£9.70	£8.73
Sparkling Alum'	2111	-2111Z	£10.10	£9.09
Silver Aluminium	2115	-2115C	£10.10	£9.09

Hammerite HAMMERITE Paint

Forms a tough barrier which repels moisture and provides long lasting protection.

400ml

Can

MARER

121 14

Corrosion resistant with a high gloss colour retention. Can be applied directly onto rusty metal - no need for a primer or undercoat, (just use a wire brush to remove loose paint etc. to leave a dry dirt free surface). ADDITIONAL COLOURS

& SIZES ARE AVAILABLE ON REQUEST

Hammered Finish - Aerosol

Colour	Size	Order Code HAM-721	List Price/1	Offer Price/1
Black Silver/Grey		-2617C -2617R		£6.29 £6.29

Smooth Finish - Aerosol

Colour	Size	Order Code HAM-721	List Price/1	Offer Price/1
Black	400ml	-2671B	£7.67	£6.29
Blue	400ml	-2672D	£7.67	£6.29
Dark Green	400ml	-2672W	£7.67	£6.29
Red	400ml	-2674H	£7.67	£6.29
White	400ml	-2675K	£7.67	£6.29
Yellow	400ml	-2676M	£7.67	£6.29
Silver	400ml	-2678R	£7.67	£6.29

Smooth Finish - Tins



Colour	Size	Weight each	Order Code HAM-721		Offer
	250ml				
		320g			
	500ml	755g 1190g	-2631B		
Black		2700g	-2651B		
		5500g	-2661B		
	250ml		-2622D		
Blue		755g	-2632D		
		1190g	-2642D		
		2700g	-2652D		
Orean		755g	-2633F	£10.51	£8.62
Green	1 ltr	1190g	-2643F		
	250ml	499g	-2624H	£5.84	£4.79
Red		755g	-2634H		
		1190g			
		499g	-2625K		
	500ml	755g	-2635K		
White		1190g	-2645K		
		2700g	-2655K		
		5500g			£53.17
		755g 1190g	-2636M -2646M		
Yellow		2700g	-2656M		
Tellow		5500g	-2656M		
		755g	-2638R		
		1190g	-2648R		
Silver		2700g	-2658R		
		5500g	-2668R		

Hammered Finish - Tins

mannier	cu i iiii	311 - 11	113		
Colour	Size		Order Code HAM-721		
20 2	500ml		-2521C	,	
Silver			-2541C		
Grey	2.5 ltr	2700g	-2561C	£38.92	£31.91
Sec. A	5 ltr	5500g	-2581C	£64.84	£53.17
Light Blue	500ml	755g	-2523E	£10.51	£8.62
Deep			-2548K		
Green			-2568K		
		U	-2588K		
			-2529L		
Black	1 ltr	1190g	-2549L	£18.84	£15.45
DIACK			-2569L		
	5ltr	5500g	-2589L	£64.84	£53.17

Super Enamel

Plastic-Kote Super Enamel is simply the finest all-purpose spray paint available. It is tough, hard wearing and can be recoated at any time. Super Enamel is ideal for almost any project whether inside or outdoors. Size: 400ml aerosol.



		1	The second secon
Colour	Order Code PKE-775	List Price/1	Offer Price/1
Black	-0670L	£5.98	£5.08

Spray AnyWay

A durable and fast drying paint that reaches the parts that other spray paints cannot reach. Unique valve allows the paint to be sprayed whichever way up the can is held without clogging. Size: 400ml aerosol.



Please note, colours are for guidance only.

Colour	Size	Order Code PKE-775	List Price/1	Offer Price/1
Grey Primer	400ml	-2350G	£8.22	£6.99
Red Oxide Primer	400ml	-2351R	£8.22	£6.99
Gloss Black	400ml	-2353B	£8.22	£6.99
Flat Black	400ml	-2355B	£8.22	£6.99
Gloss White	400ml	-2356W	£8.22	£6.99
Flat White	400ml	-2358W	£8.22	£6.99
Dark Grey	400ml	-2359G	£8.22	£6.99
Chestnut Brown	400ml	-2370B	£8.22	£6.99
Blue	400ml	-2385B	£8.22	£6.99
Green	400ml	-2386G	£8.22	£6.99
Yellow	400ml	-2387Y	£8.22	£6.99
Red	400ml	-2389R	£8.22	£6.99

Radiator Enamel

An easy solution to one of the most awkward painting tasks. Heat resistant to 200°C, will not fade or yellow and can be re-coated at any time.

Size: 400ml.



Colour	Order Code	List	Offer
	PKE-775	Price/1	Price/1
Gloss White	-0618Z	£6.52	£5.54
Satin White	-0664G	£6.52	£5.54





CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

SIMP15 500ml -5703D £3.36 £2.96

Black

£5.74

£5.74

£4.88

£4.88

400ml -1126N

400ml -1134X

Lawn Green **Royal Blue**

Page 1241

GROUP

725 INSTANT ADHESIVES







LOCTITE Instant Adhesives

415 - General Purpose Instant Adhesive High viscosity cyanoacrylate, general purpose adhesive and is particularly suited to bonding of metals, rubbers and plastics.

Aut					415
Pr	roduct	Size	Order Code	List	Offer
Ni	umber		LOC-725	Price/1	Price/1

number		LUC-725	Price/1	Price/1	
415	20g 50g	-5016G -5017H	£23.54 £51.96	£18.36 £40.53	

454 - General-Purpose Gel

Instant adhesive for greater control during application. Will not run or drip. Gel version of 401. **NSF P1 registered.**

10g is supplied in a syringe for precision use. 20g is supplied in a tube (shown).



Number	Size	LOC-725	Price/1	Price/1
454	10g	-5028C	£16.74	£13.06
	20g	-5028D	£25.27	£19.71

LOCTITE Instant Adhesives Standard Super Glue

Household size instant adhesive for bonding metals, rubber, plastic and most non-porous materials in seconds.



Size	Order Code LOC-725	List Price/1	Offer Price/1
3g Liquid	-4007A	£2.55	£1.99
5g Liquid	-4008A	£3.50	£2.73
3g Gel	-4037T	£3.09	£2.41

403™ Prism® - Instant Adhesive High viscosity, low odour/low bloom, surface insensitive,

one-part room temperature cure, instant adhesive designed for applications with high cosmetic appearance and/or where vapour control is difficult.



Product Number Size Order Code LOC-725 List Price/1 Offer Price/1 403 50g -5004M £57.77 £45.06

GETITE

431 - High Viscosity Adhesive High viscosity ethyl cyanoacrylate adhesive for general-purpose bonding of rubbers, plastics and metals. Replaces 415, 416 and 422.




Number	Size	LOC-725		Offer Price/1
431	20g	-5028B	£21.98	£17.14

495 - Low Viscosity Instant Adhesive Thin easy flowing general purpose instant adhesive. Suitable for close fitting small components and parts bonding on rubbers, plastics and metals.



Product	Size	Order Code	List	Offer
Number		LOC-725	Price/1	Price/1
495	20g	-5056E	£23.54	£18.36
	50g	-5057G	£51.95	£40.52





Product	Size	Order Code	List	Offer
Number		LOC-725	Price/1	Price/1
401	3g	-5001A	£3.48	£2.71
	20g	-5003C	£21.98	£17.14
	50g	-5003F	£48.41	£37.76

406 - Rapid Cure - Rubber & Plastics For rubber, plastics, EPDM, nitrile and peopreper Replaces 495, 414 and 424

neoprene. Replaces 495, 414 and 424. Use with Polyolefin Primer 770 for difficult to bond plastics and

rubber such as polypropylene, silicone etc.



Product Number	Size	Order Code LOC-725		Offer Price/1
406	20g	-5008J	£21.98	£17.14
	50g	-5008L	£50.25	£39.20
	500g	-5008P	£399.13	£311.32

435 - Low Viscosity Instant Adhesive Low viscosity instant adhesive designed for bonding metal, rubber and plastics. Excellent



4062 - Instant Adhesive/Ultra Fast Curing

Ideal for highest speed bonding of plastic, metal and rubber. Use with 770 polyolefin primer for difficult to bond plastics. Perfect for bonding material to lampshade frames, bonding small plastic ornaments/ symbols to plastic base, rubber strips to clamp faces, rubber end pieces to plastic tubes and high strength locking of plastic fasteners. Replaces 420 and 493.



Product	Size	Order Code	List	Offer
Number		LOC-725	Price/1	Price/1
4062	20g	-5009L	£21.98	£17.14
	50g	-5009P	£50.25	£39.20

Page 1242

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

LOCTITE O-Ring Splicing Kit

Seven diameters of nitrile rubber cord ranging from 1.6 to 8.4mm in 1200mm lengths. Complete with a splicing jig, retractable trimming knife and two 20g bottles of 406 rapid cure instant adhesive.



Size

1200mm

460 - Low Odour, Low Bloom





480 - Toughened, Impact Resistant

£43.41

Black, toughened adhesive, ideal for small metal parts where the bond must endure heavy peel loads.



Product	Size	Order Code	List	Offer
Number		LOC-725	Price/1	Price/1
480	20g	-5045N	£21.98	£17.14
	500g	-5046P	£399.13	£311.32

496 - Medium Viscosity

-5816S



382 - PCB Takpak

382 is a one component, fast curing high viscosity cyanoacrylate adhesive designed to be used with TAK PAK accelerators to produce instant cures.



INSTANT ADHESIVES 725 7031 - Quick Clean



Product Price/1 Number 7031 150ml -5606G £9.43 £7.36

770 - Polyolefin Primer

To prime materials such as polypropylene, polyethylene, and thermoplastic rubber that are normally difficult to bond.

This material makes them suitable for bonding with Loctite instant adhesives.

Price/1

£56.66

Price/1

£72.64



£75.88

£59.19

7455 - Activator

300g

Product

Number 770

Cures exposed 400 Series instant adhesives rapidly. Can be used for preassembly and post-assembly applications.

-5534E




CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

Page 1243

725 RETAINERS & THREADLOCKERS LOCTITE 2400/2700 - Medium & High Strength Threadlocker

- No hazard symbols, no risk phrase & no safety phrases
- No need for a company COSHH assessment

Continuously striving to improve the health & safety of our products, we break new ground with *LOCTITE*[®] 2400 & 2700. These medium and high strength threadlockers have some major benefits for your company COSHH assessments and each possess a "white" material safety data sheet.



225 - Low strength, Threadlocking Compound

Low strength, high viscosity threadlocking compound.



 Product Number
 Size
 Order Code LOC-725
 Offer Price/1

 225
 50ml
 -5106G
 £21.81

278 - High Strength Oil Tolerant Threadlocker

High strength threadlocker which can be used on as received parts and on applications where operating temperatures can reach 200°C. It is also ideal for use on plated bolts including the new zinc/trivalent chrome finishes.



 Size
 Order Code LOC-725
 List Price/1
 Offer Price/1

 50ml
 -5120M
 £32.90
 £25.66

Page 1244

270 - High Strength Threadlocker

Improved temperature resistance (+180°C) and heat aging, improved oil tolerance. High strength locking of studs/bolts where removal is not required.



Product		Order Code	Offer
Numbe		LOC-725	Price/1
270	10ml	-5116S	£5.63
	50ml	-5117T	£25.09
	250ml	-5118V	£108.39

290 - Penetrating Threadlocker

High strength, post application with very low viscosity. Vibration-proof. **WRC approved.**



- CO			1 C C C C C C C C C C C C C C C C C C C
Size	Order Code LOC-725		Offer Price/1
10ml	-5121Y	£7.01	£5.47
50ml	-5122Z	£31.31	£24.42
250ml	- 5124A	£134.99	£105.29

248 - Threadlock Adhesive Stick

Medium strength thread locking compound in a convenient clean and easy to use stick form. As with other Loctite medium strength thread locking products, it locks the threads to resist vibration and also completely seals the threads against most industrial fluids.



222 - Screwlock Threadlocker

Low strength, replaces nylon/ star/spring washers on screws and threaded fitting where easy dismantling is required, e.g. with a screwdriver. **NSF P1 registered.**



Size	Order Code LOC-725	List Price/1	Offer Price/1
10ml	-5103D	£7.01	£5.47
50ml	-5104E	£31.31	£24.42
250ml	-5105F	£134.98	£105.28

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

268 - High Strength Thread Locking Compound

One drop completely fills the threads

Locks and seals

High strength thread locking compound in a convenient clean and easy to use stick form. As with other Loctite high strength thread locking products, it locks the threads to resist vibration and also completely seals the threads against most industrial fluids.



243* - Nutlock Threadlocker

Medium strength. Works on all metals including chrome-free platings, Improved temperature resistance (180°C) and heat aging, improved oil tolerance, Prevents loosening on parts such as pumps, motor mounting bolts, gearboxes or presses.



Size	Order Code LOC-725		Offer Price/1
10ml	-5114A	£7.36	£5.74
50ml	-5114C	£32.90	£25.66
250ml	- 5114E ±	£144.70	£112.87

LOCTITE 620 - High Temperature **Retaining Adhesive**

For use where operating temperatures up to 230°C are expected. A secondary heat cure is required to generate the high temperature resistance up to 230°C.



275 - High Strength **Threadlocking Compound**

High strength, high viscosity threadlocking compound.





50m -5119K £27.96 -5119R £116.93 250m

638* - High Strength Retainer

For heavy-duty applications on cylinder liners, splines, structural tubing, drive keys etc. High viscosity. WRC approved and NSF 61 registered.

*Replaces 635



Size	Order Code LOC-725		Offer Price/1
3ml	-5419F	£2.48	£1.93
50ml	-5420G	£31.31	£24.42
250ml	- 5421K :	£134.98	£105.28

RETAINERS & THREADLOCKERS 725 277 - High Strength 245 - Medium Strength **Threadlocking Compound** Threadlocking Compound

Stud lock high strength threadlocking compound. Red version of Loctite 270.



603* - General-Purpose Oil **Tolerant Retainer**

High strength, can replace or reinforce interference fits, pins, splines, keys and screws, or with slip fitted parts with a 0.1mm diametrical clearance. NSF P1 registered.

*Replaces 601

10ml

50ml

etc. Also removes the need for

blind holes for studs in oil filled

castings. Requires light torque

250ml

2701* - Studlock

Threadlocker

£21.81

£91.21

for removal. *Replaces 270.



-5403G







Medium strength, high viscosity

threadlocking compound.

648 - Engineering Adhesive

Suitable for use at continuous working temperature of up to 175°C. Can fill gaps of up to 0.15mm. High shear strength, medium viscosity and solvent resistant.



lumber	Size	LOC-725	Price/1	Price/1
648	50ml	-5436K	£31.31	£24.42
648	250ml	-5437N	£134.98	£105.28

641 - Bearing Fit

Medium strength for use with parts that will require subsequent dismantling using ordinary tools. Prevents fretting and corrosion.



Size	Order Code LOC-725	List Price/1	Offer Price/1
10ml	-5430A	£7.01	£5.47
50ml	-5431C	£31.31	£24.42
250ml	-5432E	£134.19	£104.67

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

Page 1245



List Offer Size Order Code LOC-725 Price/1 Price/1 50ml -5119B £32.90 £25.66 250ml -5119F £144.70 £112.87

-5404M -5405R £144.70 £112.87 272 - High Temperature Threadlocker To replace interference studs

High temperature, high strength threadlocking compound.



List Offer Order Code Size LOC-725 Price/1 Price/1 -5119H £32.85 £25.62 50ml

STRUCTURAL ADHESIVES Instant

ails

A high strength gap filling solvent-free adhesive that produces a quick 'grab' and replaces mechanical fixings in a multitude of home improvement applications. Dries white and is over-paintable when dry.



£3.04

Lavbond

Gripfill

-6500K

GRIPFILL is a brand leading one-

310ml

Adhesive

bricants & Chemical

Z EVO STIK

Multi-Purpose Gap Filling

ACTION CAN Heavy-Duty Spray Adhesive NEW

SA-90

SNERLOCK

£1.79

Provides a strong flexible bond for many applications where a conventional adhesive would be too difficult to apply. Ideal for use on foam backed carpets, underfelt and for spot fixing carpet tiles. Can also be used to bond all types of flexible foams, fabrics, felt, cork etc to plywood, softwood, MDF, laminates, metal, hardboard, glass, rigid plastics etc. Easily applied straight from the can. The nozzle has three adjustable settings to control discharge rate and spray pattern.

> The Tradesman's Choice

500ml aerosol -8750K

TIVO STRE

CARPET

DHESIVE

d 100

List

£6.78 £5.90

used in areas subject to

EVO-713 Price/1 Price/1

Order Code

-3299H

Size

500ml

Carpo ha 2

Offer

EVER Water-Resistant

BUILD Tile Adhesive

prolonged/permanent wet conditions and in

A premium grade adhesive that can be

Size

Carpet Adhesive

Ideal for use on foam backed

carpets, underfelt

and for spot fixing

Order Code

ACN-732



EVER Pinkgrip Direct ILD Bond Adhesive

Pinkgrip will stick just about anything on a building site that needs sticking. Its amazing grabbing strength not only removes the need to pin under the workpiece to prevent slumping, but its revolutionary initial 'Direct Bond' eliminates the need for double stick methods. Pinkgrip can be used inside and outside and adheres to just about every building substrate.



Stik'n Guard Carpet Protector

60cm wide roll of polythene that can be adhered to your carpets for complete protection and will not leave any marks on removal. Ideal for use in high traffic areas during building, renovations, removals, painting and decorating or parties.



MYK-722 Price/1 10m -7100K £9.99 25m 7110L £19.99 100m -7120M £75.00

Powder Wall Tile Grout

A cement-based powdered grouting compound with added PVA to promote adhesion. Simply mix with water to give a pure white paste. Suitable for use in kitchens, bathrooms and shower areas. May be used internally and externally.



part ga gives e: adhesid bonding most si materia vertical Suitable and ext provide coverec availab free for polystyr tiles, co	g strength bolid buildin als, even application e for interior verior use, d the bond J. Also le in solver bonding o rene ceiling	to g ns. or l is nt- f		carpet tiles. Can also be used to bond all types of flexible foams, fabrics, felt, cork etc to wood, metal, hardboard, glass, rigid plastics etc.
Size	Order Code EVO-713	List Price/1	Offer Price/1	
310ml	-3301W	£3.38	£2.94	

-3302X £3.42 350m £2.98 Solvent Free £2.57 350ml -3303Y £2.24

De-Solv-it **Grout Revive** Kit

Brightens up dull grout lines and prevents the growth of mould and mildew. Treats up to 6.5 metres and includes an easy to use applicator.



Offer

Price/1

£4.99



Sticks Like Sh*t All Weather Adhesive Polymer based (MS),

Price/1

£4.88

TICKS

Price/1

£6.10

it will bond most surfaces including wood, concrete, brick, plaster, glass, ceramics, metals, pvc, insulation boards and foam polystyrene. Bonds damp surfaces and may even be used underwater. Low odour. Overpaintable when dry. Colour: white.



List Order Code Size EVB-716 Price/1 Price/1 2.5ltr -8040M £6.38

Size 100ml Order Cod

MYK-722

-2010A

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

Offer

£4.27



High strength thixotropic non-drip contact adhesive. Bonds in seconds. Allows slight adjustment on initial contact. Toluene-free.



 Size
 Weight each
 Order Code EVO-713
 List Price/1
 Offer Price/1

 500ml
 420g
 -3300D
 £11.94
 £10.39

 1ltr
 840g
 -3300M
 £20.54
 £17.87

Wood Adhesive (Resin W)

Used for general woodworking joinery, bonding wood veneers and laminated plastics to wood or chipboard cores. May also be used for bonding other materials to recessed wood. Can be used on all woods, is fast setting with a bond strength generally better than the wood itself. Complies with BS 4071: 1996.

Size	Weight each	Order Code EVO-713	List Price/1	Offer Price/1	
250ml	0.25kg	-3029M	£6.04	£5.25	
500ml	0.55kg	-3030A	£8.70	£7.57	
1ltr	1.10kg	-3031B	£16.60	£14.44	
5ltr	5.30kg	-3033D	£61.60	£53.59	
Weatherproof					
1ltr	1.10kg	-3131B	£17.91	£15.58	
5ltr	5.30kg	-3132C	£63.79	£55.50	

Impact Adhesive

Ideal for producing a strong bond on contact, without the need for jigs, clamps or weights.



		-	
Size	Order Code EVO-713	List Price/1	Offer Price/1
Large Tube	-3020A	£5.08	£4.42
Small Tube	-3021B	£2.75	£2.39
250ml Tin	-3022C	£6.76	£5.88
500ml Tin	-3023D	£11.84	£10.30

3M Scotch-Grip[™] Rubber & Gasket Adhesive 847

3M[™] Scotch-Grip[™] 847 is a medium viscosity grade adhesive for many brush or flow applications. Quick drying, excellent resistance to many fuels and oils.

Bonds leather, nitrile rubber, most plastics and gasketing materials to a variety of substrates. It can also be heat cured to obtain improved physical properties.

Size

1ltr

Order Code

MMM-705

-0847G



P

3

Price/1

£15.19

528 Contact Adhesive

A general purpose one part polychloroprene rubber/resin contact adhesive which has a high initial grab with an excellent final bond strength and a good temperature resistance. Used for bonding decorative and rigid laminated plastic sheets of PVC of ABS to

wood, wood composite boards and metals. Also bonds rigid plastic nosings and covings. Can be used on suspended or vertical flat surfaces. Also available as Thixotropic (TX), which is faster curing and of a thicker consistency.



Size	Weight each	Order Code EVO-713	List Price/1	Offer Price/1		
	:	Standard				
500ml	0.45kg	-3010A	£11.70	£10.18		
1ltr	0.85kg	-3011B	£20.10	£17.49		
2.5ltr	2.10kg	-3012C	£42.19	£36.71		
5ltr	4.20kg	-3013D	£75.37	£65.57		
Thixotropic						
1ltr	0.85kg	-3016A	£12.42	£10.81		
5ltr	4.20kg	-3016H	£83.70	£72.82		

613 Contact Adhesive

High quality Evo-stick 613 contact adhesive with quick curing time. Long shelf life. Polychloroprene-based contact adhesive that's suitable for bonding laminate plastic sheeting to wood, metals and most types

Winder I

613

of board. Easily applied by brush or spreader. Resultant bond gives excellent strength, high sheer strength and temperature resistance.

	-	_	0	2	
Size	Weight each	Order Code EVO-713	List Price/1	Offer Price/1	
Standard					
1ltr	0.85kg	-3017Y	£8.41	£7.32	
5ltr	4.20kg	-3018M	£31.12	£27.07	

Scotch-Grip™ Plastic Adhesive 1099

3M[™] Scotch-Grip[™] Plastic Adhesive 1099 is a medium viscosity grade for most brush or flow applications. High strength, fast drying elastomer bonds many plastics to themselves and other materials such as wood and metal.

- Features:
- Resists weathering, water, oil, plasticiser migration, and aliphatic fuels.
- Can be heat cured for increased assembly speed.
- Very low VOC formulation with 32% solids.

Meets requirements of MIL-A-13883B, Type I and MMM-A-189C, Class 2



613

STRUCTURAL ADHESIVES 7



All purpose waterproof wood adhesive is a high quality, resin based wood adhesive for all wood bonding. It can be used internally and externally and provides a high strength, impact resistant bond that is usually stronger than the wood itself. Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use.

Dries clear. Fast cure, initial set in just 10 minutes. Conforms to the international standard **EN 204 (D3)** and

BS 4071 for creep resistance. Size: 1ltr.

Size	Order Code	List	Offer
	EVB-716	Price/1	Price/1
1ltr	-2050D	£9.08	£6.08

PVA Bond

Multi-purpose bonding agent, primer sealer, cement filler and plaster admixture. Bonds to most building and DIY materials except PVC and rubber. Conforms to **BS5270**. Size: 1ltr.



Lubricants & Chemical Products



Evo-Bond will bond most building materials provided that one has a degree of porosity. Suitable for a variety of applications including bonding, priming and as

admixtures. Evo-Bond may also be used as a dust sealer. Excellent primer, bonds to most building surfaces and improves adhesion.



Offer

Price/1

£11.21

Page 1247

Size	Order Code MMM-705	List Price/1	Offer Price/1			
150ml	-1098G	£5.08	£4.57	Size	Order Code EVO-713	List Price/1
5ltr	-1099B -1099F		£51.98	5ltr	-3320P	£12.88
	150ml 1ltr	Size MMM-705 150ml -1098G 1ltr -1099B	Size MMM-705 Price/1 150ml -1098G £5.08 1ltr -1099B £15.04	Size MMM-705 Price/1 Price/1 150ml -1098G £5.08 £4.57 1ltr -1099B £15.04 £13.54	Size MMM-705 Price/1 Price/1 150ml -1098G £5.08 £4.57 Size 1ltr -1099B £15.04 £13.54	Size MMM-705 Price/1 Price/1 150ml -1098G £5.08 £4.57 1ltr -1099B £15.04 £13.54

STRUCTURAL ADHESIVES Economy Size Bostik Adhesive

General-purpose adhesive. Bonds a wide variety of materials including metals, wood, glass, china, leather, felt, canvas, paper, cardboard, certain fabrics, PVC and some other plastics.



Size	Order Code BST-705	List Price/1	Offer Price/1	
50ml	-0502B	£2.73	£2.46	

Engineering Adhesive

7432 General-purpose medium viscosity cyanoacrylate, can be used on horizontal surface applications.



Product	Size	Order Code	List	Offer
Number		BST-705	Price/1	Price/1
7432	20gm	-0640A	£16.68	£15.01

Rapid Mitre Fix EVOSTIK Adhesive

Cyanoacrylate adhesive with activator, designed to bond and repair picture frame like mitre joints. Bonds MDF, PVC-U, rubbers, metals, some jewellery, plastics and porous materials such as wood. Produces clean, tight and thin joints instantly with no need for clamping.

c hemical

e!

Ľ



metal

Size	Order Code	List	Offer
	BST-705	Price/1	Price/1
50ml	-0687S	£9.20	£8.28

One-Part Water Resistant Adhesive 9517



	ance.			
ict	0.	Order Code	List	Offer

Product Number	Size	Order Code BST-705	List Price/1	Offer Price/1
9517	5ltr	-0550M	£19.85	
9517	25ltr	-0551N	£76.52	

General-Purpose 1782

Used by toy, leather goods and PVC ware manufacturers.





High Performance Neoprene



Price/1 Price/1 2402 1ltr -0610P £32.27 £29.04

General-Purpose Type 'C' Adhesive Rubber to



Price/1 Price/1 £12.92 £11.63 £60.42 £54.38

Safe 80 Water-Based Adhesive

-0650R

Used for bonding most types of materials such as textiles, rubbers and plastic laminates to wood, plywood, chipboard etc. It may also be used for bonding smooth

Order Code

BST-705

-0920K

porous surfaces of concrete or plaster as well as canvas and expanded polystyrene.

Description

Safe 80

Size

5ltr

Size

1ltr

5ltr







long term ageing.

Scotch

Spray 90



Product	Size	Order Code	List	Offer
Number		MMM-705	Price/1	Price/1
90	500ml	-6200A	£9.73	£8.76

Scotch-Weld EPX **Grey Epoxy Adhesive** DP190

This two-part adhesive cures at room temperature, provides high strength bonds with good performance in shear and peel. Bonds rubber, metal, wood, most plastics, and masonry products. Adhesive has a 90 minute work life, with improved impact and shock resistance. Packaged in convenient Duo-Pak cartridges designed for use in the EPX Plus applicator.



NEW

Product	Size	Order Code	List	Offer
Number		MMM-705	Price/1	Price/1
DP190	50ml	-7100Y	£15.30	£13.77

Scotch-Weld EPX High **Performance Epoxy Adhesive**

NEW **DP490** A black, thixotropic, gap filling epoxy adhesive with particularly good application characteristics. Use where toughness and high strength are required as in the construction of composite assemblies. The product has excellent heat and environmental resistance.



Product Number	Size	Order Code MMM-705	List Price/1	Offer Price/1
DP490	50ml	-7180G	£22.21	£19.99
DP490	400ml	-7190H	£82.87	£74.58

Scotch-Weld Contact Adhesive

10 A liquid, air drying adhesive which bonds immediately and permanently upon application of pressure. It can be applied using a brush, paint roller or scraper. For use on laminates, wood, veneers, rubber, leather, canvas, porous and non-porous substrates.





Page 1248

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

Price/1 Price/1

£61.45 **£55.30**

List

Offer

LOCTITE Structural Adhesives

326 - Rapid Cure

For joining flat faces of rigid, close fitting metal and glass. Moisture and solventresistant. Use with Activator 7649.



 Size	Order Code LOC-725	List Price/1	Offer Price/1
50ml	-5212N	£31.30	£24.41
250ml	-5213P	£134.98	£105.28

7386 - Multi-Bond Activator

This activator is designed to promote the cure of Loctite toughened acrylic adhesives Multi-bond 329 and 330.



Size	LOC-725	Price/1	Price/1
500ml	-5506V	£60.69	£47.34

330 - Multi-Bond

General-purpose adhesive for use where the gaps between parts are up to 0.4mm. Resists flex peel and shock loads. Suitable for ceramic, wood, steels, certain plastics and smooth concrete. 'NSF' P1 registered. Use with Activator 7386.



Size	Order Code LOC-725	List Price/1	Offer Price/1
50ml	-5501B	£9.56	£7.46
315ml	-5503D	£52.03	£40.58

3295 - Structural Adhesive

High strength two-part acrylic adhesive for structural bonding of a wide range of substrates including plastic and metals. The two components are applied pre-mixed from the dispenser and cures rapidly on assembly of the joint.



Size	Order Code	List	Offer
	LOC-725	Price/1	Price/1
50ml	-5215X	£22.23	£17.34

Adhesive & Activator Kit

50ml tube of multi-bond adhesive with 40ml aerosol of 7388 activator.



General-Purpose IO-ST **Aerosol Adhesive**

A solvent-based pressure sensitive spray adhesive, in an economical and controllable method of application. It exhibits rapid drying with excellent initial grab and adhesion properties. The aerosols have variable setting nozzles and use an ozone friendly propellant.



requirements. Cleaning application equipment used with the above adhesive types



Product Number	Size	Order Code BST-705	List Price/1	Offer Price/1
132504	500ml	-0440K	£4.22	£3.80

STRUCTURAL ADHESIVES 72

Sil Multi-Purpose Spray Adhesive

Ambersil quality spray adhesive. A fast track adhesive with a variable spray pattern for maximum control and economy provides permanent bonds. Instant 'Grab & Hold'. Tack time approximately 30 seconds. Permanent bond. Variable spray pattern.



Product Number	Size	Order Code AMB-701		Offer Price/1
MP100	500ml	-0880R	£5.12	£4.61

No.191 Adhesive EVOSTIK Cleaner

For the rapid removal of excess adhesive. Suitable to use on Impact Timebond and 528. Toluene-free.

Size

250ml



4.25kg -3192H £42.47 £36.95 5ltr Cleaner 7 Cleaner/Thinner

each

0.25kg

A mixture of ketone solvents. Recommended for: thinning solvent - borne nitrile and polyurethane adhesives to provide lower viscosities for meeting special application

and removing excess adhesive. Cleaning plastic surfaces prior to adhesive application. The UK Ministry of Defence quality assurance and release document relating to Cleaner 7 is AFS 342J.





Page 1249

Offer



British Standard 'O' Rings

NBR70 Rubber '0' Rings

The most common and simplest types of seal with excellent sealing properties and durability. Used in engines and gearboxes, also found in anything from shower heads to an aircraft, garden hoses and pumps etc., They can be used as face to face gasket style seals or as shaft seals and allow both rotary and linear movement. They have a 70 Shore hardness and

an operating temperature range of -30° C to $+120^{\circ}$ C. Highly resistant to many chemicals, petroleum, diesel, LPG etc. All sizes to BS1806. Many other sizes and materials in stock.

BS Inside Pak one cos Other Pris-200 Number Dia Val Donos Saction State Park in Prise All Description State Park in Pris All Description <td< th=""><th></th><th></th><th></th></td<>			
$ \begin{array}{c} + \frac{1}{26}^{\circ} \mbox{Coss} \mbox{Section} \\ + \frac{1}{26}^{\circ} \mbox{Section} \\ + \frac{1}{26}^{\circ}$	BS Inside Pack Order Code Offer Price/100	BS Inside Pack Order Code Offer Price/100	BS Inside Pack Order Code Offer Price/100
BB003 Vir. 100 100030 £2.88 £2.16 BB145 27.8 21.00 BB142 27.7 £1.70 BB244 44.7 25.3 24.44 £2.5 12.44 £2.61 £4.34 £5.51 44.46 £2.77 £1.70 BB244 44.7 25.3 12.44 £6.51 44.48 £2.77 £1.70 BB244 44.7 25.3 12.44 £6.51 44.48 £5.77 £1.70 BB244 44.7 25.3 12.44 £6.51 44.48 £5.77 £1.70 BB244 44.7 25.3 12.64 £5.74 £5.78 E5.78 £5.78 E5.78 £5.78			
BS000 %* 100 100 100 100 100 100 100 100 100 1110 BS14 1110 BS24 4%* 25 1247 156.5 1448 122.77 1110 BS24 4%* 25 1247 156.5 1428 BS24 4%* 25 1247 156.5 1428 BS24 4%* 25 1248 BS24 4%* 25 1248 BS24 4%* 25 1248 168.3 BS24 4%* 25 1248 168.3 BS24 4%* 25 1248			
BB300 *** 100 10071 f_2207 f_153 BS00 *** 100 10071 f_2207 f_153 BS142 24.44 25 12366 f_163 652.44 44.47 25 12366 f_163 652.45 652.44 44.47 25 12366 f_163 652.45 652.44 44.47 25 12366 f_163 652.65 652.15 97.47 100 10327 1136 11368 1132.84 122.08 123.65 1136			
BS000 %/// 100 3008// £207 £155 BS160 2%// 25 1156 BS160 2%// 25 1156 BS236 4%// 25 12406 £633 5230 BS001 %// 100 3001// £205 £1450 BS160 2%// 25 1156 BS160 2%// 25 1156 BS264 4%// 25 12406 £633 5230 BS012 %// 100 3013// £207 £155 BS160 2%// 25 11581 £238 £216 BS266 5%// 25 22561 £671.25 BS165 2%// 25 11581 £288 £216 BS014 %// 100 3013// £207 £155 BS166 2%// 25 11581 £288 £216 BS266 5%// 25 22561 £671.25 BS165 2%// 25 22561 £671.25 BS017 14// 100 30165 £328 £216 BS166 2%// 10 1166X £389.26 BS165 2%// 10 1166X £389.26 BS268 5%// 25 22561 £671.25 BS017 14// 100 30165 £328 £216 BS165 2%// 10 1166X £488 £216 BS268 5%// 25 22561 £671.25 BS268 5%// 25 22561 £671.25 BS027 14// 100 30165 £328 £216 BS165 2%// 10 1166X £488 BS166 2%// 10 1166X £488 £216 BS268 5%// 10 12681 £177.31 £57.98 BS027 14// 100 3017 £633 £346 BS268 5%// 10 12681 £13.28 BS278 5%// 10 12681 £13.28 BS278 5%// 10 12681 £13.28 BS027 14// 100 30224 £633 £1346 BS268 5%// 10 3268 £113.28 BS278 5%// 10 22687 £147.65 BS288 5%// 10 22687 £147.65 BS027 14// 100 30234 £630 £422 BS268 5%// 5 3286 £37.26 BS278 5%// 10 22687 £147.65 BS288 5%// 5 3286 £37.40 BS027 14// 100 30234 £630 £422 BS268 5%// 5 3286 £33.45 BS271 1%// 10 5			
BS010 4." 100 4.020 100 1000 1225 11.55 </th <th>BS008 ³/₁₆" 100 -1008J £2.07 £1.55</th> <th>BS149 2^{13/}16" 25 -1149D £31.95 £23.96</th> <th></th>	BS008 ³ / ₁₆ " 100 -1008J £2.07 £1.55	BS149 2 ^{13/} 16" 25 -1149D £31.95 £23.96	
BS011 % 100 4011 122 51.62 3% 22 11520 128 1152 3% 22 11520 128 1152 3% 22 11520 128 1152 3% 128 1152 1152 3% 22 11520 1152 1152 3% 22 11520 1152 1			
BS012 4* 100 4012 100 4012 100 4012 100 4012 100 4012 100 4012 100 4012 100 10140 1220 110 10140 1220 110 10140 1220 110 10140 1220 110 10140 1220 110 10140 1220 110			
BS013 % 100 1013P F2:07 515:65 BS164 3% 25 115:85 0 115:85 0 115:85 0 115:85 0 115:85 0 115:85 0 115:85 0 115:85 0 115:85 0 115:85 0 115:85 0 115:85 0 115:85 0 115:85 0 115:85 0 115:85 0 115:85 0 115:85 0 115:85 0 115:85 11			
BS016 4.2 100 101420 1248 224 1248 1248 1243 1253			
BSD/26 W 100 10125 F 3.42 F 2.66 BS1/7 5% 5 1176 6% 5 1176 6% 137.36 153.36 137.36 153.36 137.36 153.36 137.36 153.36 137.36 135.36 137.36 135.36 137.36 135.36 137.36 135.36 137.36 135.36			
B 5018 $\frac{34^{\circ}}{100}$ 100 3018 $\frac{6}{140}$ 41 63.3 B 5020 $\frac{16}{140}$ 100 3020 $\frac{7}{140}$ 100 3020 $\frac{7}{140}$ 41 63.3 B 5020 $\frac{7}{140}$ 100 3020 $\frac{7}{140}$ 100 3020 $\frac{7}{140}$ 41 63.3 B 5020 $\frac{7}{140}$ 100 3020 $\frac{7}{140}$ 100 3020 $\frac{7}{140}$ 45 6 1.3 B 5020 $\frac{16}{140}$ 100 3020 $\frac{7}{140}$ 100 3020 $\frac{7}{140}$ 45 11 30.4 B 5020 $\frac{16}{140}$ 100 3020 $\frac{7}{140}$ 100 3020 $\frac{7}{140}$ 45 11 30.4 B 5020 $\frac{16}{140}$ 100 3020 $\frac{7}{140}$ 100 3020 $\frac{7}{140}$ 50 51 $\frac{12}{140}$ 50 30 $\frac{12}{140}$ 50 12140 $\frac{11}{140}$ 50 30 $\frac{12}{140}$ 50 5121 $\frac{12}{140}$ 50 30 $\frac{12}{140}$ 50 $\frac{12}{140}$			
BS201 100 100 100 100 1210 f.7.56 f.55.7 74.2 10 12637 f.110.97 F.832 BS021 1% 100 10222 f.531 f.838 BS212 141 100 1211 F.813 F.841 BS208 BS201 1/4 100 1220x F.814 BS208 BS201 1/4 100 1220x F.812 BS208 BS208<	BS018 ³ / ₄ " 100 -1018V £4.41 £3.31		
$ \begin{array}{c} 85021 \ 1\%_{n}^{n} \ 100 \ 10217 \ 15.13 \ 15.15 \ 100 \ 12111 \ 1440 \ 100 \ 12111 \ 1440 \ 100 \ 12111 \ 1440 \ 100 \ 12111 \ 1211 \$		BS210 ³ / ₄ " 100 -1210L £7.56 £5.67	
$ \begin{array}{c} 85222 & 1' & 100 & -10222 & f.5.31 & f.3.8 \\ 85022 & 1'4' & 100 & -10224 & f.5.31 & f.3.8 \\ 85022 & 1'4'' & 100 & -10248 & f.6.30 & f.4.7 \\ 85022 & 1'4'' & 100 & -10248 & f.6.30 & f.4.7 \\ 85024 & 1'4'' & 100 & -10248 & f.6.30 & f.4.7 \\ 85024 & 1'4'' & 100 & -10248 & f.6.30 & f.4.7 \\ 85026 & 1'4'' & 100 & -10248 & f.6.30 & f.4.7 \\ 85026 & 1'4'' & 100 & -10248 & f.6.30 & f.4.7 \\ 85026 & 1'4'' & 100 & -10248 & f.6.30 & f.4.7 \\ 85026 & 1'4'' & 100 & -10248 & f.6.30 & f.4.7 \\ 85026 & 1'4'' & 100 & -10246 & f.6.4 & f.5.3 \\ 85021 & 1'4'' & 100 & -10246 & f.6.4 & f.8.1 \\ 85021 & 1'4'' & 100 & -10246 & f.6.4 & f.8.1 \\ 85021 & 1'4'' & 50 & -12248 & f.1.6.8 & f.7.1 \\ 85022 & 1'4'' & 50 & -12248 & f.1.6.8 & f.7.1 \\ 85022 & 1'4'' & 50 & -12248 & f.1.6.8 & f.7.1 \\ 85032 & 1'4'' & 50 & -10344 & f.1.6.8 & f.7.1 \\ 85032 & 1'4'' & 50 & -10344 & f.1.6.8 & f.7.1 \\ 85032 & 1'4'' & 50 & -10344 & f.1.6.8 & f.7.1 \\ 85032 & 1'4'' & 50 & -10344 & f.1.6.8 & f.7.1 \\ 85032 & 1'4'' & 50 & -10344 & f.1.6.8 & f.7.1 \\ 85032 & 1'4'' & 50 & -10344 & f.1.6.8 & f.7.1 \\ 85032 & 2'4'' & 50 & -10344 & f.1.6.8 & f.1.6.8 \\ 85032 & 2'4'' & 50 & -10344 & f.1.6.8 & f.1.6.8 \\ 85032 & 2'4'' & 50 & -10344 & f.1.6.8 & f.1.6.8 \\ 85032 & 2'4'' & 50 & -10344 & f.1.6.8 & f.1.6.8 \\ 85022 & 1'4'' & 50 & -12246 & f.1.6.8 & f.1.6.8 \\ 85024 & 2'4'' & 50 & -10344 & f.1.6.8 & f.1.6.8 \\ 85024 & 2'4'' & 50 & -10344 & f.1.6.8 & f.1.6.8 \\ 8526 & 2'4'' & 50 & -10344 & f.1.6.8 & f.1.6.8 \\ 8526 & 2'4'' & 50 & -10344 & f.1.6.8 & f.1.6.8 \\ 8526 & 2'4'' & 50 & -10344 & f.1.6.8 & f.1.6.8 \\ 8526 & 2'4'' & 50 & -10344 & f.1.6.8 & f.1.6.8 \\ 8526 & 2'4'' & 50 & -10344 & f.1.6.8 & f.1.6.8 \\ 8526 & 2'4'' & 50 & -10344 & f.1.6.8 & f.1.6.8 \\ 8526 & 2'4'' & 50 & -1044 & f.2.8 & f.1.6.8 \\ 8526 & 2'4'' & 50 & -1044 & f.2.8 & f.1.6.8 \\ 8526 & 2'4'' & 50 & -1044 & f.2.8 & f.1.6.8 \\ 8526 & 2'4'' & 50 & -1044 & f.2.8 & f.1.6.8 \\ 8526 & 2'4'' & 50 & -1044 & f.2.8 & f.1.6.8 \\ 8526 & 2'4'' & 50 & -1044 & f.2.8 & f.1.6.8 \\ 8526 & 4'4'' & 25 & -1044 & f.2.8 & f.1.6.8 \\ 8526 & 4'4'' & 10 & -11$			
$ \begin{array}{c} 82324 1/4^{\circ} 100 & 30234 \\ 85024 1/4^{\circ} 100 & 30234 \\ 85025 1/4^{\circ} 100 & 30236 \\ 85025 1/4^{\circ} 100 & 30280 \\ 85025 1/4^{\circ} 100 & 30281 \\ 85033 1/4^{\circ} 50 & 30304 \\ 85025 1/4^{\circ} 50 & 30304 \\ 85025 1/4^{\circ} 50 & 30304 \\ 85035 2/4^{\circ} 25 & 30334 \\ 85036 2/4^{\circ} 25 & 30384 \\ 85040 2/4^{\circ} 50 & 30386 \\ 85040 2/4^{\circ} 50 & 30386 \\ 85042 2/4^{\circ} 25 & 30384 \\ 85040 2/4^{\circ} 50 & 30386 \\ 85042 2/4^{\circ} 25 & 30434 \\ 85040 2/4^{\circ} 50 & 30386 \\ 85042 2/4^{\circ} 25 & 30434 \\ 85040 2/4^{\circ} 50 & 30386 \\ 85042 2/4^{\circ} 25 & 30434 \\ 85040 2/4^{\circ} 50 & 30386 \\ 85042 2/4^{\circ} 25 & 30434 \\ 85040 2/4^{\circ} 50 & 30386 \\ 85042 2/4^{\circ} 25 & 30434 \\ 85040 2/4^{\circ} 5 & 30438 \\ 85040 2/4^{\circ} 5 & 304386 \\ 85042 2/4^{\circ} 25 & 30434 \\ 85042 2/4^{\circ} 25 & 30444 \\ 85042 2/4^{\circ} 25 $			
$ \begin{array}{c} \text{B}224 \ 14\% \ 100 \ 10224 \ 14\% \ 100 \ 10225 \ 144 \ 15$			
BSO26 14** 100 -10260 f6.84 f5.13 BSO27 14** 100 -1028F f6.30 f4.72 BSO27 14** 100 -1028F f6.30 f4.72 BSO27 14** 50 -1028F f6.30 f4.72 BSO20 14** 50 -1028F f6.30 f4.72 BSO20 14** 50 -1028F f6.30 f4.72 BSO20 14** 50 -1028F f6.30 f4.72 BSO30 14** 50 -1028F f6.30 f4.33 f6.30 BSO30 14** 50 -1028F f6.30 f6.30 f6.30 f6.30 BSO32 24** 50 -1038F f1.638 f1.226 f1.84 f6.40 f5.331 f4.80 f5.331 f4.80 f5.331 f4.04 f5.333 f2*6 f5.331 f4.04 f5.333 f4.04 f5.333 f5.337 f2 <f1.332f< td=""> f5.337 f2<f1.332f< td=""> f5.337 f2<f1.332f< td=""> f5.337 f2<f1.332f< td=""> f5.337 f2<f1.3370< td=""> f6.1025 f5.457 f5.337 f2<f1.3370< td=""> f6.1025 f5.457 <</f1.3370<></f1.3370<></f1.332f<></f1.332f<></f1.332f<></f1.332f<>		BS216 1 ¹ / ₈ " 50 - 1216S £11.61 £8.71	
$ \begin{array}{c} 82027 14\% \\ 82029 14\% \\ 100 \\ 10226 \\ 100 \\ 10226 \\ 100 \\ 100 \\ 10226 \\ 100 $			
B 5028 14% 100 1028F f.6.30 54.72 B 5029 14% 100 1028F f.6.30 f.4.72 E33.0 f.4.73 E33.0 f.4.73 E33.0 f.4.72 E33.0 f.4.73 E33.0 f.4.73 E33.0 f.4.72 E33.0 f.4.72 E33.0 f.4.72 E33.0 f.4.72 E33.0 f.4.72 E33.0 f.4.72	BS027 1 ⁵ / ₁₆ " 100 -1027E £4.50 £3.38		
$ \begin{array}{c} 82229 14^{\circ} 100 & -10296 & 128.55 & 128.41 \\ 85032 14^{\circ} 50 & -10320 & fi1.43 & fEs.7 \\ 85032 14^{\circ} 50 & -00320 & fi1.43 & fEs.7 \\ 85032 14^{\circ} 50 & -00320 & fi1.43 & fEs.7 \\ 85032 24^{\circ} 50 & -00320 & fi1.43 & fEs.7 \\ 85032 24^{\circ} 50 & -00320 & fi1.43 & fEs.7 \\ 85032 24^{\circ} 50 & -00320 & fi1.43 & fEs.7 \\ 85032 24^{\circ} 50 & -00320 & fi1.43 & fi1.83 \\ 85032 54^{\circ} 50 & -00380 & fi6.22 & fi1.65 \\ 85026 24^{\circ} 50 & -00380 & fi6.22 & fi1.65 \\ 85026 24^{\circ} 50 & -00380 & fi6.22 & fi1.65 \\ 85026 24^{\circ} 50 & -00380 & fi6.22 & fi1.65 \\ 85026 24^{\circ} 50 & -00380 & fi6.22 & fi1.65 \\ 85026 24^{\circ} 50 & -00380 & fi6.22 & fi1.65 \\ 85026 24^{\circ} 50 & -00380 & fi6.22 & fi1.65 \\ 85040 24^{\circ} 52 & -00480 & fi2.12 & fi1.61 \\ 85040 24^{\circ} 52 & -00480 & fi2.12 & fi1.61 \\ 85040 24^{\circ} 52 & -00480 & fi2.12 & fi1.61 \\ 85042 34^{\circ} 25 & -00480 & fi2.12 & fi1.61 \\ 85042 34^{\circ} 25 & -00480 & fi2.12 & fi1.61 \\ 85042 34^{\circ} 25 & -00480 & fi2.12 & fi1.61 \\ 85042 34^{\circ} 25 & -00480 & fi2.12 & fi1.61 \\ 85042 34^{\circ} 25 & -00480 & fi2.12 & fi1.61 \\ 85042 34^{\circ} 25 & -00480 & fi2.12 & fi1.61 \\ 85042 34^{\circ} 25 & -00480 & fi2.12 & fi1.61 \\ 85042 34^{\circ} 25 & -00480 & fi2.12 & fi1.61 \\ 85042 34^{\circ} 25 & -00480 & fi2.12 & fi1.61 \\ 85043 34^{\circ} 25 & -00480 & fi2.12 & fi1.61 \\ 85043 34^{\circ} 25 & -00480 & fi2.12 & fi1.61 \\ 85043 34^{\circ} 25 & -00480 & fi2.12 & fi1.61 \\ 85043 34^{\circ} 25 & -00480 & fi2.12 & fi1.61 \\ 85043 34^{\circ} 25 & -00480 & fi2.12 & fi1.61 \\ 85043 34^{\circ} 25 & -00480 & fi2.12 & fi1.61 \\ 85043 34^{\circ} 25 & -00480 & fi2.16 & fi1.78 \\ 85043 34^{\circ} 25 & -00480 & fi2.60 & fi1.78 \\ 85043 34^{\circ} 25 & -00480 & fi2.60 & fi1.78 \\ 85043 34^{\circ} 25 & -00480 & fi2.60 & fi1.78 \\ 85043 34^{\circ} 25 & -00480 & fi2.60 & fi1.78 \\ 85110 4^{\circ} 100 & -01108 & fi2.43 & fi2.80 \\ 85110 4^{\circ} 100 & -01108 & fi2.43 & fi2.80 \\ 85110 4^{\circ} 100 & -01108 & fi2.43 & fi2.80 \\ 85110 4^{\circ} 100 & -01108 & fi2.43 & fi2.80 \\ 85110 4^{\circ} 100 & -01108 & fi2.56 & fi4.78 \\ 85110 4^{\circ} 100 & -01108 & fi2.56 & fi4.78 \\ 85110 4^{\circ} 100 & -01108 & fi2.56 & fi4.78 \\ 85110 4^{\circ} 100 & $			BS329 2 25 -1329G £42.21 £31.66
$ \begin{array}{c} 8 \\ 8 \\ 8 \\ 8 \\ 8 \\ 8 \\ 8 \\ 8 \\ 8 \\ 8 $			
$ \begin{array}{c} 82335 \ 24\% \ 50 \ 1038h \ 118.81 \ 124.11 \ 128.81 \ 124.11 \ 128.81 \ 124.11 \ 128.81 \ 124.11 \ 128.81 \ 124.11 \ 128.81 \ 128.$	BS033 2" 50 -1033L £16.38 £12.29		
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			
B3037 22%* 50 -10370 £13.86 £10.39 B3038 22%* 50 -10386 £23.22 £17.41 £13.29 £32.43 £32.43 £13.41 £17.42 £13.44 £14.44 £14.44 £14.44 £14.44 </th <th></th> <th></th> <th>BS337 3 25 -13370 £40.50 £30.38</th>			BS337 3 25 -13370 £40.50 £30.38
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			
$ \begin{array}{c} 83040 \ 2^{2} \\ 85041 \ 3^{2} \ 25 \ 0.1041 \ 123.53 \ 125.53 \ 126$			
$ \begin{array}{c} 85342 & 234* & 25 & 10430 & 23177 & 22383 \\ 85042 & 34* & 25 & 10430 & 23177 & 22383 \\ 85043 & 34^{\circ} & 25 & 10430 & 23177 & 22383 \\ 85043 & 34^{\circ} & 25 & 10430 & 23176 & 239.97 & 22348 \\ 85043 & 34^{\circ} & 25 & 10430 & 239.97 & 22348 \\ 85047 & 44^{\circ} & 25 & 10449 & 227.0 & 220.97 \\ 85047 & 44^{\circ} & 100 & 11084 & 52.49 & 523.26 \\ 85047 & 44^{\circ} & 100 & 11084 & 52.70 & 52.02 \\ 85108 & 44^{\circ} & 100 & 11084 & 52.70 & 52.02 \\ 85108 & 44^{\circ} & 100 & 11084 & 52.70 & 52.02 \\ 85113 & 44^{\circ} & 100 & 11104 & 53.04 & 52.28 \\ 85113 & 44^{\circ} & 100 & 11130 & f.4.41 & 53.1 \\ 85147 & 44^{\circ} & 100 & 11138 & f.4.41 & 53.1 \\ 85147 & 44^{\circ} & 100 & 11138 & f.4.41 & 53.1 \\ 85114 & 44^{\circ} & 100 & 11138 & f.4.41 & 53.1 \\ 85117 & 44^{\circ} & 100 & 11138 & f.4.41 & 53.1 \\ 85117 & 44^{\circ} & 100 & 11138 & f.4.41 & 53.1 \\ 85117 & 44^{\circ} & 100 & 11138 & f.4.41 & 53.1 \\ 85116 & 44^{\circ} & 100 & 11138 & f.4.58 & 54.39 \\ 85116 & 44^{\circ} & 100 & 11138 & f.4.58 & 54.39 \\ 85116 & 44^{\circ} & 100 & 11138 & f.4.61 & 53.31 \\ 85120 & 1^{\circ} & 100 & 11128 & f.4.61 & 53.1 \\ 85122 & 14^{\circ} & 50 & 11228 & f.10.08 & 57.58 \\ 85122 & 14^{\circ} & 50 & 11228 & f.10.08 & 57.58 \\ 85124 & 14^{\circ} & 50 & 11228 & f.10.08 & 57.58 \\ 85126 & 14^{\circ} & 50 & 11228 & f.10.08 & 57.58 \\ 85126 & 14^{\circ} & 50 & 11228 & f.10.08 & 57.58 \\ 85126 & 14^{\circ} & 50 & 11228 & f.10.98 & 52.29 \\ 85123 & 14^{\circ} & 50 & 11228 & f.10.98 & 52.29 \\ 85123 & 14^{\circ} & 50 & 11228 & f.10.98 & 52.29 \\ 85123 & 14^{\circ} & 50 & 11228 & f.10.08 & 57.58 \\ 85126 & 14^{\circ} & 50 & 11228 & f.13.2 & f.59.8 \\ 85126 & 14^{\circ} & 50 & 11228 & f.13.2 & f.59.8 \\ 85126 & 14^{\circ} & 50 & 11228 & f.13.2 & f.59.8 \\ 85126 & 14^{\circ} & 50 & 11228 & f.13.2 & f.59.8 \\ 85126 & 14^{\circ} & 50 & 11228 & f.13.2 & f.59.8 \\ 85126 & 14^{\circ} & 50 & 11238 & f.13.2 & f.59.8 \\ 85130 & 14^{\circ} & 50 & 11238 & f.13.2 & f.59.8 \\ 85130 & 14^{\circ} & 50 & 11238 & f.13.2 & f.59.8 \\ 85130 & 14^{\circ} & 50 & 11338 & f.15.75 & f.11.38 \\ 85131 & 14^{\circ} & 50 & 11338 & f.15.75 & f.11.8 \\ 85132 & 14^{\circ} & 50 & 11338 & f.15.75 & f.11.8 \\ 85130 & 14^{\circ} & 50 & 11338 & f.51.6 $		BS231 2 ^{5/8} " 25 -1231J £33.39 £25.04	
$ \begin{array}{c} 85043 3^{12}_{2} & 25 & 10437 & f31.95 & f22.96 \\ 85043 3^{42}_{2} & 25 & 10437 & f22.97 & f22.48 \\ 85047 4^{42}_{2} & 25 & 10437 & f22.97 & f22.48 \\ 85047 4^{42}_{2} & 25 & 10437 & f22.97 & f22.48 \\ 85047 4^{42}_{2} & 25 & 10437 & f22.97 & f22.48 \\ 85047 4^{42}_{2} & 100 & 1108 & f2.70 & f22.02 \\ 85108 4^{42}_{4} & 100 & 1108 & f2.70 & f22.02 \\ 85108 4^{42}_{4} & 100 & 1108 & f2.70 & f22.02 \\ 85130 3^{44}_{4} & 25 & 12437 & f47.18 & f20.33 \\ 85237 3^{48}_{4} & 25 & 12338 & f27.18 & f20.38 \\ 85233 3^{42}_{4} & 25 & 12338 & f27.18 & f20.38 \\ 85233 3^{42}_{4} & 25 & 12338 & f27.18 & f20.38 \\ 85233 3^{42}_{4} & 25 & 12338 & f27.18 & f20.38 \\ 85233 3^{42}_{4} & 25 & 12407 & f47.17 & f35.33 \\ 85242 4^{42}_{4} & 10 & 11348 & f40.92 & f11.78 \\ 85242 4^{42}_{4} & 25 & 12407 & f47.17 & f35.33 \\ 85242 4^{42}_{4} & 25 & 12407 & f47.17 & f35.33 \\ 85242 4^{42}_{4} & 10 & 1138 & f43.28 \\ 85242 4^{42}_{4} & 25 & 12407 & f47.16 & f35.37 \\ 85242 4^{42}_{4} & 10 & 1138 & f43.28 \\ 85145 4^{44}_{56} & 10 & 11188 & f43.6 & f338 \\ 85145 4^{44}_{56} & 10 & 11188 & f43.6 & f338 \\ 85145 4^{44}_{56} & 10 & 11128 & f43.2 & f23.6 \\ 85120 1^{44}_{56} & 50 & 11224 & f10.8 & f4.72 \\ 85133 1^{44}_{56} & 50 & 11224 & f10.8 & f7.56 \\ 85122 1^{44}_{56} & 50 & 11224 & f10.8 & f7.56 \\ 85122 1^{44}_{56} & 50 & 11224 & f10.8 & f7.56 \\ 85122 1^{44}_{56} & 50 & 11224 & f10.8 & f7.56 \\ 85122 1^{44}_{56} & 50 & 11224 & f10.4 & f20.58 \\ 85130 2^{44}_{56} & 50 & 11224 & f13.44 & f9.86 \\ 85130 1^{44}_{56} & 50 & 11234 & f10.98 & f2.56 \\ 85130 1^{44}_{56} & 50 & 11324 & f10.44 & f20.58 \\ 85130 1^{44}_{56} & 50 & 11324 & f15.75 & f11.81 \\ 85132 1^{44}_{56} & 50 & 11324 & f15.75 & f11.81 \\ 85132 1^{44}_{56} & 50 & 11334 & f15.75 & f11.81 \\ 85132 1^{44}_{56} & 50 & 11334 & f15.75 & f11.81 \\ 85132 1^{44}_{56} & 50 & 11334 & f15.75 & f11.81 \\ 85132 2^{44}_{56} & 50 & 11334 & f15.75 & f11.81 \\ 85132 2^{44}_{56} & 50 & 11334 & f15.75 & f11.81 \\ 85132 2^{44}_{56} & 50 & 11334 & f15.75 & f11.81 \\ 85132 2^{44}_{56} & 50 & 11334 & f15.75 & f11.81 \\ 85132 2^{44$			
$ \begin{array}{c} \text{BS044} & 3^{4}_{4} & 25 & -10478 & 122.48 \\ \text{BS044} & 4^{4}_{2} & 25 & -10478 & 122.48 \\ \text{BS108} & 4^{4}_{4} & 100 & -1108 & f2.70 & f2.02 \\ \text{BS109} & 4^{4}_{4} & 100 & -1108 & f2.70 & f2.02 \\ \text{BS109} & 5^{4}_{6} & 100 & -1108 & f2.70 & f2.02 \\ \text{BS109} & 5^{4}_{6} & 100 & -1108 & f2.23 & f1.23 \\ \text{BS110} & 3^{4}_{6} & 100 & -1110 & f3.06 & f2.29 \\ \text{BS112} & 4^{4}_{6} & 100 & -11110 & f3.42 & f2.56 \\ \text{BS112} & 4^{4}_{6} & 100 & -11128 & f4.41 & f3.31 \\ \text{BS114} & 5^{4}_{6} & 100 & -11128 & f4.41 & f3.31 \\ \text{BS114} & 5^{4}_{6} & 100 & -11138 & f4.50 & f3.38 \\ \text{BS116} & 4^{4}_{6} & 100 & -11138 & f4.41 & f3.31 \\ \text{BS117} & 1^{4}_{6} & 100 & -11138 & f4.41 & f3.31 \\ \text{BS117} & 1^{4}_{6} & 100 & -11138 & f4.41 & f3.31 \\ \text{BS117} & 1^{4}_{6} & 100 & -11138 & f4.41 & f3.31 \\ \text{BS117} & 1^{4}_{6} & 50 & -11138 & f4.50 & f3.38 \\ \text{BS120} & 1^{*} & 100 & -1120X & f7.56 & f5.67 \\ \text{BS122} & 1^{4}_{6} & 50 & -1122X & f7.56 & f5.67 \\ \text{BS122} & 1^{4}_{6} & 50 & -11226 & f11.7.9 & f8.84 \\ \text{BS126} & 1^{4}_{6} & 50 & -11226 & f11.7.9 & f8.84 \\ \text{BS126} & 1^{4}_{6} & 50 & -11226 & f11.7.9 & f8.84 \\ \text{BS126} & 1^{4}_{6} & 50 & -11226 & f11.7.9 & f8.84 \\ \text{BS126} & 1^{4}_{6} & 50 & -11226 & f11.7.9 & f8.84 \\ \text{BS126} & 1^{4}_{6} & 50 & -11226 & f11.7.9 & f8.84 \\ \text{BS126} & 1^{4}_{6} & 50 & -11286 & f11.44 & f5.08 \\ \text{BS130} & 1^{4}_{6} & 50 & -11286 & f11.44 & f5.08 \\ \text{BS130} & 1^{4}_{6} & 50 & -11334 & f10.62 & f7.56 \\ \text{BS131} & 1^{4}_{6} & 50 & -11334 & f10.575 & f11.81 \\ \text{BS132} & 1^{4}_{6} & 50 & -11334 & f15.75 & f11.81 \\ \text{BS132} & 1^{4}_{6} & 50 & -11334 & f15.75 & f11.81 \\ \text{BS132} & 1^{4}_{6} & 50 & -11334 & f15.75 & f11.81 \\ \text{BS133} & 1^{4}_{6} & 50 & -11334 & f15.75 & f11.81 \\ \text{BS133} & 1^{4}_{6} & 50 & -11338 & f15.57 & f11.81 \\ \text{BS133} & 1^{4}_{6} & 50 & -11338 & f15.57 & f11.81 \\ \text{BS133} & 1^{4}_{6} & 50 & -11338 & f15.57 & f11.81 \\ \text{BS133} & 1^{4}_{6} & 50 & -11338 & f15.67 & f1.68 \\ \text{BS136} & -11398 & f21.06 & 615.79 \\ \text{BS146} & -2244 & 50 & -11338 & f12.68 & f1.76 \\ \text{BS147} & 1^{4}_{$			
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			
$ \begin{array}{c} \begin{array}{c} \begin{array}{c} 83109 & 5_{48}^{\circ} & 100 & 1109 k & f2.43 & f1.82 \\ \hline 82310 & 38_{4}^{\circ} & 100 & 1110 k & f3.06 & f2.29 \\ \hline 83111 & 74_{6}^{\circ} & 100 & 1111 k & f3.42 & f2.56 \\ \hline 85112 & 4_{2}^{\circ} & 100 & 1112 N & f4.32 & f3.24 \\ \hline 85113 & 9_{4}^{\circ} & 100 & 1113 F & f4.41 & f3.31 \\ \hline 85114 & 9_{6}^{\circ} & 100 & 1113 F & f4.41 & f3.31 \\ \hline 85114 & 9_{6}^{\circ} & 100 & 1113 F & f4.45 & f3.38 \\ \hline 85116 & 4_{4}^{\circ} & 100 & 1113 F & f4.45 & f3.31 \\ \hline 85117 & 14_{6}^{\circ} & 100 & 1113 F & f4.45 & f3.38 \\ \hline 85117 & 14_{6}^{\circ} & 100 & 1113 F & f4.45 & f3.38 \\ \hline 85116 & 14_{6}^{\circ} & 100 & 1113 F & f4.45 & f3.38 \\ \hline 85116 & 14_{6}^{\circ} & 100 & 1113 F & f4.45 & f3.38 \\ \hline 85116 & 14_{6}^{\circ} & 100 & 1113 F & f4.45 & f3.38 \\ \hline 85116 & 14_{6}^{\circ} & 100 & 1113 F & f4.45 & f3.38 \\ \hline 85117 & 14_{6}^{\circ} & 100 & 1113 F & f4.45 & f3.38 \\ \hline 85120 & 1^{\circ} & 10 & 11120 & f7.56 & f5.67 \\ \hline 85122 & 14_{6}^{\circ} & 50 & 11228 & f1.0.79 & f3.82 \\ \hline 85122 & 14_{6}^{\circ} & 50 & 11228 & f1.0.79 & f3.82 \\ \hline 85128 & 14_{6}^{\circ} & 50 & 11228 & f1.1.79 & f8.84 \\ \hline 85126 & 14_{6}^{\circ} & 50 & 11228 & f1.1.79 & f8.84 \\ \hline 85126 & 14_{6}^{\circ} & 50 & 11228 & f1.1.79 & f8.84 \\ \hline 85130 & 16_{6}^{\circ} & 50 & 11238 & f1.5.05 & f1.127 \\ \hline 85133 & 14_{6}^{\circ} & 50 & 11238 & f1.5.05 & f1.127 \\ \hline 85133 & 14_{6}^{\circ} & 50 & 11331 & f1.5.75 & f1.181 \\ \hline 85132 & 14_{6}^{\circ} & 50 & 11331 & f1.5.75 & f1.181 \\ \hline 85132 & 14_{6}^{\circ} & 50 & 11331 & f1.5.75 & f1.181 \\ \hline 85132 & 14_{6}^{\circ} & 50 & 11331 & f1.5.75 & f1.181 \\ \hline 85133 & 14_{6}^{\circ} & 50 & 11331 & f1.5.75 & f1.181 \\ \hline 85133 & 14_{6}^{\circ} & 50 & 11331 & f1.5.75 & f1.181 \\ \hline 85133 & 14_{6}^{\circ} & 50 & 11331 & f1.5.75 & f1.181 \\ \hline 85133 & 14_{6}^{\circ} & 50 & 11331 & f1.5.75 & f1.181 \\ \hline 85133 & 14_{6}^{\circ} & 50 & 11331 & f1.5.75 & f1.181 \\ \hline 85133 & 24_{6}^{\circ} & 50 & 11331 & f1.5.75 & f1.181 \\ \hline 85133 & 24_{6}^{\circ} & 50 & 11331 & f1.5.75 & f1.181 \\ \hline 85133 & 24_{6}^{\circ} & 50 & 11331 & f1.5.75 & f1.181 \\ \hline 85133 & 24_{6}^{\circ} & 50 & 11331 & f1.5.75 & f1.181 \\ \hline 85133 & 24_{6}^{\circ} & 50 & 11330 & f1.5.76 & f1.181 \\ \hline 85133 & 24_{6}^{\circ} & 50 & $			
$\begin{array}{c c c c c c c c c c c c c c c c c c c $			
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	BS110 3/8" 100 -1110L £3.06 £2.29		
$\begin{array}{c c c c c c c c c c c c c c c c c c c $			
BS114 5%" 100 +11140 f5.31 f3.98 BS115 14/16" 100 +1115R f4.50 f3.38 BS116 34" 100 +1115R f4.50 f3.38 BS116 34" 100 +1115R f4.50 f3.38 BS117 13/86" 100 +1117T f6.30 f4.72 BS113 76" 100 +1119W f6.48 f4.89 BS120 1" 100 +1122X f5.56 f6.41 BS122 14/46" 50 +1122Z f5.72 f7.26 BS123 14/46" 50 +1122Z f5.72 f7.26 BS124 14/4" 50 +1128E f13.02 f7.56 BS125 14/4" 50 +1128E f13.14 f5.86 BS130 15%"6 0 +1128E f13.14 f5.86 BS133 14/4" 50 +113.31 f15.75 f11.84 BS132 14/4" 50 +113.81 f15.79 f11.84 f5.76			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		'O' Ring Service Kits	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		Kits supplied in blow	
BS118 $\frac{7}{6}^{n}$ 100 $\frac{1118V}{16,6^{n}}$ 100 $\frac{1118V}{16.48}$ $\frac{f5.85}{64.39}$ BS120 1" 100 $\frac{1119W}{64.86}$ $\frac{f4.86}{64.86}$ BS120 1" 100 $\frac{11120X}{1120X}$ $\frac{f7.56}{56.67}$ BS121 $\frac{14}{6}^{n}$ 50 $\frac{11222}{100}$ $\frac{f9.72}{57.29}$ BS123 $\frac{14}{6}^{n}$ 50 $\frac{11222}{1125}$ $\frac{f1.179}{61.179}$ $\frac{f8.84}{64.86}$ BS126 $\frac{14}{6}^{n}$ 50 $\frac{11225}{1125}$ $\frac{f1.179}{61.179}$ $\frac{f8.84}{64.86}$ BS126 $\frac{14}{6}^{n}$ 50 $\frac{11226}{1125}$ $\frac{f1.179}{61.179}$ $\frac{f8.84}{64.86}$ BS126 $\frac{14}{6}^{n}$ 50 $\frac{11225}{1125}$ $\frac{f1.1.79}{61.13}$ $\frac{f8.84}{51.25}$ $\frac{f1.3.14}{51.32}$ $\frac{f1.3.14}{59.86}$ BS123 $\frac{14}{6}^{n}$ 50 $\frac{1122F}{113.14}$ $\frac{f1.86}{51.81}$ BS130 $\frac{14}{6}^{n}$ 50 $\frac{1130H}{1120H}$ $\frac{f1.4.04}{f1.053}$ BS131 $\frac{14}{14}^{n}^{e}$ 50 $\frac{1131L}{1131}$ $\frac{f1.6.75}{f1.81}$ BS133 $\frac{14}{3}^{14}^{n}$ 50 $\frac{1133L}{115.75}$ $\frac{f1.81}{f1.81}$ BS133 $\frac{14}{54}^{n}^{e}$ 50 $\frac{1133V}{1131}$ $\frac{f1.5.75}{f1.81}$ BS133 $\frac{12}{4}^{n}^{e}$ 50 $\frac{1139}{f1.39}$ $\frac{f21.06}{f1.5.79}$ BS139 $\frac{24}{6}^{n}$ 50 $\frac{1139}{f21.06}$ $\frac{f1.5.79}{f21.06}$ $\frac{f1.5.79}{f21.06}$ $\frac{f1.6.81}{f1.6.81}$		moulded storage cases	the second se
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		with sunken cavities for	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	BS119 ^{15/} 16" 100 -1119W £6.48 £4.86		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	BS121 1416 100 -1121Y £8.55 £6.41 BS122 11/2" 50 -11227 £9.72 £7.29		99999888
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	BS123 1 ³ / ₁₆ " 50 - 1123A £10.08 £7.56		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	BS124 1 ^{1/4} " 50 -1124B £10.62 £7.96		A A 4
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{\text{BS125 } 15'_{16}" 50 - 1125C \pounds 11.79 \pounds 8.84}{11000}$	BS1806.	3 3 8 8 B
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	BS120 1% 50 -11260 ±10.98 ±8.23 BS127 17/16" 50 -1127F £13.32 £9.99		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			8 B B B B B
BS132 1 ³ 4" 50 -1132K £15.03 £11.27 BS133 1 ¹³ 46" 50 -1133L £15.75 £11.81 BS135 1 ¹⁵ / ₁₆ " 50 -1135N £19.53 £14.65 BS137 2 ¹ / ₁₆ " 50 -1137O £21.06 £15.79 BS139 2 ³ / ₁₆ " 50 -1139S £21.06 £15.79 BS140 2 ¹ / ₄ " 50 -1140T £24 1 £16.81	BS130 15/8" 50 -1130H £14.04 £10.53		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	BS131 1 ¹¹ / ₁₆ " 50 -1131 £14.85 £11.14		8 8 8 8
BS135 1 ¹⁵ / ₁₆ " 50 -1135N £19.53 £14.65 BS137 2 ¹ / ₁₆ " 50 -11370 £21.06 £15.79 BS139 2 ³ / ₁₆ " 50 -1139S £21.06 £15.79 BS140 2 ¹ / ₄ " 50 -1140T £24.1 £16.81	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	BS135 1 ¹⁵ / ₁₆ " 50 -1135N £19.53 £14.65		
BS139 2 ³ / ₁₆ " 50 -1139S £21.06 £15.79 BS140 2 ¹ / ₄ " 50 -1140T £22.41 £16.81	BS137 2 ^{1/} ₁₆ " 50 -11370 £21.06 £15.79		
BS141 25/16" 50 -11401 £22.41 £10.81 BS141 25/16" 50 -1141V £19.98 £14.98 Product Type/Number Order Code List Offer	BS139 2 ^{3/} 16" 50 -1139S £21.06 £15.79		- FULL
DOL 12 210 00 LETTER 20100 DELOG Number of Diagon DEM 700 Drias (4	BS140 244 OU -11401 ±22.41 ±16.81 BS141 25/16" 50 -1141V f10 08 f1/ 09	Product Type/Number Order Code List Offer	Adden and a second second
BS142 2% 50 -1142W ±22.23 ±16.67 Number of Pieces DTW-726 Price/1 Price/1	BS142 23% 50 -1142W £22.23 £16.67	Number of Pieces DTM-726 Price/1 Price/1	and the second se
BS143 2 ^{7/} 16" 50 -1143X £25.65 £19.24 OR1 Inch/401 -9991B £17.78 £14.22	BS143 2 ^{7/} 16" 50 -1143X £25.65 £19.24	OR1 Inch/401 -9991B £17.78 £14.22	
BS144 2 ¹ / ₂ " 50 -1144Y £24.93 £18.70 OR2 Metric/433 -9992C £17.78 £14.22	B5144 2 ^{1/2"} 50 -1144Y £24.93 £18.70	OR2 Metric/433 -9992C £17.78 £14.22	

NEW

Product	Type/Number	Order Code DTM-726	List	Offer
Number	of Pieces		Price/1	Price/1
OR1 OR2	Inch/401 Metric/433	-9991B -9992C		

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

British Metric 'O' Rings

NBR70 Rubber 'O' Rings

The most common and simplest types of seal with excellent sealing properties and durability. Used in engines and gearboxes, also found in anything from shower heads to an aircraft, garden hoses and pumps etc., They can be used as face to face gasket style seals or as shaft seals and allow both rotary and linear movement.

They have a 70 Shore hardness and an operating temperature range of -30°C to +120°C. Highly resistant to many chemicals, petroleum, diesel, LPG etc. All sizes to **BS4518**.

Many other sizes and materials in stock.

A full range of other sizes are also available. Please ask for details. Product Dia. x Section Order Code List Offer

Number	(mm)	DTM-726	Price/1	Price/1
RM0041-16NBR70	4.1 x 1.6	-7010C	£3.60	£2.70
RM0081-16NBR70	8.1 x 1.6	-7032C	£3.78	£2.83
RM0091-16NBR70	9.1 x 1.6	-7038C	£3.78	£2.83
RM0111-16NBR70	11.1 x 1.6	-7050C	£3.06	£2.29
RM0351-16NBR70	35.1 x 1.6	-7164C	£15.75	£11.81
RM0063-24NBR70	6.3 x 2.4	-7022F	£3.78	£2.83
RM0116-24NBR70	11.6 x 2.4	-7054F	£6.12	£4.59
RM0156-24NBR70	15.6 x 2.4	-7080F	£4.95	£3.71
RM0176-24NBR70	17.6 x 2.4	-7092F	£7.02	£5.26
RM0295-30NBR70	29.5 x 3	-7146J	£19.35	£14.51
RM0395-30NBR70	39.5 x 3	-7184J	£35.73	£26.80
RM0745-30NBR70	74.5 x 3	-7280J	£35.73	£26.80
RM0845-30NBR70	84.5 x 3	-7290J	£43.74	£32.80
RM0895-30NBR70	89.5 x 3	-7294J	£39.51	£29.63
RM0945-30NBR70	94.5 x 3	-7298J	£69.39	£52.04
RM1145-30NBR70	114.5 x 3	-7334J	£88.74	£66.56
RM1245-30NBR70	124.5 x 3	-7350J	£20.16	£15.12
RM2295-30NBR70	229.5 x 3	-7566J	£249.12	£186.84
RM1093-57NBR70	109.3 x 5.7	-7322M	£117.00	£87.75
RM1143-57NBR70	114.3 x 5.7	-7330M	£128.25	£96.19

Quad Ring Selection Kits



Quad rings - provide lower friction and eliminate the tendency of standard 'O' rings to 'roll' in the groove. Can also be used on slow rotational applications. Kit contains a selection of the most popular 30 sizes of Quad rings (X-Rings). Ideal for repair or maintenance use.



LOCTITE '0' Ring Splicing Kits



Saves the need for complete disassembly. Eliminates the need for an inventory of different sized 'O' rings. Joints resist water/oil and are as strong as the rubber itself.

Kit contains: seven standard diameter sizes of nitrile cord in 1200mm lengths, splicing jig, safety knife and Loctite[®] 406 instant adhesive (one or two bottles).



Bottles	Cord Diameter	Order Code	List	Offer
Included	Range	LOC-725	Price/1	Price/1
1x 20ml	1.6 to 8.4mm	-5815R	£49.14	£38.33
2x 20ml		-5816S	£72.64	£56.66

Cordbox 'O' Ring Splicing Kits

Each kit is supplied in a fitted and highly durable blow moulded case. Includes a cutting and gluing jig, retractable snap-off safety knife, 3m/10ft tape measure, one bottle of instant adhesive and all popular and metric and inch sizes from 1.78 - 8mm in two metre lengths.

If further instant adhesive is required, we recommend the use of Loctite 406 Rapid cure adhesive for

rubber - see page 1242 of this catalogue.

Nitrile Rubber (NBR): For most applications. Operating range -30°C to +120°C.

Viton Rubber: For high temperature applications and where greater tolerance to fuel oils is required. Operating range -20°C to +200°C.

Cord

Type Nitrile



£100.00

£79.99

Page 1251

Viton -9994E 'O' Ring Measuring Gauge

Used to identify **British Standard Imperial (BS1806)** 'O' Rings, this very simple to use gauge is invaluable in the workplace.

=	000	0 0 0	0	100
Product Number	Size Range	Order Code DTM-726	List Price/1	Offer Price/1
'0'-Ring Gauge	BS001 to BS455	-9950E	£68.85	£51.64

GROUP 26 **SHAFT SEALS & GLAND PACKING Rotary Shaft Seals** TAN

Rotary Shaft Seals are used in a wide range of applications and are excellent for sealing high speed rotating shafts. We offer a complete range of metric and inch sizes with various sealing lip styles and materials. Used in conjunction with the shaft repair kits can improve the overall sealing efficiency of the application.



Packing Extractors

NEW With hardened and tempered steel screws, designed to give maximum penetration into gland material and flexible shafts for removal of packing of any size, even in difficult positions. Type 'TRACC' have and integral tip corkscrew tip, type 'TRACR' have replaceable tips for extended life.

Type TRACC - Integral Tip

Packing Product Order Code Offer List VCT-726 Price/1 Number Size Price/1 ³/₁₆" - ¹/₄" ⁵/₁₆" - ³/₈" ⁷/₁₆" - ⁵/₈" TRACC-1 -4101B £6.21 £5.90 £6.48 £6.16 TRACC-2 -4102C TRACC-3 -4103D £7.73 £7.34 ³/₄" + TRACC-4 ^{3/}4" + TRACC-SET Set of 4 (as above) 4104E £9.67 £9.19 -4100A £30.21 £28.70

Type TRACR - Replaceable Tip



Product	Packing	Order Code	List	Offer
Number	Size	VCT-726	Price/1	Price/1
TRACR-1	^{3/} 16" - ^{1/} 4"	-4141V	£10.06	£9.56
TRACR-2	^{5/} 16" - ^{3/} 8"	-4142W	£11.13	£10.57
TRACR-3	^{7/} 16" - ^{5/} 8"	-4143X	£13.47	£12.80
TRACR-4	^{3/} 4" +	-4144Y	£15.44	£14.67
TRACR-SET	Set of 4 (as above)	-4140T	£50.20	£47.69

Replaceable Tips (for Type TRACR) Product Offer Order Code Number VCT-726 Price/1 TRACR - Tip 1 -7001B £4.22 TRACR - Tip 2 £4.80 -7002C TRACR - Tip 3 -7003D £5.90 TRACR - Tip 4 -7004E £6.97

Shaft Repair Sleeves

Quickly and economically repair grooved and worn shafts for rotary oil seals. Fitting new seals on already worn shafts can result in repeat replacement of the seals. Grooving wear on a shaft can

require expensive re-machining or even result in the shart having to be replaced. Repair sleeves are simply pushed over the wom running surface. No special equipment is required - a standard depth installation tool is supplied with the sleeve. A mallet and a pair of pliers are all that are required for the repair job. The surface is machined without directionality, wear resistant often a better finish than that of the original shaft.						
Product Number	Shaft Size	Width on shaft	Order Code CTL-726	List Price/1	Offer Price/1	
				/	· · · · · · · · · · · · · · · · · · ·	
99078	20mm	8mm	-9907J	£17.50	£13.12	
99098	25mm	8mm	-9909J	£20.00	£15.00	
99114	30mm	8mm	-9911E	£20.00	£15.00	
99139	35mm	13mm	-9913K	£20.00	£15.00	
99153	40mm	9.9mm	-9915D	£21.25	£15.94	

Pan Fibre Gland Packing

45mm

50mm

Type VT2

99177

99196

VT2 is braided from pure Poly Acrylic Nitrile (PAN) impregnated with PTFE, further treated with special lubricants. Gives enhanced performance without shaft wear problems or high costs of traditional synthetic fibre packing. Extended life even at high shaft speeds and pressures within a wide pH and temperature range. Applications: pumps, valves, mixers, reactor vessels and reciprocating applications. Resistant to general chemicals, solvents, oils, water and

-9917H

-9919G

£22.50

£25.00

£16.88

£18.75

NEV

14mm

14mm

steam. For use in arduous conditions in process applications where alternative packing causes excessive wear or require frequent maintenance and replacement. Does not contaminate or stain - suitable for use in the food, water and paper industries. **Operational limits** Pressure rating: 100bar.

Rotary speed: 18m/s. Temperature: -40°C +250°C. pH range: 2 - 14. Roll length: 8m.

Non lengui. On t	•		1000	
Product Number	Section	Order Code VCN-726	List Price/1	Offer Price/1
VT2.1/4	1/4"	-8500C	£28.44	£27.02
VT2.5/16	^{5/} 16"	-8500D	£43.08	£40.93
VT2.3/8	3/8"	-8500E	£53.88	£51.19
VT2.1/2	1/2"	-8500G	£93.55	£88.87
VT2. ^{3/8}	^{3/} 8"	-8500J	£130.33	£123.81
VT2.3/4	3/4"	-8500K	£178.64	£169.71

Type VG2

Composite construction of PAN fibres combined with pure carbon fibres. Self-lubricating with superior packing properties - enhanced by graphite impregnation and high temperature lubricants, practically eliminates shaft scoring. Conformable packing, with a square, interbraid, lattice construction, improves sealing with less gland pressure. Applications: Suitable for most plant applications and able to replace and outperform traditional graphited asbestos, glass fibre and natural fibre packing. Suitable for use against

oils, water, steam, solvents and general chemicals. **Operational limits** Pressure rating: 80bar. Rotary speed: 10m/s. Temperature: -50°C + 250°C. pH range: 4 12. Roll length: 8m.

			and the second sec	
Product Number	Section	Order Code VCN-726	List Price/1	Offer Price/1
VG2.1/4	1/4"	-8350C	£21.47	£20.40
VG2.5/16	^{5/} 16"	-8350D	£29.03	£27.58
VG2.3/8	3/8"	-8350E	£32.86	£31.22
VG2.1/2	1/2"	-8350G	£57.42	£54.55
VG2.5/8	5/8"	-8350J	£80.46	£76.44
VG2.3/4	3/4"	-8350L	£112.48	£106.86



Page 1252

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES



Citrus-Based Solvent Degreaser

Just Orange is a safe but powerful, citrus-based solvent degreaser. For the cleaning and degreasing of engineering components and equipment. Safely removes heavy oils, greases, bitumen, wet paints, adhesives and sealants from virtually all hard surfaces. Non-toxic, contains no CFCs. Reduced VOC. Inflammable. Non-hazardous for waste disposal. Can be used as a safer, environmentally friendly alternative to hazardous solvents such as acetone, benzene, butyl cellusolve, CFCs, freon, glycol

ethers, HCFCs, isopropyl alcohol methyl ethyl, ketone, mineral spirits, toluene. trichloroethylene, xylene etc.

Oranae Plus

Citrus-Based Water Rinseable Degreaser Orange Plus is a safe but powerful, citrus-based solvent degreaser. For the cleaning and degreasing of engineering components and NGE SO equipment. Safely removes heavy oils, greases, bitumen, wet paints, adhesives and sealants from all metals, including plant and machinery, and some plastics. Non-toxic, contains no CFCs. Reduced VOC. Nonflammable. INDUSTRIAL Non-hazardous for waste disposal. Can be STRENGTH used as a safer. environmentally friendly alternative to hazardous solvents such as Xylene, Toluene, Acetone etc.

SOLVENT DEGREASERS

Aqueous Orange

NATURAI

FORMUL

Citrus-Based Aqueous Cleaner Aqueous Orange is a highly concentrated citrus-based blend



remove oils, greases etc from many hard surfaces. Designed to replace hazardous solvents such as white spirit and paraffin. It can be diluted with water for maximum economy and its micro-emulsion formula offers the benefits of both water-based economy with solvent based efficiency. Contains biodegradable surfactants which enable it to break down naturally after disposal. Non-toxic, contains no CFCs. Negligible VOC. Non-flammable. Nonhazardous for easy waste disposal. Can be used as a safer, environmentally friendly alternative.



Size	Order Code SOL-727	List Price/1	Offer Price/1
1ltr	-2800A	£9.40	£7.71
5ltr	-2810B	£26.04	£21.35
20ltr	-2820C	£104.75	£85.89

Swarfega® Jizer Bio deb Solvent Degreaser

Powerful water-based degreasing formulation that removes heavy grease and

oil from machines components and floors. Can be used on a variety of surfaces.



Size	Order Code	List	Offer
	DEB-710	Price/1	Price/1
5ltr Bottle	-1128J	£20.56	£16.86
25ltr Drum	-1128M	£83.06	£68.11



Size	Order Code SOL-727	List Price/1	Offer Price/1
5ltr	-2910B	£31.37	£25.72
20ltr	-2920C	£113.00	£92.66

Swarfega® Jizer Soluble Degreaser

A high performance and economical parts degreaser with a powerful blend of aliphatic and aromatic hydrocarbons to cut through all oil based oilings.

wartega

Contains emulsifiers so that it can be completely rinsed off with water.



Size	Order Code DEB-710		Offer Price/1
00ml Aerosol	-1120A	£5.13	£4.21
50ml Screwtop	-1121T	£5.25	£4.30
5ltr Tin	-1123D	£17.56	£14.40
25ltr Drum	-1124E	£70.70	£57.97
100ltr Barrel	- 1126G	£291.77	£239.25
200ltr Barrel	-1127H	£519.47	£425.97



Size	Order Code SOL-727	List Price/1	Offer Price/1
5ltr	-2610B	£27.87	£22.85
20ltr	-2620C	£99.95	£81.96

LOCTITE Natural Blue Degreaser 7840

This biodegradable cleaner and degreaser is great for removing grease, oil cutting fluids and workshop grime. It is biodegradable, solvent- free, non-toxic and non-flammable. Diluted with water it removes grease, oil, cutting fluids and

workshop grime. Ideal for use in the metal working industry, Workshops. machines, floors, store rooms, staff areas.



Blue

m

CLEANING BATHS OLENT Degreasing Station/ MAINTENANCE Parts Washer MAINTENANCE

Air operated, strong and durable mild steel degreasing station. Ideal for use as a soaking bath and air agitation facility aids the degreasing process by removing heaviest oil and grime from small parts. Also comes with a flow through brush to deal with caked on grime. Designed to sit on 100L barrel.

Dimensions:

Length: 760mm (30"). Width: 510mm (20"). Height: 200mm (8"). Weight: 20.8kg. Working height: When on 100L drum = 890mm (35"). Solvent delivery: Flow through brush. **General:** Powder coated bowl and galvanised splashback sheet. Tray is mild steel.

Tray

Material

Mild Steel Mild Steel



Offer Price/1

£471.50

£471.50

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

List

Price/1

£575.00 £575.00

Ultrawave ^{Ultrasonic} Micro-Cleaning Bath

The ultrawave U100H ultrasonic bath is a heated, analogue controlled bench-top ultrasonic cleaner for use in medical, healthcare, veterinary, dental and many other applications.

Specifications:

Capacity: 1.5ltr. **Temperature:** heated 0 - 70°C. **Tank dimensions:** 150 x 140 x 100mm. Internal basket dimensions: 120 x 96 x 56mm. Power: 35W.



Ultrawave Q-Series Ultrasonic Bench-Top Cleaning Baths

Voltage

110V Parts Washer

240V Parts Washer

The Q-Series from Ultrawave combines new technology with ease of operation and a modern design to re-invent ultrasonic cleaning. Medical, laboratory and other industry professionals can now command excellent, repeatable and traceable cleaning results from the Q-Series of ultrasonic bench-top cleaners.

Order Code SOL-727

-5110A

-5240A

- · Reduced dead spots and minimal standing waves increase ultrasonic activity.
- More homogeneous cavitational activity throughout the tank means a more consistent cleaning action.
- Improved instrument and component cleaning cycle after cycle.
- · Faster, more effective cleaning results.

All this means consistently cleaner instruments in a quicker cycle time.

Q-Series models are supplied with the following features as standard:

- Basket and lid/drip tray.
- Digital control panel.
- . Heated 0 - 80°C.
- Frequency leap technology. .
- Timer (0 99 mins).
- Drain outlet.
- SD card slot for digital validation.





Control Pad and SD Card Slot

Model Number	Working Capacity (Litres)	Tank Dimensions (mm)	Approx Weight	Ultrasonic Power	Order Code ULT-790	Offer Price/1
QS3	2.5	240 x 140 x 100	4.5kg	50 Watts	-7030C	£655.00
QS4	3.75	240 x 140 x 150	5kg	50 Watts	-7040D	£755.00
QS5	4.5	300 x 150 x 150	5.5kg	100 Watts	-7050E	£825.00
QS10	9.5	500 x 140 x 150	7kg	200 Watts	-7100F	£1095.00
QS12	12.5	295 x 245 x 200	10kg	200 Watts	-7120G	£1255.00
0S18	17.5	330 x 300 x 200	15kg	300 Watts	-7180H	£1395.00
QS25	25.0	500 x 300 x 200	17kg	400 Watts	-7250K	£1695.00
Page	254	CO	NTRA	CT PRICES	S AVAI	



QS 3

CLEANING BATHS

Parts Washer -**Bench Standina**

Used in garage, workshop and industrial applications for degreasing components for inspection and prior to assembly. Recirculated cleaning fluid is filtered before entering the pump and being directed over the work piece. Flexible chrome finish metal delivery hose. Heavy duty non-welded one piece tank. Fully enclosed electric nylon pump. Self-latching fusible linked lid closes in the event of a fire. Triple baked enamel finish. Accepts all common degreasing agents. Shelf keeps parts out of solvent during inspection and drying. Immersion soaking when the parts shelf is removed. Fitted with a 3 pin moulded plug and a 1.6m power cable. Minimum agent capacity 9ltr. Maximum agent capacity 13ltr. Rubber feet. 240V.

CRAWNER STORY

KENNED

Overall size (L x W x H): 470 x 340 x 250mm. Tank size (L x W x H): 400 x 310 x 230mm. Power rating: 25W. Voltage: 240V. Rated input: 0.3A. Net weight: 6.5kg.



Model	Weight	Order Code	List	Offer
Number	each	KEN-503	Price/1	Price/1
PWB013	7.60kg	-8600K	£90.53	£56.13

KENNED

Parts Washer - Floor Standing

Used in garage, workshop and industrial applications for degreasing components for inspection and prior to assembly. Recirculated cleaning fluid is filtered before entering the pump and being directed over the work piece. Flexible chrome finish metal delivery hose. Heavy duty non-welded one piece tank. Fully enclosed electric nylon pump. Selflatching fusible linked lid closes in the event of a fire. Triple baked enamel finish. Accepts all common degreasing agents. Shelf keeps parts out of solvent during inspection and drying. Immersion soaking when the parts shelf is removed. Fitted with a 3 pin moulded plug and a 1.6m power cable. Minimum agent capacity 40ltr. Maximum agent capacity 50ltr. Fitted with a drain plug for easy maintenance. Removable parts basket. Built in replaceable filter. Spare filter included.

Overall size (L x W x H): 800 x 550 x 890mm. Tank size (L x W x H): 725 x 490 x 270mm. Height of working area: 750mm. Power rating: 25W. Voltage: 240V. Rated input: 0.3A. Net weight: 31kg.





Order Code KEN-567

-8640K

-8600K

-8700K

Offer

Price/1

£5.91

£3.55

£29.46











CLEANER SPRAYS



Cleaner Spray - Trike-free An effective solvent based cleaner. The product is formulated to remove oil, grease and carbon dust from electrical switch gear and electronic components. It is safe on most common plastic parts, but will attack lacquer finishes and coatings. If in doubt about suitability, trial the product on a scrap sample first before general application. The product is propelled from the aerosol by CO₂ carbon dioxide gas (non-flammable). Electrical Switch Cleaner fluid is flammable. Always ensure power is switched off before applying this product to electrical equipment.



Offer

Price/1

£6.65

List

Price/1

£7.92

Trike-free

Product Order Code List Offer SOL-732 Price/1 Price/1 Offer Size Number SC2-500C 500ml -0120K £13.05 £10.44

Electro Contact Cleaner Fast drying CFC free, cleans and degreases delicate precision mechanisms with its fast penetrating action

to remove oil, grease, dirt, flux and other contaminants. CFC free is safe on metal and plastic, is fast evaporating, does

not leave a residue and does not contain HCFCs. NSF K2

Size

300ml Aerosol

registration #059813 (aerosol).

Order Code LPS-727

-1000M

Contact Cleaner CCA500C Electrical Contact Cleaner Spray - Trike-free Suitable for cleaning and degreasing delicate ITTESAR components such as those used in electrical equipment. It can be used on most surfaces and will not effect PCBs. delicate plastics or painted surfaces. Non-corrosive. It contains only solvents which are permitted under the Montreal Protocol.

Product Number	Size	Order Code SSF-732	List Price/1	Offer Price/1
CCA500C	500ml	-3120K	£5.45	£4.25

Cleaner 3 EVO·STIK **Cleaner**/Thinner

borne adhe polychlorop a limited ex and polyure adhesives (addition). It cleaning br application with these	ner 3 is used sives based rene rubber a ttent, nitrile n thane based (up to 10-15% is also used ushes and ot equipment u adhesive typo e cleaner prio oplication.	on and, to ubber I % I for ther used es and	
Size	Order Code EVO-713	List Price/1	Offer Price/1
5ltr	-3308H	£24.53	£21.34



ZeroTri

A fast acting and fast evaporating solvent, alternative to 1,1,1 (Trichloroethane). Removes oil, grease, dirt, brake fluid, inks,

oversprayed paint etc. in seconds. Non-conduc Flammable. **USDA** appro

ptive.		CERON L
Order Code LPS-727	List Price/1	Offer Price/1
-1617V	£12.28	£10.32

0120	LPS-727	Price/1	Price/1
563ml	-1617V	£12.28	£10.32
3.78ltr	-1618E	£39.42	£33.11
18.93ltr	-1619F	£163.16	£137.05

PreSolve

Size

Natural-based cleaner. Removes adhesive, oil, grease, wax, tar and chemicals. For use on all metals and most plastics. USDA approved. Meets McDonnell-Douglas specifications.



£11.28

£9.48

ACTION CAN Trike-free Solvent

534ml

-1411N

NEW Formulated to replace trichloroethylene-based solvent cleaners. Rapid dry formula will remove oil, grease, tar, carbon and general soiling. Suitable for electrical part cleaning, electronic part cleaning and general degreasing work etc. CO₂ propellant.

Size	Order Code	List	Offer
	ACN-732	Price/1	Price/1
500ml	-9200K	£6.29	£5.03

Brake & Clutch Component Cleaner BC90

NEW A fast evaporating effective cleaner for brake components. Effective formulation for suppressing dust and debris. Kind to skin.

Order Code

ACN-732

-1500K

Size

500ml



Specially formulated to provide ultimate cleaning performance, this is the original Gunk formulation. Gunk 'Brush On' can be used for

a wide ran and degrea application	IS.		GUNK		
Product Number	Size	Order Code GNK-718	Offer Price/1		
	Aeros	sol Spray			
731	500ml	-1101G	£4.89		
Aerosol Foam					
729	500ml	-1100F	£4.99		
Brush On					
734	5ltr	-1105L	£21.27		

Superclean Safety Solvent

7061 is a non-CFC solvent based formulation for cleaning and degreasing of surfaces to be bonded with



Locule aunesives.						
Size	Order Code LOC-725	List Price/1	Offer Price/1			
400ml	-5702S	£11.43	£8.92			

7063 - Cleaner

All-purpose cleaner and degreaser. Leaves no film or residue. Ideal for preparing surfaces for lubrication, bonding or sealing.						
Size	Order Code	List	Offer			
	LOC-725	Price/1	Price/1			
400ml	-5702F	£10.89	£8.49			
10ltr	-5702K	£108.37	£84.53			
10tr-5702k£108.37£84.537070 - CleanerAll-purpose cleaner and degreaser. Leaves no film or residue. Ideal for preparing surfaces for lubrication, bonding or sealing.Image: Image: Imag						

Size	Order Code	List	Offer
	LOC-725	Price/1	Price/1
400ml	-6006M	£10.89	£8.49





CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

List

Price/1

£5.08

ambersil Electronic Cleaner

Ambertron 2

Rapid evaporation leaving no residues. Suitable for use on PCBs, electronic and electrical assemblies, tape heads, condensers, transistors, relays, precision instruments, communications equipment and business machines.



Size	Order Code	List	Offer
	AMB-701	Price/1	Price/1
400ml	-2410M	£8.17	£7.35

Amberklene L030

Powerful, fast drying, low odour cleaner/ degreaser which benefits from good

compatibility with a wide variety of materials. Ideal for use on industrial, aerospace, general engineering and precision cleaning of electronic and electrical equipment. Highly effective cleaner/degreaser. Fast evaporating, leaves surfaces clean and dry. Outstanding compatibility with plastics. Meets aerospace specification. Safe for use on metals and painted surfaces. Ultra low conductivity. Low odour, ideal for use in enclosed areas. US Federal Specification TT-N-95B. Listed in British Airways

standard practice manual.



Size	Order Code AMB-701	List Price/1	Offer Price/1
400ml	-0058D	£6.62	£5.96
5ltr	-0058V	£37.40	£33.66
25ltr	-0059E	£145.85	£131.26

Heavy-Duty Solvent - ME20

Highly effective, heavy-duty cleaner/ degreaser. Suitable for use in all industrial, aviation, automotive and engineering

applications requiring a stronger degreaser with a longer contact time. Heavy-duty cleaner for extra stubborn stains and soiling. Removes heavy deposits of oil and grease, waxes and silicones. Controlled evaporation. Leaves a clean, dry surface. Safe for use on ferrous and non-ferrous metals and some plastics. High flash point +41°C.



Product Order Code Size Number **ME20** 400ml



mersu

AMBERKLENE

ME20

AMB-701 Price/1 Price/1 -0060P £6.46 **£5.81**

Fast Drying Solvent - FE10

Powerful, fast evaporating solvent cleaner/ degreaser. Particularly suitable for use in



Non-Flammable Contact Cleaner

PRE CISION

CLEA NER

LABEL

An electrical and electronic component precision cleaner/degreaser. It is truly non-flammable solvent-based. Suitable for use where shut down of electric is impractical or impossible. Fast cleaning action removes flux traces, light oils, fingerprints and electrical contaminants. Oxide and carbon deposits may require agitation. Chlorinated hydrocarbonfree, CFC- and HCFC-free. Plastic safe. Fast evaporation rate.

Size	Order Code AMB-701	List Price/1	Offer Price/1
400ml	-0920T	£20.16	£18.14

Label Remover


For self-adhesive labels and stickers. Unique, speciality product that provides the instant answer to the problem of removing old labels and unsightly label residues from a wide

variety of surfaces. Fast and effective removal of selfadhesive paper labels. Quickly breaks down adhesive residues. Controlled evaporation enables time for solvent to penetrate label. Pleasant citrus smell. No need to scratch and scrape. Safe on most surfaces. Also an effective cleaner for the removal of some inks and dves



Order Code	List	Offer
AMB-701	Price/1	Price/1
-1133A	£5.24	£4.72

CLEANER SPRAYS Cleaner 'OLENT.





Product	Size	Order Code	List	Offer
Number		SOL-732	Price/1	Price/1
SC1-500B	500ml	-0100K	£11.37	£9.10

ACTION CAN Electronic Cleaner Plastic Safe An effective formula for removing dirt and tape oxides from audio and video recording heads. Suitable for removal of carbon deposits from photocopy equipment. Effectively absorbs moisture from electronic component PCBs. Meets the following approval BS1595, ASTMD 770, DIM53245. Order Code ACN-732 List Offer Size Price/1 Price/1 500ml -5800K £7.77 £6.22 Solvent/ Degreaser F-104° Fast Dry Excellent for cleaning grease and oil on machines and equipment. With a high flash point of 104°F (40°C), F-104°

is an excellent alternative to extremely flammable cleaners. It removes contaminants in seconds without leaving a residue. It does not contain chlorinated solvents, is safe to use on most surfaces and is non-conductive.

Size	Order Code	List	Offer
	LPS-727	Price/1	Price/1
538ml Aerosol	-1132A	£11.64	£9.78

Precision Clean

Formulated to remove heavy soiling. Water-based, easily wiped or rinsed. Meets McDonnell-Douglas and Boeing specifications. USDA approved.

Ready to use spray: (590ml aerosol) LPS-727-1308F (800ml trigger) LPS-727-1308H

Concentrates: (3.87 ltr) LPS-727-1308X (18.93 ltr) LPS-727-1310H

,		
Size	Order Code List LPS-727 Price/1	Offer Price/1
590ml	-1308F £5.26	£4.42
800ml	-1308H £9.48	£7.96
3.87 ltr	-1308X £21.96	£18.45
18.93 ltr	-1310H £103.04	£86.55

Size

200ml

Page 1257

104

2 MAINTENANCE SPRAYS & LUBRICANTS

hersil Lec-Klene Dersil Solvent Degreaser

High Flash Point Solvent Degreaser A highly refined, ultra low odour solvent cleaner which has been formulated to satisfy the exact requirements of military, aerospace and defence related industries. High flash point degreaser - safer in use. Ideal for use in

confined areas. Powerful solvent cleaner which rapidly removes oil, grease, wax, tar, bitumen, brake block dust and other general soiling. No detrimental effect on painted surfaces, ferrous and non-ferrous metals, and epoxy based composites, acrylic sheet, plastics and rubbers.



Description Aerosol Order Code List Size AMB-701 Price/1 Offer Price/1 -0803P £7.59 £6.83 -0803W £35.71 £32.14 400ml Lec 5ltr Klene 25ltr -0804A £154.90 £139.41

Aqvasafe Biodegradable **Cleaner Degreaser**

Water-based detergent cleaner that exhibits high solvency power. An ideal alternative to traditional solvents, suitable for use in industrial, automotive, engineering, transport, aviation, marine and electronics applications. Biodegradable. Removes tough and stubborn soiling such as oil, grease, grime, silicone, wax, nicotine, soot, ink and coffee. Super industrial strength, can be diluted 1:40 with water. Safe on most plastics, rubber and painted surfaces. Contains a highly effective corrosion inhibitor to help prevent flash rusting. Multi use by spraying, soaking, brushing, immersion, wiping or ultrasonic.

1

0

Ľ

RTU

Aerosol Order Code List Offer Description Size AMB-701 Price/1 Price/1 750ml -0330Q £8.52 £7.67 Aquasafe 5ltr -0280W £26.69 £24.02

Ambersolv Citrus Solvent Cleaner

25ltr

High performance citrusbased cleaning solvent. An ideal alternative to traditional chlorinated or highly volatile solvent cleaners, suitable for use in aerospace, industrial and general engineering applications. Natural based, high performance cleaner/ degreaser. Biodegradable. Deep penetrating action. Classified as non-flammable. Effective on a wide range of soiling such as oil, grease, tar, bitumen, silicones, rubber-based adhesives, oilbased paints, inks and dyes. Safe on metals and most plastics. Multi-use by spraying, soaking, immersion, wiping or ultrasonic.

Description Aerosol Order Code List Size AMB-701 Price/1 -1860A £6.51 400ml Ambersolv 5ltr -1870B £36.47 SB1 25ltr -1880C £151.11 £136.00

Corrosion Inhibitor

Anti-corrosion treatment. A clear protective coating that provides long lasting protection against rust and corrosion on internal and external metallic components. Film will not

harden or crack. Suitable for protection of ferrous metals in conditions of high humidity. Film allows for subsequent handling and resists acid finger printing. Forms a continuous homogeneous film. Will not stain or mark components. Removes surface moisture on application. Suitable as anti-seize coating on bolts, hinges, fixings and moving parts. Meets **MIL-PRF** 16173E (Class I, Grade 2). Passes IP 178, Method B. 250 hours minimum protection (ASTMB117) in salt spray tests.



berst

Offer

£5.15

AGL 1

Aerosol Order Code List Offer Size AMB-701 Price/1 Price/1

400ml -0166N £5.72

Industrial Strength Protective

Description	Aerosol	Order Code AMB-701	List	Offer Price /1
		-0578G	,	
PX24	5ltr		£38.16	
	25ltr	-0578R	£171.64	£154.48

Greaseless Lubricant

Multi-purpose lubricant that prevents electrical and electronic failures caused by water penetration, humidity, condensation or rust.



Suitable for household use yet strong enough for industrial applications. Contains a special blend of anti-rust agents which will protect all

treated surfaces against corrosion. Does not contain Silicone or CFC's.



Grease: Penetrates. lubricates and cleans. Provides a long lasting barrier of protective grease.



Sur	ber
Multi-Py Synth Lubri With To State of the With To	arpose tetic cant aflen
List	Offer

Size	Order Code	List	Offer
	LOC-725	Price/1	Price/1
400g Cartridge	-5926T	£15.68	£12.23



RTU

-0290Y £108.13 £97.32

	acrylic sheet polyester, glass fibre laminate, vinyl sheet and ebonite after immersion for 240 hours. Wide operational temperature range.		
Offer Price/1	Description		Order Code AMB-701
£5.86 £32.82	PX24		-1095D -1095J

Description

AGL1

Lubricant

Formulated specifically to

of military maintenance

personnel, multi-purpose

meet the exacting standards

lubricant, corrosion inhibitor,

fluid. It is ideal for use on all

equipment and as a penetrant

Copper corrosion - IP 154 max

No adverse effects on rubber,

which will quickly free seized

de-watering and protective

mechanical and electrical

nuts, bolts and bearings

1; no pitting or etching.

paintwork or plastics and

for ional List Offer ler Code **IB-701** Price/1 Price/1 .095D £6.47 £5.82 £36.25 £32.62 095J 25ltr -1095P £123.26 £110.93



PX24

MAINTENANCE SPRAYS & LUBRICANTS 7

RUALITY INDUSTRIAL TOOLING

Excellent air release quality, low foaming ability and resists clogging. Contains anti-rust and anti-wear additives. Extremely resistant to water absorption and can be mixed with all mineral oil based lubricants without draining the system. Can be used on air tools. **ISO Grade VG22.**







The fine lubricant that penetrates, dries fast and will not attract dust or dirt. Inhibits corrosion by providing a light greaseless film. Lubricates, cleans and protects delicate mechanisms. CFC-Free. Non-flammable propellant. Non-conductive. Dissolves grease and oil. **USDA approved.**



Siz	e Order Code LPS-727		Offer Price/1
379	ml -1150P	£8.54	£7.17

PLUSGAS

Formula 'A' rapidly penetrates and lubricates rusted or seized components freeing them for easy dismantling. Prolonged or repeated skin contact may cause irritation and/or dermatitis.



Size	Weight each	Order Code PLU-755	List Price/1	Offer Price/1
		Aeroso		
200ml	0.25kg	-3500A	£4.75	£4.04
400ml	0.45kg	-3500F	£7.43	£6.32
		Tin		
250ml	0.30kg	-3501B	£4.91	£4.17
500ml	0.55kg	-3502C	£7.20	£6.12
1ltr	1.00kg	-3503D	£11.91	£10.12
5ltr	4.50kg	-3504E	£41.64	£35.39

Multi-Purpose Oil Spray

General-purpose oil spray with anti-rust additives for excellent all-round performance. Ideal for lubricating locks, hinges, bicycle chains and pedals lawn mowers, window slides, car aerials and sewing machines. Clean formulation suitable for domestic use and industrial use. CFC-free.



Container Type	Size	Order Code ACN-732		Offer Price/1
Aerosol	200ml	-7820K	£2.88	
Aerosol	415ml	-7840K	£4.34	

Anti-Galling/Anti-Seizing Lubricant

AG-90

An extreme pressure rated lubricant. Formulated to prevent galling/ cold welding of stainless steel/ titanium/aluminium fasteners. Particularly effective when used with powered nut runners. The product is reinforced with PTFE DuPont food grade. This meets the requirements of **21 CFR-177-1500 F.D.A.**





3-in-1 Oil


'A tool kit in a can'. Multi-purpose suitable for lubricating, penetrating, cleaning and prevents rust. For use in the home, office, workshop and countless other areas. The flexible plastic spout allows you to reach those hard-to-get-at spots.



MULTI PURPOSE OIL

		and the second which	-
Container	Size	Order Code	Offer
Type		CTL-731	Price/1
Flexi-can	100ml	-1250C	£2.26
	200ml	-2500F	£3.78









SITESAFE

ANTI-STATIC

CLEANER

 Container Number
 Size
 Order Code SOL-732
 List Price/1
 Offer Price/1

 SC5-500B
 500ml
 -0180K
 £5.50
 £4.40

SITESAFE Antistatic Foam Cleaner

FCA500

This cleaner is recommended for the everyday cleaning of electronic and electrical equipment. It removes stubborn stains, nicotine, grease and general grime build-up from plastic, formica, leatherette, ceramics, glass, paintwork or any other non-porous hard surface. Ideal for use in offices. canteens, banks, schools, kitchens, washrooms and many other problem areas. It has been formulated from surfactants and solvents which are safe to use on most surfaces.



ambersil Antistatic Foaming Cleaner

A multi-purpose, antistatic foaming cleaner. Ideal for general cleaning on a wide variety of electronic, industrial, aerospace and commercial equipment. Removes tough, stubborn stains such as grease, grime, dirt and nicotine. Safe for use on plastics, metals, painted and glazed surfaces. Antistatic formulation, reduces the attraction of airborne dust. Foaming action limits over application. Fitted with 360° spray system for all angle use. Quick and easy to use. Spray on, wipe off. Meets military, rail and automotive specifications.



 Size
 Order Code AMB-701

 400ml
 -0070S

List **Offer** Price/1 **Price/1** £4.07 **£3.66**

MAINTENANCE SPRAYS & LUBRICANTS OLENT Maintenance

M4 nos

+RLEE

MAINTENANCE

SPRAT

Spray

SM4-500C 'M4 Plus' Lubricates:

MAINTENANCE

High performance mineral oil based lubricant with PTFE. **Displaces Water:** Helps start damp engines. Penetrates: Releases rusty fixings. Cleans & Protects: Cleans metal surfaces and prevents rusting of treated parts.

Does not contain naphtha, kerosene or paraffin which are all associated with operator skin dryness, cracking or dermatitis. CO2 non-flammable propellant.

Does not contain silicone. Electrically non-conductive at normal ranges found

in the home. Care must be taken if used on some electrical plastic components where 'crazing' may occur.

Product Number	Size	Order Code SOL-732	List Price/1	Offer Price/1	
SM4-500C	500ml	-0460K	£3.71	£2.97	

ACTION CAN Maintenance 📕 Liavid

AC-90

Displaces water, helps start damp engines, penetrates rust, protects from corrosion. lubricates and stops squeaks. Silicone free, electrically nonconductive and can be used on or near electrical components, motor circuits etc. without affecting insulation or causing short circuits. Supplied in aerosols that use no CFCs and are ozone friendly or in screw top metal cans and drums. Does Not Contain Kerosene*, Paraffin* or Naphtha*. (*These products are used by some other maintenance

sprays or water displacing sprays but are associated with skin drying and irritations.)

Product Number	Size	Order Code ACN-732		Offer Price/1
Aerosol	250ml	-0050K	£2.23	£1.74
Aerosol	500ml	-0180K	£4.12	
Can	5ltr	-0200K	£25.47	£19.87
Drum	25ltr	-0250K :	£117.45	£91.61
Applicator		-0500K	£5.05	£3.94

Viscous Lubricating Oil with **PTFE** NEW

SL-90

Lubrication oil with industrial grade performance reinforced with PTFE to impart extreme pressure capability. Flashpoint 210°C (applies to base product before packaging). Density .875. Formulated with additives to resist corrosion and moisture absorption.

Order Code List Offer ACN-732 Price/1 Price/1

Container Size Туре 500ml £5.25 -8880K £4.20 Aerosol

Consil 40+ Protective Lubricant Sprav

Provides a waterproof coating protects against moisture attack, humidity and oxidisation. Dampproofs and protects ignition systems and all electrical equipment.



Size	Order Code AMB-701	List Price/1	Offer Price/1
400ml	-1040A	£3.84	£3.46
5ltr	-1060C	£22.17	£19.95
25ltr	-1062E	£75.36	£67.82

BRADEX Start

Ensures firing even under arctic conditions. Starts ALL engines. Can be used on diesel, petrol and paraffin engines.



Product Order Code HLT-732 Size Number BES1A 300ml -1500B

Swarfega® deb **Duck Oil**

Displaces water, prevents corrosion, penetrates / releases, lubricates, electrical insulator and damp starter and light degreaser. Can

be used on all types of electrical equipment without impairing performance. Insulates electrics due to high dielectric strength. Penetrates tight tolerances to release seized nuts. bolts, components etc.



*Screw Can is Description	supplied co Capacity	omplete with Order Code	trigger sp List Price /1	oray bottle Offer Price (1
Aerosol Screw Can*	500ml	-1025A -1026B	£5.16	£4.23



Excellent all-purpose lubricant. Displaces moisture, loosens rusted or frozen parts. Protects against High flash point of 79°C. Does not contain chlorinated solvents or silicones. Non-conductive. Safe on most surfaces. Inverta spray valve.

ТКХ

	6	And a state of the	51
Size	Order Code LPS-727	List Price/1	Offer Price/1
368ml	-1590H	£3.36	£2.82

Maintenance **WD-40** Liavid

WD40

252 -

RADE

Offer

Price/1

£3.03

Penetrates and lubricates moving parts, hinges, castors etc. Drives out moisture on metal parts. Cleans and protects. dissolves grease, tar and adhesives. Also loosens rusted parts and frees sticky mechanisms.

Contains Petroleum Naphtha:

May cause drying of skin and/or irritation.



Container Type	Size	Order Code WDF-732	List Price/1	Offer Price/1
Aerosol	250ml	-2470A	£3.33	£2.80
Aerosol	450ml	-2490A	£5.04	£4.23
Aerosol	600ml	-2502M	£6.51	£5.47
Can	5ltr	-2505B	£29.03	£29.03
Applic	cator	-2550D	£4.74	£4.74

Smart Straw Cadulac Spray

Cadulac Spray with Dual-Action Smart Straw Penetrates and lubricates moving parts, hinges, castors etc. Drives out moisture on metal parts. Cleans and protects. dissolves grease, tar and adhesives. Also loosens rusted parts and frees sticky mechanisms. Dual action smart straw allows the user to choose between a wide spray or a precision stream in one easy movement.



List Offer Order Code Description Size WDF-732 Price/1 Price/1 Smart Straw 420ml -2420A £5.87 £4.93

MAINTENANCE SPRAYS & LUBRICANTS Penetratina

SOLENT Anti-Rust MAINTENANCE **Protection Spray**

SP1-500B - Green

Solent green moisture guard is a soft thin film moisture/corrosion protective coating. Packed in a large 500ml aerosol. The coating has a slight green colouring which clearly indicates treated areas. Ideal for longer term moisture/ corrosion protection of machined components/ moulding dies and tools. Removed easily with Solent Industrial Cleaner, part number SC1-500B.



Product Number	Size	Order Code SOL-732	List Offer Price/1 Price/1	
SP1-500B	500ml	-0600K	£14.32 £11.46	

Q8#Oils Ravel LG & SG Rust Preventative

Q8 Ravel LG & SG are water displacement fluids that deposit a rust-preventing soft waxy film onto treated surfaces. They are a very effective treatment for all wet parts, damp conditions and are easy to apply. The formulation also includes powerful rust and corrosion inhibitors and film strength improvers.

Low surface tension, viscosity and a strong attraction to metal surfaces. Spreads rapidly to displace all water and completely covers all complex shapes, and even penetrate porous components. After evaporation, a protective soft waxy film remains clinging to

the surfaces protecting them from further water and rust.

Order Code List Offer HUN-740 Price/1 Price/1 Type Size Ravel LG 25ltr Drum -30426 £99.97 £91.97 Ravel SG 25ltr Drum -3048W £94.72 £87.14

Ambersil Mould Protective Corrosion Inhibitor

A durable non greasy film that displaces and

repels moisture and will not harden or crack, protects stored moulds against corrosion. Easily 'moulded off' when restarting production or it can be removed using Amberklene FE10 or ME20 solvent cleaners.





Q84

Oils

List Offer Order Code Size AMB-701 Price/1 Price/1 400ml -1135H £9.02 £8.12

Heavy-Duty Anti-Rust Protection Spray POA500 Solent heavy-duty anti-rust Penetrating oil for protection spray is a high performance corrosion inhibitor. The product is sprayed directly onto the surface to be protected. AENI Clear in colour with a faint yellow trace to identify treated surfaces. The film has self-ANTI-RUST healing properties and is PROTECTION easily removed with solvent SPRAY cleaners. The coating will HEAVY DUT resist moisture, acid and alkali fumes. The film does protection periods vary with



Product	Size	Order Code	List	Offer
Number	0120	SOL-732	Price/1	Price/1
SP2-500B	500ml	-0620K	£18.60	£14.88

Heavy-Duty Rust Inhibitoi

not contain silicone or

environmental conditions. Typical interior protection in the UK in excess of two years. Product can be reapplied should conditions

halogens. Corrosion



require it.

SP2-500B

The long term, heavyduty corrosion inhibitor. Protects and lubricates in even the harshest environments. CFC-free, non-flammable and non-conductive with a transparent waxy film. Protects up to two years. Approved by Boeing, McDonnell Douglas, Airbus Industries and Gulfstream. USDA approved.

Size	Order Code LPS-727	List Price/1	Offer Price/1
377ml	-1170P	£9.58	£8.05

ROCOL Z30 Corrosion Protection

Formulated to give an excellent degree of corrosion protection over long periods (up to two years). When applied, Z30 leaves a brown waxy film that will displace moisture and perform as a 'non-fling' lubricant.

Ideal for long term protection of machinery, elevators, fork-lift trucks, underground installations. off-shore platforms etc.





dismantling, lubricating and cleaning. This oil displaces water leaving a hydrophobic coating to protect surfaces from corrosion. It penetrates threads and crevices to release and lubricate delicate mechanisms, pivot points and sliding surfaces whilst degreasing hard surfaces.

Container

Type

Aerosol

SM1-500B

into rust and

fittings exposed to

pressure. Can be

used on wet metal


components, does not contain Silicone, CFCs or Chlorine.

Lubricates threads during release

procedure, 30% less

dense than water.

heat and great



prav

Product Size Number SM1-500B 500ml

Order Code SOL-732 List Offer Price/1 Price/1 -0400K £11.09 **£8.87**

SOL-732-0400K

PENETRATING

SPRAY

500m

SM1-5008

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

MAINTENANCE SPRAYS & LUBRICANTS OLENT Silicone Release

RELEASE

MAINTENANCE Spray



Product Number	Size	Order Code SOL-732		
SR2-500B	500ml	-0720K	£11.51	£9.21

Silicone Release Spray

SR1-500B - for Plastics & Rubber

Heavy-duty silicone lubricant and release agent. Formulated with a high silicone content. The product is suitable for a wide range of uses. SR1-500B is a dry non-oily, non-greasy product. Water clear with no odour.



Product	Size	Order Code	List	Offer
Number		SOL-732	Price/1	Price/1
SR1-500B	500ml	-0700K	£9.84	£7.87

Mould Release Dry Film PTFE Lubricant

SR3-500B

QÌ

2

Provides a micro-thin surface coating for the inner surfaces of injection moulding tools/dies, thus enabling easy component release. The coating will not bridge complex mould profiles and will not interfere with precision fits. The applied PTFE film will not transfer to the moulded item & can be used where a dry slip surface is required such as production line slides, tracks or tables.



Product	Size	Order Code	List Offer
Number		SOL-732	Price/1 Price/1
SR3-500B	500ml	-0740K	£14.63 £11.70



ersil Non-Silicone Ersil Release Agent

Formula 5 - Medium-Duty

A medium-duty, dry film non-silicone mould release agent. Provides excellent release for all types of thermoplastics, some thermosetting plastics, silicone rubber and many other types of rubber. Will not interfere with post-moulding treatments, such as painting, printing or gluing. Will not build up in the mould. Operational up to 150°C. Recognised by Underwriters Laboratories Inc.

-0110B

Size

400ml

Medium-Duty

Formula 6

Release Agent

A medium-duty, silicone

A general-purpose release

and many types of rubber.

not build up in the mould.

Operational up to 200°C.

system for all angle use.

Recognised by Underwriters

Fitted with 360° spray

Laboratories Inc.

agent for all thermoplastics

Improves surface finish, will

mould release agent.



£8.13 £7.32

15

Offer

Price/1

£8.13 £7.32

FORMULA 6

List

Price/1

Non-Silicone Mould Release Agent

Formula Seven/2 Heavy-duty - the non silicone formula will not interfere with post moulding treatments such as bonding. Heavy duty film for the release of plastic and rubber mouldings. Operational up to 170°C.

Size

400ml



£8.75 **£7.88**

High Temperature Silicone **Mould Release Agent**

Order Code

-0130D

Formula 1/HT High temperature, multi-purpose, heavy-duty silicone mould release agent. It is based on silicones dissolved in a blend of solvents and has been formulated for injection moulding, but is also effective for use in a wide range of other moulding processes. Also useful as an anti-stick agent in the food, textiles, sewing, foam converting, printing and shoe industries. Operational to 288°C continuous, and 300°C intermittent.



 •			
Size	Order Code AMB-701	=	Offer Price/1
400ml	-0101H	£13.13	£11.82

Order Code

AMB-701 Price/1 Price/1

-0100A £10.29 £9.26

Ambersil Silicone Mould Release Agents

Formula 1 Heavy-duty - easy and economical to use, enhances surface finishes on mouldings and increases output by reducing rejects. Operational up to 200°C. Heavy-duty - for difficult mouldings.

FORMULA 1
List Offer

	4	_
1	ihers	
FOR	MULA	11
	6	
	II.ase	
		-
st	Offe Price	er

List Offer ice/1 Price/1	
8.84 £7.96	
	Silico Rele

PF-90

PIPE FREEZER

SPRAY

Offer

one ease Spray SP-90

Silicone dry lubricant. Non-staining. Ideal for use as a mould release or dry lubricant on any steel, plastic, glass, rubber, or wooden surfaces. Equivalent to Rocol SL spray and Ambersil silicone.

Size

400ml



Page	126		CON

NTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

List

Price/1 Price/1

£11.43 **£9.14**



ACTION CAN

repair work.

Product

Number

PF-90

Pipe Freezer

PF-90 Pipe Freezer

freezing formula. Use in

Non-flammable non-toxic pipe

conjunction with a foam freezing

pipes allowing maintenance work

without draining down the system.

in use. Can be used to super cool

Order Code

ACN-732

-7920K

Large 650g aerosol for economy

electronic components prior to

Aerosol

Size

650g

jacket. Rapidly freezes water in





Order Code

AMB-701

release properties are reduced).					
Size	Order Code		0 Pri		
400ml	-0105N	£8.84	£		

NEV



MAINTENANCE SPRAYS & LUBRICANTS

SF1-500B

hersil Fault Detection

A rapid cooling agent for instant fault-finding on electronic equipment. Reduces component temperature to -50°C. Non-flammable, low toxicity and odourless in use. Ideal fault finder for use on PCBs, transistors, resistors, condensers and intermittent dry joints. Cools thermally sensitive parts during soldering or calibration. Can be used as a 'shrink fit' on close tolerance metal assemblies.

Order Code List Offer AMB-701 Price/1 Price/1 Offer Product Aerosol Name Size 400ml -0750T £12.52 **£11.27** Freezer

FREEZER

ACTION CAN Leak Detector Spray LD-90

White fluid, designed to identify even the smallest gaseous leak. Bubbles in the applied film indicate location of the leak. Suitable for use with most common industrial gases.



Order Code List Offer ACN-732 Price/1 Price/1 Description Size LD-90 Spray 400ml -6200K £8.27 £6.62 LD90 Gel 250ml -6190K £5.35 £4.28

Anti-Spatter Spray

AS-90 Prevents build up of weld spatter on work, nozzles, jigs and fixtures. Fast acting. Silicone and CFC-free.



Offer Product Aerosol Order Code ACN-732 List Price/1 Price/1 Number Size -1000K AS-90 400ml £8.14 **£6.51**

ambersil Bioweld Weld Anti-Spatter

Water-based, with no harmful solvents, silicones or mineral oils. Odourless, non-flammable and safe in use. Fine spray ensures total control and economical coverage. Film is easily wiped away and leaves no residues. Allows post welding operations, painting, plating, galvanising etc to be undertaken without interference. Contains a rust inhibiting agent.

1.1		
1.1	BIOW	ILD.
	(A	
	10	2
	0.0	page (er
	_	

Size	Order Code	List	Offer
	AMB-701	Price/1	Price/1
400ml	-1400H	£3.20	£2.88



Leak Detector Spray SL1-400A

A specially formulated, performance white fluid, designed to identify even the smallest gaseous leak. Applies a thin uniform film of surface active agents which identifies any leak or bleeding of joints, bubbles in the film indicate the location of the leak. Will not give a false reading if mechanical sensing equipment is used. Suitable for use with most common gases including compressed air, acetylene, butane, propane, chlorine, hydrogen and natural gas.

Product	Size	Order Code	List	Offer
Number		SOL-732	Price/1	Price/1
SL1-400A	400ml	-0340K	£10.75	£8.60

ROCOL Leak Detector Spray

Specially formulated for the rapid detection of positive pressure gas leaks. Tested to ensure plastic 1000 and copper pipe compatibility. Suitable for use with most positive EAK pressure gas systems. ETECTOR For use on pipework carrying natural gas and LPG. Noncorrosive 360°C valve for use in difficult to reach areas. Meets the requirements of EN14291:2004.

Product Number		Order Code ROC-770	List Offer Price/1 Price/1
32030	300ml	-6716L	£11.24 £9.67

Leak Detector 51 Spray

LDA500

For checking for the most minute leaks in any gas or air pressurised systems including ITESAH commercial vehicle air brakes and pressure vessels. Contains no alcohols or solvents, is not caustic and contains a rust inhibitor. Spray directly onto the suspect area using the extension tube and examine for bubbling which will indicate leakage. Size: 500ml aerosol.

Container Type	Size	Order Code SSF-732		Offer Price/1
Aerosol	500ml	-3340K	£5.45	£4.25

OLEN

SHRAY

OLENT MAINTENANCE Welders' Anti-Spatter Spray

Solvent-based coating applied to metal before welding. During WELDER5 welding small blobs of molten metal fall either side of the weld. blobs are called spatter, this coating is applied before welding to prevent spatter from sticking to the metal. CO2 propelled aerosol. Non-flammable. Siliconefree and removable with solvents prior to galvanising or painting.

0		0 1	0	
Product Number	Size	Order Code SOL-732	List Price/1	Offer Price/1
SW1-400C	400m	-0840K	£5.66	£4.53



OLEN

LEAK

SPRAT

3-Part Flaw Inspection System

Fast reliable method for visually inspecting and spot-checking surfaces of welds, exotic alloys or standard metals, highly stressed structural members, critical castings, shafts, gears, spindles, and any other hard part where identification of surface flaws is essential. Detects flaws such as cracks. pin holes, welding laps and porousness either during manufacture or on-site.



Flaw Detector Cleaner Spray

-0240K £14.32 £11.46

SF1-500B Quick drying, powerful solvent for cleaning surfaces prior to testing. Re

greases a			iung on	5,
Product	Size	Order Code	List	Offer
Number		SOL-732	Price/1	Price/

Flaw Detector Dye Penetrant SF2-500B

500ml

Highly sensitive red dye, for use when detecting flaws on metal components under normal lighting conditions.

Product Number	Size	Order Code SOL-732	List Price/1	Offer Price/1
SF2-500B	500ml	-0260K	£18.26	£14.61

Flaw Detector Developer SF3-500B

White film to highlight any faults which have been detected when using Flaw Detector Penetrant. The product should be removed using Flaw Detector Cleaner Spray once cracks have been found and marked.

Product Number	Size	Order Code SOL-732	=	Offer Price/1
SF3-500B	500ml	-0280K	£16.01	£12.81

Maintenance Welders' Anti-Spatter Fluid

Reduces the risk of joint puddling and greatly reduces preparation time prior to final painting. Does not affect any subsequent galvanising or painting operations. Evaporates under normal weld temperatures.



Dichloromethane and silicone-free. Non-flammable, non-toxic, non-corrosive and biodegradable

Size	Order Code SOL-732	
5ltr 20ltr	-9300K -9310K	

/1

MAINTENANCE SPRAYS & LUBRICANTS OLENT Drive Belt MAINTENANCE Dressing Spray SM6-500B

SB1-500B

Reduces slip on drive belts and helps to stop belt squeal. Can be used on drive belts exposed to weather,

ideal for farm machines, alternator drive belts and fan belts. Helps to stop cracking and extends belt life. Can be used on rubber, leather, canvas and most types of synthetic belts.



Order Code List Offer SOL-732 Price/1Price/1 Product Size Number SB1-500B 500ml -0060K £10.13 £8.10

Anti-Seize MOLYKOTE 1000 Paste

Offer

Solid lubricant paste for bolted metal joints, contains no lead or nickel. Suitable for high temperatures up to 650°C and to corrosive impacts, and which, after assembling and the initial operation have to be re-tightened or disconnected. Used successfully for cylinder head bol

plastic injection moulding machines, bolted joints in the chemical industry and also for the tension rings in centrifuges.

1	HELFACTE
-	1000
	Torsel Pourt * Restored Pourte * Restored by Fish Serveyative Intellige of Dark Energy * Pourse professional * Completes See all defauents * Complete
	Manhatra a francist contractor

0120	MLK-703	Price/1
100g	-1000T	£4.42
250g	-1010V	£9.76
1kg	-1020W	£27.63

LOCTITE Copper Anti-Seize Stick

8065 C5A

Size

All the benefits of C5A copper anti-seize but in a clean and easy to use stick form Withstands temperatures up to 980°C.



Product List Offer Order Code Size Number LOC-725 Price/1 Price/1 8065 C5A 20g -8065N £6.78 £5.29

Chain & Drive Spray Lubricant

Formulated to have a wide range of operating uses. Ideal lubricant for moving chains under extreme load and for chains not fitted with automatic lubrication nor running in oil baths.

CHAIN &

DRIVE

LUBRICANT E.P. OIL SPEAY

> 4.46 Sec. 5268

OL-732-0500K

Offer

Formulated with a 'tacky additive' to resist 'throw off' on rapidly moving chains and drives. Ideal for fork trucks/conveyer systems/motorcycle chains. Can be used as a general-purpose lubricant for items subjected to extreme weather conditions. Can be used as a slideway lubricant for machine tools. Strong anti-rust qualities. Does not contain silicone or CFCs.



Order Code SOL-732 List Size Price/1 Price/1 Number SM6-500B 500ml -0500K £12.61 £10.09



Ideal for all types of driving chains, bearings conveyor systems and fast moving load-bearing parts. Can also be used as a heavy-duty lubricant or slideway lubricant.

Container Type	Size	Order Code ACN-732		Offer Price/1
Aerosol	500ml	-2250K	£11.57	£9.26

Copper Spray Grease

CS90

Container

Туре

Aerosol

Tub

Thick copper spray grease, perfect for anti-seize Iubrication of screw threads, brake pins, studs and all types of fixings. Effective to 1100°C. Lead free. Waterproof. CFC-free.

Size

400ml

500ml



List

£6.20

£7.00

Order Code


ACN-732

-3000K

-3010K

EP Open Gear Spray

SM8-500B - With Molybdenum Solent EP Open Gear Spray



disulphide anti-wear additives. Suitable for lubricating all open gears where a thin film is specified. Suitable for temperatures as low as -40° C to +100°C.





Order Code SOL-732 Product List Size Number SM8-500B 500ml -0540K

Offer Price/1 Price/1 £13.15 **£10.52**

TESAH



WRS500

This spray lubricant has been formulated to lubricate and protect wire ropes from corrosion. It has good penetrative qualities to lubricate deep into the core of ropes, displacing water and increasing the life of the rope. `Hi Tack` additives provide excellent adhesion to metal and reduced `fling off` during use.

Container Type	Size	Order Code SSF-732		Offer Price/1
Aerosol	500ml	-3450K	£8.73	£6.81

Chain & Drive Spray CCA500

This product is a special blend of quality oils, greases and solvents, designed to lubricate and protect all types of cables and slow moving chains. It penetrates quickly into the centre of cables providing excellent protection to the core. It will not sling off, drip or dry out even in adverse conditions. It will also penetrate chain rollers and links enabling smoother working and reduce friction, wear and the possibility of seizure.



Container Type	Size	Order Code SSF-732		
Aerosol	500ml	-3500K	£6.01	£4.69



Price/1 Price/1

Offer

£4.96

£5.60



Stainless Anti-Seize Compound

6kg

14035

Water and chemically resistant grease designed for the protection of stainless steel and nimonic fasteners. Nickel-free paste designed to


provide long term anti-seize properties. Very stable at high temperatures for long periods. Extremely low sulphur & chlorine levels. Approved to Rolls Royce and NATO Standards. Also approved for Submarine Clearance. Temperature range of -40°C to +1000°C.

Product	Size	Order Code	List	Offer
Number		ROC-770	Price/1	Price/1
14143	500g	-6433T	£84.98	£73.08

Dry Moly Paste

A soft petroleum-based paste with a high moly content. Can be rubbed, or burnished on to the surface. Provides excellent load carrying. Dry film lubrication. Temperature range up to 450°C.

Product Number	Size	Order Code ROC-770	List Price/1	Offer Price/1
10040	100g	-6413P	£31.46	
14046	750g	-6415D	£95.94	£82.51



CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

Dry Moly Spray

MAINTENANCE

Premium grade dry molybdenum particle lubricant. The molybdenum particles adhere to the smallest surface irregularities. The dry coating can be polished (if required) to a high shine finish that provides excellent dry lubricant/ slip/slide capabilities. Fast drying at room temperature. Ideal for fastener lubrication where it will prevent galling. Effective on all grades of steel, copper, brass, stainless steel and foundry equipment where high temperatures are common. Also for open gear lubrication and any location where a wet coating is not acceptable or would burn off. Works at up to load rates of 100,000 psi. No silicone content.

Product	Size	Order Code	List	Offer
Number		SOL-732	Price/1 Pr	rice/1
SD1-500B	500ml	-0200K	£20.19 £1	6.15

ambersil Silicone Grease

AMS4 Multi-purpose silicone grease. XG250 silicone grease in easy to apply form.



AMS4



Product Order Code Size Number AMB-701 400ml



erst

ersi



List

Offer

Heavy-Duty Anti-LOCTITE. Seize Grease

767 A heavy-duty, high temperature anti-seize

thread compound applicable for heavy pressure applications in temperatures up to 870°C (1600°F).



anti-corrosion and anti-wear additives suspended in a premium grade stable oil.

seizing, galling and fretting corrosion. Size





Order Code MLY-703

-3400B

-3100A

Offer

Price/1

£6.80

£3.02

Offer Order Code **MLY-703** Price/1 -3610T £7.80 -3640D £66.40

Smooth copper containing paste prevents

-6433K





List

Price/1

£7.02

£14.96

WIT-SEIZE

MOLY SLIP Copaslip Anti-Seize

MAINTENANCE SPRAYS & LUBRICANTS

Size SM7-500B 500ml -0520K

SD1-500B

precision application.

temperatures.


Product

Number

Price/1 £6.04 £12.87 £159.17 £136.89 5 ROCU

Offer

Page 1265



400ml -0575D £6.67 £6.00

AUTOMOTIVE MAINTENANCE & REPAIR Wash & OLENT

High foam, high gloss vehicle shampoo. Mild formula, neutral pH, water based. Effectively lifts traffic film without harm to polished paintwork and trim. With foam boosters for fast removal of dirt and grease. High gloss wax finish. Can be used with hot or cold pressure

washing systems or hand washing. Easy to handle container.



Traffic Film Remover Concentrate

Effectively removes dirt, grime, grease and tenacious traffic film from all vehicles. Suitable for cleaning chassis and bodywork on vehicles. Designed for high pressure washing with mechanical power wash systems. Concentrated formula can also be used to clean

machinery, floors, walls, asphalt, will also remove co-polymer waxes used in new car production.



Offer Type Size SOL-780 Price/1 Price/1 Poly Bottle 5ltr -6400A f.6.42 £5.26 -6410B £18.95 Plastic Drum 20ltr £23.11

T-Cut Colour Restorer

'The Original'. This unique formula restores original lustre in seconds by removing surface oxidisation, ingrained road grime, tar spots and dried insects. Contains no silicones and leaves no harmful residues, preparing an ideal surface for repainting.



Order Code List Offer TET-732 Price/1 Price/1

£6.76

£5.88

-6800S





Fast Cut Plus Compound is a fast acting liquid abrasive that removes sanding scratches from refinished or original paintwork and helps achieve a superior high gloss finish.



Size

600g

Product

Number

50417











Size

1ltr

SIMONIZ' Wash &

Concentrated high performance formula.

Offers outstanding

Removes stubborn dirt, grime, and other harmful deposits.

Leaves a streak-free protective layer of Simoniz wax. Foams instantly in hard or soft water.

value - up to 66

washes per litre.

Order Code SIM-732		
-1019R	£3.03	£2.55

Max Wax Polish

Superfast, supergloss polish.

Product

Number

SIM23



Product Number	Size	Order Code SIM-732		Offer Price/1
SIM16	500ml	-1017S	£4.34	£3.65

Colour Restorer

Ideal for polishing and blending of all paintwork including metallics. Removes oxidisation, ingrained dirt, tar and light scratches. **Removes** weathered paintwork to restore the original colour beneath.





Product Number SIMD15 500ml

Offer SIM-732 Price/1Price/1 -1005E £4.34 **£3.65**

SIMONIZ

COLOUR ESTORER



Product Size 375ml

Page 1266

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES



Cleans, polishes and protects all metals, fibreglass and ceramics. Ideal for brass and stainless steel.



Container Type	Size	Order Code TRI-703	Offer Price/1
Paste	50g	-1050A	£2.57
Paste	100g	-2100B	£3.62
Tin	1ltr	-4000D	£16.70

Chrome Alloy AUTOSOL Metal Polish

Chrome alloy metal polish, restores and polishes to a brilliant finish and protects against corrosion and tarnishing. For use on chrome, aluminium, stainless steel, brass and copper. Not recommended for use on mirror finishes.



Metal BRASSO Polish

For brass, copper, chrome, steel and other metals. **Metal Polish Wadding** For brass, copper, chrome, steel and other metals.



Size	Order Code CTL-760	Offer Price/1
	Metal Polish	
1ltr	-1010B	£12.06
Ме	tal Polish Waddi	ng
75g	-1020C	£4.18

T	Trip	lewax
Triplewax	Car	Wax

TWL375

'A brilliant shine without effort'. Unique formula combines three of the world's finest wax extracts to provide protection and an unsurpassed shine. Protects paintwork week after week even in direct sunlight. Suitable for all paint finishes.



Product Number	Size	Order Code TET-732		Offer Price/1
TWL375	375ml	-7100X	£6.84	£5.95

SIMONIZ' Back To Black Tyre Shine

SIM02

Restores bright shiny tyres. Durable, long lasting shine. Wide fan spray and rapid discharge allows fast, easy coverage. Clean-hands formula - no hard rubbing required.



Product Order Code SIM-732 Size Price/1 Price/1 Number 500ml -1011B SIM02 £5.21 £4.38

Back To Black Spoilers & Trims

The UK's best-known car care product, a clear market leader. Restores a 'new look' to all colours of plastic bumpers, spoilers and

exterior trim. Available in aerosol and gel formulations. Works in seconds - apply and wipe off. Regular use builds up layers of protection against the effects of weathering. Also suitable for vinvl roofs and cabriolet hoods.



		1.1		_
Product Number	Size	Order Code SIM-732		0 Prie
SIM01	Can 500ml	-1009J	£5.21	£4
SIM12	Gel 300ml	-1010K	£5.21	£4





Туре	Size	Order Code SOL-780	List Price/1	Offer Price/1
Trigger Spray	750ml	-3025M	£3.58	£2.94

Glass Cleaner SIM29

Specially developed glass cleaner, suitable

for interior and exterior use. Cuts through fly squash, tobacco and traffic film. Leaves a brilliant smear-free shine to all glass areas including mirrors. Reduces night-time dazzle.



Product	Size	Order Code	List	Offer
Number		SIM-732	Price/1	Price/1
SIM29	500ml	-1019V	£3.47	£2.91

Wheel Cleaner

SIM14 Powerful foaming



CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES



Offer

AUTOMOTIVE MAINTENANCE & REPAIR OLENT De-ionised Holts[®] Interior Screen Wipes Water DW25 MAINTENANCE For use in lead-acid car batteries. Also SH1A

suitable for domestic appliances such as steam irons and

steam cleaners, avoids problems caused by scaling. Can be used as a final rinse in car washing to avoid 'spotting' Also suitable for rinsing scientific glassware

Size

25ltr



£18.88

£15.10

SIMONIZ' Pash **Bright**

-4250K

SDB1

Reusable foam pad in a handy container. Leaves an antistatic protection with fresh fragrance. Restores,

enhances and protects interior trim and dashboard.

Product List Offer Order Code Size SIM-732 Price/1 Price/1 Number SDB1 500ml -0990B £1.30 £1.09

Dashboard Shine

SIM07

Fruits of the Forest Regular use builds up layers of protection for car interiors. Lemon fragrance helps neutralise tobacco and other odours. Advanced antistatic formula prevents the build-up of dust deposits. Gives showroom shine to plastic fascia. Available in gel and aerosol formats.



SIM-732 Price/1 Price/1

£3.03 **£2.55**

-1011L

Non-smearing. Impregnated with powerful cleaning agent. Improve visibility, maximising all-round



Fruits of The Forest Air Fresheners FFMU

Made from natural wood, taken from managed woodlands. Slow fragrance release action. Fragrance lasts up to four weeks. Collectable and ornamental appeal.

Holts

Supplied individually, fragrances will vary subject to availability: Apple Mint, Summer Orchard, Vanilla Oak, Orange Zest, Wild Strawberry, Nordic Pine, Summer Peach.

Product Number	Pack Quantity	Order Code HLT-732	Offer Price/1		
FFMU	1	-2470N	£1.73		

Upholstery Cleaner SIM05

Fast acting universal foaming upholstery cleaner. Powerful foaming action floats grime away. Removes dirt and stains from fabric, vinyl and leather upholstery. Quick and easy to use - spray on and brush, vacuum or wipe off. Fresh lemon fragrance to freshen upholstery and fabric.

Size

500ml

Product

Number

SIM05







De-icer	300ml	-2500K	£1.42
ACTION CAN	Dash & Bumpe		n

AMAZE

Restores that 'new look' back to black plastic trim on vehicle body work and dashboards. Leaves a non-greasy, silky finish.





		14		al sine
Product	Size	Order Code ACN-732		Offer Price/1
Amaze	500ml	-8200K	£4.41	£3.53

Upholstery Cleaner VALET KING

A fast acting foaming cleaner which removes dirt, grease, oil and stains from vehicle seats and carpets.



Order Code SIM-732 Price/1Price/1 -1013N £4.34 £3.65



List Offer ACN-732 Price/1Price/1 £4.25 **£3.40**



Size

Product

Number

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

Holts Radweld

Number one radiator repair. Undisputed market leader. Permanently seals radiator leaks. Unaffected by anti-freeze. Contains rust inhibitors. Safe for use with rubber hoses.

RAD weld
Order Code Offer

Product Number				Order Code HLT-732	
RW2R	250ml	-6800E	£3.47		

Professional Brake Cleaner

PR025A

Shifts oil, grease and brake dust to improve brake performance, reduce brake squeal. Cleans without need for disassembly. Environmentally friendly formula, does not contain trichloroethane 1.1.1.



	PR02	5A P	R002A
Product Number	Size	Order Code HLT-732	Offer Price/1
PRO25A	600ml	-6620K	£2.98

Professional Carburettor Cleaner

PR002A

Removes dirt, grease, gum and varnish from carburettors, throttle linkages and automatic chokes. Improves fuel economy and engine performance. Can be used with catalytic converters.

Product Number	Size	Order Code HLT-732	
PR002A	500ml	-6520A	£3.13

Care Care

The Instant **Puncture Repair**

CFM500 Ideal for cars/ wheelbarrows etc. Reinflates and seals tyres. Not recommended for permanent repair or wheels above 16".

Product

Number

CFM500

Cleans and cv Reduce Remov gum de

efficier Safe fo unlead corrosi engine 50ml tr

Product Number		Order Code HLT-732	
PT2	250ml	-6410D	£5.21

Petrol Injector Treatment PIT2

Maintains cleanliness in fuel injected engines. Prevents fuel injector fouling and system corrosion. Lubricates upper cvlinder. Restores and maintains optimum performance. Can be used with catalytic converters. 50ml treats 50 litres of fuel.

Product Number	Size	Order Code HLT-732	
PIT2	250ml	-6400C	£5.21

Diesel Treatment DT2

Maintains cleanliness of diesel injectors. Controls smoke emissions. Boosts power and reduces fuel consumption when used regularly. Inhibits rust and corrosion in fuel lines. Ensures greater level of combustion efficiency. Improves engine lubrication and prevents engine wear. Reduces engine noise.



-9400K £6.25 Screenwash 25ltr -9420K £21.00 LI_I_IL_ Gun Gum

MOITS Paste
Number one exhaust repair paste. Undisputed market leader. Permanently repairs small holes and leaks in silencers and exhaust systems. Provides a gas-tight seal. Easy to use.

Product Number	Size	Order Code HLT-732	
GG2R	200g	-3000Q	£2.60

Firegum

FG1R





£5.00

£16.80

GROUP

Concentrated

Screen Wash

OLENI

softeners.

Solent[™] screenwash can be used all year

formula leaves a crystal clear windscreen

with every wash and resists freezing, ideal

Summer: 25% 1 part wash to 3 parts water

Winter: 50% 1 part wash to 1 part water

windscreen clean and clear of insects, road

round and is the ideal way to keep your

grime and traffic film. The anti-smear

for winter motoring. Contains water

SOLENT

SCREEN

and the state of the state

813/08 (P

CLEAN

Dilution Recommendation

Harsh Winter: Use neat

Page 1269

AUTOMOTIVE MAINTENANCE & REPAIR

All Seasons Screen Wash

SA2D

SA2D Clears traffic film from windscreens. Non-smearing formula. Ideal for all year round use. Dilution Recommendation Summer: 10% 1 part wash to 9 parts water Winter: 50% 1 part wash to 1 part wash to 1 part water Harsh Winter: Use neat	SÇ		SH
Product Number	Size	Order Code HLT-732	Offer Price/1
SA2D	2ltr	-7000F	£2.43
PETEX Petro Treat PT2 Cleans and lubricate and cylinders when u Reduces cold start e Removes fuel-wastir gum deposits. Impro efficiency and petrol Safe for use with lea unleaded petrol. Inhi corrosion in fuel line engines with carbure 50ml treats 50 litres	ment used reg engine we ng carbor oves engi oves engi ded and bits rust s. Suitab ettor's.	ularly. ear. n and ine ption. and	



	REDEX	si ex Pr
Size	Order Code Offer HLT-732 Price/1	



er e/1	Product Number
21	DT2

Off

Price

£8.

Offer Order Code Size HLT-732 Price/1 250ml -1950E £5.21

AUTOMOTIVE MAINTENANCE & REPAIR U-POL Copper Rich Weld Through Primer ACTION CAN Supertrol Rust NEW **Proofing Fluid**

Rapidly penetrates into welded seams and metal to metal joints. Displaces water and seals the surface to prevent corrosion. Used to protect all internal sections including door panels and sill section. Does not harden or crack. Spreads by capillary action forming an even unbroken coat. Flexible water repellent coat gives all weather protection. Protects any metal structure in weather exposure sites. Protects goods in storage or shipment.



Product Number	Size	Order Code ACN-732		
001	400ml	-8260K	£5.50	£4.40

Stone Chip Shield HAMMERITE

Q



List Offer Order Code Size HAM-721 Price/1 Price/1 600ml -2690M £6.33 £5.19

Group 40

ON/1 Onion Multi Layered Mixing Pallet

ON/1

A novel tool for mixing body filler and other pastes.

Benefits:

Clean solution for mixing pastes and materials. Reduces pin-holing Throw-away sheets specially formulated paper avoids soaking up resins and solvents.

Product

Number

ON/1



Order Code CTL-750

-8432W

Offer

Price/1

£6.68

Weld 2

High adhesion, super conductive primer. Offers the best rust protection for SPOT, MIG and TIG welding applications. High purity copper provides excellent conductivity and adhesion to metals. Fast drying formulation speeds up the welding process.

Product Number	Size	Order Code CTL-750	Offer Price/1	
Weld 2	450ml	-8460T	£19.14	

High Build Primer Filler High 5

A high build grey primer for the rapid repair of surface defects in painted panels. May be used for small spot repairs or complete coating of new panel. Ready for use single pack acrylic super high build primer filler. Capable of producing a similar film build to that of a 2K spray gun applied primer. Fast drying, easy nd economical. pot and smart

Product Number	Size	Order Code CTL-750	
High 5	450ml	-8424R	£14.78

Etch Primer Acid 8

Product

Number

Acid 8

Promotes paint adhesion to difficult substrates such as galvanised steel and aluminium. Available in fast, convenient aerosol and ready for use. One litre tin for larger applications. Ideal for small rubthroughs to bare metal in primer prior to application of colour or the complete coating of new panels. Fast drying formulation that does not require sanding. Grey acidic primer for the promotion of adhesion to metal surfaces.





SIMB90B

Easy to apply, high-build filler/ primer. Covers light scratches and pin holes prior to painting. Leaves a super smooth finish, covers all surface imperfections



IMONIZ

Plastic Padding LOCTITE. **Chemical Metal**

(Two Part)

Fills, joins, seals and replaces most materials permanently, including metal, wood, stone and concrete. Easy to use, sets hard in 10 minutes, water and oilresistant.



Product	Size	Order Code List Offer PLP-750 Price/1 Price/1
Mini	85g	-5010A £3.49 £3.14
Giant	920g	-5013D £11.50 £10.35

G Kwikfill Resin Filler

General-purpose two-part polyester resin filler. Adheres to most clean, abraded metals and to dry porous surfaces. Easy to shape, suitable for applications such as car body repair, concrete pipe joint, mould repair and pattern making. Once cured can be sanded and overpainted.



Product	Weight each	Order Code HRM-720		
Kwikfill	454g	-2202C	£8.94	£8.22



Quantity

Sheets

100

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

Offer

Size

450ml

CTL-750 Price/1 -8390M £17.64

Order Code





sanding ar Ideal for si repair.
Produc

BLACK

AUTOMOTIVE MAINTENANCE & REPAIR

ISOPON P38 Polyester

(Two Part) Chemical paste for filling rust holes and dents in steel, glass fibre etc. Can be sanded after only 20 minutes and painted over with most paint systems.



Product Number	Size	Order Code ISO-750	Offer Price/1
	DIY Size K	its	
LTK/38	120ml	-2002B	£3.74
Junior	250g	-2013N	£3.96
P38/S	250ml	-2003C	£5.66
P38/1	600ml	-2004D	£11.18
	Trade Size I	(its	
P38/2	1.20ltr	-2005E	£18.62
P38/4	2.25ltr	-2006F	£24.42
P38/7	3.50ltr	-2007G	£35.92

P40 Glass Fibre Compound

(Two Part) Chemical paste for bridging holes and rust in steel, glass fibre etc. Forms a very hard durable surface that can be sanded and shaped as required, can be covered by P38 polyester filler or painted over directly.



Product Number	Size	Order Code ISO-750	Offer Price/1
BLIS/40	20g	-2027C	£4.06
P40/S	250g	-2008H	£6.62
P40/2	1ltr	-2008P	£20.46

Hardener Refill For P38 & P40 **Fillers**

Also suitable for use with glass fibre resin.



Hardener Refill

For chemical metal, body filler, woodfiller and resins. Standard tube.



CONTRACT PRICES AVA

Aluminium Mesh

For repairing rust holes and large dents. Ideal for use with ISOPON P38 filler. Complete with illustrated directions on use.



Product	Size	Order Code	Offer
Number		ISO-750	Price/1
PM1	250 x 200	-2021X	£1.28

FastGlas Resin

For use with glass fibre mat or tissue to form glass fibre reinforced plastic. Hardens in 20 minutes. (Activate with hardener H3840/S).

Product

Number RE/SM



RE/SM	250ml	-2016R	£3.
Hardener for us	e with Fa	stGlas Re	sin

Product Number	Size	Order Code ISO-750	
H3840/S	20g	-2022Y	£1.64

Small Glass Fibre Kit

A tough, lightweight and permanent material used in many of today's construction processes. Ideal for repairing holes, cracks, leaks etc. Bonds to most materials including metal, wood, brick, stone and ceramic.



U-PO Body

Easy One

2K very easy sanding polyester body filler. Ideal for larger repairs. Pinhole free and exceptionally easy to sand, even next day. Available in a large tin or the economical job kit of 10 filler bags.

Smooth 7

2K polyester body filler with good filling properties. Smooth spreading with good adhesion and pinhole free.



Product	Size	Order Code	Offer
Number		CTL-750	Price/1
Easy One	3.5ltr	-8408T	
Smooth 7	3.5ltr	-8440M	

Tigerseal Adhesive Sealant

One component ready for use polyurethane sealant and adhesive that permanently seals and bonds body panels and trims. Can be used to seal around windows, doors and lights etc. Once cured it can be overpainted with most paint systems.



Product Number	Colour	Size	Order Code CTL-716	
TIG/NB	Black	310ml	-6160S	£10.60

ISOPON FastGlas Glass Fibre

GFM - Glass Fibre Mat A strong mat of glass fibres for use with resin which when moulded and set gives great strength.



Lubricants

go

Chemical Products

GFT - Glass Fibre Tissue

A fine glass fibre which is most useful as a fine surface finish to glass fibre mat.



Offer	Product Size Number Size		Order Code ISO-750	Offer Price/1
Price/1	GFM	6ft ² 1m ²	-2020W	£3.36
£7.84	GFT	1m ²	-2019V	£2.20
E PURCHASES			1 7	71

		FO			

Order Code ISO-750

-2014P

Size

Small

Product

Number

GL/SM

Page 1271

Price/1 -2016R £3.86

TAPPING & DRILLING LUBRICANTS

ERWOOD Sherwood CUTTING TOOLS STD

Spray

400ml foam aerosol penetrates and is able to cling to normally inaccessible areas and moving cutting edges.



Lubricant Size Weight Order Code List Offer per 12 SHR-732 Price/1 Price/1 Туре Spray 400ml 5.1kg -4000K £17.79 £14.23

Sherwood STD Liquid (Poly Bottle)

Low odour liquid. Coats the cutting edge with a film of EP additives.

Sherwood STD Compound

Low melting point paste maintains a continual lubricant feed to the cutting edge.

Hand applied. Suitable for the most severe cutting operations.



Lubricant Type	Size	Order Code SHR-732		Offer Price/1
Liquid	500ml	-4020K	£18.51	£14.81
Liquid	5ltr	-4060K	£148.08	£118.46
Compound	500g	-4040K	£11.79	£9.43

STD Tapping & Drilling **Non-Soluble Foam** Lubricant

Ľ

Foam aerosol penetrates and is able to cling to normally inaccessible areas and moving cutting edges. Can be used on yellow metals without the risk of staining.

Lubricant Type	Size	Order Code SHR-732	List Price/1	Offer Price/1
Foam	400ml	-4210K	£8.04	£6.43

Pistol Grip Can Holder & Sprayer

For use with standard diameter 300 - 415ml aerosol containers. Protects hands from cold cans and chemical contact.



Weight Order Code List Offer KEN-732 Price/1 Price/1 Size each 300 - 415ml -9500K 55g £2.63 £2.10



#1 Gold:

Great for steel and aluminium. Excellent for low speed, high pressure applications. Minimises torque increases. Does not contain chlorinated paraffins, water, solvents or inactive fillers. Safe on all metals.

Dual Action Plus #2

Provides superior extreme pressure lubricity in machining aluminium and its alloys. Reduces friction and eliminates chip welding. Improves surface finish and extends tool life.

TriCut[®]:

Excellent for stainless steel and other hard to machine metals. Not recommended for aluminium. Provides smooth, accurate cutting action. Flows directly to cutting edge. Extends tool life. Improves surface finish. Allows increased removal rates. Reduces friction. Suitable for high and low speed applications. Non-corrosive to steel.

Product	Size	Order Code	List	Offer
Number		LPS-727	Price/1	Price/1
#1 Gold	470ml	-1550A	£9.24	£7.76
#2 Gold	470ml	-1555C	£7.00	£5.88
TriCut®:	470ml	-1604D	£12.12	£10.18
	3.78ltr	-1606F	£62.66	£52.63

Tufcut Metal Cutting hersil Lubricant

Instant ready-to-use metal cutting lubricant, for faster production and improved surface finish. A must use product where right first time results are essential. Dissipates heat and allows heavier close tolerance cuts. Excellent resistance to extreme pressure prevents chip welding and extends tool life. Excellent results across a wide range of metals including stainless steel, high tensile steel, high speed and high carbon steels.

Ideal for turning, drilling, reaming, tapping and thread cutting. Can be used in automatic applicators.

Order Code Size Description 400ml Tufcut





-3500A

-3501B

500g

2kg

ROCOL RTD Cleancut Liquid Rocol RTD clean cut is a

1 Goli

TAPMATIC

specially formulated, low viscosity solvent-free metal working liquid/oil. Suitable for use with all metals including aluminium, brass and copper.

Product Number	Size	Order Code ROC-770		Offer Price/1
53062 53066	350g 5ltr		£18.05 £154.01	£15.52 £132.45

MOLYSLIP® Tapping & Drilling Lubricants

Metal Working Fluid High performance, concentrated metal working

fluid containing a unique oil-soluble molybdenum compound with extreme pressure anti-weld additives. Lubricates, reduces friction, heat and distortion of the work.



Lubricant	Size	Order Code	Offer
Type		MLY-703	Price/1
Liquid	350ml	-4550R	£6.20
	5ltr	-4560L	£47.40

High Performance Metal Working Compound

Low melt point metal working compound for use with all metals. For tapping, drilling, threading, sawing, reaming, broaching,

drawing, pressing, extruding, forging and forming. Based on extreme pressure additives fortified with MoS2 to provide excellent extreme pressure performance and lubricity. Improves cutting performance, providing a better surface finish.



Lubricant Type	Size	Order Code MLY-703	Offer Price/1
Compound	450g	-4040B	£6.30
compound	Sko	-40500	£32 90

Cutting cema xo Compound

Ensures smooth and free cutting on pipe and bolt thread. Can be used on machine or hand dies, when tapping, sawing and drilling. Prevents dryness and torn threads, helps to extend tool life.



Size	Order Code TEM-703	Offer Price/1
450g	-8011B	£8.35
908g	-8012C	£15.24
2.27kg	-8013D	£36.74
5kg	-8014E	£75.00
10kg	-8015F	£145.00

For Aerosol

Offer

Price/1

£36.39

£9.93



TUFCUT

KENNEDY, Industrial GUALITY INDUSTRIAL TOOLING Paint Markers

Designed for countless metal marking applications. Can be used for marking greasy, rusty, or new metal surfaces. Also suitable for marking glass, plastic, wood, ceramics etc. Ballpoint nozzle cap will only allow ink flow when applied and pressed to the workpiece ink cannot be spilt from the cap unintentionally. One head can be interchanged from differing inks and bottles. Can be refilled from one litre bulk refills of the specially formulated ink.

Please note, colours are for guidance only.





Colour	Size	Order Code KEN-734	List Price/1	Offer Price/1
Yellow	46ml	-3020K	£5.17	£3.98
White	46ml	-3040K	£5.17	£3.98
Blue	46ml	-3060K	£5.17	£3.98
Green	46ml	-3080K	£5.17	£3.98
Black	46ml	-3100K	£5.17	£3.98
Red	46ml	-3120K	£5.17	£3.98
Orange	46ml	-3140K	£5.17	£3.98

Ink Refill Cases

-	Colour	Size	Weight each	Order Code KEN-734	List Price/1	Offer Price/1
	Yellow	1ltr	1.4kg	-3210K	£31.16	£23.99
	White	1ltr	1.4kg	-3230K	£31.16	£23.99

Ballpoint Head

Replacement ballpoint head for Kennedy Industrial paint 46ml marker bottles.

Material	Ball	Order Code	List	Offer
	Size	KEN-734	Price/1	Price/1
Nickel	2.4mm	-3500K	£2.15	£1.66



Industrial methylated spirit based. **Transparent**

For use on bright metals. The scribed or scored lines show clearly without chipping. The thin but strong film makes the needle sharp lines easy to work with.

Opaque

For use with heavy and black metals. When scribed or scored the dark metal shows up well against the film. Can also be used for colour coding. Please note, colours are for guidance only.

				1.1.1	011	
Colour	Size	Weight each	Order Code KEN-735	List Price/1	Offer Price/1	
	Transparent					
Blue	1ltr	1.1kg	-0100K	£16.61	£14.62	
Blue	5ltr	5.4kg	-0200K	£68.79	£60.54	
Red	1ltr	1.1kg	-0400K	£20.29	£17.86	
		0	paque			
Yellow	1ltr	1.1kg	-0700K	£21.70	£19.10	
Tenow	5ltr	5.4kg	-0800K	£78.48	£69.06	
White	1ltr	1.1kg	-1000K	£21.70	£19.10	
White	5ltr	5.4kg	-1100K	£78.48	£69.06	
Blue	1ltr	1.1kg	-1300K	£21.70	£19.10	
Dine	5ltr	5.4kg	- 1400K	£78.48	£69.06	

Remover

Industrial methylated spirit based blend for easy removal and minimum residual effect.

Size	Weight	Order Code	List	Offer
	each	KEN-735	Price/1	Price/1
1ltr 5ltr	1.10kg 5.40kg		£10.34 £25.52	

NEEDHAMS RN Metal Markers

Permanent bright opaque markers for semiporous or non-porous surfaces, Penetrates grease, oil and rust to give a waterproof mark which will withstand many kinds of metal processing. Complete with standard 2.5mm ball heads.

Please note, colours are for guidance only.

Weight Order Code

13g

14g

-3000P

-30100

		5	-		
Colour	Size	Weight per 10	Order Code NDM-734	List Price/1	Offer Price/1
		Sta	Indard		
White	45ml	80g	-1010B	£4.02	£3.22
Blue	45ml	80g	-1040E	£4.02	£3.22
Green	45ml	80g	-1020C	£4.02	£3.22
Black	45ml	80g	-1050F	£4.02	£3.22
Red	45ml	80g	-1030D	£4.02	£3.22
Orange	45ml	80g	-1060G	£4.02	£3.22
Pink	45ml	80g	-1070H	£4.02	£3.22
Brown	45ml	80g	-1090K	£4.02	£3.22
Purple	45ml	80g	-1100L	£4.02	£3.22
Grey	45ml	80g	-1110M	£4.02	£3.22
		Lea	d Free		
Yellow	45ml	80g	-1200N	£4.82	£3.86
Ink Refill Ca	ns				
Colour	Size	Weight each	Order Code NDM-734	List Price/1	Offer Price/1
			ndard		
White	1ltr	1.4kg	-2010B	£25.02	£20.02
		Lea	d-Free		
Yellow	1ltr	1.4kg	-2120N	£28.94	£23.15
Replacement Ball Valve Heads For use with paint and metal markers.					

List

£1.38 **£1.10**

£2.06 £1.65

each NDM-734 Price/1 Price/1

Offer





Lubricants & Chemi

ĉ

Prod



For use on car parks, factory/ warehouse floors, playgrounds, sports fields, tennis courts, leisure centres and road surfaces. For stencils, line or free hand marking. CFC free formula, contains no lead additives. Fully compatible with major brand applicators. Size: 750ml can.



Please note, colours are for guidance only.

Colour	Application	Order Code KEN-734	List Price/1	Offer Price/1
White	General Marking	-6020K	£26.63	£20.51
Yellow	Hazard/Caution	-6040K	£26.63	£20.51
Blue	Mandatory	-6060K	£27.34	£21.05
Red	Prohibition/Danger	-6080K	£27.34	£21.05
Green	Safe Condition/Direction	-6100K	£27.34	£21.05
Orange	Hazard/Caution	-6120K	£27.34	£21.05
Black	Deletes Existing Lines	-6140K	£27.34	£21.05
Grey	Deletes Existing Lines	-6160K	£27.34	£21.05

Line O LENTI Markers MAINTENANCE

Solent line marker is formulated with a

high percentage of colour pigment which









LINE

750 m

Each aerosol is supplied with an extra spray nozzle to ensure good spraying performance during the life of the aerosol. 50ml Can

out car parks, factory/warehouse floors, playgrounds,

sports fields, tennis courts, leisure centres and road

surfaces. Can be used with stencils, line or free hand

marking. CFC-free formula contains no lead additives.

Fully compatible with major brand applicators.



Colour	Application	Order Code SOL-734	List Price/1	Offer Price/1
White	General Marking	-6020K	£23.97	£16.78
Yellow	Hazard/Caution	-6040K	£23.97	£16.78
Blue	Mandatory	-6060K	£24.61	£17.23
Orange	Hazard/Caution	-6120K	£24.61	£17.23
-				

Line Marking Gun

Manufactured from reinforced nylon. For offering trigger action to line marking spray cans, giving improved comfort during prolonged use.



ROCO



ROCOL Easyline Edge® Aerosol Line Marking Paint

Easyline Edge 'traffic grade' epoxy paint produces highly durable lines. Use with the Easyline Edge Airflow Applicator and yellow nozzle for crisp, clean lines that are touch-dry in 10 minutes, reducing costly 'down-time'. Safe, non-toxic formula. Complies with your legal obligations under The European Council Directive 92/58/EEC Available in 8 standard colours and 2 fluorescent colours. 750ml aerosol.

Use freehand or in the hand-held applicator (not included - see next page) with the white nozzle for stencilling or freehand marking.

N.B. Easyline Edge Aerosol Line Marking Paint is specifically designed for use with the Easyline Edge Airflow Applicator (not included - see next page) - other aerosol cans are not compatible.

Please note, colours are for guidance only.

750ml Can



ROCOL Easyline Edge® Airflow Applicator

Ideal for marking factory floors, stores and warehouses, car parks, playgrounds and sports fields. Patented technology -

battery-powered airflow system produces a sharp, clean line. Adjustable rear wheels allow line marking close to walls and racks. One applicator produces 3 line widths, 50mm, 75mm, 100mm. Applicator is quick to assemble and simple to use - no specialist equipment or knowledge required. Storage case, battery and spare masking plates are included.

Note: Easyline Edge Applicator is specifically designed for use with Easyline Edge Aerosol Line Marking Paint (see previous page) - other aerosol cans are not compatible.

Type

Easyline Edge Airflow Applicator

 Order Code
 List
 Offer


 ROC-771
 Price/1
 Price/1

 -6607N
 £175.05
 £154.04

Easyline® Applicators

Specifically designed with Easyline paint. Crisp, clear lines every time. Easy to assemble. Each applicator has a lifetime guarantee.





Easyline® Instant

A ready-to-use unit complete with unique disposable applicator. Traffic grade paint, touch dry in minutes. Simple to use, just push and paint. Covers up to 100m in a straight line 55mm wide. For car parks, factories, playgrounds, etc. Available in two colours.



Offer

Price/1

Colour	Application	Product Number	Order Code ROC-771	List Price/1	Offer Price/1
White	General Marking	43600	-6547V	£43.04	£37.88
Yellow	Hazard/Caution	43601	-6548W	£43.04	£37.88

edding Industry Painter Marker

950

Highly permanent colour paste. Excellent opacity, weather and temperature-resistant. Lightfast and water-resistant. Writes on most surfaces even when rusty, dirty or wet. Line width: 10mm.





For use on steel, aluminium, rubber, timber, plastic, ceramics and other materials. Bullet tipped. 2.3mm point size.



Colour	Order Code SOL-734	Offer Price/1
Black	-0010K	£2.39
Blue	-0020K	£2.39
Green	-0030K	£2.39
Red	-0040K	£2.39
White	-0050K	£2.39
Yellow	-0060K	£2.39



GROUP



Permanent and waterproof on all non-absorbent surfaces, gives sharp glossy finish with medium bullet tip.



Artline^{400XF} Paint Markers

Special permanent pigment ink. Valve controlled ink flow with a stroke width of 2 - 4mm. Opaque and weatherproof.



	Colour	Quantity	Order Code ART-734	Offer Price/1
	Black	1	-0400A	£2.46
	Blue	1	-0401B	£2.46
11111	Green	1	-0402C	£2.46
Valle	Red	1	-0403D	£2.46
	White	1	-0404E	£2.46
	White	12	-0414Q	£29.51
	Yellow	1	-0405F	£2.46
inter WB	Yellow	12	-0415R	£29.51

Page 1275

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

MARKERS - PAINT Paint Markal

Type B: All-purpose cold surface marker which has the widest spread of applications. Timber, brick, metal surfaces and rubber. Temp marking range -45°C to +65°C.

Type H: Yellow hot surface marker for applications like colour coding foundry risers and runners and non-ferrous metals whilst hot, coils, billets, bars, ingots etc. Temp marking range 65°C to 650°C.


Type K: White marks extremely hot rough surfaces, castings, forgings, ingots, billets without burning or running off. Temp marking range 760°C to 1200°C.

Type P: White for marking steel prior to galvanising process. Marks are completely removed in the pickling bath and will not interfere with galvanising process. Temp marking range -45°C to +65°C.

Type HT: Marks red hot metal surfaces e.g. steel blooms, bars, coils of strip etc. The mark is highly visible on surfaces that must be stored outside. Temp marking range 120°C to 870°C.



Colour	Туре	Weight per 12	Order Code MRL-734	Offer Price/1
Blue	В	532g	-1002B	£1.16
Black	В	532g	-1004B	£1.16
Brown	В	532g	-1004C	£1.16
Green	В	532g	-1004D	£1.16
Orange	В	532g	-1012F	£1.16
Pink	В	532g	-1013R	£1.16
Purple	В	532g	-1014G	£1.16
Red	В	532g	-1016H	£1.16
White	В	532g	-1018J	£1.06
Yellow	В	532g	-1020K	£1.12



ooloal	1990	per 12	MRL-734	Price/1
Yellow	Н	282g	-2020K	£1.24
White	ĸ	282g	-3018J	£2.24
White	Р	443g	-4018J	£2.58
Red	HT	282g	-5016H	£1.30



Medium bullet point markers for use on glass, plastic, rubber and metal. 240m writing distance. Packs of 4. Assorted pack contains red, green, yellow and white.

	- Dellin		
	Pallnt		
Colour	Pack Quantity	Order Code PNL-734	Offer Price/1
White	4	-0010K	£8.41
Yellow	4	-0020K	£8.41
Colours	Pack Quantity	Order Code PNL-846	Offer Price/1
Assorted	4	-0640K	£8.65


White Marker

X100W-L

Chisel point. Valve controlled quick drying white ink. Marks on almost any surfaces. 1300m writing distance.

X100W

Broad bullet point version of X100W-L. 1200m writing distance.



ROCOL Easyline® Paint Marker Pens

Produces a distinctive, bold, permanent paint mark. Stainless steel ball valve enables the user to write on any surface and through oil, grease and water without losing legibility or brightness.





Colour	Pack Quantity	Order Code ROC-771	Offer Price/1
White	1	-6001A	£6.50
Yellow	1	-6002B	£6.50

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

edding Paint Markers

750 Standard Point

2 - 4mm point size. Solvent-free water- based permanent ink. Suitable for marking surfaces indoor and outdoor. Resistant to water and light.



		EDD-134	Flice/I
Black	1	-0010K	£2.60
Light blue	1	-0100K	£2.60
Dark blue	1	-0030K	£2.60
Brown	1	-0070K	£2.60
Gold	1	-0120K	£2.60
Green	1	-0040K	£2.60
Orange	1	-0060K	£2.60
Pink	1	-0090K	£2.60
Purple	1	-0080K	£2.60
Red	1	-0020K	£2.60
White	1	-0110K	£2.60
Yellow	1	-0050K	£2.60

751 Fine Point

1 - 2mm point size. Solvent-free water-based permanent ink. Suitable for marking surfaces indoor and outdoor. Resistant to water and light.

0				
		edd	ing 75	1
	1	edd	ing 75	1
Colour		Quantity	Order Code EDD-734	Offer Price/1
Black		1	-0130K	£2.53
Blue		1	-0150K	£2.53
Gold		1	-0220K	£2.53
Green		1	-0160K	£2.53
Orange		1	-0180K	£2.53
Pink		1	-0200K	£2.53
Purple		1	-0190K	£2.53
Red		1	-0140K	£2.53
Silver		1	-0230K	£2.53
White		1	-0210K	£2.53
Yellow		1	-0170K	£2.53

Layout Ink Spray

Specialised paint designed for the marking out of metal surfaces in toolrooms, machine shops etc. White is designed for use on dark or cast surfaces. Blue is designed for use on bright or machined surfaces. 400ml aerosol.



Colour	Weight each	Order Code ROC-770	List Price/1	Offer Price/1
Blue	400g	-6720X	£22.61	
White	400g	-6721Y	£22.61	

Micrometer STUARTS Paste

Oil-based paste for indicating high spots on machine bearings, machine tool beds etc. Easily removable with methylated spirit.

-		DARTS DMETER	
Colour	Pack	Order Code	Offer
	Size	MIR-734	Price/1
Blue	28g Tube	-8810B	£2.93
	38g Tin	-8800A	£2.34
Red	38g Tin	-8850C	£3.53

Lubricants & Chemical



So-Hydra 'Plus' VG

Excellent demulsifying properties (water and water containing fluids are rapidly separated). Very good corrosion protection to steel. Good corrosion protection to copper. High ageing stability/high oxidation stability. Good antiwear protection. Very good hydrolytic stability. Excellent filtration behaviour. Low foaming. Excellent air release.



Grade	Size	SOL-740	Price/1	Price/1
VG32	20ltr	-4032B	£46.67	£41.07
VG32	205ltr	-4032G	£444.00	£390.72
VG46	20ltr	-4046B	£46.67	£41.07
VG40	205ltr	-4046G	£444.00	£390.72
VCCO	20ltr	-4068B	£46.67	£41.07
VG68	205ltr	-4068G	£444.00	£390.72
VG100	20ltr	-4100B	£46.67	£41.07
VG150	205ltr	-4120G	£456.00	£401.28

Gecastrol Hyspin Premium

High quality, premium hydraulic fluid. Provides excellent anti-wear and thermal stability performance. Latest low zinc additive technology. Provides excellent protection from corrosion on ferrous and yellow metal components.

Good anti-foaming properties. Good water tolerance and demulsification properties.



Grade	Size	Order Code CST-740	List Price/1	Offer Price/1
AWS3	5ltr 2 20ltr 208ltr	-3500C	£15.10 £51.20 £449.28	£13.89 £47.10 £413.34
AWS4	6 20ltr 208ltr	-3510C -3512C	£51.20 £449.28	£47.10 £413.34
AWS6	8 20ltr 208ltr		£51.20 £449.28	£47.10 £413.34
AWS10	0 20ltr 208ltr	-3530Y -3531Z	£59.60 £536.64	£54.83 £493.71
VG	5 20ltr	-3580C	£70.80	£65.14
VG1	0 20ltr 208ltr		£69.20 £644.80	£63.66 £593.22
VG2	2 20ltr	-3650R	£70.80	£65.14
VG3	2 20ltr	-3670Y	£68.00	£62.56

Very High Viscosity Index Hydraulic Oil

So-Hydra 'Plus' VHVI

Low foaming tendency. Good air release properties. High ageing stability/high oxidation stability. Good corrosion protection. Very good viscosity/temperature behaviour. Very good wear protection. High viscosity index. Wide service temperature range. Good shear stability.





Shell Lubricants Shell Tellus Hydraulic Oil

A high performance mineral hydraulic oil, Tellus is based on solvent-refined, high viscosity index mineral oil and complimentary additives, and boasts thermal stability, resistance to oxidation, anti-wear and antifoaming properties, low friction and excellent air and water release. It is suitable for ultrafine filtration and is

number of other applications including industrial hydraulic systems, mobile hydraulic fluid power transmission systems and marine hydraulic systems.

NEV	N	+11	-	
Grade	Size	Order Code SHL-740	List Price/1	Offer Price/1
Tellus 32	20ltr 209ltr	-8100A -8110B	£70.72 £395.01	£65.06 £363.41
Tellus 37	20ltr	-8160H	£66.15	£60.86
Tellus 46	20ltr	-8200P	£63.00	£57.96
Tellus 68	20ltr 209ltr	-8220T -8221V	£61.95 £428.98	£56.99 £394.66
Tellus R10	20ltr	-8255Q	£73.85	£67.94

HYDRAULIC OILS ∕ ENGINE OILS GROUP sity Index Solent Supergrade FS2™ Engine Oil Supergrade FS2™

Semi-Synthetic 10W/40

Refined mineral oil with special multifunctional synthetic additives: For all petrol, diesel and LPG cars, vans and lorries. For multi valve, fuel injected and turbo charged performance vehicles. Can be mixed with other oils. Assists easy engine starting in cold weather. Assists in reducing fuel consumption. Gives far greater protection against engine wear than non-synthetic oil. Excellent lubricity in all conditions. Excellent sludge control in 'stopstart' urban motoring conditions. Affords high protection at motorway speeds. Increased oil change intervals - change your oil less often. Meets the performance level requirements for: API/SL/CH-4; Mercedes Benz 227.5; 229.1; 228.0/1; VW 501:01; 505.00, MAN 270/271.



Q8#Oils Haydn Hydraulic Oils

Industrial quality anti wear hydraulic oils. Recommended for all machine tool hydraulic systems, robotics and control systems where superior anti wear, filterability, accuracy and consistency is required.



Viscosity	Size	Order Code		Offer Price/1
VG22	25ltr 208ltr	-3274K -3274R	£59.28 £384.02	£54.54 £353.30
	4ltr	-3275N	£9.35	£8.60
VG32	25ltr	-3276P	£58.41	£53.74
	<u>208ltr</u> 25ltr	<u>-3277R</u> -3278T	£449.54 £58.41	£413.58 £53.74
VG46	208ltr	-3279W	£449.54	£413.58
VG68	25ltr	-3280C	£58.84	£54.13
	208ltr 1000ltr	-3281E	£453.18 f2143.75	£416.93 £1972.25
VG100	25ltr	-3282G	£59.28	£54.54

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

All Prices Eachate V.A.T. G 2053

METAL WORKING LUBRICANTS Soluble Cutting **Oil - Multipurpose Oil - Stainless**

So-Cool 'Plus' GP

Environmentally improved - does NOT contain phenols, boron, triazene, PTBBA or chlorinated additives. Based on highly refined mineral oils. High degree of machine tool lubrication. Ideal for a wide range of machining operations. Low odour. Low unit cost. Specially formulated for use in both hard and soft waters.

Recommended concentrations:

General machining 7% (dilution of 14 to 1). Grinding (surface, cylindrical centreless) 2 - 3% (dilution of 50 to 1 or 33 to 1). Supplied in 20 litre stacking poly container or a 205 litre barrel.

Soluble Cutting

So-Cool 'Plus' Stainless Steel

Environmentally improved - does NOT contain phenols, boron, triazene, PTBBA or chlorinated additives. Based on highly refined mineral oils. High degree of machine tool lubrication. Ideal for a wide range of machining operations. Low odour. Low unit cost. Stable emulsions in very soft and very hard water.

Recommended concentrations:

General machining 7% (dilution of 14 to 1). Heavy machining 10% (dilution of 10 to 1). Supplied in 20 litre stacking poly container or a 205 litre barrel.



Q8#Oils Beethoven M Cutting Oil

Conventional mineral oil-based metal working fluid with tolerance to hard water and tramp oils. Recommended for all general-purpose light-duty machining operations.



Size	HUN-740	Price/1	Price/1
25ltr	-3184E	£103.91	£95.60



Size

20ltr

60ltr

Extreme pressure water mix fluid for heavy-duty cutting operations. Special extreme pressure (EP) additives extend tool life and improve surface finish. Long life in the sump. Stable low foaming milky white emulsion. Low odour pleasant to use. Mixes at 20:1 - 40:1 in water.

Order Code ROC-770

-7210R

-7212C



Shell Lubricants Dromus B An advanced non-phenolic emulsifiable cutting oil containing a biocide. Shell Dromus BL

forms a stable milky emulsion giving excellent anti-rust properties and long fluid life. Recommended for most general machining processes such as drilling, milling and turning of most metals. High oil content for excellent lubricity in machining and grinding operations. Protects against corrosion of machine tools and manufactured parts.



V-Cut SS

Semi-synthetic water mix fluid for all general cutting and grinding operations. Forms

at EP	emulsion in Excellent c protection Rationalise cutting and odour - ple Economica - 45:1 in w	orrosion	for w 5:1	
Offer	Size	Order Code ROC-770	List Price/1	Offer Price/1
Price/1	5ltr	-7230G	£48.26	£41.50
£122.71	20ltr	-7230T	£130.24	£112.01
£344.14	60ltr	-7232J	£369.05	£317.38



Grade	Size	Order Code SOL-740	List Price/1	Offer Price/1
SC-GP	20ltr	-4508B	£61.56	£54.17
	205ltr	-4508G	£599.00	£527.12

Cooledge

General-purpose soluble cutting fluid. Suitable for use with a wide range of machining operations with a variety of materials. Particularly suitable for use with steel and cast iron. Good anti-corrosion properties.





Size	Order Code	List	Offer
	CST-740	Price/1	Price/1
20ltr	-2100C	£76.00	£69.92
208ltr	-2120C	£707.20	£650.62



Page 1278

£3 **CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES**

List

Price/1

f142 69

£400.16

General-Purpose Multan **Cutting Fluid**

For drilling, turning, milling, threading, reaming, grinding,

Bactericide free - reduced dermatitis issues - No odour. Highly resistant to micro-organisms, bacteria, fungi. pH-value 9.1. Low replenishment rates. Efficient lubrication and cooling resulting in longer tool life.



Grade	Size	Order Code		Offer Price/1
71-2	23ltr	-5930B -5930D -5930K	£42.15 £174.82 £1371.74	£32.88 £136.36 £1069.96
0		÷	Soluble	Oil -

METAL WORKING LUBRICANTS

Solent Soluble Cutting

So-Cool 'Plus' Aluminium

Semi-synthetic, environmentally improved - does not contain sodium nitrite, phenols, triazene, PTBBA or chlorinated additives. Enhanced sump life and excellent anti-foam characteristics. Optimum tool life on the most arduous jobs. Excellent corrosion protection and lubrication to cutting areas, machine fixtures, slides etc. Low emulsion odour. Low drag out losses. Easily removed in splash areas. Resists the formation of aluminium soaps - Improves filtration



	301-140	THUE/I	FIICE/I
SC-ALU 20ltr 205ltr	-4533B	£102.00	£89.76
205ltr	-4533G	£1013.00	£891.44
		Reathova	n VNE.2

Q8#OILS Cutting Oil ethoven VNt-2

Semi-synthetic biostable latest technology for all water conditions. Recommended for light to medium-duty machining applications.



Beethoven VHD Cutting Oil

Semi-synthetic biostable latest technology for all water conditions. Recommended for heavy-duty machining applications.



Size	Order Code	List	Offer
	HUN-740	Price/1	Price/1
25ltr	-3196V	£131.91	
208ltr	-3197W	£1061.06	

Soluble Cutting Oil - Cast Iron

So-Cool 'Plus' Iron

Semi-synthetic formulation. Excellent anti-foam characteristics. Environmentally improved does NOT contain sodium nitrite, phenols or chlorinated additives. Excellent sump life and corrosion protection. Superb tramp oil rejection characteristics. Enhanced tool tip life. Low drag-out loss - highly cost effective in use. Based on highly refined mineral oil. Increased detergency.



yntilo Castrol Synthetic Oils

Syntilo 22

A fully synthetic soluble cutting fluid, intended for grinding ferrous metals. Has excellent health and safety characteristics, containing no mineral oil, phenols or sodium nitrite. Combines outstanding grinding characteristics with good operator acceptability and wide application in general machining. In general grinding operations, it permits a high surface finish to be achieved while ensuring long wheel life. It has good anti-corrosion properties in soft and hard waters and is compatible with all metals.

Syntilo 81BF

A nitrite and phenol-free synthetic grinding and general-purpose metalworking fluid, which has been specially formulated for use with hard water. This hard water stability prevents the de-stabilising effects of the build-up of salts. Offers excellent resistance to all types of corrosion including electrolytic corrosion caused by iron/copper or iron/aluminium combinations. A long life coolant formulated to control the growth of bacteria and fungi. It is equally suited to both central and individual systems, providing rapid swarf settling properties, and complete acceptability and safety in use. Particularly suited to those areas with hard water

(typically over 200ppm calcium hardness) and can be used for a wide range of operations including grinding, milling, drilling and turning.



Size

20lt

22k



Soluble Cuttina **Oil - Aerospace**

So-Cool 'Plus' Aerospace

Sophisticated lubricant chemistry, Excellent rust/staining protection. Low residue and good mix stability. Controls foam in high pressure fluid delivery applications. Outstanding bio-resistance. Excellent surface finishes and extended tool life. Preserves parts and equipment. Clean running operation. Specially formulated for use in both hard and soft waters. Extended service life/lower treatment costs.

Recommended concentrations: General Machining 5% or (a dilution of 20

to 1). Heavy-duty machining 10% or (a dilution of 10 to 1).

Supplied in 20 litre

stacking poly

container or a



ubricants

ço

Chemical

GROUP

205 litre	barrel			
Grade	Size	Order Code SOL-740	List Price/1	Offer Price/1
SC-AERO,	20ltr 205ltr	-4570B -4570G	£105.00 £1033.00	£92.40 £909.04

High Performance Multan **Cutting Fluid**

Multan 77-4

Improved machining of special grade stainless steels and aluminium alloys. Contains aluminium corrosion inhibitors. For drilling, turning, milling, threading, grinding. Bactericide free - reduced dermatitis issues. No odour. Highly resistant to micro-organisms, bacteria, fungi - pH-value 9.4. Novel lubricating component - Extremely efficient lubrication and cooling resulting in longer tool life.



Ultracut 370 Plus

-5935K

-6133E

-6133G

180kg

High performance semi-synthetic cutting and grinding fluid giving optimum performance at high dilution whilst remaining resistant to bacterial and fungal attack. For a wide range

of cutting and grinding operations on most workpiece materials. Recommended dilution between 40:1 and 60:1 for cutting; 50:1 and 70:1 for grinding.



£80.40

£284.83

£69.14

£244.95

Page 1279

£1687.26 £1316.06

	Grade	Order Code CST-740	List Price/1	Offer Price/1	Size
tr	22	-8205A	£141.20	£129.90	5ltr
g	81BF	-8216C	£190.96	£175.68	20ltr

METAL WORKING LUBRICANTS Solent Soluble Grinding Oil - Synthetic

So-Cool 'Plus' Syn Grinding

Fully synthetic formulation. Long working life therefore economical. Minimises wheel glazing. Effective corrosion resistance. Stable emulsions in soft and hard water. Does not contain PTBBA.

Recommended concentration for general machining operations:

Grinding Cast Iron 2 % to 3.5% (dilution of 50 to 1 or 30 - 1). Steel & Ni/Cr steel 2% (dilution of 50 - 1). Supplied in 20 litre stacking poly container.



Machining & **=**Castrol **Grinding Fluids**

Carecut ES-1

L E L

0

Ľ

A biodegradable, low misting, chlorine-free cutting fluid and has been formulated using specially selected advanced biodegradable esters. Primarily designed for heavy-duty machining applications where the highest quality surface finish is required and has also been successfully used to improve productivity by increasing machine feeds. On selected applications, productivity increases have been improved by over 70% compared with traditional products without any loss of tool-life.

Carecut ES-2

Advanced biodegradable ester-based technology it can be used for all types of grinding, especially effective with CBN grinding. It is suitable for severe grinding, form grinding and gear grinding of all ferrous and non-ferrous metal. Particular suitable for general deep hole drilling, boring and trepanning where pressurised coolant systems are used to clear swarf quickly. Very high lubricity, chlorine-free, pale colour and low odour, low misting



Product	Size	Order Code CST-740	List Price/1	Offer Price/1
ES-1 FS-2		-1835M -1840R	£159.20 £154.40	£146.46 £142.05
E3-2	2010	-1040K	LI34.40	L142.05

llocut 486 Neat Cuttina Oil

High performance neat cutting oil providing

excellent tool life and surface finish. Multi-purpose machining applications: milling, drilling, thread grinding, broaching, gear hobbing, etc. Multi-metal applications: ferrous and non-ferrous metals. Non-staining on non-ferrous metals.





Size	Order Code	List	Offer
	CST-740	Price/1	Price/1
20ltr	-4510C	£72.40	£66.61
208ltr	-4530C	£669.76	£616.18

Hysol Cutting Oils

T15

Formulated to ensure exceptional steel cutting characteristics. Can be used on a variety of other metals including stainless steel. The product has a natural tendency to reject tramp oil which overcomes problems associated with its ingress into soluble cutting fluids.

Excel

Long life, semi-synthetic soluble cutting fluid. Multi-purpose machining

applications: milling, drilling, tapping, grinding, etc. Multi-metal machining applications: ferrous and non-ferrous metals, aluminium, stainless steel, etc. Excellent tool life. **Biostable properties** which provide resistance to bacterial and fungal growth. Stable in hard and soft water. Chlorine free





Size Grade	Order Code	LIST	Unter
	CST-740	Price/1	Price/1
20ltr 208ltr T15	-3384C	£107.20	£98.62
208ltr 115	-3386E	£1031.68	£949.15
20 kg	-3330C	£118.00	£108.56
54 kg Excel	-3335C	£309.96	£285.16
207 kg	-3340C	£1138.50	£1047.42

Q8aOils Bach NKM Neat

Mineral-based neat cutting oil with special non-active sulphur EP additive package, lubricity additive package and mist reducing additive. Recommended for all heavy-duty machining operations.



Size	Order Code	List	Offer
	HUN-740	Price/1	Price/1
25ltr	-3376B	£88.59	£81.50
208ltr	-3377D	£697.06	£641.30

Hysol G100 Metalworking Fluid

A low oil semi-synthetic specialist grinding fluid for the majority of grinding applications, especially formulated from the latest technology high performance additives, for grinding and light-duty machining applications on most materials. It has been specifically designed to combine the benefits of synthetic grinding fluids without the associated drawbacks. Suitable for use on all ferrous and non-ferrous materials. Long life coolant with inherently low foam characteristic which makes it ideal for use in large centralised coolant systems and single sump machines.

Features:

- Optimised lubricity additives.
- Advanced surfactant package.
- Low foam.

20ltr .

- Advanced bio-stability package.
- Enhanced component quality and reduced wheel dressings.
- Keeps grinding wheels clean and open, thereby maintaining dimensional accuracy.
- Eliminates the use of expensive anti-foams and reduces maintenance.
- Long sump life and reduced machine downtime.



rder Code	List	Offer
ST-740	Price/1	Price/1
3202C	£99.20	£91.26



Q8#Oils Machine Tool

Dynobear. Advanced multi-purpose range of oils for lubrication of machine tools and general machinery. Also recommended for medium-duty hydraulic systems and gearboxes.



Viscosity	Size	Order Code HUN-740	List Price/1	Offer Price/1
VG10	25ltr	-3108E	£78.09	£71.84
VG32	25ltr	-3111M	£76.13	£70.04
VG68	25ltr	-3113L	£76.78	£70.64
VG68	208ltr	-3113R	£598.78	£550.88
VG100	25ltr	-3114E	£76.78	£70.64
VG150	25ltr	-3115R	£77.22	£71.04

Heavibear Slideway Lube

Mineral-based heavy-duty advanced slideway oils with special oiliness and EP additives which reduces friction by 25%. Special tackiness agent aids retention of oil on vertical slideways. Recommended for vertical and heavily loaded slideways and certain gearboxes.



Viscosity	Size	Order Code HUN-740	List Price/1	Offer Price/1
VG68	25ltr	-3240D	£80.72	£74.26
VG68	208ltr	-3241F	£635.18	£584.37
VG220	25ltr	-3244M	£80.72	£74.26
VG220	208ltr	-3245N	£635.18	£584.37

Slideway

Shell Lubricants

Tonna S68 Tonna S68 is a high performance machine tool slideway lubricant that provides excellent lubrication and full compatibility with virtually all water-extendible metalworking fluids. Tonna S has hydraulic and antiwear gear lubricant properties, making grade rationalisation possible.

Product	Size	Order Code SHL-740	List Price/1	Offer Price/1
Tonna S68 Tonna S68				

Gecastrol Rustilo Rust Preventatives

Solvent deposited rust preventive with excellent dewatering properties, leaves a soft greasy protective film. Rapidly removes water from components subsequent to metal treatment processes such as electroplating processes after machining, using soluble cutting fluids or parts that have been washed. Can be removed by using a petroleum solvent or alkaline process cleaner. Forms even film, Fingerprint suppressant. High stability against acidic and alkaline contaminations.

Rustilo DWX 30

Very thin film provides protection during intermediate storage or transportation. Can also be used as a lubricant for mild press working. Protection rating: indoors - 9mth; outdoors - 3mth.

Rustilo DWX 31

For use on cylinder liners, spiral springs, hand tools and bars etc. Stable film characteristics reduce run-off losses. Protection rating: indoors - 12mth; outdoors - 6mth.

Rustilo DWX 32

For medium to long term protective for use in severe conditions where a high degree of protection is required. It is ideal for protection of machine tools and components prior to storage or transportation.

Rustilo DWX 33

For medium to long term protection. For the treatment prior to storage of machine tools for factory stores or shops, for comparison

for camshafts, crankshafts, gears, lathe beds, etc. Protection rating: indoors - 18mth; outdoors - 12mth.

Protection times assume primary protection from a tarpaulin or other cover.



Product	Size	Order Code CST-740	List Price/1	Offer Price/1
DWX30	20ltr 203ltr	-7650C -7660C	£74.40 £714.56	£68.45 £657.40
DWX31	20ltr	-7668R	£71.20	£65.50
DWX31	203ltr	-7669T	£710.50	£653.66
DWX32	20ltr	-7700Y	£73.20	£67.34
DWX33	20ltr	-7704N	£92.00	£84.64

Magna Slideway Lubricant

Based upon highly refined mineral oils which incorporate tackiness and lubricity additives. Provides smooth slideway movement under heavy loads. Excellent anti-wear properties.



ustilo DWX 30

Viscosity	Size	Order Code CST-740	List Price/1	Offer Price/1
Magna 2	20ltr	-5000F	£74.40	£68.45
Magna 68	20ltr	-5020H	£70.80	£65.14
Magna 100	20ltr	-5040G	£72.00	£66.24
	5ltr	-5118C	£18.70	£17.20
BD68	20ltr	-5120C	£65.60	£60.35
	208ltr	-5122C	£599.04	
CF220	20ltr	-5140C	£69.20	£63.66
GC32	20ltr	-5150C	£66.40	£61.09

Solent Corrosion Protection Wax

Grade SP-CPW

Excellent hollow corrosion protection for use in the automotive, agricultural and construction industries. Ideal for use on unfinished parts, press tools and moulds. Easily applied by spraying,

rolling or brushing. Thixotropic product, doesn't run off. Thermally stable film that can be easily removed using solvents. 36 months protection indoors and 24 months protection out of doors. 20ltr stacking poly container.



Grade	Size	Order Code SOL-740	List Price/1	Offer Price/1
SP-CPW	20ltr	-4250B	£109.00	£95.92

Solvent Dewatering Short Term Protective Oil Grade SP-DWO

Used for inter-process protection of bright metal components which have been subject to water washing or have been in contact with water soluble machining fluids. No need to remove prior to further machining, assembly or the application

of a longer lasting protective. Useful for applying to electrical contacts, plugs, points etc. to expel moisture. Solvent deposited. Excellent dewatering characteristics. Lubricates and penetrates. 20ltr stacking poly container.



Lubricants & Chemical Products

Grade	Size	Order Code SOL-740		Offer Price/1
SP-DWO	20ltr	-4260B	£71.06	£62.53

Universal Dewatering Fluid Grade SP-DWF

Used for the drying of metal parts and tools. Resistance to acid and alkaline migration makes this suitable following galvanic coating and washing

processing e.g. gear boxes, motors and their components. Ideally used in immersion baths at room temperature but is also suited to spraying. Excellent dewatering. No film. Barium-free. 20ltr stacking poly container.



Grade	Size	Order Code SOL-740	List Price/1	Offer Price/1
SP-DWF	20ltr	-4270B	£85.69	£75.41

Solent 'Plus' Slideway And General-Purpose Lubricant Oil Grade VG68

Excellent lubricating properties under high pressure working conditions. Anti-wear

additives to maximise machine tool life. Lubricates and flows freely even at very low temperatures. Eliminates slip stick and judder. Eliminates pick up and scoring. Supplied in 20ltr stacking poly container or 205ltr barrels.



Grade	Size	Order Code SOL-740	List Price/1	Offer Price/1
VG68	20ltr	-4368B	£59.15	
VG68	205ltr	-4368G	£578.00	

40 PROCESS & SYSTEM CLEANERS

OLENT Heavy-Duty **Wandanie System Cleaner**

Grade SC-SYSTEM

For use in cleaning water-based operating fluids and coolants from central systems or individual machines. Free of secondary alkanolamines, heavy metal compounds, phenols, hexahydrotriazine and nitrite. Excellent cleaning action. Storage temperature of 5 to +40°C. NOTE: So-Clean System at 1-2% is added to the used operating fluid about eight to twelve hours before draining. The complete cleaning effect is only achieved if the operating fluid circulates through all working parts of the system. Neither pH value nor foaming of the operating fluid change significantly when So-Clean System is added. Soil in machines, tubes and reservoirs of the system are loosened and re-emulsified. For

heavily soiled systems, increasing the dwell time to 24 hours is recommended. Thick sediment deposits are best removed mechanically and rinsed off with clean water. Supplied in 20ltr stacking poly container.



Size Order Code List SOL-740 Price/1 Offer Grade Price/1 SC-SYSTEM 20ltr -4800B £107.00 £94.16

Multi-Metal Process Cleaner and Degreasers

Gives excellent separation properties and low foam tendency (even with low temperature and high pressures). Surfaces cleaned with this product have minimal organic and inorganic residues. Has passivation properties, affording good protection against corrosion (depending on water quality) even during the tempering process. Can be used in high pressure systems up to 400bar. Gives extraordinarily long life. Available in grades SC-FE and SC-MULTI. Supplied in 20ltr stacking poly containers.



Grade	Size	Order Code SOL-740	List Price/1	Offer Price/1
SC-FE	20ltr	-4200D	£96.56	£84.97
SC-Multi	20ltr	-4210D	£77.75	£68.42

Sump Emptier

QĮ

With stainless steel Venturi pump. Screws into 205 litre oil drums. Uses compressed air to create a powerful vacuum. Empties liquid and suspended solids from tanks and can fill a drum in as little as 90 seconds, making it ready for appropriate disposal. Shuts off automatically when done.





- Product Order Code SOL-740 Number PM175K -8940G
- List Offer Price/1 Price/1 £375.00 £330.00

Water Mixer

Water and chemical mixing equipment system that is approved for use by the water regulation authority (WRA) to



prevent the possibility of back flow. This is to safeguard against the possibility of chemicals finding their way into the mains water supply. Mixes water and chemicals to metered concentrations with approved air gap back flow prevention incorporated into the unit. Offers an economical way of blending chemicals directly from the mains water system without the requirement for any additional pipe-work, nonreturn valves or back flow prevention systems.



Tramp Oil Belt Skimmers

Designed to effectively and simply remove tramp oil floating on the surface of cutting fluid. Prevents the 'Monday morning smell' extends coolant life and reduces the risk of dermatitis. Compact units fit to the side or above the tank. 240V. Supplied with plug. Product FT400 can be run continuously. Overall length: 440mm (from top of bracket to bottom of belt).

Maximum insertion depth: 150mm. Case dimension ($L \times W \times D$): 80 x 80 x 502mm. Belt width: FT300 = 30mm; FT400 = 40mm.



Order Code List Offer SOL-740 Price/1 Price/1 Number Rate FT300 3ltrs per hr -8860B £167.00 £146.96 4ltrs per hr -8880D £324.00 £285.12 FT400





Aqueous alkaline cleaner which can be used over a wide range of temperatures and operations. Nitrite and phosphate-free, as well as being suitable for virtually all ferrous and non-ferrous metals including aluminium.

Can be used as:

- A machine tool cleaner.
- A general-purpose maintenance cleaner on floors, walls and other hard surfaces.
- A deburring, smoothing and deflashing medium in conjunction with abrasive stones.
- A dip tank cleaner for removal of light contamination.
- Eliminates the need to stock a wide variety of cleaners.
- Does not affect painted surfaces and industrial surfaces including cement and plastics.
- Can be used at concentrations. as low as 1%.

20ltr

 Multi-metal use. Castrol Can be used with all types Flexiclean of industrial spray washing machines. Offer Order Code CST-740 List Size Price/ Price/1

£102.40

ROCOL	Ultragvard® AF	
$\mathbf{\nabla}$	Antifoam	

-2860V

A non-silicone antifoam designed for the treatment of synthetic, semi-synthetic and water mix emulsions and diluted fluids. Recommended dilution 1 part to 10,000 of the fluid which requires de-foaming.



£94.21

Size	Order Code	List	Offer
	ROC-770	Price/1	Price/1
1ltr	-6136V	£46.62	£40.09

Ultraguard® BX Bactericide

Bactericide additive for water mix cutting and grinding fluids. Broad spectrum biocide, prevents bacterial attack ensuring longer sump life and elimination of objectionable odours.



Size	Order Code	List	Offer
	ROC-770	Price/1	Price/1
1ltr	-7036C	£43.65	£37.54

AUTOMATIC LUBRICATORS

Industries Around The World Rely On **Perma® Lubrication Systems**

Perma® manufactures and sells single and multi-point lubrication systems for all types of applications. Today, Perma lubrication systems are used in every industry worldwide. In order to provide the best solution for each individual application, we involve our customers in the development process from start to finish. Customers from mining, steel, power plants, machine building, automotive industry, food industry, plastic and chemical industry trust automatic lubrication systems from Perma.

•		
Applicator	Selection	

Applicator Selection		Selection				.		
	Product	Lubricants	Discharge periods	Max lube-points	Max pressure (bar)	Operating temp	Drive/Power Supply	Certifications
	CLASSIC	Oil and grease (1)	1, 3, 6, 12 months (2)	1	4	0°C to +40°C	Electro-chemical	CE EX
	FROST	Oil and grease (1)	1 to 26 weeks (2)	1	4	-25°C to +10°C	Electro-chemical	
	FUTURA	Oil and grease (1)	1, 3, 6, 12 months (2)	1	4	0°C to +40°C	Electro-chemical	CE EX
	NOVA	Oil and grease (1)	1, 2, 3,,K, 12 months (3)) 1	6	-20°C to +60°C	Gas cell battery	CE EX

Notes: (1) Up to NLGI 2; (2) Depending on ambient temperature and on back pressure; (3) Depending on back pressure

To select the perfect automated lubrication system, check the right applicator type from the table on the right. Then select the ideal lubricant grade from the table below. Popular variations are listed below the table, but if the lubricant you need is not shown please contact us for further details.

Applications



Lubricant Selection

Eusilount Ocicotion									Sliding					
Description		NLGI- class	Thickener	Base Oil	Operating temp range	Viscosity at +40°C	Speed Index	Roller Bearings	Bearings/ Guides	Linear Guides		Spindles	Shaft Seals (1)	Chains
SF01 Multi Grease DIN KP2K-30 2 Li/Ca		2	Li/Ca	Mineral oil	-30°C to +130°C	220	350,000	•	•	•	-	•	•	-
SF02 EP Grease DIN KPF2K-30	臣	2	Li+MoS2	Mineral oil	-30°C to +120°C	105	350,000	-	•	-	•	-	-	-
SF10 Food Grade Grease NSF H1 DIN K1K-40	璧	1	Al-Com	PAO	-45°C to +120°C	150	300,000	•	•	•	•	-	-	-
S014 High Performance Oil DIN CLPE320		Oil	-	PAO+Ester	-20°C to +250°C	320	-	-	-	-	-	-	-	•
S070 Food Grade Oil NSF H1 DIN CLPH220		Oil	-	PAO+Ester	-30°C to +120°C	220	-	-	•	-	•	•	•	•

Perma[®] CLASSIC Lubricators - 120cc

A single-point lubrication system for roller and sliding bearings, sliding guides, open gears, gear racks, spindles, shaft seals, chains, etc. operated at ambient temperatures that reach from 0°C up to +40°C. Typical applications can be found in mining, steel, automotive and mechanical engineering.



See table above for lubricant description

Product Number	Lubricant Type	Order Code PTC-740	Offer Price/1
01-001-001	SF01	-2730B	£13.30
01-002-001	SF02	-2730C	£15.08
01-414-001	S014	-2760Q	£15.55
01-470-001	S070	-2763B	£16.73

Activators for CLASSIC (supplied separately)

Activators for v		nicu sepur	acciy)		
Product	Discharge	Colour	Order Code	Offer	
Number	Period	Code	PTC-729	Price/1	
20-002-001	1 month	Yellow	-3600R	£1.28	
20-002-003	3 months	Green	-3600F	£1.28	
20-002-006	6 months	Red	-3600M	£1.28	
20-00-2012	12 months	Grey	-3600H	£1.28	

Perma® FROST Lubricators - 120cc

The ideal lubrication system for single-point lubrication of roller and sliding bearings, sliding guides, open gears, gear racks, spindles, shaft seals, drive, transport and lifting chains that are operated at ambient temperatures reaching from -25°C up to +10°C. Typical applications are cold stores, refrigerating machines and aggregates, and lifts that are operated during the winter. С



1 7 5

See table above for l	ubricant description		
Product	Lubricant	Order Code	Offer
Number	Туре	PTC-740	Price/:
14-001-229	SF01	-3530B	£14.3
14-002-229	SF02	-3530C	£16.1
14-414-229	S014	-3560Q	£16.62

Delivery on this item usually 10 working days.

Activator for FROST (supplied separately)

		ooparatory	/		
Product Number	Discharge Period	Colour Code	Order Code PTC-729	Offer Price/1	
20-003-056	1-26 weeks	Blue	-3500D	£1.28	

Perma® FUTURA Lubricators - 100cc

Suitable for single-point lubrication of roller and sliding bearings, sliding guides, open gears, gear racks, spindles, shaft seals and chains. This lubrication system is ideal for areas that must be kept hygienically clean. Due to its resistance to corrosion it is especially suited for applications in the food industry.



See table above for lubricant description

Product Number	Lubricant Type	Order Code PTC-740	Offer Price/1
06-001-137	SF01	-3630B	£13.30
06-002-137	SF02	-3630C	£15.08
06-010-137	SF10	-3630L	£16.20
06-414-137	S014	-3660Q	£15.55

Activators for FUTURA (supplied separately)

	Product	Discharge	Colour	Order Code	Offer
	Number	Period	Code	PTC-729	Price/1
20 20	-002-001 -002-003 -002-006 -00-2012	1 month 3 months 6 months 12 months	Yellow Green Red Grey	-3600R -3600F -3600M -3600H	£1.28 £1.28 £1.28 £1.28 £1.28

Perma® NOVA Lubricators - 130cc

water jets.

111-0000-0000

Especially suited to single-point lubrication of roller and sliding bearings, sliding guides, open gears, gear racks, shaft seals and chains located in areas with considerable temperature variations (e.g. food industry) or where intrinsic safety is a requirement (as in the oil and gas industry). Dust-tight and protected against

on	NEW	9	

-6000P

See table above for lubricant description							
Product Number	Lubricant	Order Code PTC-740	Offer				
Number	Туре	FIC-740	Price/1				
111-0001-0800	SF01	-6030B	£24.92				
111-0002-0800	SF02	-6030C	£25.68				
111-0010-0800	SF10	-6030L	£27.49				
111-0414-0800	S014	-6060Q	£26.65				

Control Unit for NOVA (supplied separately) Discharge Product Order Code PTC-729 Number Period

1-12 months

Offer Price/1 £22.07

Page 1283

NOV

FUTURA

O GREASES Castrol Spheerol EPL Greases

General-purpose, lithium-based grease. Extreme pressure agents protect bearings/ components subject to heavy shock loading. Good water-wash resistance. Contains powerful rust inhibitors. Operates from -20°C to 120°C. Long service life.



Grade	Size	Order Code Lis CST-740 Price	
EPL1	400g 12.5kg	-7880H £2 -7882K £71	
EPL2	400g 12.5kg	-7900C £2 -7920C £67	

LM Grease

Castrol LM is a smooth lithium-based grease. It contains hydroxystearate soaps which combine properties of good low temperature pumpability, good resistance to mechanical shear, ability to operate at moderately high temperatures and excellent water and corrosion resistance.

Application:

0

Castrol LM is well proven as a chassis grease. It is also a good wheel bearing grease for use over a wide range of temperatures. It is suitable for most other automotive grease applications within it's specified operating temperature range.



-4860C £84.50

£77.74



Molykote 111

Provides lubrication for control and pressure plug valves, water softener and tap valves. An ideal sealant for vacuum and pressure systems and also for outdoor equipment subject to washing and harsh environmental exposure i.e. meters, electrical service entrances and underground connections. Chemical barrier coating gives good resistance to most chemicals.

Features: wide temperature range -40°C to 200°C. Low vapour pressure. Low volatility. Excellent water resistance.

3		["[1]	T Market
Product Number	Size	Order Code MLK-703	Offer Price/1
Molykote 111	100g 1.0kg 5.0kg	-1110L -1112P -1114T	£7.95 £57.76 £263.72

Shell Grease -Shell Lubricants Alvania

For heavy-duty bearings and general industrial lubrication, heavy-duty plain and rolling element bearings operating under severe conditions including shock loading in wet environments. Operation over the temperature range -20°C to 100°C for bearings operating at 75% of the maximum rated speed

(Can withstand up to 120°C intermittently)



Grade	Size	Urder Code	LISU	Uller
Graue	5126	SHL-740	Price/1	Price/1
EP/LF2	400g	-1440H	£4.40	£4.05
R2	20.0kg	-1465W	£333.82	£307.11
RL2	400g	-1470T	£3.47	£3.19
RL3	400g	-1478H	£3.08	£2.83
RL2	12.5kg	-1540K	£86.68	£79.75

ROCOL Fomblin Grease

RT15

Perfluoropolyether-based grease used for it's chemical resistance, oxygen compatibility and high temperature suitability. It will generally greatly reduce the need for frequent relubrication. Used most successfully in anti-friction bearings and gearboxes, but may also be used to lubricate any sliding surface such as valves, pins, screws and bushes.

Temperature range: -20°C to +200°C.



Product	Size	Order Code	List	Offer
Number		ROC-770	Price/1	Price/1
39041	100g	-6320S	£117.53	£101.08

ROCOL Sapphire 2

High performance, general-purpose grease. Bright blue for easy identification use. High resistance to load, good adhesion properties. Resistant to dust and dirt contamination. For use on ball, roller and plain bearings on a wide range of industrial plant and machinery.

Temperature range: -30°C to +150°C.



Sapphire Extreme

For the lubrication of anti-friction bearings operating at high temperatures. Temperature range: -10°C to +250°C.



Product Number	Size	Order Code ROC-770	List Price/1	Offer Price/1
12211	400g	-6142Z	£25.05	£21.54

Sapphire Hi-Pressure

12016

5kg

For lubricating plain bearings operating under extremely high loads. Bentone thickened grease containing high level of molybdenum disulphide.

Temperature range: -20°C to +150°C.

Product	Size	Order Code	List	Offer		
Number		ROC-770	Price/1	Price/1		
12011	400g	-6228E	£15.51	£13.34		
12013	500g	-6229F	£19.32	£16.62		

-6230G Sapphire Aqua-Sil Silicone Grease

£138.01 £118.69

Non-melting silicone grease for long term lubrication at extreme temperatures with good resistance to chemicals, oils, water and gases. WRC approved for hot and cold potable water. NLGI No. 3.

Temperature range: -40°C to +200°C.

ROCOL-	SAPPH Aqua-Sil		ROCOL
Product	Order Code	Lict	Offer

Product Number Size	Order Code ROC-770	List Price/1	Offer Price/1
12251 85g	-6140Q	£13.27	£11.41
12253 500g	-6140S	£60.87	£52.35
12256 5kg	-6140V	£426.07	£366.42

12.5kg

ROCOL Sapphire 1 Long Life Grease

NLGI No.1 softer triple life grease with excellent pumpability. **Temperature range:** -30°C to +150°C.



Product Number		Order Code ROC-770	List Price/1	Offer Price/1
12601	400g	-6145C	£6.72	£5.78

Sapphire Hi-Load 2

Designed to give protection against high loads and vibration. Contains molybdenum disulphide.

Temperature range: -30°C to +150°C.



Product	Size	Order Code	List	Offer
Number		ROC-770	Price/1	Price/1
12761	400g	-6141L	£13.77	£11.84

Sapphire Aqua 2

Soap thickened bearing grease, water washout resistant, high degree of corrosion protection. Suitable for lubricating bearings operating in or being continually washed in water.

Temperature range: -20°C to +150°C.



Product	Size	Order Code	List	Offer
Number		ROC-770	Price/1	Price/1
12751	380g	-6141A	£12.44	£10.70

HT70 High Temperature Grease

Synthetic lubricant which evaporates slowly without carbonising to leave a thin film of molybdenum disulphide. For use on slow running plain and anti-friction bearings subjected to high temperatures.

Temperature range: +180°C to +300°C.



Product	Size	Order Code	List	Offer
Number		ROC-770	Price/1	Price/1
12106	4kg	-6219W	£162.95	£140.14



M70614 Bearing Grease

Developed to outperform conventional bearing greases and extend relubrication periods. Multi-purpose is ideal for lubricating all types of bearings and will prolong bearing life, reduce maintenance costs and grease consumption. Excellent load carrying properties. **NLGI Grade: 2.**



Product Number	Size	Order Code LPS-727	List Price/1	Offer Price/1
M70614	400g	-1585E	£5.08	£4.27

ThermaPlex™ Hi-Load

M70414 Bearing Grease

Extreme load lubrication. Hi-Load provides long lasting lubrication for heavily loaded bearings. Moly-fortified formulation prevents wear and damage caused by shock loading and constant vibrations. Excellent anti-wear properties and good corrosion resistance. Contains 3% moly. **NLGI Grade: 2.**

CHERMAPLEX ST

Product	Size	Order Code	List	Offer
Number		LPS-727	Price/1	Price/1
M70414	400g	-1583C	£8.06	£6.77

ThermaPlex[™] Aqua M70514 Bearing Grease

Resists water washout with excellent resistance to fresh and salt water. Good adhesion properties. Excellent corrosion resistance. Significant load carrying capability. Reduces grease consumption. Greater degree of bearing protection.



Product	Size	Order Code	List	Offer
Number		LPS-727	Price/1	Price/1
M70514	400g	-1581A	£7.46	£6.27

ThermaPlex™ Hi-Temp

M70214 Bearing Grease

Designed to reduce the risk of bearing failure at high temperatures. Hi-Temp extends relubrication intervals and has excellent high temperature performance. It has a very high dropping point $536^{\circ}F$ ($280^{\circ}C$) and excellent vibration resistance. It reduces grease consumption, maintenance costs and the need for multiple greases. **NLGI Grade: 2.**



r ⁄1	Product Number	Size	Order Code LPS-727	List Price/1	Offer Price/1	
14	M70214	400g	-1584D	£11.94	£10.03	

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES



So-Grease EP2 High load lead-free lithium



Lubricants & Chemical

Prod

righ load lead-nee fithium grease. Contains extreme pressure additives to allow use in heavy load conditions. Contains anti-rust additives to protect against corrosion. Anti-oxidants included to prolong product life. High ageing stability/high oxidation stability. Supplied in 400g, 5kg, 12.5kg or 50kg containers.



Pack Type	Size	Order Code SOL-740		Offer Price/1
Cartridge Tub Pail Pail	5.00kg 12.5kg	-5100K -5105C -5110M -5120P	£13.07 £52.11	£11.50 £45.86

Q8#Oils Rembrandt EP2 Grease

Multi-purpose lithium soap-based grease with the addition of an EP additive to give excellent anti-wear properties for plain and anti-friction bearings operating under heavy or shock-loaded conditions. Provides for long service life and rust protection, even in the presence of water.



Grade	Size	Order Code HUN-740	
EP2		-3574A -3574G	

MOLY SLIP MBG Moly Bentone Grease

Multi-purpos vith molybd pentone. Fo auto and notorcycle i protect agai shock and o conditions, f corrosion ar vibration.	enum r all use to nst verload fretting		SLIP B G Marine B Colores Marine B Color
Product	Size	Order Code MLY-703	Offer Price/1
MBG	450g	-4450E	£6.70

5000 5000 SAFE GREASES & SPRAYS Solent Synthetic **Grease MOLYSLIP** Foo

The latest generation foodsafe grease. Constructed using pure non-toxic synthetic base oils, combined with PTFE and a complex mix of antioxidant and EP packages, making it a versatile tool for use in many applications for many industries. Completely resistant to salt water and high humidity environments. Dielectric and can be used to protect electrical equipment from ingress of water. Lubricates bearings, chains and sliding surfaces including plastic bearings and runners. Has a wide temperature operating range -40°C to 340°C. Grease clean food safe lubricant. Non-melting.



Size	Order Code SOL-740	List Price/1	Offer Price/1
100ml	-6200A	£3.71	£3.26
400ml	-6210B	£9.50	£8.36

Food Safe White Grease

Intended use for lubrication of bearings, slides and all delicate mechanisms used in the food manufacturing/processing industry. Maximum operating temperature 150°C with excellent load carrying capacity and water resistance. FDA Compliant. **INS H1 registered**. Non-toxic.

	COLUMN DR VOCO		
Size	Order Code SOL-740	List Price/1	Offer Price/1
400ml	-5900A	£4.96	£4.36

Food Safe Silicone Grease

QĮ

2

A versatile silicone grease for operation in extremes of high and low temperature. Can also be used on food product applications or where water repellent properties are of prime importance as it offers excellent physical performance and is **INS H1 registered**. Non-melting, water repellent, odourless, non-toxic, low volatility. High dielectric. resistant to oxidation. Thermally stable ozone resistant. Minimal effects on rubbers, plastics and metals. Unaltered by UV light.



	TT TT	F	
Size	Order Code SOL-740	List Price/1	Offer Price/1
100ml	-6250D	£5.98	£5.26
400ml	-6260E	£12.07	£10.62
500g	-6270F	£15.09	£13.28

5	ES & SPRAYS	
	MOLY SLIP EP Grease Fo	r ery
	Suitable for commercial and indus applications. Approved for use wh incidental contact with	strial
	foodstuffs may occur. Specially compounded from U.S. FDA listed, acceptable ingredients	MOLYS
	and NSF H1 registered. It meets USDA, 1998 H1 guidelines for the lubrication and protection of	
	machinery used for the processing and packaging	TOOD
	foodstuffs. Non-melt, non-toxic, waterproof, high performance EP grease. The special	URLASE UL
	properties of FMG make it suitable for a wide range of applications including	WISE
	anti-friction bearings, slides, gears and guides etc.	anny

Product Number	Size	Order Code MLY-703	
FMG	400g	-3780N	£6.60

ROCOU Foodlube Universal 2

A white non-toxic bearing grease designed for lubrication and protection of all types of ball, roller and plain bearings operating in the food and other clean industries. Suitable for operating at low or high temperatures, high loads and those which require high water resistance.



ambersil ^{Amberklene}

Heavy-duty, biodegradable industrial cleaner/ degreaser. Specially designed for use on food processing and packaging

equipment. Authorised for use in inedible product processing, non-processing and exterior areas. The controlled evaporation rate ensures maximum contact time with contamination. NSF C1 registered. Meets USDA 1998 **C1** guidelines for use in food industry. High flash point of 40°C. Neutral product, non-staining. Does not contain water. Non-corrosive to metals. May be harmful to some plastics and will soften some paints. Fitted with a 360° spray system for all angle use, even upside down.

> Order Code AMB-701

> > -0056A

Size

500ml



A heavy-duty, biodegradable, water-based all-purpose foam cleaner/degreaser. Specially formulated for use on food processing and packaging equipment. The non-dripping foam ensures longer contact time and improved performance, especially on vertical surfaces. **NSF A1 registered** meets **USDA 1998**. Readily biodegradable as per OECD 301B. Quickly penetrates, removes grease, oil, grime and tough stains from any washable surface. Stable, non-dripping foam formula limits over-application. Safe on all metals and on plastics if rinsed after application.

stil

100



Size	Order Code	List	Offer
	AMB-701	Price/1	Price/1
500ml	-0066F	£5.05	£4.54

Stainless Steel Cleaner FG

Water-based, foaming cleaner for degreasing and cleaning of stainless steel surfaces. **Registered NSF** C1 (No.138212) for use in the food industry. Eliminates fingerprints, watermarks, dust and dirt from stainless steel. Provides metal surfaces with a long term protective coating which inhibits staining and contamination. Fitted with a 360° spray system for all angle use, even upside down. Suitable for cleaning and protection of metal surfaces against staining and contamination.



Size	Order Code	List	Offer
	AMB-701	Price/1	Price/1
500ml	-3860A	£6.93	£6.24

Silicone Anti-Stick

A high purity, highly concentrated silicone lubricant based upon silicones approved by the FDA and considered safe for applications where incidental food contact may occur. Lubricant is odourless, tasteless colourless and chemically inert. Ideal for use where high standards of purity are essential. Suitable as an anti-stick agent on conveyors, labellers, heat sealers and packaging applications. Helps prevent line jams, inhibits adhesive build-up on blades and sealers.



Size	Order Code	List	Offer
	AMB-701	Price/1	Price/1
400ml	-1156P	£11.16	£10.04



Offer

Price/1

£6.73

thersi

AMBERKLENE

FG

All Printer Eachade V.A.T.

List

Price/1

£7.48

FOOD SAFE GREASES & SPRAYS 74

ACTION CAN Food Grade Multi-**Purpose Lubricant**



Food Grade Chain & Drive Lubricant

-0260K

£6.51

£5.08

425ml

CD90-FG H1	
Holds H1 approval from NSF and	Prove of
INS. Clear viscous oil with a	CO-9
flashpoint 240°C.	TRANSPORT OF
Viscosity 20°C at 238 mm ² /s.	10
Density at 15°C .865kgm/3.	10.00
Boiling point 370°C.	100
No taste or smell.	10
Size: 500ml aerosol.	a state of
	-
Order Code List	Offer

	Size	ACN-732	Price/1	Price/1
	500ml	-2260K	£11.19	£8.95
-				

Food Grade Silicone Release Agent

SP90-FG H1 Superior silicone dry lubricant formulated to provide extra performance and maximum silicone release. Temperature range -65°C to +315°C. Holds H1 approval from NSF and INS. Odourless, tasteless, chemically inert. Size: 500ml aerosol.

Offer Order Code ACN-732 List Size Price/1 Price/1 500ml -9010K £9.28 £7.42

Food Grade PTFE Release Agent PTFE-FG H1

Temperature range -40°C to +260°C. PTFE is a fine grade powder carried in fast evaporating solvent. Clean non-toxic, no odour, also suitable as anti-galling agent on fasteners and fixings. Can be used as a general lubricant in all food preparation areas. Holds H1 approval from INS. Size: 500ml aerosol.

Order Code ACN-732 List Offer Size Price/1 Price/1 500ml -8020K £9.87 £7.90

Food Grade Clear Grease + PTFE CG90-FG H1

High temperature clear grease with PTFE has a wide temperature operating range rated to -45°C to +350°C. Holds H1 approval from NSF and INS. Non-toxic, no odour, multi-viscosity, water and steam resistant and with added corrosion inhibitor.

Order

ACN

Size: 500ml aeroso

Size

500ml

· (NEW	
Code	Liet	

0301.	NEW	and the second s
Order Code ACN-732	List Price/1	Offer Price/1
-2290K	£6.24	£4.99

ambersil Machine Oil FG -General-Purpose

A general-purpose lubricant and penetrating oil, for use on food processing equipment where incidental food contact may occur. Based on pharmaceutical grade highly refined white oils. **NSF H1 registered**. Meets USDA 1998 H1, to be used as a lubricant with incidental food contact. Creates an effective water-repellent film. Prevents corrosion. Reduces friction and wear. Contains no silicone. Colourless film. Safe for use on metals, most plastics, painted surfaces and wood. 360° spray for all angle use, even upside down.

Size: 400ml aerosol.

Size	Order Code	List	Offer
	AMB-701	Price/1	Price/1
400ml	-0840L	£8.20	£7.38

ROCOL Foodlube Spray

High performance versatile lubricant spray for all round light to medium lubrication of most moving parts including small bearings and slides. Temperature range -10°C to +100°C. NSF H1 registered.



Chain Lubricant FG - With PTFE

A foaming chain lubricant with added PTFE. Specifically designed to provide convenient, effective lubrication and protection in applications where incidental food contact

CHAIN

LUBE FG

Offer

Price/1

List

Price/1

£11.26 **£10.13**

may occur or in applications where a clean lubricant is preferred. The gentle foaming action assures an excellent penetration and prevents against dripping. NSF H1 registered. Meets USDA

1998 H1 guidelines for use as a lubricant with incidental food contact. Operating temperature from -15°C +175°C. Contains PTFE to which helps reduce friction and wear. Virtually odourless and colourless. Controlled application with gentle foaming action.

Size

400ml

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

Order Code

AMB-701

-0540N





a hydrophobic coating to protect surfaces from corrosion. It penetrates threads and crevices to release and lubricate delicate mechanisms, pivot points and sliding surfaces whilst degreasing hard surfaces. Can be used as a light lubricant. FDA Compliant. INS H1 registered. Food safe.

Synthetic translucent. Tasteless water white fluid. Non-toxic. Anti-corrosive.

Industrial	

GROUP

OLEN

Size	Order Code	List	Offer
	SOL-740	Price/1	Price/1
500ml	-5930D	£6.56	£5.77

Food Safe Lubricating Oil

This lubricant is completely clear, odourless and food safe, it contains no mineral hydrocarbons and meets with FDA and is INS H1 registered. It is a hydrophobic oil and therefore does not take in water, providing a barrier between water condensation and metal surfaces. This versatile lubricant can be used on sliding and rolling element bearing surfaces, metal, wood and plastics. Non-flammable. Non-toxic. Anti-corrosive. Safe for use at temperatures from -60° to +260°C.

1	•
e	OLINI VOC
BIBIB	
List Price /1	Offer Price /1

Size	Order Code SOL-740	List Price/1	Offer Price/1
500ml	-5960G	£7.21	£6.34
5ltr	-5970H	£41.26	£36.31

Food Safe High Tech Grease

Food safe synthetic PTFE grease is a fully synthetic translucent non-melting grease that allows fluid to penetrate into machine parts before setting to a No. 2 rated grease. Protects and lubricates with a non-toxic anti-corrosive shield for use on sliding and rolling element bearing surfaces, metal, wood and plastics. Non-toxic lubricant ingredients listed by the FDA and is INS H1 registered. Totally salt or fresh water-resistant to be used inside and out on machinery in temperatures ranging from -40°C to +340°C. Size



£6.30

Page 1287

Order Code SOL-740 Price/1 500ml -6220C £7.16


GROUP 741 SECONDARY CONTAINMENT STORAGE Solent 2-Drum 4-Drum Spill control Spill Pallet Compact 4 100% polyethylene Image: Control of the spill pallet Compact 4

construction is resistant to corrosion and the knocks and scrapes of the industrial environment. Fully compliant with all current regulations.



Product Number	Dimensions (cm)	Sump (Itrs)	Order Code SOL-741	Offer Price/1
SDP-2	122 x 82 x 33	240	-5110A	£201.00

4-Drum In-Line Spill Pallet



SDP-4L 249 x 64 x 30 250 -5120L £414.00	Product	Dimensions	Sump	Order Code	Offer
	Number	(cm)	(Itrs)	SOL-741	Price/1
	SDP-4L	249 x 64 x 30	250	-5120L	£414.00

Drum Racker & Stacker

For safe storage and dispensing applications put one or more of these units in place. The base unit can be used on its own for two drums, or up to two levels of stackers can be used for a maximum storage of six drums. Corrosion resistant 100% polyethylene construction.



-6410A

Product	Dimensions	Sump	Order Code	Offer
Number	(cm)	(Itrs)	SOL-741	Price/1
SDS-B2	139 x 125 x 49	400	-5420B	£521.00
SDS-R2	124 x 79.5 x 37		-5420R	£201.00

2-Drum Workfloor



150

4-Drum Spill Pallet

Compact 4-drum pallet with a low loading height of only 28cm. The sump capacity of 230 litres is large enough to comply with the regulations. 100% polyethylene construction.



Product	Dimensions	Sump	Order Code	Offer
Number	(cm)	(ltrs)	SOL-741	Price/1
SDP-4	128 x 128 x 28	230	-5120A	£239.00

4-Drum Spill Pallet with Frame & Cover

not offer r drum leak kept unde this desig	let full of rain wate nuch protection sh . Where pallets are r a shelter make u n complete with a ame and cover.	ould a e not se of		
Product Number	Dimensions (cm)	Sump (Itrs)	Order Code SOL-741	Offer Price/1
SDP-FC	142 x 132 x 270	410	-5180F	£962.00

Drum Trolley



This easy to use unit combines safe transport, storage and dispensing from drums all in one. Any spills that occur during dispensing are safely stored in the sump. Simple to use one person operation.

Product Number Dimensions (cm) Sump (ltrs) Order Code SOL-741 Offer Price/1 SDT-230 160 x 74 x 64 230 -5500T £481.00

4-Drum Workfloor





Page 1288

126 x 86 x 15

SW-2

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES



GROUP

transported in a leakproof container. This container fully meets these regulations.

The 100% polyethylene construction ensures compatibility to a broad band of chemicals and oils. The lid is fully threaded and can be tightened using a bar or piece of timber across the slots. The moulded design externally allows for lifting by a fork-lift or sling.

Product

Number



Designed to ensure that there are no spills with an integral lid so that the funnel can be left in place when not in use. Fits over the top of a 205ltr drum. Does not rust or corrode.



Offer Number (cm) (ltr) SOL-741 Price/1 SF-20L 61 dia x 23 250 -5650X £63.00 a drum tray with a capacity that is 25% of the size of the drum is sufficient. This 100% polyethylene circular tray meets the requirement. It is also ideal as a temporary bund for smaller items during maintenance operations, including batteries.



Order Code Offer SOL-741 Price/1 Product Sump Dimensions Number (ltr) (cm) -5840T £70.02 SOT-8 87 dia x 19 50

GROUP SECONDARY CONTAINMENT STORAGE Solent Double IBC Spill Station An absolutely essential item where absorbents are used in the workplanet. An absolutely essential item where absorbents are used in the workplanet.

This is the largest polyethylene spill pallet available, and can be used for a variety of applications including the regulation compliant storage of two 1000ltr IBCs or up to eight 205ltr drums.The strong polyethylene rotationally moulded design ensures that there is no distortion of the side walls when under load.



 Product Number
 Dimensions (cm)
 Sump (ltr)
 Order Code SOL-741
 Offer Price/1

 SSP114
 256 x 135 x 51
 1140
 -6250T £1035.00

Single IBC Spill Pallet


This unique design is complete with a bucket space for the splash-proof dispensing of fluids from the IBC. Any type of IBC with an integral pallet can be used.

Product Number	Dimensions (cm)		Order Code SOL-741	
SSP110	140 x 195 x 73	1100	-6240S	£735.00

Drain Covers

When a spill occurs outside, the most likely outlet for fluids to run away to are the drains. It is a legislative requirement that sufficient protection is in place for all at-risk drains. This is best met with one or more drain covers, of which three types are available. The clay drain covers are only for use in an emergency, as once moulded to the drain they cannot be reused. Where ongoing use is anticipated, such as each time a bulk delivery is made, a polyurethane cover should be used. The neoprene cover (not illustrated) is for occasional use only.

Polyurethane



An absolutely essential item where absorbents are used in the workplace on a daily basis. This unique design provides clean and easily accessed dispensing for a combination of absorbents as required. Any of the Solent Plus or Lubetech pads from those featured in Section 742 can be used, along with any absorbent roll from these ranges up to 50cm wide. Bespoke paint finishes and branding are available on request subject to minimum order quantities. All steel construction. Supplied flat packed.



Product Number	Dimensions (cm)		Order Code CTL-741	
LSS-50-	62 x 51 x 123	-	-5000A	£200.00

Spill Barrow

Manufactured from 100% polyethylene. Front mounted castors for easy manoeuvring. The 60ltr front hopper is fitted with a lid and can be used for granular absorbents, salt or grit. The 100ltr rear bin is designed to take a waste bag for collecting used product. This superb product is a 'must-have' where granular absorbents are used.



Polyethylene Storage Cabinets

One or more of these cabinets provide a neat and tidy solution to the storage of drums and containers of various sizes up to 205ltr. All sizes are fully weather-resistant and complete with lockable doors and integral sumps.



SSC-CAB2

SSC-CAB1

SSC-CAB5

AB1





Product	Dimensions		Order Code	
Number	(cm)	(ltr)	SOL-741	Price/1
SSC-CAB1	54.5 x 44 x 99	30	-6110H	£381.00
SSC-CAB2	65 x 57 x 165	70	-6120J	£602.00
SSC-CAB5	72 x 92 x 152	100	-6150M	£889.00



Page **1290**

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES



OLENT Audit Spill

Spill kit audit covers are yellow, weatherproof PVC covers with elasticated cord to allow fitting over the top of a 2-wheeled wheelie bin spill kit. A4 sized clear pouch for inserting audit record sheet. Tamperproof tape fitted on the container and cover indicates whether any of the contents have been used. Depleted spill kits are classified as ISO14001 non-conformity. Available in sizes to fit wheelie bins of capacities: 120 and 240ltr.

PHIL CONT

Order Code SOL-742

Drum Plua

Ideal for rapid response to unexpected releases of liquid. Provides temporary plugging of holes in drums or pipes. Pre-mixed putty is ready to use. No surface preparation is required. Applies directly onto container to form a seal. Bentonite clay granules that form a barrier to aqueous liquids. Nontoxic.



AVC 120	120ltr	-5440V
AVC 240	240ltr	-5540V
Clay Absorb	ent Granules	

To Fit 2 Wheeled

Bin Size

These traditional absorbent clay granules absorb oil, water and most other fluids. Non-toxic, chemically inert. 20ltr.

Product

Number



Bag	Order Code	Offer
Size	SOL-742	Price/1
20ltr	-8250A	£5.78

Lubetech Industrial Granules

A fire retardant, dust-free compound that is highly absorbent, non-toxic and lightweight. Can be incinerated. Conforms to BS476 Part 7 class 2. 30ltr.



Bag Size	Order Code LUT-742	Offer Price/1
30ltr	-0961R	£8.33

pilkleen **Spil**kleen Granules

Tub

Size

1kg

Order Code

-2880R

Offer

MGS G18 - Medium Absorbency Ideal for Concrete Floors.

Offer Price/1

£19.44

£20.52

Oil absorbency 51%, water absorbency 64%. A low dust mix of calcium carbonate and china clay granules. Mixed granule sizes ensure rapid spill absorption. For use with oils, paints, inks, dyes, etc. Neutralises weak acid spills. More absorbent than clay granules.



CARRIAGE EXTRA AT COST

Soak-up	Weight	Order Code	Offer		
Capacity	each	CTL-742	Price/1		
9.2ltr/bag	18kg	-1000M	£11.86		

Spilkleen Plus Granules

MGSP10 - Lightweight Material Medium Absorbency

Oil absorbency 130%, water absorbency 16%. Lightweight mix of dust-free non-slip

cellulose and clay granulate. Does not break down or powder even in heavy traffic areas. Three times as absorbent as conventional clay granules. Suitable for use on oils, paints, inks, dyes, solvents and nonaggressive aqueous liquids



CARRIAGE EXTRA AT COST

Soak-up	Weight	Order Code	Offer
Capacity	each	CTL-742	Price/1
7.8ltr/bag	6kg	-1001N	£8.86

SafeSoak

Loose granular sawdust absorbent, fire retardant treated. Applied around the edges of the spill SafeSoak will prevent further spreading. Manufactured from 100% recycled material.

CARRIAGE EXTRA AT COST

Type of	Weight	Order Code	Offer	Bag
Container	each	CTL-742	Price/1	Size
Bag	7kg	-1910F	£10.94	20ltr

Oil Dry Floor Grit Brown

For the absorption of oil, water and all liquid spillages. Non-toxic chemically inert granules. Spread onto the spillage and when absorbed choose a safe place

for disposal depending on the nature of the spillage.



Lubricants & Chemical Products

CARRIAGE EXTRA AT COST

Type of	Weight	Order Code	Offer
Container	each	CTL-742	Price/1
Bag	7kg	-1000A	£6.90

Granules

MOP absorbent granules used to mop up oil spills on floors and other contaminated surfaces. Holds the absorbed fluid, does not disintegrate. Chemically inactive, odourless granular material.



CST-742 -2000C	Price/1 £11.78
Order Code	Offer
	CST-742

742 SPILL CONTROL Solution of the second second

Rather than relying on a non-renewable resource such as polypropylene for their construction, this all new range of absorbent pads, rolls and socks from Solent Plus[™] utilises raw materials that are constituted 80% cellulose fibre in their manufacture. Cellulose fibres are one of the most widely available sustainable resources and have a low dependence on fossil fuels. All of the products are available in either maintenance or oil-only grades, and represent a viable, cost-effective alternative to traditional melt-blown absorbents. The performance is equal to, if not better in some cases than conventional absorbents. Of particular note here is the oil pad, which has a class-beating absorbency rating of up to 1.4ltr per pad.



PACK OF 100



Dimensions (cm x cm)	Format	Pack Quantity	Absorbs (ltr)	Order Code SOL-742	Offer Price/1
48 x 38 48 x 38	Maintenance Oil only	100 100	0.8 1.4	-4510K -4550P	£51.84 £48.60

'Natural' Socks




Dimensions	Format	Pack	Absorbs	Order Code	Offer
(cm x m)		Quantity	(ltr)	SOL-742	Price/1
7.5 x 1.2	Maintenance	20	4.0	-4530M	£48.60
7.5 x 1.2	Oil only	20	4.0	-4570R	£48.60

'Natural' Rolls



Dimensions (cm x m)	Format	Pack Quantity	Absorbs (ltr)	Order Code SOL-742	Offer Price/1
37 x 38 37 x 38	Maintenance Oil only	1 1	62.0 108.0	-4520L -4560Q	£47.52 £44.28


Absorbent Socks



Product Number	Dimensions (cm x m)	Format	Pack Quantity	Absorbs (ltr)	Order Code SOL-742	Offer Price/1
SMS810	7.5 x 1.0		50	3.7	-2960M	£99.35
PMS812	7.5 x 1.2	Maintenance	20	4.5	-4170N	£49.14
PMS830	7.5 x 3.0		8	11.2	-4180P	£49.14
75-3056	7.5 x 1.2		20	4.0	-4470X	£53.82
P0S830	7.5 x 3.0	Oil only	8	10.0	-4480Z	£53.82
PCS812	7.5 x 1.2	Chemical	20	4.0	-4770H	£58.32
PCS830	7.5 x 3.0	Chemical	8	10.0	-4780K	£58.32

Absorbent Booms

Use to contain oil or fuel spills on water. The fill is hydrophobic, which means that they repel water while absorbing oils and fuels. Will stay afloat on water even when saturated with oil. Use the clips and rings to join more than one boom together for larger spills. Convenient 3m length for ease of handling.



Absorbent Pillows

These absorbent pillows are particularly useful for coping with persistent leaks that require more than the absorbent capacity offered by pads. Can be left in place under machinery. PACK 16 Product Dimensions Order Code SOL-742 Offer Pack Absorbs Format Number (cm x cm) Quantity (ltr) Price/1 SMC303 -2610F £52.27 38 x 23 Maintenance 16 4.0 38 x 23 3.5 2620G £52.27 S0C303 Oil only 16

16

3.5

-2600E

£56.16

Page **1292**

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

38 x 23

Chemica

SCC303





Solent Plus[™] absorbent pads are available in two thicknesses, medium or light and are suitable for use anywhere that fluids have leaked or spilt. Simple colour coding makes

selection easy. For most indoor applications use grey/black. These will absorb most fluids, including oils, fuels, solvents, coolants, water and foodstuffs such as milk or wine. If there's a possibility of aggressive fluids such as acids or alkalis being spilt, use the yellow ones. Where an oil or fuel spill is likely outdoors, it's best to put the white ones in place. These repel water while absorbing the oils and fuels.



Maintenance **Absorbent Pads**




	Dimensions (cm x cm)	Format	Pack Quantity		Order Code SOL-742	Offer Price/1
PMP503	50 x 40	Maint./Med	100	0.80	-4010J	£48.06
SMP504	50 x 40	Maint./Light	200	0.50	-2860K	£81.00
SMP501	50 x 40	Maint./Light	50	0.50	-2850J	£25.37

Oil Only Absorbent Pads



	Dimensions (cm x cm)	Format	Pack Quantity		Order Code SOL-742	Offer Price/1
P0P100	50 x 40	Oil only/Med	100	0.80	-4310R	£44.64
SOP200	50 x 40 (Oil only/Light	200	0.65	-3360S	£70.19
SOP501	50 x 40	Oil only/Light	50	0.65	-3420H	£24.19

Chemical Only Absorbent Pads



	Dimensions (cm x cm)		Pack Quantity	Absorbs (ltr)	Order Code SOL-742	Offer Price/1
PCP504 SCP505Y SCP506Y	50 x 40 C	Chemical/Med Chemical/Light Chemical/Light	200	0.80 0.50 0.50	-4610A -2780C -2790D	£51.48 £72.79 £24.73

Absorbent Drum Top Covers

Cut to fit exactly on the top of a 205ltr drum, these covers help keep a dispensing area free of leaks and drips. Each cover will absorb up to 1ltr of most industrial fluids.



Product Dimensio Number Diamete		Pack Quantity		Order Code SOL-742	Offer Price/1
MPA5656 56cm	Maintenance	5	1.0	-0620B	£12.64

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

Absorbent Rolls

Many applications for absorbents can be met by making use of one or more of these rolls. Make a selection from medium weight 50cm or 90cm wide, or lightweight 50cm x 40m long. All sizes and weights are perforated for economy of use.



Product	Dimensions		Pack	Absorbs	Order Code SOL-742	Offer
Number	(cm x m)	Format	Quantity	(Itr)		Price/1
PMR505	50 x 40	Maint./Med	1	80	-4100C	£48.06
PMR905	90 x 40	Maint./Med	1	144	-4110L	£90.36
Product	Dimensions	Format	Pack	Absorbs	Order Code	Offer
Number	(cm x m)		Quantity	(ltr)	SOL-742	Price/1
POR130		Oil only/Med	1	80	-4400T	£44.64
POR260		Oil only/Med	1	144	-4410V	£83.52
Product	Dimensions	Format	Pack	Absorbs	Order Code	Offer
Number	(cm x m)		Quantity	(ltr)	SOL-742	Price/1
PCR484 PCR905		Chemical/Med Chemical/Med		80 144	-4700C -4710D	£51.48 £97.20

Cube Bag Spill Kits

Contain a range of absorbent products and disposal bags for dealing effectively and quickly with spills.

Contents 35ltr

1x printed cube bag, 2x socks (80mm x 3m), 15x pads (double weight), 1x disposal bag and tie, 1x instruction sheet.



Product Number	Format	Absorbs (ltr)	Order Code SOL-742	Offer Price/1	
SMK35Y	Maintenance, Vinyl Holdall, Zip Closure	35	-5150S	£42.12	
SOK35Y	Oil only, Vinyl Holdall, Zip Closure	35	- 5160T	£44.44	
SCK035Y	Chemical, Vinvl Holdall, Zip Closure	35	-5170V	£46.82	

2 SPILL CONTROL Lubetech 'Superior' Absorbent Pads

'Superior' pads from Lubetech utilise the latest manufacturing techniques to provide outstanding performance in all industrial environments. They feature a 'high loft' construction that combines more material with more space between the fibres for that extra thickness that not only absorbs but retains - very important when selecting pads for real-life applications.

Maintenance Absorbent Pads



Product Number	Dimensions (cm x cm)		Pack Ouantity	Absorbs (ltr)	Order Code	Offer Price/1
	(1 1 1		C · · · · · ·	(-)	-	,
75-5000	50 x 40	Maint./Heavy	100	1.2	-9110L	£71.50
75-7000		Oil only/Heavy	100	1.2	-9210T	£71.50
75-6000		Chemical/Heavy	100	1.2	-9010A	£82.17

UXT Universal Pads & Rolls

Make use of this unique range where there is a requirement for a lowlint absorbent that copes with virtually any fluids. The combination of a fast absorbing inner with a spunbond coverstock to both faces make these pads and rolls the absorbent of choice for many applications. Particularly useful as a wipedown product or for lining benches when stripping down machinery. Product Pack Absorbs Order Code LUT-742 Offer Dimensions Format Number Quantity (ltr) Price/1 11-1000 51cm x 41cm Pad 100 0.8 -0900A £71.50

Roll

Roll

Multi-Roll

11-1002

11-1003

Unique 3-ply construction. Tough coverstock layer top and bottom with absorbent centre. Endless applications - use it as a pad, a roll or a sock. Absorbs most fluids except aggressives.

76cm x 46m

38cm x 46m



-0910B

-0920C

140

1

£132.50

£66.17

	Dimensions (cm x m)	Format	Pack Quantity	Absorbs (ltr)	Order Code LUT-742	Offer Price/1
12-1028	38 x 46	Maintenance	1	89	-1480B	£63.00

Roll'n'Box

This small roll in it's own box is ideal for the workshop or the back of the van to cope with those small incidental spills that happen from time to time. It absorbs most fluids found in industry apart from aggressive. Each roll yields as many as 200 pieces 23 x 19cm.

Product Number	Dimensions (cm x m)	Format	Pack Quantity	Absorbs (ltr)	Order Code	Offer Price/1
12-1028	38 x 22	Maintenance	1	44	-1390T	£37.00

'Superior' Absorbent Socks

An improved range of absorbent socks for every application. Use around machinery to absorb and retain leaks and drips before they become a safety hazard.





Product Number	Dimensions (cm x m)	Format	Pack Quantity	Absorbs (ltr)	Order Code	Offer Price/1
75-2000	7.5 x 1.2	Maintenance	20	5.1	-7520M	£52.33
75-2001	7.5 x 3.0	Maintenance	8	12.7	-7530P	£52.33
75-3000	7.5 x 1.2	Oil only	20	4.0	-7600K	£56.67
75-3001	7.5 x 3.0	Oli Only	8	10.0	-7620M	£56.67
75-1000	7.5 x 1.2	Chemical	20	4.0	-7500C	£60.83

'Superior' Absorbent Rolls

All the qualities of the 'Superior' pads combined with the convenience of a roll. Available in all three grades, these heavyweight absorbent rolls are perforated once up the middle and length ways.



Product Number	Dimensions (cm x m)	Format	Pack Quantity	Absorbs (ltr)	Order Code	Offer Price/1
75-5001	50 x 40	Maint./Heavy	1	120	-9120M	£71.50
75-7001	50 x 40	Oil only/Heavy	1	120	-9220V	£71.50
75-6001	50 x 40 0	Chemical/Heavy	1	120	-9020B	£82.17

Absorbent Rug

A hard-wearing industrial rug with an anti-slip backing. Ideal for lining walkways where the tracking of fluids from area to area is an issue. Needle punched construction for extreme strength - enough to allow for the heaviest traffic, including fork-lift trucks. Will absorb 140ltr.



	Dimensions (cm x m)	Format			Order Code LUT-742	
11-1012	92 x 46	Maintenance	1	140	-0960G	£205.67

Hazardous Waste Bags

Heavy-duty waste bags for correct disposal of used absorbents. Complete with cable tie for securing when full. 61 x 110cm, 500 gauge.



Product	Dimensions	Format	Pack	Order Code	Offer
Number	(cm x cm)		Quantity	LUT-742	Price/1
12-1028	61 x 110	500 Gauge Heavy Duty	100	-4620H	£98.17

100

Page 1294

SPILL CONTROL

GROUI



There are many situations where there is a need for a permanent supply of absorbents to be on hand. Solent Plus™ spill kits are a cost-effective answer to this requirement. Available in Maintenance, Oil-only and Chemical kits, they range in capacity from 10ltr up to 240ltr. They are packed with sufficient absorbents to cope with a spill up to the size shown.

Clip-Closed Carrier Spill Kits


Contents

15ltr 10x pads, 1x sock, 1x gloves, 1x disposal bag.



Product Number	Format	Absorbs (ltr)	Order Code SOL-742	Offer Price/1
PMK015B	Maintenance, Clip Closed Carrier	15	-6130M	£16.20
POK015B	Oil only, Clip Closed Carrier	15	-6135N	£16.20
PCK015B	Chemical, Clip Closed Carrier	15	-6140P	£16.20

Vinyl Holdall Spill Kits



Small Poly Bin Spill Kits

Contents 25ltr

17x pads, 1x sock, 2x pillows, 1x gloves, 4x disposal bags.



Product Number	Format	Absorbs (ltr)	Order Code SOL-742	Offer Price/1
PMK025A	Maintenance, Small Poly Bin	25	-6300A	£45.72
POK025A	Oil only, Small Poly Bin	25	-6310B	£45.72
PCK025A	Chemical, Small Poly Bin	25	-6320C	£57.24

OLENT

2-Wheeled Poly Bin Spill Kits

75x pads, 9x socks, 8x pillows, 1x goggles, 1x gloves, 1x coverall suit, 10x disposal bags.

200x pads, 12x socks, 10x pillows, 1x goggles, 1x coverall suit, 18x disposal bags.

> 120ltr & 240ltr 2-Wheeled Poly **Bin Spill Kits**

Product Number	Format	Absorbs (ltr)	Order Code SOL-742	Offer Price/1
PMK120B	Maintenance, 2-Wheeled Poly Bin	120	-6350D	£155.00
POK120B	Oil only, 2-Wheeled Poly Bin	120	-6360E	£155.00
PCK120B	Chemical, 2-Wheeled Poly Bin	120	-6370F	£195.00
PMK240B	Maintenance, 2-Wheeled Poly Bin	240	-6400G	£275.00
POK240B	Oil only, 2-Wheeled Poly Bin	240	-6410H	£275.00
PCK240B	Chemical, 2-Wheeled Poly Bin	240	-6420J	£344.00

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

742 SPILL CONTROL Lubetech Spill Response Kits

In addition to daily use absorbents, there is often a requirement in the workplace for a larger volume of absorbent material to be held in one location for use in an emergency - a spill response kit. This may be small, capable of absorbing up to seven litres - or large, with an absorption capacity of 1000ltr or more. Whatever the size, the same basic requirements will apply. The container that the absorbents are packed in needs to be durable - and readily visible. The absorbents need to be capable of coping with any liquid that might be spilt in the area the kit's intended for - not just the predominant fluid. Suitable personal protection equipment will need to be included - as well a generous supply of easily identifiable disposal bags to put used absorbents in. Three types of spill response kits are available in several capacities depending on your requirements - 'Maintenance', 'Oil-only' and 'Chemical'.

Clear Carrier Spill Kits

Contents 15ltr

10x pads, 1x sock, 1x gloves, 1x disposal bags.



Product Number	Format	Size Itr)	Order Code	Offer Price/1
14-1015	Maintenance, Clear Carrier	15	-1615A	£18.00
24-1015	Oil only, Clear Carrier	15	-2715H	£18.00
04-1015	Chemical, Clear Carrier	15	-0415M	£18.00



Small Poly Drum Spill Kits



Vinyl Holdall Spill Kits



Product	Format	Size	Order Code	Offer
Number		(ltr)	LUT-742	Price/1
14-1010	Maintenance, Vinyl Holdall	10	-1610H	£41.83
24-1010	Oil only, Vinyl Holdall	10	-2710V	£41.83
04-1010	Chemical, Vinyl Holdall	10	-0410X	£47.67

Vinyl Holdall Spill Kits





Page 1296

Lubetech Circular Poly Bin Spill Kits

Contents 80ltr

40x pads, 5x socks, 4x pillows, 1x goggles, 1x gloves, 1x coverall suit, 6x disposal bags. Size: 80ltr.



Product Number		Order Code LUT-742	
14-1080	Maintenance, Circular Poly Bin	-1680S	£120.33
24-1080	Oil only, Circular Poly Bin	-2780E	£120.33
04-1080	Chemical, Circular Poly Bin	-0480F	£147.83

Wheeled & Static Bin Spill Kits

Contents

120ltr

60x pads, 4x socks, 8x pillows, 1x goggles, 1x gloves, 1x coverall suit, 10x disposal bags.

240ltr

150x pads, 6x socks, 10x pillows, 1x goggles, 1x gloves, 1x coverall suit, 1x warning sign, 1x hazard tape, 18x disposal bags.



Steel Cupboard Spill Kit

Contents 50ltr

Product

Number

04-1070





-0470E

50

Steel Cupboard

	bucket.			
e Offer Price/1	Product Number	Format	Size Order Code Offer (ltr) LUT-742 Price/1	
£355.00	04-2087	ADR Universal	30 -0896P £158.33	

4-Wheeled Bin Spill Kit

Contents 900ltr 300x pads, 2x 50cm roll, 6x 13cm booms, 6x 3m socks, 16x pillows, 2x goggles, 2x gloves, 2x coverall suit, 1x warning sign, 1x hazard tape, 60x disposal bags.

For Gloves See Group 96]



360ltr 190x pads, 12x socks, 16x pillows, 2x goggles, 2x gloves, 2x coverall suit, 1x warning sign, 1x hazard tape, 24x disposal bags.

Product Number	Format	Size (ltr)	Order Code Offer LUT-742 Price/1
14-1120	Maintenance, 2-Wheeled Bin	120	-1720P £179.67
24-1120	Oil only, 2-Wheeled Bin	120	-2820B £179.67
04-1120	Chemical, 2-Wheeled Bin	120	-0520D £220.00
14-1125	Maintenance, Static Bin	120	-1725M £285.67
24-1125	Oil only, Static Bin	120	-2825C £285.67
04-1125	Chemical, Static Bin	120	-0525E £326.00
14-1240	Maintenance, 2-Wheeled Bin	240	-1840Q £323.33
24-1240	Oil only, 2-Wheeled Bin	240	-2940C £323.33
04-1240	Chemical, 2-Wheeled Bin	240	-0640E £410.83
14-1245	Maintenance, Static Bin	240	-1845V £429.33
24-1245	Oil only, Static Bin	240	-2945D £429.33
04-1245	Chemical, Static Bin	240	-0645F £516.67
14-1360	Maintenance, 2-Wheeled Bin	360	-1900R £487.67
24-1360	Oil only, 2-Wheeled Bin	360	-3060M £487.67
04-1360	Chemical, 2-Wheeled Bin	360	-0760K £625.33



SPILL CONTROL 742 **Universal Haulage Spill Kit**

GROUP

Meets the requirements of the **ADR Regulations. Contents:** 30ltr

1x vehicle spill kit

case,

10x pads,

4x socks, 1x clay drain mat, 1x

STEP 1 -	PROTECT Dispen	STEP 2 - HE	AVY CLEANSE
Attractive wall- mounted dispenser is Biocote® protected and guaranteed for life. For use with Deb Universal Protect cartridges. Size Order Code List Offer DEB-710 Price/1 Price/1 Itr -6404E £22.55 £18.49 Deb Universal Protect Universal pre-work skin cream to help protect the skin against contact with water and non-water based contaminants.	Deb Sun 1000 protect Deb Sun 1000 dispenser Deb Sun 1000 dispenser, for use with Deb Sun Protect Sunscreen. Dispenser is Biocote® protected and guaranteed for life. Size Order Code List Offic 1ltr -7825C £22.55 £18. Deb Sun Protect SPF30 sunscreen to protect the skin against the sun's harmful UV-A (ageing) & UV-B (burning) rays. unit of the sun of the su	Size Order Code List Offer Size Order Code List Offer Yet 21tr -2680P £43.75 £32.49 Altr -2680P £43.75 £35.88	Size Order Code List Officience Size Order Code List Officience Size Order Code List Officience 2ltr -2665W £36.02 £29. 4ltr -2665Y £45.64 £37. Deb Lime Wash. Order Code List Officience 2ltr -2665W £36.02 £29. 4ltr -2665Y £45.64 £37. Deb Lime Wash Gentle but effective heavy- duty hand cleanser with Deb's patented combination of natural cornmeal Image: Constrained and
debin Cleanse Light Dispenser Washroom	Size Order Code List Offi DEB-710 Price/1 Price 150mi -7801B £6.92 £5 1ltr -7801E £27.78 £22	contaminants. Size Order Code List Offer DEB-710 Price/1 Price/1 2ltr -8430L £20.36 £16.70 4ltr -8430N £45.87 £37.61 Deb Universal Wipes For general hand cleaning, such as removing oil, grease and grime, with no need for water.	2ltr -5350E £10.07 £8. 4ltr -5350G £19.13 £15. Deb Citrus Power Wash Uses the power of natural orange oil extracts in combination
dispenser is Biocote® protected with a guarantee for life. For use with Deb Light Duty Hand Cleansers - Deb Pure Wash and Lotion Wash cartridges. Size Order Code List Offer DEB-710 Price/1 Price/1 2ltr -2670B £36.02 £29.54	is Biocote® protected and guaranteed for life. For use with Deb Hair & Body Wash cartridges.	Order Code List Offer Qty Order Code List Offer DEB-710 Price/1 Price/1 Price/1 150 -8499H £16.00 £13.12	with cornmeal hand scrub to provide a highly effective cleaning performance. Size Order Code List Offer DEB-710 Price/1 Price 2ltr -2652G £13.53 £11. 4ltr -2652J £25.73 £21. Deb Sunflower Wash Solvent-free heavy-duty hand
4ltr -2670D £45.64 £37.42 Deb Pure Wash Perfume-free and dye-free lotion hand cleanser for regular use to remove general dirt and grime. Size Order Code List Offer	2ltr -2675J £36.02 £29 Deb Hair & Body Wash All over hair & body lotion wash with an invigorating rainforest fresh fragrance. Suitable for use in male and female shower areas. Size Order Code List Off	paints, inks, resins, adhesives and most other print and paint-shop contaminants. No need for water.	cleanser with Debasol®: Deb's patented combination of natural sunflower oil extract and cornmeal hand scrub.
Size Order Code List Order DEB-710 Price/1 Price/1 Price/1 2ltr -6570B £7.62 £6.25 4ltr -6570D £14.45 £11.85	Size Order Code DEB-710 List Office Price/1 1ltr -4310L £8.21 £6. 2ltr -4310N £10.22 £8.	Qty Order Code List Offer 73	- 4ltr -7810N £19.25 £15.
Deb Lotion Wash Lightly perfumed lotion hand cleanser for regular use to remove general dirt and grime.	STEP Deb Restore Dispense Deb Restore 1000 dispenser, for use with Deb Pure Restore cartridges.	3 - RESTORE Deb Pure Restore Conditioning cream to provide effective skin care, whether dry, sore, chapped or in normal condition.	Deb Natural Power Wash Uses the power of Debasol®, Deb's patented combination of solvent free, natural sunflower oil extracts. Effective on most ingrained industrial soilings.
Size Order Code DEB-710 List Price/1 Offer Price/1 2ltr -5430H £7.62 £6.25 4ltr -5430K £14.45 £11.85	Size Order Code List Offi DEB-710 Price/1 Price 1ltr -7150E £22.55 £18.	150ml -65600 £3.14 £2.57	Size Order Code DEB-710 List Price/1 Offferican Price 2ltr -6040T £14.21 £11. 4ltr -6040W £27.02 £22.

STEP 2 - WASHROOM CLEANSE



Deb Aromatherapy

For use with Proline dispensers. **Deb Energising Lotion Hand** Wash

A high-quality creamy soap that produces a rich, luxurious lather. Formulated with essential oils of lemon and coriander. Dermatologically tested. 1ltr

cartridge.



Size	DEB-710		Price/6+
1ltr	-1422C	£8.02	£6.58

Deb Aromatherapy Calming Hand Wash

A high-quality creamy soap that produces a rich, luxurious lather. Formulated with essential oils of cedarwood and patchouli. Hands are left feeling clean and fresh. Dermatologically tested. 1ltr cartridges. Order Code List Offer DEB-710 Price/1 Price/6+ Size 1ltr -1402C £8.02 £6.58

Deb Aquaress Hyfoam

For use with Proline dispenser. Deb Aquaress® Hyfoam® Luxury Foam Soap

Aquaress[®] Hyfoam[®] luxurious foaming hand soap incorporates a range of natural ingredients that leaves hands feeling fresh and conditioned. **Rinses** easily from skin. Dermatologically tested. Order Code List Size

DEB-710 Price/1 Price/6+ -1106C 1ltr £8.37 £6.86

oke Dispensers

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

For individual or corporate branding, Deb's design team will personalise your ideas and produce a unique dispensing solution tailor made for your specific requirements. Whether it's a corporate logo or a promotional message Deb can provide the solution. Contact your local branch for details.

Size

1ltr

111

Offer



HAND & SKIN CARE 780 **Deb Energising Foaming Soap**

A mousse-like foam soap that provides a rich, luxurious lather. Formulated with essential oils of lemon and coriander. Hands are left moisturised and feeling clean and fresh. Dermatologically tested. 1ltr cartridge.

GROUP



Size	Order Code	List	Offer
	DEB-710	Price/1	Price/6+
1ltr	-1448G	£8.37	£6.86

Deb Aromatherapy Calming Foaming Soap



conts

20

Che

Ξ

ô

Prod

SLDD

Soap A foaming soap containing



List Offer Order Code DEB-710 Price/1 Price/6+ -1151K £9.42 £7.72



80 HAND & SKIN CARE

SANITISE

InstantFOAM™ deb Dispenser

Attractive wall-mounted dispensers are guaranteed for life. Dispensers are not supplied with the portable Sanitising Station.



Туре	Order Code DEB-710	List Price/1	Offer Price/1
TouchFREE	-1456L	£46.58	£38.20
Santising Station	-1458N	£193.27	£158.48
Sanitise 1000	-7520X	£16.91	£13.87

Deb InstantFOAM[™] Hand Sanitiser

Utilises the power of Deb® Foam Technology. Convenient with no sticky gelling agents or water required, the unique refreshing foam formula sanitises hands quickly and effectively.

Kills 99.999% of most common germs.

C nemical



Туре	Order Code DEB-710	List Price/1	Offer Price/1
47ml	-1360A	£2.16	£1.77
250ml pump	-1361B	£7.58	£6.22
1ltr cartridge	-1362C	£10.84	£8.89

Cutan[®] Gel Sanitiser

A quick, easy and convenient method to rapidly disinfect physically clean skin. Formulated with ethyl and propyl alcohol for mildness, effectiveness and relatively low odour and also contains conditioning agents glycerine to help maintain good skin condition. Quick and easy to use with no need to rinse with water or dry with towels. Conforms to EN1500 at 30 seconds, EN1276 and EN1275.

Order Code CUT-710

-2600R

-2610S

Cutan

Offer

Price/1

£1.26

£2.15

350ml Bottle

List

Price/1

£1.40

£2.39

deb Industrial Skin Safety **Centres**

Containing Deb Global Range dispensers. **3-Dispenser Board:**

With 1ltr Protect, 2ltr Cleanse and 1ltr Restore dispensers.

Dimensions (W x H): 590 x 510mm.

4-Dispenser Board:

With 1ltr Protect, 2ltr Light and 4ltr Heavy Cleanse and 1ltr Restore dispensers. Dimensions (W x H): 800 x 570mm.

SKIN SAFETY CENTRE



Description	Order Code	List	Offer
	DEB-710	Price/1	Price/1
3-Dispenser	-0314S	20	£69.10
4-Dispenser	-0314Q		£66.93

Purell Hygienic Hand GOJO Rub

Personal Bottle 59ml Pump 9606-24

A range of hand and body cleansers, sanitisers, shower and conditioners, skin friendly economical, effective, hygienic and enjoyable. Removes 99.9% of germs/bacteria. Bottle accepts a Personal Issue Clip Holder that fits under the screw on cap.

Personal clip for Purell 59ml Hand Rub Bottle

Description	Order Code	List	Offer
	GOJ-722	Price/1	Price/1
59ml Bottle	-7600T	£1.28	£1.22
Personal Clip	-7620W	£0.92	£0.87

Purell® Hygienic Hand Rubs

Does not require water or towels. Specially formulated with moisturisers to leave hands feeling soft and refreshed. Recommended for use on hands that are lightly soiled and in conjunction with a hand hygiene regimen. Conforms to EN 1500, EN 1040, EN 1275 and EN 12054.



-9660B

OLENT Floorstand CLEANING & HYGIENE

Sturdy stand and highly visible mounting plate to highlight the hygiene message. For use in receptions, clubs, restaurants, schools, hospitals, fitness, banks, restaurants and high traffic areas. Supplied with an instant hand sanitiser dispenser. For use with Cool Gel sanitising pouch (sold separately). Epoxy coated steel. 400 x 400mm base, 160 x 430mm mounting plate and an overall height of 1350mm. Part



assembled.

Offer Order Code Description PRO-780 Price/1 Floorstand -0005A £69.53

Cool Gel Handy Packs

Alcohol-based. Kills any bacteria (effective against MRSA) yeast or moulds. Fast drying removing the need for rinsing or drying with towels. Now available in two handy pack sizes for use on the move or at work.



Hand Cleanser

Anti-Bacterial Hand Soap Formulated from a blend of natural soap, conditioner and mild surfactants. Ideal for frequent use. Order Code Offer SOL-780 Price/1 Description Size Anti-bacterial Hand Soap 500ml -2558D £3.35 Luxury Peach Soap Produces a rich creamy lather for effective hand cleaning. Lightly scented with a fresh peach fragrance.

Description	Size	Order Code SOL-780	Offer Price/1
Luxury Peach Soap	500ml	-2598V	£2.86
Luxury Peach Soap	2ltr	-2620Z	£4.37

Page 1300

Type

50ml

150ml

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

£3.24

£3.41



New improved formula which dissolves quicker than before. Removes oil, grease, tar, diesel, creosote and most other soilings.



Part	Size	Order Code		Offer
Number	OIZC	DEB-710	Price/1	Price/1
SWA157A	250g	-0900A	£2.14	£1.75
SWA450MP	450ml Pump	-0905D	£3.96	£3.25
SWA304A	500g	-0910G	£3.63	£2.98
SWA359A	1kg	-0920C	£5.18	£4.25
SWA45L	4.5ltr	-0930D	£16.28	£13.35
SWA125KG	12.5kg	-0940E	£40.02	£32.82

Swarfega® Heavy-Duty

Polygrains act as minute scrubbing brushes to remove oil, grease, tar, diesel, creosote, carbon and other soiling encountered at work.



Part Number	Size	Order Code DEB-710		Offer Price/1
SHD30R	500g	-0950R	£4.08	£3.35
SHD45L	4.5ltr	-0951S	£17.59	£14.42
SHD125KG	12.5kg	-0952T	£42.53	£34.87

Swarfega® Paint Pro

Powerful heavy duty hand cleaner for the removal of paint and bodyshop soilings. Removes paints, resins, lacquers, adhesives, sealants, mastics and varnishes. High level of

moisturiser helps condition the skin and keep it supple. Dermatologically

tested.



 Part Number
 Size
 Order Code DEB-710
 List Price/1
 Offer Price/1

 RES606
 5ltr Pump
 -0957C
 £59.36
 £48.68

Swarfega® Lemon

An advanced formula lemon hand cleaning cream that is tough on dirt, but gentle on the skin. Removes oil, grease and general soiling quickly and efficiently with micro-polymer granules to provide a deep-down clean. The solvent-free, neutral pH formula contains lanolin. A mild lemon perfume leaves the skin feeling fresh after use, with no greasy afterfeel.



Number	Size	DEB-710	Price/1	Price/1
SPP30C	500ml	-0958D	£4.52	£3.71
SWL45L	4.5ltr	-0960F	£22.30	£18.29
SWL5LB	5ltr	-0961G	£22.34	£18.32
SWL15L	15ltr	-0963H	£60.23	£49.39

Swarfega® Orange

Powerful, advanced formulation uses natural ingredients to remove oil, grease etc quickly and efficiently. A rich creamy lotion which quickly rinses off leaving no greasy after feel.



Number	Size	DEB-710		
SOR4LTRMP	4ltr Pump	-0965K	£15.16	£12.43
SOR45L	4.5ltr	-0966L	£20.46	£16.78
SOR15L	15ltr	-0967M	£54.24	£44.48

Swarfega® Lime

A powerful non-solvent hand cleaner containing a natural commeal scrubbing agent and moisturisers. For medium-duty hand cleaning. Fully biodegradable formula. Removes ingrained oil, grease and grime.



HAND & SKIN CARE **780** Cradle Skin Safety System

Skin safety system for mobile vans and work cabins. Easy to install into a limited space. Manufactured from robust plastic with no mechanical parts.

Dimensions (W x H x D): 350 x 335 x 115mm.



Deb Cradle Starter Pack

Complete 3-step skin care system to protect, cleanse and sanitise the skin.



Stublid

20

Chemical Products

Deb Cradle Protective Cream

A multi-purpose, anti-bacterial prework protection for outdoor workers.

Part Number	Size	Order Code DEB-710	List Price/1	Offer Price/1
CRC340	700ml	- 103 6T	£12.53	£10.27

Deb Cradle Hand Sanitiser

Alcohol gel-based skin sanitiser for outdoor workers. Kills 99.999% of germs instantly. Part List Offer Order Code Size Price/1 Price/1 Number **DEB-710** CRA360 750ml -1038W £12.39 £10.16

Deb Cradle Hand Cleanser

Lime cream hand cleanser for outdoor workers. Removes oil, grease and dirt and grime. Can be used without water.

Part Number	Size	Order Code DEB-710	List Price/1	Offer Price/1
CRH36V	750ml	-1037V	£9.96	£8.17

HAND & SKIN CARE

FloraFree® Hand **Hygiene Boards**

Economical and hygienic, the boards fit neatly on to the wall, and are supported with a full range of training and education materials to encourage correct use of the products.

2-Step Board

With 1ltr Cleanse and 1ltr Sanitise dispensers. Board dimensions (W x H): 560 x 500mm.

3-Step Board With 1ltr Cleanse, 1ltr Sanitise and 1ltr Condition dispensers. Board dimensions (W x H): 766 x 500mm.



Description	Order Code DEB-710	List Price/1	Offer Price/1
2-Step	-1594K	£44.30	£36.33
3-Step	-1594M	£52.45	£43.01

Deb FloraFree® **Dispensers**

Ment in

Attractive wall-mounted dispensers for convenient placement of skin care products.



ElataFree

FloraFree[®] dispensers are coated with **Biocote®** antibacterial agent which combats bacterial and black mould growth throughout the life of the dispenser.

Dispenser	To Suit	Order Code	Offer
Type	Cartridge	DEB-710	Price/1
Cleanse (Blue)	1ltr	-1535M	£18.49
	2ltr	-1536N	£31.14
Sanitise (Red)	1ltr	-1536W	£18.49
Condition (Green)) 1ltr	-1537X	£18.49

STEP 1 - CLEANSE

Deb FloraFree® AHP Hand Wash | Deb FloraFree® Mild Hand Wash

Sanitising Hand Wash

Unique worldwide patented 3-in-1 foaming sanitising hand wash containing Accelerated Hydrogen Peroxide™ active biocide and moisturiser. AHP is dermatologically tested

and kills 99.999% (log 5 reduction) many germs, bacteria, yeasts andmoulds. Biodegradable. Foam formula prevents splashes and drips. Suitable for use in high risk food handling areas. Manufactured to EN1499, EN1276, pr EN1254, EN1255,

EN1040 & EN1276.



Size	Order Code DEB-710	List Price/1	Offer Price/1
1ltr	-1096M	£9.42	£7.72

Deb FloraFree® Mild Lotion

Hand Wash

QÌ

Mild, frequent use bactericidal lotion soap contains triclosan, a wide spectrum germicide to combat commonly found bacteria. Contains no perfume to taint food. Dermatologically tested to prove the non-irritant formula. Suitable for light to medium soilings in low risk food handling environments.



Price/1

£5.43

Size	Order Code DEB-710	List Price/1
1 ltr	-10970	£6.62

Foaming Hand Wash

Mild, frequent use bactericidal foaming soap contains triclosan, a wide spectrum germicide to combat commonly found bacteria. Instant foaming. Contains no perfume to taint food. Foam formula prevents splashes and drips. Dermatologically tested to prove the non-irritant formula. Suitable for light to medium soilings in low risk food handling environments.

Size	Order Code	List	Offer
	DEB-710	Price/1	Price/1
1ltr	-1096S	£9.42	£7.72

Deb FloraFree® Heavy-Duty Hand Cleaner

Order Code DEB-710

-1097M

'Food Grade' non-tainting cream hand cleaner containing polygrains to remove oil, grease, fats and grime. Contains no perfume to taint food. Dermatologically

tested to prove the nonirritant formula. Neutral pH suitable for frequent use. Contains wheatgerm extracts (vitamin E) to help leave the skin soft and supple after use. Suitable for heavy soiling in the

food industry such as maintenance

Size

2ltr

staff.

STEP 2 - SANITISE

Deb FloraFree® Alcogel

Skin Sanitiser

Skin sanitising gel that works instantly to kill bacteria. Highly effective blend of ethanol and propanol for broad spectrum germicidal

activity. Kills 99.999% (log 5 reduction) of many germs, bacteria, yeasts and moulds. Contains no perfume to taint food. Manufactured to EN1500, EN1276, pr EN1204 & EN1255.



Size	Order Code DEB-710	List Price/1	Offer Price/1
50ml Bottle	-1098S	£1.40	£1.15
750ml Cartridge	-1098V	£12.08	£9.91
1ltr Cartridge	-1098X	£9.06	£7.43

Deb FloraFree® Alcomouss

Skin Sanitiser

Unique, patented, high efficacy foaming alcohol skin sanitiser that works instantly to kill micro organisms on the hands. Foam formula prevents splashes and drips. Kills 99.999% (log 5 reduction) of many germs, bacteria, yeasts and moulds. Contains no perfume to taint food. Suitable for use in high risk food areas. Manufactured to EN1500, EN1276 & EN1255. Order Code List Offer DEB-710 Price/1 Price/1 Size Description 400ml Cartridge **-1097G** £7.22 £5.92 -1097J £10.84 1ltr Pump Pack £8.89



Deb FloraFree® Creme

Skin Conditioning Cream

Helps prevent sore and chapped skin often encountered when frequent daily hand washing is required. Ointment-based cream is quickly absorbed into the skin without leaving a greasy feel. Neutral pH suitable for frequent use. Contains no perfume to taint food. Tests show regular use can increase skin moisture by up to 25%. List Offer Order Code Size DEB-710 Price/1 Price/1 Price/1 1ltr -10971 £11.28 £9.25

Page 1302

Offer

£7.98

List

Price/1

£9.73

OLENT Professional Hand and LEANING & HYGIENE Skin Care System

The Solent[™] Cleaning and Hygiene pouch hand cleanser/soap system uses 2ltr sealed pouch cartridges to minimise spillages and waste, this system helps to prevent cross contamination. A full range of barrier creams, sanitisers, soaps, beaded hand cleansers and afterwork reconditioning creams are available for use with the dispensers.


Dispenser Pumps

All creams, soaps and gels: Use with 2mm pump. All beaded hand cleansers: Use with 3mm pump.



SPECIAL DEAL Buy any 4 pouch cartridges below. and receive a free pump dispenser.

PROTECT



SANITISE

Anti-Bacterial Cleansers

Anti-Bacterial Soap

Formulated from a blend of natural soap, conditioner and mild surfactants. Ideal for frequent use. Supplied individually, boxed in 6's.

Cool Gel Hand Sanitiser

An alcohol-based hand sanitiser kills any bacteria (effective against MRSA) yeast or moulds. Use with 2mm pump dispenser. Supplied individually, boxed in 6's.



Description	Pouch	Order Code	List	Offer
	Size	SOL-780	Price/1	Price/1
Anti Bacterial Soap	2ltr	-2560F	£8.29	£6.80
Cool Gel Sanitiser	2ltr	-2660J	£13.43	£11.01

RESTORE

Afterwork Reconditioning Hand Cream

Description

Afterwork Cream

Replaces natural oils removed during a days work. Use with 2mm pump dispenser. Supplied individually, boxed in 6's.

Pouch

Size

2ltr

-1980T



£14.84

	CLEANSE
The state	Beaded Hand Cleaners Citrus-based beaded hand cleaners. Use with 3mm pump dispenser. Supplied individually, boxed in 6's.
24	
List Offer	



Description	Size	SOL-780	Price/1	Price/1
Lemon Hand Cleaner Lime Hand Cleaner GT Hand Cleanser	2ltr 2ltr 2ltr	-0901F -1001F -2550E	£10.07 £10.56 £13.42	£8.26 £8.66 £11.00

Luxury Soaps

Luxury Peach Soap

Luxury peach soap produces a rich creamy lather for effective hand cleaning. Lightly scented with a fresh peach fragrance. Use with 2mm pump

dispenser. Supplied individually, boxed in 6's.

Gel Soap Pure golden, unperfumed gel soap suitable for all general hand cleaning uses. Use with 2mm pump dispenser. Supplied individually, boxed in 6s.

d	The second	E	
Pouch	Order Code	List	Offer
Size	SOL-780	Price/1	Price/1

Description	Size	SOL-780	Price/1	Price/1
Peach Luxury Soap	2ltr	-2630A	£10.07	£8.26
Gel Soap	2ltr	-2680L	£7.73	£6.34

Blue Ocean Hair & Body Shampoo

Decerimtion

A mild non-alkaline, neutral formulation suitable and safe for use in the work place and leisure centres. Use with 2mm pump dispenser. Supplied individually, boxed in 6's.



Description	Pouch	Order Code	List	Offer
	Size	SOL-780	Price/1	Price/1
Blue Ocean Shampoo	2ltr	-0820R	£8.76	£7.18

£12.17

Page 1303



GROUP



🛛 HAND & SKIN CARE **NXT Dispenser O** System

Much smaller footprint than traditional dispensers, yet holds up to 2 ltr of product. Compact design integrates into almost every décor. Ideal for applications with limited wall space.



Product	Size	Order Code	List	Offer
Number		GOJ-722	Price/1	Price/1
2139-06	1ltr	-2000A	£10.00	£9.50
2239-08	2ltr	-2280R	£12.00	£11.40

NXT Antibac - Fragrance-Free

Fragrance-free lotion soap with triclosan. Conforms to EN1499.



Product Number	Size	Order Code GOJ-722	List Price/1	Offer Price/1
2157-08	1ltr	-2120L	£4.57	£4.34
2257-04	2ltr	-2350K	£8.86	£8.42

NXT Deluxe Pink Lotion Soap with Moisturisers Moisturising luxurious lotion

soap with vitamins A & E to clean hands gently. Fresh, light floral fragrance.

Product Number	Size	Order Code GOJ-722	List Price/1	Offer Price/1
2117-08	1ltr	-1820R	£4.16	£3.95
2217-04	2ltr	-2249D	£8.09	£7.69

NXT Mild Lotion Soap -**Dve Free**

frequent	1000		
Product	Size	Order Code	List

Number GOJ-722 Price/1 2103-08 -1803H 1ltr £3.92 £3.72

Purell Hygienic Hand Rub

Skin friendly, economical, effective, hygienic and enjoyable. For use in wash rooms, reception areas, production lines, entry/exits etc. Kills 99.9% of germs and bacteria.

Proc Num		Size	Order Code GOJ-722	List Price/1	Offer Price/1
	6-08	1ltr	-2100K	£5.79	£5.50
	6-04	2ltr	-2356D	£11.03	£10.48

NXT Spa Bath, Body & Hair Shampoo

Page 1304

Enriched formula for hands, hair and body. Ideal for use in health clubs and fitness centres.

Product Number	Size	Order Code GOJ-722	List Price/1	Offer Price/1
2152-08	1ltr	-2082H	£4.79	£4.55



Holds a 1250ml refill in a

remarkably small footprint.

FMX Luxury Foam Hair & Body Wash

Spa-quality foam body wash and hair shampoo. Contains jojoba oil, aloe. wheat amino acids, corn oil, vitamin E, naturally derived glycerin and ingredients derived from coconut oil. Readily biodegradable (OECD 301D)3.

GOJO



Product Offer List Order Code Size Number GOJ-722 Price/1 Price/1 5163-03 1250ml -4080P £10.13 £9.62

GOJO PRO 2000 & 5000 Dispenser System



9





				Fa
Э	Order Code	List	Offer	re
3	GOJ-722	Price/1	Price/1	ta
)ml	-4082L	£8.60	£8.17	nc

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

Number

7272-04

2ltr

GOJ-722

-5772D

Price/1

£14.21

Price/1

£13.50



iOJO® Ad roducts	Dis D® Acce er accep ag-in-box ccent ra	ots the x refills of	List	Offer
lumber	Size	GOJ-722	Price/1	Price/1
037-12	800ml	-7020M	£15.00	£14.25
ntibac L ragrance onforms ize: 800	e-free lo s to EN	tion soap.		ojo
Product lumber 799-12	Size 800ml	Order Code GOJ-722 -9799F	List Price/1 £3.58	Offer Price/1 £3.40
ntibac H	land So	ap -		
	erial loti e free lo	on soap tion soap. 1499.		ojo
			1000	111100
Product lumber 1757-06	Size 800ml	Order Code GOJ-722 -9757R	List Price/1 £3.58	Offer Price/1 £3.40
lumber 757-06 otion Sk xtremely andwas	800ml kin Clea r y effecti hing ap mmon e	GOJ-722 -9757R nser ve in norm plications everyday	Price/1 £3.58	Price/1
lumber 1757-06 otion Sk xtremely andwas rhere co oils are Product lumber	800ml sin Clea y effecti hing ap mmon e encoun Size	GOJ-722 -9757R nser ve in norm plications everyday tered. Order Code GOJ-722	Price/1 £3.58 nal	Price/1 £3.40
lumber 1757-06 otion Sk xtremely andwas here co oils are Product lumber 112-12 fulti Gre opular r leaner fi leaner fi	800ml in Clea y effecti hing ap mmon e encoun Size 800ml sen® Ha nulti-pui or remo industriations a i leaner v	GOJ-722 -9757R nser ve in norm plications everyday tered.	Price/1 £3.58 hal	Price/1 £3.40
lumber 1757-06 otion Sk xtremely andwas here co oils are Product lumber 112-12 fulti Gre opular r leaner fi leaner fi	800ml in Clea y effecti hing ap mmon e encoun Size 800ml sen® Ha nulti-pui or remo industriations a i leaner v	GOJ-722 -9757R nser ve in norm plications everyday tered. Order Code GOJ-722 -7110H nd Cleaner rpose ham ving light f al soils an natural cit with non-	Price/1 £3.58 hal	Price/1 £3.40



GROUP

HandMedic Prof Skin Conditioner

8242-06

This hand conditioner was specially formulated to meet the harsh demands of professional technicians. It can be used before work and after handwashing and at night, to help maintain the skin's natural protective barrier. Silicone-free and fragrance-free. Dispenser can be fitted wherever hand conditioning is appropriate in workshops,

forecourts. rest rooms or wash rooms.

dispenser.



Product	Size	Order Code	List	Offer
Number		GOJ-722	Price/1	Price/1
8150-12	148ml	-6150D	£2.83	£2.69
8242-06	500ml	-6260M	£4.74	£4.50
0242-00	500111	-0200101	24.74	24.30

Lemon Pumice Hand Cleaner Dispenser GOJO[®] lemon pumice



Product Number	Size	Order Code GOJ-722	List Price/1	Offer Price/1
1204-01	2.25kg	-1204A	£10.00	£9.50

Lemon Pumice Hand Cleaner

Offer pumice hand price/1 formula with fresh £5.53 grance and pumice scrubbers. Use with or without water. For removing grease, tar and oil. Plastic cartridge: 2.25kg. 2.25kg.	io Bran
Offer Price/1Product NumberSizeOrder Code GOJ-722List 	Offer Price/1
£3.43 0915-06 2.25kg -0915A £8.36	£7.94



Size

800ml

Order Code

-7150L

GOJ-722

List

Price/1

£3.61

Price/1

HAND & SKIN CARE ENT Beaded Hand Gel HYGIENE **Cleanser - Lime**

Heavy-duty citrus-based degreasing and cleansing agent. Hard on grime yet kind to your skin. Unique lemon and lime formula combines nature's strength and fragrance. Ideally suited for industrial, household, workshop, outdoor, cleaning of hands. Now available in four sizes with suitable dispensing equipment.







Tub Kit -1140G £16.06 (1x Tub, 1x Cage, 1x Pump)

Orange D440 Beaded Hand Cleaner

Non-toxic, citrus-based beaded hand cleaner, cuts through the heaviest of industrial grease and grime quickly and easily. Environmentally friendly, and contains no harsh chemicals. Removes oil, tar, grease, paint, ink, glue etc. Antiseptic and bactericidal. Water rinsable, leaves no oily residue. Order Code SOL-780 Size

2.5ltr

Page 1306



£15.22

£12.48

Natural	Beaded	Hand	Cleaner
			UICHIICI

-1202G

Natural beaded hand cleaner uses two types of scrubbing additives, wood flour to absorb grease/grime and poly beads to remove more stubborn soiling like tar, inks and paints. These combine to produce a dense cleansing lather to deliver a powerful solvent-free natural cleaning action that is gentle on your skin.

Swarf Beater Hand Gel

Lime green coloured unperfumed gel soap. Easy to apply and quickly rinses off with water leaving no residue on the skin. Suitable for removing oil, grease, and general soiling. Handy 240g tub size for easy carrying and storage. List Size SOL-780 Price/1 240g

Lemon[™] Beaded Hand Cleaner

Naturally powerful citrus-based beaded hand cleaner. Contains thousands of poly beads that produce a micro-pumice cleaning action that easily removes stubborn grime, without damaging the skin. Combined with a citrusbased degreaser, that is environmentally friendly, and contains no harsh chemicals. Removes oil, tar, grease, paint, ink, glue etc. A deodorising lemon formulation leaves a pleasant lemon scent that eliminates oil and swarf odours, leaving the skin feeling fresh after use. Water rinsable - leaves no oily residue.



Liquid Hand Soap - Professional

Luxury peach soap leaves hands feeling clean, smooth and conditioned.



Professional Hand Soap

Supplied in packs of 12x 70g bars. Lightly scented. Suitable for domestic use, in hotels, schools, restaurants and any commercial premises. Produces a rich creamy lather in all



STEP 1 - PROTECT

ROZALEX Industrial Skincare Systems

Barrier creams form a protective layer to limit contact between the skin and harmful irritants.

Dri-Guard' Barrier Cream

Size

450ml

5ltr

lemon fragrance

leaves hands

smelling fresh and clean and

built-in

skin.

moisturiser

counteract

Size

5lti

15ltı

de-fatting of the

15ltr

Is an application specific barrier cream for protection against dry, oil or solvent based materials.

-2014E

-2015F

Two Fives™ Cleanser

A clear golden heavy-duty gel cleanser

remove grime, oil and grease fast! Its'

specially formulated to safely and efficiently



£28.99

£69.66

Wet-Guard™ Barrier Cream

A multi-purpose water repellent barrier cream. Wet-Guard should be used for protection against water or water/oil mixed based contaminants.



STEP 2 - CLEANSE

£26.67

£64.09

Gauntlet™ Skin Cleanser

An extra heavy-duty gel cleaner specially formulated to remove tough grime, oil and grease. Gauntlet

is formulated with poly beads to assist cleaning of pores and the skin surface with gentle but effective abrasion, without the need for heavy scrubbing.

Ci70



Size	R0Z-774	Price/1	Price/1			
5ltr	-2661K	£17.01	£15.65			
15ltr	-2662L	£44.89	£41.30			
Dispenser Refill - LF63G2						
5ltr	-2663M	£24.00	£22.08			

-2663M £24.00 £22.08

STEP 3 - RECONDITION

Offe

Price/1

£14.57

£38.32

Xworx™ Reconditioner

Order Code ROZ-774

-1101B

-1102C

A high quality emollient/reconditioning cream that enables the skin to replace oils lost during the day. It prevents the skin from drying out and cracking.

List

Price/1

£15.84

£41.65

Size	Order Code ROZ-774	List Price/1	Offer Price/1
450ml	-2880F	£8.14	£7.49
5ltr	-2882H	£44.19	£40.65

Barrier Derma Shield Cream

Non-greasy, highly refined formulation that offers protection for your skin. Forms an invisible 'micromesh' layer after application that will protect your skin against most irritants and allow the skin to breathe and perspire normally. Protects against continued aggravation of abused sensitive skin and aids in halting the continuation of skin irritation even after repeated washings. Contains lanolin, aloe vera and vitamin E which help moisturise and nurture the skin while protecting. CFC-free.

Can Size	Supply per Can per person	Applic. per can per person	Order Code CTL-780	
50ml	6 weeks	55	-2500D	£8.24
150ml	4 months	165	-2505R	£16.48
500ml	14 months	550	-2520S	£39.98



Supply and application figures are approximate

GROUP HAND & SKIN CARE 78 OLENT Dry Work **Barrier Cream**

Pre-work cream protects skin against dry substances, dry powders, oils or solvent-based liquids.



Wet Work Barrier Cream

Pre-work cream protects skin against waterbased liquid solutions, cutting oils, detergents, acids, coolants and foodstuffs.



Reconditioning Cream Professional



Order Code List Offer SOL-780 Price/1 Price/1 Description Reconditioning Cream -2100G £6.96 £5.71

LOCTITE Citrus-Based Hand Cleaner

Removes ground dirt, grease, grime, inks, paint, glue, oil and tar. Contains no petroleum distillates. Contains skin conditioners, aloe, jojoba and lanolin.

LOC-725

-59855

-5986T

Can be used with or without water. 400ml = poly bottle. 3ltr = pump container

Size

400ml

3ltr

1 t	- State	7850	
	5		~
	Order Code	List	Offer

Page 1307

Price/1

£16.51

£4.70

Price/1

£21.17

£6.03



420501

Perfect for all normal hand washing. Cleans and actively conditions the skin. Skin friendly, mild formulation. Environmental licence with EU Ecolabel and Nordic Ecolabel. Bottle collapses to 70% volume meaning less wastage.



Bottles Order Code List Offer Product MOL-952 Price/1 Price/1 Per Case Number 420501 -4205E £43.70 £34.96 6

Tork Premium Liquid TORK Soap - Extra Mild





List

Price/1

£34.53

Offer

Price/1

£27.62

560000 - White.

The Tork dispensers for liquid soap are suitable for all kinds of washrooms - even in tough and demanding environments. Reliable system promotes good hygiene. High capacity 1000 shots. Robust design suitable for demanding environments.



ECOVER Liquid Hand Soap

HAND SOAP

ECOVER

Offer

Price/1

£4.46

Ecover liquid hand

effectively and leaves

natural moisturising

ingredients ensuring

your hands, naturally.

Ecover does not test

Bottle size: 250ml.

For Hand Towels

Removes dirt, germs and

stubborn odours in

a single hand wash.

Moisturising system

with anti-bacterial

250ml and

Size

250ml

500ml

PΖ

500ml.

action. Available in

See Group 952

Order Code CPD-780

-5205R

Anti-Bacterial

List

Price/1

£3.25

£4.92

Order Code

JEY-722

-2220A

-2221B

Original

Offer

Price/1

£2.79

£4.23

Handwash

the optimal care of

soap cleans

on animals.


Size

250ml

Carex

A dual-purpose formulation that safely removes wet paints, oils, grease and grime from hands, brushes and rollers. Contains a conditioner to ensure paint brushes are left in perfect condition for the next time they are used. Size: 500ml.







Delicately cleanses your hands and the 1/4 moisturising cream helps to protect your skin against dryness whilst washing.



Size	Order Code JEY-722	List Price/1	Offer Price/1
250ml	-2392W	£2.46	£2.12

Liquid Palmolive Hand Wash

almond milk.

moisturising

leaving your

skin supple

Size

300ml

-1088T

and soft.



4 bars

-5600T

£3.69

£3.17

Product Number 560000

Page 1308

Order Code

MOL-952

-0600A

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

£2.37

£2.82



Universal wipes for general hand cleaning, such as removing oil, grease and grime. The impregnated tough, extra large wipes are available in a handy, easy-to-use pack which can be used whilst on the move, with no need for water



Qty	Order Code	List	Offer
	DEB-710	Price/1	Price/1
150	-8499H	£16.00	£13.12

Deb Ultra Wipes

Specialist wipes for removing paints, inks, resins, adhesives and most other print and paintshop contaminants. No need for water.



Rough & Smooth Degrease Wipes

Premium beaded doublesided wipes that are brilliant for wiping hands and surfaces and are effective on removing oils, greases, semi-cured sealants and adhesives, and general grime. The rough side helps removing really stubborn marks. Fragranced and antibacterial. PACK

DIRTEEZE BADE WIPES 0000

Pack	Order Code	Offer
Quantity	DRT-930	Price/1
50	-7010A	£8.00

50

Scrubs Hand Cleaning Towels

The unbeatable cleaning power of Scrubs hand cleaning towels remains an Industrial leader. Citrusbased formula is combined with a tough, textured towel to loosen, dissolve and absorb dirt, grease, paints, oils and adhesives. Will not transfer soil back onto hands. PACK

ir



Product Type	Pack Qty.	Order Code MFX-930		Offer Price/Pk	
Scrubs n a Bucket	72	-5000A	£17.00	£13.94	

72

STOKO Solopol Heavy-Duty Hand Cleaner

Solvent-free hand cleanser containing Astopon® scrubbing agent derived from refined walnut shell powder, for shifting oils, greases, carbon black, graphite, metallic dust, lubricants, etc. 100% biodegradable does not inhibit water treatment. Contains Eucornol® skin protectant. No adverse effects when vulcanising rubber



STOKO

PACK

90

Size	Order Code SKO-780	List Price/1	Offer Price/1
250ml	-0020K	£2.06	£2.06
250ml	-0020K	£2.06	£2.00

Hand Lotion

_

or painting surfaces.

Fast absorbing skin care lotion contains aloe vera, noted for its moisturising and anti-inflammatory properties. Supports natural regeneration of the skin. White, perfumed, siliconefree oil-in-water emulsion which is very quickly absorbed into the skin. For use on hands, face and entire body.



Size	Order Code SKO-780	List Price/1	Offer Price/1
250ml	-0010K	£2.94	£2.94



Wypall 7775

These powerful Wypall waterless cleaning wipes are ideal for removing stubborn grease and grime from hands, tools and machinery. Ideal for onsite use where there is no access to water. Effective moisturising 175 system and controlled dispensing from the tub. Sheet size: 27 x 27cm Sheet colour: green.

Product	Pack	Order Code KIM-952	Offer
Number	Quantity		Price/Pk
7775	90	-7775K	£15.38

GOJO Orange Fast Wipes® Hand Cleaning Towels

Hand cleaning towels for quick clean up of light greases and oils. For use in service vehicles, on the workbench, at the job site and wherever water is not

or Bucket of 130.

Product

Number

6285-06

6298-04



List

Price/Pk

£6.91

£12.64

Offer

Price/Pk

£6.56

£12.01





HAND & SKIN CARE 780

GROUP

and use around the workshop.

OLENT. CLEANING & HYGIENE



Product Type		Order Code SOL-930		Offer Price / Pk
турс	QU	305-330		THEC/TK
Standard Duty	/ 150	-3900K	£15.12	£12.85

Heavy-Duty Hand Wipes

Impregnated with mild abrasive fibres to remove oil, grease, general grime plus difficult to remove contaminants such as paints, sealants, most inks and ground-in dirt. A genuine waterless hand cleaning wipe with no need to rinse after use, ideal for mobile repair and maintenance vans as well as use around the workshop. Supplied in handy pack of 50 wipes or tubs of 100 wipes.



For FOOD Wipes

Hand Wipes These non-toxic single use wipes are excellent for killing lethal bacteria and prevent crosscontamination.



Pack Description Qty Hand Wipes 200

PACK

200

Offer Order Code SOL-930 Price/Pk -4400K £8.20

Pack

Qty.

60

130

Order Code

GOJ-722

-5010L

5020X



80 CLEANING PRODUCTS SOLENT Air ENE Duster

HFC-free. Designed to remove dust and dirt from hard to reach areas. Environmentally friendly, does not contribute to global warming. Extension tube included.



Antistatic Screen Wipes

Antistatic screen wipes. Pre-saturated for use on screens including TFT, TV and Plasma screens. Will reduce build-up of dust that can cause headaches and eyestrain.

Bio-degradable. No alcohol, non-toxic, nonhazardous.



Order Code	List	Offer
SOL-780	Price/Pk	Price/Pk
-6880J	£4.34	£3.56

Multi-Purpose Wipes





Offer

Price/Pk

£3.68

Antistatic Screen Cleaner

Antistatic screen cleaner for use on all screens including TFT, TV and Plasma screens, No alcohol, nontoxic, non-hazardous cleaner and protector. Will reduce build-up of dust and dirt that can cause headaches and eyestrain. 250ml spray bottle.

Use with Solent Dry Wipe SOLEN Wipes SOL-780-6840E, available separately (right). SCREE LEAN 250 ml THEFATING NEV Order Code SOL-780 List Offer Price/1 Price/1 -6860G £4.99 £4.09

Screen Wipe Hygiene Sachets

Hygienic sachets for use on most screens. No alcohol, non-toxic, non-hazardous cleaner and protector. Will reduce build-up of dust and dirt that can cause headaches and evestrain.



Telephone Wipe Hygiene Sachets

Effectively cleans telephones, headsets and any other equipment that comes into contact with ear or mouth. Non-toxic, non-hazardous cleaner. Will help to reduce the build-up of dirt and dust where germs can breed. PACK



Dry Absorbent Wipes

Essential for mopping up desktop spills fast! Tough and very absorbent. Safe to use on most screens as the material has a low lint content and will not scratch. PACK Useable with all cleaning 50 fluids and foams.



Order Code	List	Offer
SOL-780	Price/Pk	Price/Pk
-6840E	£7.62	£6.25

Whiteboard Cleaner



Whiteboard Wipes

Pre-moistened whiteboard wipes effectively cleans dry wipe marker pen from most whiteboards. Non-toxic. Non-hazardous PACK Leaves whiteboards looking like new. 100



£9.26 £7.59

1310 Page

Order Code SOL-780

-6920N

NEW

List

Price/Pk

£4.49



CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES



A solution containing 4% sodium hypochlorite, for use in toilets, sinks and drains.



 Sol-780 Price/1

 Poly-bottle 5ltr
 -3001M £2.40

Contract Pine Disinfectant

- nemicol

conts &

For general cleaning with a pleasant pine fragrance.



Freshbin Powder

For disinfecting dustbins, pedal bins, drains, kennels and stables.

Not for use in areas were cats are likely to come into contact with it.



 Size
 Order Code
 List
 Offer

 JEY-722
 Price/1
 Price/1
 Price/1

 680g
 -2265P
 £2.03
 £1.75

Page 1312



Powerful thick formula effective

Contains added detergents for

improved cleaning.

against all pathogenic organisms.



Kontrol Lime Disinfectant

Safe on all hard surfaces, kills germs and freshens leaving a long lasting fresh lime fragrance. **Size:** 5ltr.



Jeyes Fluid Disinfectant

With detergent, for stain removal and hygienic disinfection of toilets, drains and sinks.



 Size
 Order Code JEY-722
 List Price/1
 Offer Price/1

 1ltr
 -2250F
 £8.92
 £7.67

 5ltr
 -2251G
 £33.49
 £28.80



With detergent, for stain removal and hygienic disinfection of toilets, drains and sinks.



	Size	Order Code JEY-722		
	750ml	-2375T	£1.85	£1.59
	5ltr	-2376V		£7.01
	5ltr (Citrus)	-2377C	£8.15	£7.01
1				

Thick Bleach

Parozone is a bleach formulation specially developed to prevent the build-up of limescale or thin film, as well as killing all germs. Safe for use with septic tanks. effective against viruses, fungi and harmful bacteria. Parozone cleans, freshens. disinfects and removes stains. OILET

Size	Order Code JEY-722		Offer Price/1
750ml 5ltr	-2374D -2375H	£1.73 £9.17	

Path, Patio & Drive Cleaner

90m²

Removes dirt, light oil stains and algae from paved and patio areas. Concentrated, non-acidic formula. Safe to use around children and pets. **Coverage:**

 PET SAFE
 Order Code
 List
 Offer Price/1

 Size
 Order Code
 List
 Offer Price/1

 4ltr
 -2260M
 £6.03
 £5.19

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

Bleach Detergent Trigger

Unique formula cleans and kills germs. Gives you maximum control to target and leave surfaces brilliantly and hygienically clean. Great on tough stains, kitchen grease,

mould and mildew. **Size:** 750ml.

NEW



 Size
 Order Code JEY-722
 List Price/1
 Offer Price/1

 750ml
 -2376B
 £3.40
 £2.92

Rhodia PVCu Cream

A solvent-free blend of mild abrasive, dye and surface agents designed for hygienic, effective cleaning of PVCu window and door frames. Removes dirt, stains, manufacturing marks and renovates without scratching. Supplied in a 1ltr container.



Туре	Size	Order Code Offer RHO-780 Price/1	
PVCu Cleaner	1ltr	-7010K £3.60	

Drain Cleaner and Deodoriser



1ltr



Page 1313





Oven & Grill Cleaner



A multi-surface and all interior surfaces leaving a streak-free shine. Application areas: all glass and interior surfaces including windows, mirrors, table tops and Order Code List Offer



JEY-722 Price/1 Price/1 -2424A £3.35 £2.88

Professional Furniture Application areas:



0ð 2

Page 1314



Lubricants & **Chemical Products**

Page 1315

Poly-Bottle 1ltr

-2020M

£6.23

£15.42

£63.67

5ltr

25ltr

-1113G

-1114H

5ltr

25ltr

-1110A £13.28 £10.89

-1111B £59.76 £49.00

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

£12.64

£52.21

5ltr

25ltr

-1109E

-1109J

£11.05

£50.88

£9.06

£41.72





Page 1317

GROUP

CLEANING PRODUCTS LENT. Professional NING & HYGIENE Floor Cleaner Gel JEYES Low maintenance high gloss floor polish.

Pine oil-based gel for maintaining hard floor surfaces, including wood block, lino, vinyl

and terrazzo. Can be buffed to a high gloss, non-slip sheen.





Kontrol Stripper - F1

Emulsion polish remover, penetrates old polish film fast. Low foaming and heavy-duty cleaner.



Kontrol Floor Maintainer - F5

Concentrated floor maintainer, removes soil and scuff marks, restores gloss finish.



Kontrol Super Stripper - F15

Carefree

Eternum

Fast acting polish remover requires no scrubbing or rinsing. Heavy-duty low foaming cleaner. Can be used in scrubber dryers.



Kontrol Floor Maintainer Restorer - F55

Versatile thermoplastic maintainer/restorer/floor polish. Used diluted as a daily maintainer or neat as a polish.

otrol

List

Price/1

Order Code

JEY-722

-5280J

Size

5ltr

\$55

2.0

£16.78 **£14.43**

Offer

Price/1



without wearing.

Kontrol Supergloss

Superior durable high gloss

emulsion floor finish provides

to withstand heavy foot traffic

tough flexible dressing. Designed

Floor Polish - F35

5ltr -5240E £21.73 **£18.69 Kontrol Dri-Foam Carpet Cleaner - F76**

Offer

Carpet and upholstery shampoo that produces a rich deep cleaning foam. Emulsifies stains and dirt fast. Neutralises odours leaving a fresh, clean fragrance.



Size **JEY-722** Price/1 Price/1 5ltr -5290K £10.21 £8.78

Carefree Floor Maintainer

Suitable for use on all emulsion floor finishes. Suitable for all techniques including mopping and spray cleaning.

ProductSizeOrder CodeListOfferPrice/1Price/1Price/1Price/1SizeOrder CodeListOfferPolish5ltr-2226N£27.29£23.47Maintainer5ltr-2225M£11.23£9.66	Brilliant Long lasting high gloss floor polish. Brilliant Long lasting high gloss finish on all floor types. Diamond bright gloss locks in the natural beauty of the floor - for longer. Easy to apply, spreads evenly, flows easily. Excellent resistance to scuffs, marks and dirt. Ensures reduced maintenance - saves time, saves labour by up to 50%.	including mopping and spray cleaning. Buffs to a high shine. Effective against a wide range of soilage and scuff marks. Pleasant long lasting just cleaned fragrance. Dilutes up to 1:60.
Polish 5ltr -2226N £27.29 £23.47 Maintainer 5ltr -2225M £11.23 £9.66		
	Polish 5ltr -2226N £27.29 £23.47	Maintainer 5ltr -2225M £11.23 £9.66

TASKI Sprint Ammo Daily Hard Surface Cleaner

Alkaline-based cleaner with excellent dirt removing ability. Suitable for cloth/sponge cleaning.



Buffable Floor Cleaner - F31

Taski Tensol Cleans and maintains without film build-up.



Size JEY-722 Price/1 Price/1 5ltr -3770T £13.37 £11.50

1

OLENI **Concentrated Hard Surface Cleaner/Degreaser**

Can be diluted with up to 50 parts of hot or cold water. Rapidly breaks down grease and fat. Apply by hand scrubbing, mopping, power

wash systems or mechanical floor scrubbing machines. Can be used on concrete floors, walls, paintwork, components etc.



Туре	Size	Order Code SOL-780		Offer Price/1
Poly Bottle	5ltr	-6300A	£6.98	£5.72
Plastic Drum	20ltr	-6310B	£25.03	£20.52

Bactericidal Air Air Fresheners JEYES

Freshener Neutralises unpleasant odours plea and fragrances the air leaving a



easant sce	ent.		
Paul Contraction	Berrie	100 20 AL	山山にいて、大学
Description	Order Code KEN-722		Offer Price/1
Pot Pourri Wild Berries	-1500K -1510K	£1.99 £1.99	£1.67 £1.67
wild Demies		£1.00	£1 67

25

i Pi

Traffic Film Remover

Effectively removes dirt, grime, grease and

Suitable for cleaning chassis and bodywork

systems. Concentrated formula can also be

tenacious traffic film from all vehicles.

on vehicles. Designed for high pressure

washing with mechanical power wash

Concentrate

GROUP **CLEANING PRODUCTS** 780

Cleaning & Hygiene Wash & Wax

High foam, high gloss vehicle shampoo. Mild formula, neutral pH, water-based. Effectively lifts traffic film without harm to polished paintwork and trim. With foam boosters for fast removal of dirt and grease. High gloss wax finish. Can be used



Air Freshening Machine & Refills

Battery operated, air freshening machine with a choice of

- Programmable to operate over 12 or 24 hour period.
- Concentrated fragrance refills made with essential oils. •
- One unit fragrances a room up to 150cu.m.
- Refills last up to 96 days with up to 3000 sprays per can
- Suitable for use in public areas such as washrooms, changing rooms, receptions, hotel bedrooms, corridors and offices.


listral

· All units supplied

Size

complete with batteries. Starter kit comes complete

with 1 machine and 3 refills (Eau Essentielle,



Туре	Size	Order Code JEY-722	List Price/1	Offer Price/1
Pamplemousse Refill	150ml	-2440M	£5.72	£4.92
Davania Refill	150ml	-2441N	£5.72	£4.92
Eau Essentielle Refill	150ml	-2442P	£5.72	£4.92
Mistral Refill	150ml	-2443Q	£5.72	£4.92
Starter Kit		-2450A	£47.45	£40.81
Air Freshening Machine		-2451B	£36.90	£31.73

Eliminol Odour Neutraliser



CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

TERES