



















































ATLAS SOUND SS500E SPEAKER STAND A 45" to 85" aluminum tripod speaker stand with a positive clamping system with a safety support pin. The vertical tube contains both 1-1/2" and 1-3/8" tubing. Legs are double braced with rubber feet.

ITEM	DESCRIPTION	PRICE
SS500E	.Speaker stand	89.50
	.Universal platform mount	



SS7761B





GATOR CASES LIGHT STAND/SPEAKER STAND BAGS These cases feature webbed handles and a carrying strap. Both models have separate compartments for each stand.

ITEM	DESCRIPTION	PRICE
GPA-SPKSTDBG-50	Light stand/speaker stand bag, (50" x 6" x 6") x 2	19.99
GPA-SPKSTDBG-58DLX	Light stand/speaker stand bag, (58" x 6" x 6") x 2	29.99



On-Stage Stands	\$\$7730
ON-STAGE SPEAKER STANDS	/V

ITEM	DESCRIPTION	1	√ P	RICE
SS7730	Speaker stand,	1-3/8" or 1-1/2" tube, height 44	1"-80", 160lb capacity 5	55.99
SS7761B	Speaker stand,	1-3/8" or 1-1/2" tube, height 44	1"-80", 120lb capacity 5	55.99
LS/SS7770	Speaker stand,	1-3/8" tube, height 44"-120",	140lb capacity 9	99.99
SS7766	Pneumatic spea	iker stand, 1-3/8" tube, height 4	14"-80", 80lb capacity7	78.99
	Crank-up speak	er stand, 1-3/8" tube, height 4	7"-80", 80lb capacity 9	39.99
Accessories				
SS7740	Subwoofer atta			
	1 2/0" tubing	langth 12" 160th conceity	1	11 00

ACCESSUITES		
SS7740	.Subwoofer attachment shaft,	
	1-3/8" tubing, length 42", 160lb capacity	Э
SS7745	.Subwoofer attachment shaft, 1-3/8" tubing, adj. length 36"-60", 80lbs 14.99	Э
SSB6500	.Heavy-duty nylon speaker stand bag,	
	fits 2 speaker stands or 6 mic stands	Э
EB9760B	.Exterior mounting bracket – fits 1-3/8" stand, mounts to any spkr 6.49	Э
SSA2-ADAPTER	.Speaker stand adapter sleeve, fits 1-3/8" stand	
	for speaker cabinets w/ 1-1/2" int.brackets	Э
SSA3-ADAPTER	7.99. Speaker stand adapter sleeve, sits 1-3/8" stand to reduce shaft to 1"	Э
SSA1.375	.Speaker cabinet insert, fits 1-3/8" stand mounts into cabinet 5.99	Э
SSA1.5		Э

ON-STAGE SMS6000-P STUDIO MONITOR STAND The stand's height adjusts for listening while sitting or standing (from 31"-61" with pre-set positions every 4") and will lock in place with a security pin. Holds up to 90lbs. 3 adjustable leveling spikes on the bottom of the base (18" spread) keep this stand stable on any carpeted surface. The entire stand breaks down into 3 pieces for easy storage and travel. Gross weight is just under 25.5lbs. Comes in black.

ITEM	DESCRIPTION	PRICE
SMS6000-P	Near-field studio monitor stand	(pair) 109.99



DESCRIPTION

ULTIMATE SUPPORT MS SERIES MONITOR STANDS Sturdy and sleek studio stands that put your monitors at ear level. The cable management system eliminates tedious feeding of cables and wires. Lay them in the open-faced channels and snap on the back cover. A rubber-padded platform isolates the cabinet from vibration. To eliminate sound dampening, metal spikes on the base corners go through carpet and padding to rest on the subfloor. Each stand has a 9"x 9" top plate, 14" base, and load capacity of 75lbs. The stands come in pairs.



MS90-45B45" colum	n stands w/non-marring decoupling pads n stands w/non-marring decoupling pads	s, black trim (pair) 239.99 s, black trim (pair) 249.99
7	-	
Т\$70В	Т\$80В	ТЅ90В

ULTIMATE SUPPORT TS SERIES SPEAKER STANDS Telescoping aluminum tripods. 150lb. load capacity. Will mate with 1-1/2" and 1-3/8" sockets. TS80/88 stands have a secure clamping system. TS90/99 stands have the TeleLock self-locking ratchet with an easy lowering feature. Carry bags are sold separately.

ITEM	DESCRIPTION	PRICE
TS70B	4'2" to 6'5", black finish, no bag	49.99
TS80S2082T	3'8" to 6'7" aluminum finish, no bag	79.99
TS80B	Same as TS80S, black finish, no bag	79.99
	5'2" to 9'2", black finish, no bag	
TS90B	3'8" to 6'7", w/TeleLock collar, black finish, no bag	99.99
TS99B	5'2" to 9'2", w/TeleLock collar, black finish, no bag	129.99
BAG90	Bag for TS80, TS90	39.99
BAG90D	Bag for a pair of TS80, TS90	49.99
	Bag for TS88, TS99	
BAG99D	Bag for a pair of TS88, TS99	69.99
	Flush-mount speaker bracket	
LTV24B	24" vertical extender	29.99
	1.5" socket bracket, 150lb. capacity	



VU® SPEAKER STANDS & BAGS The SSA100-10B from Vu is a large speaker stand designed for use with PA systems. It is constructed of aluminum with 1.5" to 1.62" tubing. It is height adjustable 4' 4" to 6' 11". It also features a metal clutch, nylon block, tripod base and rubber feet. It can support speakers up to 130lbs. The STB100-102 and STB100-103 carrying bags are constructed of tough PVC coated nylon with 1" nylon webbing handles.

ITEM	DESCRIPTION	PRICE
	Aluminum speaker stand, 4'4" to 6'11"	49.99
	Carrying bag for single tripod speaker stand	






ALLEN PRODUCTS MULTIMOUNT These rugged, allsteel mounts are available as wall or ceiling mount versions. Capable of supporting speakers up to 60 pounds with full tilt swivel rotations and with no drift or position memory. Available in black or white.



ITEM	DESCRIPTION	PRICE
MM-010-BLACK	. 25lb. capacity wall mount (each)	70.00
MM-010-WHITE	. 25lb. capacity wall mount (each)	70.00
MM-022-BLACK	. 60lb. wall mount (each)	120.00
SM-020	. Swivel speaker mount	60.00



ALLEN PRODUCTS U-BRACKET SPEAKER

MOUNTS These speaker mounting brackets are available in a variety of sizes to fit most popular professional loudspeakers. Made in the USA of solid steel, these U-brackets mount speakers either vertically or horizontally. Once



speakers are mounted, they may be rotated and then locked safely into proper position. Each bracket has built-in stiffeners and 16" centered mounting holes for easy mounting to wall studs. Call Full Compass to select the correct bracket for your loudspeaker. Comes in black or white.

ITEM	DESCRIPTION	PRICE
AJ-1524	. Adjustable 15"-24" width, black (each)	90.00
AJ-2336	. Adjustable 24"-36" width, black (each)	110.00

ALLEN PRODUCTS STEERABLES The SAS-100-CM ceiling mount installs loudspeakers, TVs, & monitors up close to overhead surfaces. The SAS-100-WM is a wall mount aiming system for both flyable and mountable loudspeaker cabinets. The SAS-100-20 is an efficient, load-rated universal wall arm system for loudspeakers and video monitors weighing up to 100lb/45.5kg.



•	3 1 1 1 3	
	DESCRIPTION	PRICE
SAS-100-CM	Ceiling mount	240.00
	Wall mount	
SAS-100-20	Wall arm system	200.00

ALLEN PRODUCTS SOCKETMOUNT SocketMount accommodates loudspeakers with standard 1-3/8" and 1-1/2" diameter sockets and secures them to walls and other vertical surfaces. The SocketMount is available



in black or white.		
ITEM	DESCRIPTION	
SM-075ASB	Adjustable socket mount, black	
SM-075ASW	Adjustable socket mount, white	

ALLEN PRODUCTS POLESTAR The universal pole adapter is a
basic, economical way to adapt Multi-Mount-T Series mounts and
U-bracket mounts to poles, columns & trees.

ITEM	DESCRIPTION	PRICE
PA-010	. Universal pole adapter.	85.00





ı	TEM DESCRIPTION	PRICE
2	241Speaker wall mount, rectangular steel, 35mm	
	interchangeable mounting bolt, 420mm wall-to-bolt	
	clearance, 110 lb load capacity, available in black or silver	71.99
2	24105Mounting fork for 2 speakers, black	79.99
2	24110-BLACKSpeaker wall mount, can be tilted to 22° in 11 settings,	
	side adjustment +/-90°, resonance-optimized construction,	
	suitable for speakers w/35-37mm connector diameter,	
	110 lb load capacity, black	109.99
2	24120Speaker wall mount, can be tilted to 22° in 11 settings,	
	swivel adjustable to any angle, 110 lb load capacity, black	209.99




ON-STAGE STANDS SS SERIES SPEAKER MOUNTS These black speaker brackets are ideal for sound contractors. Mount these brackets on the walls at night clubs, recording studios, home multi-media rooms, schools, etc. All but SS7915B come in pairs.

ITEM	DESCRIPTION	PRICE
SS7730	Speaker stand, 1-3/8" or 1-1/2" tube, 44"-80" height, 160lb capacity	. 55.99
SS7761B	Speaker stand, 1-3/8" or 1-1/2" tube, 44"-80" height, 120lb capacity	. 55.99
LS/SS7770	10' speaker stand, 1-3/8" tube, 44"-120" height, 140lb capacity	. 99.99
SS8800B-PLUS	Crank-up speaker stand, 1-3/8" tube, 47"-80" height, 80lb capacity	. 99.99
ACCESSORIES		
SS7740	Subwoofer attachment shaft, 1-3/8" tubing, 42" long, 160lb capacity	. 11.99
SS7745	Subwoofer attachment shaft, 1-3/8" tubing, adj. length 36"-60", 80lbs	. 14.99
SSB6500	Heavy-duty nylon speaker stand bag,	
	fits 2 speaker stands or 6 mic stands	. 33.99
EB9760B	Exterior mounting bracket $-$ fits 1-3/8" stand, mounts to any spkr $$	6.49
SSA2-ADAPTER	Speaker stand adapter, 1-3/8" to 1-1/2"	4.99
SSA3-ADAPTER	Speaker stand adapter, 1-3/8" to 1"	
SSA1.375	Speaker cabinet insert, fits 1-3/8" stand mounts into cabinet	5.99
SSA1.5	Same as SSA1.375 but for 1-1/2" cabinets	5.99

peerless-AV

PEERLESS UNIVERSAL SPEAKER MOUNTS

Universal mounts for most brands of speakers. All models have adjustable tilt and swivel. The SPK810 is rated for speakers up to 10lbs, and is ideal for surround and satellite speakers. The SPK811 features a ball and socket mount design and is rated for speakers up to 20lbs. The SPK815 is rated for



ITEM	DESCRIPTION	PRICE
SPK810	Universal speaker mount, 10lbs	19.65
SPK811	Universal speaker mount, 20lbs, ball and socket	21.90
SPK815	Universal speaker mount, 75lbs	55.29

VIDEO MOUNT PRODUCTS SPEAKER MOUNTS

A variety of speaker mounting solutions to accommodate any speaker size and location. All five mounts are sold in pairs and feature a durable, black powder-coat finish. Models SP001, SP200B, and SP007 swivel 180° and support up to 12lb. speakers. Models SP010 and SP013 have adjustable 0°-20° tilt and support up to 20lb speakers.

ITEM		PRICE
SP001	180° swivel, 180° twist	20.93
SP200B	180° swivel, 180° twist, 3.75" clearance, black	16.35
SP200W	180° swivel, 180° twist, 3.75" clearance, white	16.35
SP007	180° swivel	19.43
SP010	90° swivel, 0° - 20° tilt	20.93
SP013	135° swivel, 0° - 20° tilt	26.85





SPK815















































































HEIL SOUND PL2T BROADCAST MICROPHONE BOOM The PL2T "Topless" mount is a unique and versatile boom that utilizes a system of perfectly balanced internal springs to provide perfect balance and silent, effortless adjustment of its position. The

PL2T easily handles microphones weighing up to 3.5lbs and accepts industry standard 5/8" 27-threaded mic clips or shockmounts. It features a hollow channel to feed the microphone cable through, providing perfect cable maintenance. The PL2T is shipped with a standard "C" clamp mount that will accept a 1.5" thick table.

ITEM	DESCRIPTION	PRICE
PL2T	Microphone broadcast boom	120.00
DT1	Flush mount for boom	35.00
FL2	Flange/surface mount for boom	28.00
WM1	Wall mount for boom	22.00
RS1	12" riser for boom	28.00



RØDE PSA1 STUDIO ARM The PSA1 Studio

IOH/R

NEW!

STOP THREADING!

CHANGE OUT MICS

IN A FLASH

MIC NOT

INCLUDED

PRICE

99.00

ORBIT 2

DUAL BALL

IVEL OFFERS

VIRTUALLY

UNLIMITED

POSITIONING

Arm allows you to professionally secure your microphone with 2 mounting options, a deskmount clamp or desk insert. Holds up to 4.4lbs, is spring-loaded and features a 2-axis swivel mount for accurate mic positioning.


ITEM DESCRIPTION Desk-mounting microphone arm



TRIAD-ORBIT ADVANCED MIC STAND SYSTEM The proprietary articulating base provides the weight and stability of a large diameter cast iron base with a ratcheted, fully adjustable footprint. All stands incorporate Quick Change IO Couplers for quick and secure mic changes. The Orbit Booms feature the Micro Mic Adjuster, with ball-socket clutch for a wide range of motion (360°x220°). The O1 is a single boom arm, the O2 has a dual-arm design, ideal for dual-miking situations.

ITEM	DESCRIPTION	PRICE
Stands		
TRIAD-T1	Weighted articulating stand, 22.5"-42"	120.00
TRIAD-T2	Weighted articulating stand, 34.25"-61.5"	135.00
TRIAD-T3	Weighted articulating stand, dual air-loaded clutch, 30.5"-70"	165.00
Booms		
ORBIT-01	Orbital boom arm, 360°-220°, 37.75"	90.00
ORBIT-02	Dual orbital boom arm, 360°-220°, 24"	150.00
Micro Mic Ad	iusters w/ IO Quick-Release Adapters	
MICRO-M1	Micro w/ long stem, on ball joint, w/IO	30.00
MICRO-M1-R	as above, w/ 5/8"-27 threads	25.00
	Micro w/ short stem, on ball joint, w/IO	
MICRO-M2-R	as above, w/ 5/8"-27 threads	25.00

NEED A DIFFERENT BOOM? NO WAITING, SPINNING, OR UNTHREADING




VU® MICROPHONE STANDS Vu offers a full line of high-quality microphone stands, with a model to meet every need for recording, live performance, broadcast, educational or house or worship applications. All models feature steel construction and terminate in the industry standard 5/8" thread.

ITEM	DESCRIPTION	PRICE
MSI100-10B	. Mic stand w/10" round iron base, 32.8" to 60.9", 8lbs	. 39.99
MSI200-10B	. Mic stand w/10" round low-profile iron base, 32.8" to 60.5", 8lbs	. 44.99
MSS300-10B	. Stackable mic stand w/10" iron base, 32.5"-59.5", 5lbs	. 34.99
MST100-10B	. Tripod mic stand w/boom arm, 19" to 29" height,	
	boom arm length 21" - 33.5"	. 39.99
MST100-30B	. Tripod mic stand w/boom arm, 37.75" to 65.5" height,	
	boom arm length 21" - 33.5"	. 49.99









TRIAD-T2

TRIAD-T3

Ultimate

LIVE-T...


STAND/BOOM COMBINATIONS ULTIMATE VII MST100-30B LATCH LAKE MICKING-3300-BLACK

Weighted articulating, dual air-loaded clutch, 30.5"-70"

..Pro series, 41.7"-63" hgt, black, overmolded clutch

Live series, 45.3"-74.8" hgt., black, one hand "Ergo" clutch

		•		-
ITEM	DESCRIPTION	STAND HEIGHT	BOOM LENGTH	PRICE
Atlas				
SB36W	Air suspension w/casters	50"-74"	62"	323.50
K&M				
210/2-BLACK	201 A/2 Stand, 211 Boom	35"-63"	33"	. 79.99
210/6-BLACK	Folding base	38"-65"	31.5"	. 69.99
210/8-BLACK	Extendable boom	38"-65"	16.73"-28.54"	. 74.99
210/9-BLACK	Compact	35"-65"	18"-30"	. 84.99
259	Low level stand	20"-28"	18"-30"	. 84.99
27105B	Lightweight, foldable bas	e 35"-63"	32"	. 64.99
Latch Lake				
MICKING-2200-BLACK.	14" base, black	49"-7'	45.5"-7'3"	465.00
	.14" base, chrome			
	16" base, black			
MICKING-3300-CHROME	.16" base, chrome	50.5"-10'	47"-10.45'	750.00
On-Stage	,			
		36"-63"	30"	. 31.99
	Kick drum/amp stand			
	Kick/amp stand, fold. bas			
MS7920B	Kick/amp stand, "U" bas	e8"-14"	16"	. 28.99
Ultimate	• ,			
TOUR-T-T	Std height, tripod base	41.4"-64.6"	18.9"-34.6"	129.99
	3-way boom adjust., tripod ba			
	Studio stand, wheeled ba			
Vu	,			
	Tripod mic stand w/boom.	19"-29"	21"-33 50"	39 99
MST100-30B	Tripod mic stand w/boom	37 75"-65 5"	21"-33.5"	49 99
	mpod mio stand w/boom.	0770 00.0	21 00.0	. 10.00





MST-B00M2.19" - 33.5" telescoping boom arm....

ITEM	DESCRIPTION	PRICE
AKG		
KM231/1	Collapsible tripod table stand	15.00
Atlas		
DS2	Vibration isolation 4x5" base, 4" high	35.70
DS5	Desk stand 6" round iron base, 5" high	18.20
	Black DS5	
DS7	6" round iron base, 8"-13" high	27.64
DS7E	Black finish DS7	26.28
DS14	Wishbone base, 3" high	31.68
Audio-Technica		
AT8615	XLR mount	55.46
	XLR mount with switch	
K&M		
23105	Sturdy plastic base, folding legs, 5/8" thread	16.99
231/1	Small & lightweight, plastic case, folding legs, 5/8" thread	12.99
On-Stage		
	4" height, 6" base diameter	
	9"-13" height, 6" base diameter	
DS300BUltimate	Posi-Lok Boom desk stand, 6" base diameter	21.99
	Jam Stand, weighted round base, 9.1"-14.2" height, black	14.99

















































135.00

165.00
























































Que Audio QMB1..

QB1

QSM4

AUDIX CABGRABBER MIC MOUNTING SYSTEMS

An innovative mic mounting solution for guitar amps and cabinets, the CabGrabber allows for precise microphone positioning. It requires no tools, and its adjust-

able, tension held mic arm hand tightens firmly into position. It will hold microphones up to 1lb. It works on cabinets with a flat surface or a recessed edge that are 8"-14" deep. The CabGrabber-XL fits 14"-20" cabinets and amps.

13.5"-57.5" mini-boom pole, telescoping stainless steel..

Shock absorber. Can be used between the QSM1 shockmount and QMB1 boom pole.

Base for mini boom pole, 1/4" 20 thread standard tripod attachment for mic stand operation, or counter-balancing while booming 39.99

ITEM	DESCRIPTION	PRICE
CAB-GRAB1	Mic clamp for amps and cabinets, 8"-14"	49.95
CAB-GRAB-XL	Mic clamp for amps and cabinets, 14"-20"	59.95



adjustable so one can mount on the rim or the mounting hoops of a tom drum.

•		
ITEM	DESCRIPTION	PRICE
HH1	Tom mount for Heil PR28	42.00

THE KELLY SHU KICK DRUM MOUNTING SYSTEM

Unique mounting design saves valuable stage floor space, stops unwanted noise signals and saves time at set-up and tear-down. It's suspended on rubber anti-shock cords, totally isolating the bass drum mic from vibrations of the kick drum and sounds stage booth. It can be mounted inside the shell or to the front of the kick. The composite version uses high-

ounds and the Dwa

delisity reliliorced con-	pounus, and the rro version is mad	ie oi preimum aiummum.
ITEM	DESCRIPTION	PRICE
KELLY-SHU-PRO	Kick mounting system, aluminum	99.95

STAND ACCESSORIES



ITEM	DESCRIPTION	PRICE
AKG VM21C DIACK	5/8" female to 3/8" male adapter	6.00
	Adjustable stereo microphone bar	
	Clamp for table edges	
KM240/1	Boom arm for middle of mic stand	60.00
Atlas	Doom arm for initiatic or inite stand	00.00
	3/8" long male thread adapter	7 73
AD5B	5/8" female to 5/8" female adapter	7 73
ND6B	7/8" female to female coupler	11.86
AD7B	3" tube 5/8" thread	7.58
AD8B	6" tube 5/8" thread	11.10
AD11B	5/8" female flange-mount round	13.1
AD11B-E	5/8" female flange, black	11.13
AD12B	5/8" male flange-mount, round	13.1
\D12B-E	5/8" male flange, black	11.1
	Right-angle pipe with M & F 5/8" thread	
	Feed-through 5/8" F to 5/8" M	
ND19B	45° pipe with M & F 5/8" thread	23.5
;01B	Swivel adapter	21.4
iN6	6" gooseneck, chrome	8.5
	As above but black	
มN I 3	13" gooseneck chrome	11.1
	19" gooseneck chrome	
3N 13 2N 10E	As above but black	12.5
	Lock-On accessory, between stand and mic clip, sliver	
	As above but black	
	Twin mic mount for 2 or 3 mics. silver	
M1E Audio-Technica NT8469	As above but black	10.8
TM1E	a Hot-shoe to 5/8" male adapter	10.83
TM1E	Hot-shoe to 5/8" male adapter	10.8
TM1E	Hot-shoe to 5/8" male adapter	10.8 44.3 6.3
IM1E Audio-Technica AT8469 AT8410A Hosa MHR122 K&M 19780		10.8 44.3 6.3
IM1E	Hot-shoe to 5/8" male adapter	10.8 44.3 6.3 59.9
IM1E	Hot-shoe to 5/8" male adapter	10.8 44.3 6.3 59.9
IM1E		10.8 44.3 6.3 59.9 3.9
IM1E	Hot-shoe to 5/8" male adapter	10.8 44.3 6.3 59.9 3.9 39.9 39.9 39.9
IM1E	Hot-shoe to 5/8" male adapter	10.8 44.3 6.3 59.9 3.9 39.9 39.9 39.9
TM1E Audio-Technica AT8469 AT8469 Hosa MHR122 K&M 19780 216 223-Black 223-Black 224-Nickel. 225-Black	Hot-shoe to 5/8" male adapter	10.8 44.3 6.3 59.9 3.9 39.9 39.9 31.9
IM1E	Hot-shoe to 5/8" male adapter	10.8 44.3 6.3 59.9 3.9 39.9 39.9 31.9 31.9 23.9
IM1E	Hot-shoe to 5/8" male adapter	10.8 44.3 6.3 59.9 3.9 39.9 31.9 23.9 21.9 21.9 21.9 21.9
TM1E	Hot-shoe to 5/8" male adapter	10.8 44.3 6.3 59.9 3.9 39.9 31.9 23.9
IM1E	Hot-shoe to 5/8" male adapter	10.8 44.3 6.3 59.9 3.9 39.9 31.9 23.9 21.9
IM1E	Hot-shoe to 5/8" male adapter	10.8 44.3 6.3 59.9 3.9 39.9 31.9 23.9 21.9 21.9 35.9 17.9
IM1E	Hot-shoe to 5/8" male adapter	10.8 44.3 6.3 59.9 3.9 39.9 31.9 23.9 21.9 25.9 21.9 55.9 51.9
TM1E	Hot-shoe to 5/8" male adapter	10.8 44.3 6.3 59.9 39.9 39.9 31.9 23.9 23.9 21.9 51.9 5.9 5.9 5.9
IM1E	Hot-shoe to 5/8" male adapter	
TM1E Audio-Technica AT8469 AT8469 AT8469 AT8410A Hosa MHR122 K&M 19780 216 223-BLACK 223-BLACK 223-NICKEL 224-NICKEL 225-BLACK 225-BLACK 225-BLACK 225-BLACK 225-BLACK 225-BLACK 23550 236 238-BLACK 240/5 Ultimate IS-GN6 IS-MM3 IS-MM3	Hot-shoe to 5/8" male adapter	
TM1E Audio-Technica AT8469 AT8469 AT8469 AT8410A Hosa MHR122 K&M 19780 216 223-BLACK 223-BLACK 223-NICKEL 224-NICKEL 225-BLACK 225-BLACK 225-BLACK 225-BLACK 225-BLACK 225-BLACK 23550 236 238-BLACK 240/5 Ultimate IS-GN6 IS-MM3 IS-MM3	Hot-shoe to 5/8" male adapter	
IM1E Audio-Technica Atta469 Atta469 Atta410A Hosa MHR122 K&M 19780 216 223-Black 235-Black 235-Black 235-Black 235-Black 235-Black 235-Black 236 SS-Black S	Hot-shoe to 5/8" male adapter	
TM1E Audio-Technica AT8469 AT8469 AT8469 AT8410A Hosa MHR122 K&M 19780 216 223-BLACK 223-BLACK 223-NICKEL 224-NICKEL 225-BLACK 225-BLACK 225-BLACK 225-BLACK 225-BLACK 23550 236 238-BLACK 240/5 Ultimate IS-GN6 IS-MG1 IS-MG2	Hot-shoe to 5/8" male adapter	
TM1E Audio-Technica AT8469 AT8469 AT8469 AT8469 MHR122 K&M 19780 216 223-BLACK 223-BLACK 223-NICKEL 224-NICKEL 225-BLACK 225-BLACK 225-BLACK 235-50 238-BLACK 238-BLACK 240/5 Ultimate IS-GN6 IS-MM3 IS-MC1 IS-MC2 IS-MC6 IS-MC9	Hot-shoe to 5/8" male adapter	
TM1E Audio-Technica At18469 AT8469 AT8469 AT8469 MHR120 K&M 19780 216 218 223-Black 223-Black 223-NICKEL 225-NICKEL 225-NICKEL 225-NICKEL 23550 236 238-Black 240/5 Ultimate IS-GN6 IS-MM3 IS-MC1 IS-MC2 IS-MC6 IS-MC9 Whirlwind	Hot-shoe to 5/8" male adapter	
IM1E Audio-Technica Audio-Technica Atra469 Atra410A Hosa MHR122 K&M 19780 216 223-Black 235-Black 236-Black 236-Black 237-Black 236-Black 237-Black 237-Black 238-Black 238-Blac	Hot-shoe to 5/8" male adapter	
TM1E Audio-Technica AT8469 AT8469 AT8469 AT8469 MHR122 K&M 19780 216 223-BLACK 223-BLACK 223-NICKEL 224-NICKEL 225-BLACK 225-BLACK 225-BLACK 235-50 238-BLACK 238-BLACK 238-BLACK 240/5 Ultimate IS-GM6 IS-MC3 IS-MC1 IS-MC2 IS-MC2 IS-MC6 IS-MC9 Whir-Iwind MIC-UIP	Hot-shoe to 5/8" male adapter	
TM1E Audio-Technica Att8469 AT8469 AT8469 AT8469 MHR122 K&M 19780 216 223-BLACK 223-BLACK 223-BLACK 225-BLACK 225-BLACK 225-BLACK 225-BLACK 235-50 238-BLACK 238-BLACK 240/5 Ultimate IS-GN6 IS-MC3 IS-MC1 IS-MC2 IS-MC2 IS-MC6 IS-MC9 Whir-Iwind MIC-U MC-U	Hot-shoe to 5/8" male adapter	
TM1E	Hot-shoe to 5/8" male adapter	



GATOR CASES GM-POPFILTER 6" NYLON SCREEN POP

FILTER Includes a stand clamp and an 11.5" gooseneck.


DESCRIPTION PRICE **GM-POPFILTER** . 6" nylon screen pop filter 18.99





MIDDLE ATLANTIC PF-SS SPLIT-SCREEN POP

FILTER This pop filter is great for voiceovers and uses Air Pressure Dispersion Technology (A.P.D.T. $^{\scriptscriptstyle\mathsf{TM}}$) to remove all unwanted explosive consonants. The technology uses 2 engi-



ITEM	DESCRIPTION	PRICE
PF-SS	. Split-screen pop filter, black	41.73

On Stage Stands

ON-STAGE STANDS POP SCREENS Prevent pops and plosive sounds with these adjustable clip-on pop screens. Available in 4" and 6" diameter models.

ITEM	DESCRIPTION	PRICE
ASVS4-B	Pop screen, 4"	18.99
ASVS6-B	Pop screen, 6	22.99





POPPERBLOCKER POP FILTER INSERT FOR BALL-STYLE

MICROPHONES Made from an acoustically transparent carbon fiber-type material, it eliminates plosives and breath sounds without affecting the sound. Simply unscrew the ball/windscreen on your mic insert the Popper Blocker and screw it back onto your microphone

mie, moert the ropp	er Broomer and cerem it back onto your interophoner	
ITEM	DESCRIPTION	PRICE
POPPER-BLOCKER	Pop filter insert for ball-style microphones	4.95



PRIMACOUSTIC VOXGUARD NEARFIELD ABSORBER

A high performance ambient noise attenuator designed to mount on a mic stand and surround a recording mic helping control sound from entering the mic by minimizing reflections in the room. It is made from lightweight, high impact ABS plastic with a high-density open cell acoustic foam liner.




ITEM	DESCRIPTION	PRICE
VOXGUARD	. VoxGuard, ambient sound attenuator	99.99

₹Rycote

RYCOTE MINI WINDJAMMERS FOR CAMCORDERS Mini

windjammers are a simple lined fur cover to fit over the microphone directly or its foam gag. They are used on and off of camcorders to provide a cheap, effective protection against wind noise. The Gustbuster is for camcorders with an integrated microphone and comes with 2 adjustable elastic straps to keep it in place.






RYCOTE S-SERIES SUSPENSION WINDSHIELD SYSTEM

Flexible and lightweight and easy to use, the S-Series is ideal for ENG applications. Their design provides isolation for all axial micro-

DESCRIPTION



I I LIN	DESCRIPTION	INIUL
010301	S-Series 300 Kit (12") - U180 & U125 pods	269.00
010302	S-Series 330 Kit (13") - U180 & U150 pods	269.00
010303	S-Series 375 Kit (15") – U225 & U150 pods	269.00
010304	S-Series 450 Kit (18") – (2)U225 pods	269.00
Accessories		
010404	U125 pod (5")	85.00
010401	U150 pod (6")	85.00
010402	U180 pod (7")	95.00
010403	11225 nod (9")	105.00

FILL COMPASS CARRIES THE FILL LINE OF RYCOTE SUSPENSION AND WINDSCREEN PRODUCTS VISIT FILL COMPASS COM FOR A COMPLETE LISTING

RYCOTE INVISION SUSPENSIONS Isolates small microphones where a discrete low profile is essential. Cannot be used in conjunction with a windshield. Every suspension includes an adapter for using on a stand with a 5/8" female to 3/8" male thread. INV-1, INV-2, and INV-3 are for static use on desk/floor mic stands. INV-4 through INV-10 are for either boompole or static use. INV-1 and INV-4 include a reducing sleeve that fixes onto remote capsule microphones such as the Schoeps CCM and DPA 4000 series. INV-7 through INV-10 utilize long bars that allow lyre webs to be mounted 70mm or 25mm apart. INV-10 is for Sennheiser MKH series microphones.



INVISION-1

ITEM DESCRIPTION	PRICE
041101INV-1: InVision (43mm) lyre web, 9.5mm front	/back clips, sleeve, std bar 62.00
041102 INV-2: InVision (43mm) lyre web, 20mm front/	9.5mm back clip, std bar 62.00
041103 INV-3: InVision (43mm) lyre web, 20mm front/	back clips, std bar62.00
041104 INV-4: std (70mm) lyre web, 9.5mm front/bacl	k clips, sleeve, std bar 62.00
041105 INV-5: std (70mm) lyre web, 19-22mm front/9	.5mm back clip, std bar 62.00
041106 INV-6: std (70mm) lyre web, 19-25mm front/b	ack clips, std bar62.00
041107 INV-7; std (70mm) lyre web, 19-25mm front/b	ack clips, long bar62.00
041108INV-8; std (70mm) lyre web, 30mm front/back	clips, long bar 62.00
041109INV-9; std (70mm) lyre web, 30mm front/19-2	5mm back clips, long bar 62.00
041110 INV-10; std (70mm) lyre web, MKH front/back	clips, long bar 62.00



SABRA-SOM DECCA TREE MIC STAND The DECCA tree is hand made with 3 arms and can break down into a portable compact size. Each 1m long arm has sliding mounts with 3/8" and 5/8" O.D. threaded studs.

ITEM	DESCRIPTION	PRICE
DECCA	3-mic decca tree with variable angles	995.00

SABRA-SOM SSM1 AND SSM1/SL SHOCK

Versatile and compatible with almost all micropl to 2" in diameter and offers high-quality braid-co elastic bands in each ring, 2 x 2. The central artic support can be adjusted to balance the mic's ce gravity. The SSM1/SL includes a speed-lock attac for removing the shockmount from a stand with 1/4 turn.

	SSM1	
KMOUNTS		
ohones up		\mathbf{V}
covered	$\mathbf{V}\mathbf{M}$	X
iculated		
enter of		
chment	- W	
n a simple	_	100
		T
		PRICE

ITEM	DESCRIPTION	PRICE
SSM1	Universal shockmount	49.99
SSM1/SL	Universal shockmount w/ speed-lock	59.95
SSMPOP	SSM1 w/ SPF pop filter / arm combo	79.99
SPK	SSM1 w/ SPF & ST2 stereo bar	189.99























































055401.....Gustbuster for camcorders with an integrated mic.

































ITEM



















SABRA-SOM MICROPHONE MOUNTS The ST2 and ST4 are T-shaped mounts with 5/8" threads. The ST2 allows mounting of 2 mics on a 20cm long hex rod. The ST4 offers 4 mic mounts on a 30cm hex rod.

ITEM	DESCRIPTION	PRICE
ST2	. 2-mic stereo bar	39.99
ST4	.4-mic bar	49.99
NPLEX	.Pack of 10 3/8" female to 5/8" male adapters for ST2, ST4	124.99



MIC NOT


SE REFLECTION FILTERS AND MUSIC STAND These reflection filters reduce ambient noise when recording. The Reflexion Filter (RF) can be positioned behind any microphone with the included variable-position stand clamp and helps obtain a "dry" recording. It consists of 6 main layers to absorb and diffuse sound waves as it goes through each layer. The smaller Instrument Reflexion Filter (IRF) has



a hole through which a mic can be positioned and is useful for close recording of drums. The IRF is also ideal for pianos and wind instruments, whereas the Reflexion Filter is used for vocals and guitars. The Reflexion Filter Music Stand clamps easily onto the top of the RF in seconds, and comes with clips to attach your notes.

· · · · · · · · · · · · · · · · · · ·	1	
ITEM	DESCRIPTION	PRICE
REFLECTION-FILTER	. Portable aluminum acoustic wall with stand clamp	299.00
IRF2	Instrument Reflexion Filter (IRF)	99.00
RFMS	Music stand, sheet music holder for Reflexion Filter	59.00

SE STUDIO MICROPHONE POP SCREEN A unique metal screen not simply perforated but louvered at a slight angle to redirect ultra-low frequency breath blasts to the side of the screen. This process does not attenuate high frequencies - as do fabric screens - and leaves the vocal performance unaf-



SE DUAL PRO POP SCREEN This is a solution to the problem of needing different pop shields to suit vocal performances. The device has a strong gooseneck with both a standard fabric membrane and a metal pop shield on a hinge mechanism. You can use either separately or simultaneously.

POP-SCREEN..... Louvered metal vocal pop screen



79 00

DESCRIPTION DUAL-PRO-POP....... Gooseneck-mounted metal & fabric dual pop screen.

SHURE

SHURE PS-6 POPPER STOPPER™ WINDSCREEN

Widely recognized throughout the recording and postproduction communities as the leading tool in pop elimination technology. With a 6" diameter, the highly durable 4-layer screen stops plosive consonants such as "p" and "b", while the fully adjustable 14" gooseneck and mic stand clamp ensure flexibility across any number of applications.



• •		
ITEM	DESCRIPTION	DDICE
IIEM	DESCRIFTION	FRICE
PS6	6" pop filter	36.00
1 00	0 pop into	00.00

WINDTECH POPGARD MIC SCREEN

This screen offers protection against plosive sounds in side address microphones in studio and broadcast applications. It is hydrophobic which helps prevent moisture from reaching the microphone element



while remaining acoustically transparent. Weighing less than 1oz, the PopGard is easy to clean and attaches in seconds to most side address microphones from 1.8" to 2.7" in diameter. It easily attaches to the microphone body using lightweight elastic bands, allowing it to move with the microphone without constant adjustment.

-		
ITEM	DESCRIPTION	PRICE
II LIII	DESCRIPTION	INIUL
PG-2000	. PopGard mic screen & pop filter for side-address mics	29 95

allergenic, washable, open-cell foam called Sonic-Foam.

WINDTECH OLSEN QUALITY MIC WINDSCREENS The highest quality windscreens on the market today. Hypo-**LG SPHERICAL INSIDE DIAMETER 1-5/8"** AKG: D321/330 AT: ATM31/41/91, AT813/814

Beyer: W300/400/	300 EV: NV23//33/,43///3/ KETI/TO	/3U, PL/ //8U
ITEM	DESCRIPTION	PRICE
900-BLACK		6.25
900P-BLACK	. 3-pack	17.75

900-BLACK		b.25
900P-BLACK	3-pack	
	SIDE DIAMETER 1-3/8" D125/1200/,130/190/320/2000	Shure: SM48/58/78/85/87
ITEM	DESCRIPTION	PRICE
200 DI ACK		E 00

300-BLACK		5.99
300P-BLACK	3-pack	17.99
300-GREEN		5.99
300-ORANGE		5.99
300-GREY		5.99
300-RED		5.99
300-ROYAL-BLUE		5.99
300-YELLOW		5.99
CW CDREDICA	I INCIDE DIAMETED 1"	

AT: ATM63	Beyer: M201	EV: D054/56,RE55	Shure: SM57, 849, Beta57
	DESCRIPT		PRICE
			17.35
	RICAL INSIDE I		17.0

EV: RE20 PL20 Sennheiser: MD421	
ITEM	PRICE
20/421-BLACK	31.95
SM CYLINDRICAL INSIDE DIAMETER 5/8"	

IIEM				P	KIU
1300-BLACK					5.25
TEAD_DDDD HEAD_MIC INCIDE	DIVINELED	1 //!" FND	MUST	HEVUCET	

MICS WITH UP TO .31252" OUTSIDE DIAMETER

Rever. SMH415 FV: CP212 University: 1700

2100-BLACK		4.55
For Shotgui	n Windscreens	
	DESCRIPTION	PRICE
SG-1		31.95
SG-2	12.5" medium shotgun	40.95
	21" long shotgun	
PODIUM II	NSIDE DIAMETER 1/2"	

PRICE

boyon committee tribitation convolution of the	
ITEM	PRICE
500-BLACK	5.10
LAPEL/PODILIM INSIDE DIAMETER 1/4"	

AI: AI8U3/831/83//85/, AIMI5	Beyer: MC8, MC6
ITEM	PRICE 4.55
ROUND LAVALIER INSIDE DIAM	

INCOME LA	ALIEN INSIDE DIAMETI		
AKG: C567	AT: 853/855/857/859	EV: RE98 C090/94	Shure: SM99
ITEM			PRIC
1500 BLACK			// 0/

MINI ROUND LAVALIER INSIDE DIAMETER 3/16"	
Sony: ECM77 Sennheiser: MKE2	
ITEM	PRICE
2200 DIAOK	4.01







CLEARSONIC ACOUSTIC BAFFLES/DRUM SHIELDS These 0.25" thick acrylic durable ClearSonic panels isolate drums or other instruments. They fold flat for easy storage and transport. Height extenders (12" and 18") are also available.

ITEM	DESCRIPTION	PRICE
A4-1	4'x1' 1-section add-on for A4	75.60
A4-3	4'x6' 3-section panel	226.80
A4-4	4'x8' 4-section panel	302.40
A4-5	4'x10' 5-section panel	378.70
	4'x12' high 6-section panel	
A4-7	4'x14' 7-section panel	529.90
A5-1	5.5'x2' 1-section add-on for A5	105.70
A5-3	5.5'x6' 3-section panel	317.10
A5-4	5.5'x8' 4-section panel	422.80
A5-5	5.5'x10' 5-section panel	528.50
	5.5'x12' 6-section panel	
A5-7	5.5'x14' 7-section panel	739.90
AX12-5	12" height extension panel, for 5-section panels	122.50
AX12-6	12" height extension panel, for 6-section panels	147.00
AX12-7	12" height extension panel, for 7-section panels	171.50

CLEARSONIC SORBER 1.5" thick compressed fiberglass inside a heavy Velcro receptive cloth casing. Free-standing models open to 4' wide but fold in half for portability and storage.

ITEM	DESCRIPTION	PRICE
32U	.24"H x 22"W for lower half of clear pan wall or ceiling with Velcro	
S4-2D	.2-panel free-standing, 44"H x 48"W	129.64
S5-2D	2-panel free-standing, 66"H x 48"W	169.82



CLEARSONIC PORTABLE

CASES Portable cases will hold-up to a 7-panel acrylic system. Soft-sided models feature padded lining, han-



dles and zippered pouch for accessories. The CH5 is a hard-sided model made from .098" molded ABS plastic. It can fit up to 7 AX panels and has interior foam padding, zinc-plated steel corners, nylon straps, wheels as well as spring-loaded cushioned handles.

ITEM	DESCRIPTION	PRICE
C2	Zippered case for A2 panels	89.39
C4	Zippered case for A4 panels	112.70
C5	Zippered case for A5 panels	136.50
CH5	A5 panel hard case	516.60

CLEARSONIC FLECTOR Personal monitor disc that mounts behind vocal microphones to reflect direct sound back to the musician, clear modified acrylic.

ITEM	DESCRIPTION	PRICE
FLECTOR8	. 8" Flector	7.00





ISOPAC-A

CLEARSONIC ISOPAC ISOLATION PACKAGES IsoPacs A and B feature the Lid System, reducing the amount of sound that would normally escape upwards. IsoPacs C and D are for applications where the lid is not necessary, but still feature SORBER absorption baffles to control the reflected sound. ClearSonic panels (CSP) are a reflective sound barrier but do not absorb sound while SORBER is a great sound absorber but not a great barrier. All models are available in your choice of light or dark grey finish.

ISOPAC-A - DRUM SHIELD KIT

•Dimensions: 7'W x 9'D x 6.5'H

•Kit contains: (1) A5-7 - 7-section CSP, (3) S5-2L - 4'W x 5.5'H SORBER baffle (rear), (7) AX12 - 12" height extenders, (1) STC5L - 2'W x 5.5'D center lid section, (1) STC512L - 12"W x 5.5'D center lid section, (2) STS5L - 2'W x 5.5'D side lid section, (7) S2L - 22"W x 2'H SORBER baffle, (1) Fan - 6", 2-speed, low-noise fan

ITEM	DESCRIPTION	PRICE
ISOPAC-A	Drumshield kit w/ lid system, 50-60% sound reduction	2066.75

ISOPAC-B - DRUM SHIELD KIT

•Dimensions: 7'W x 7'D x 6.5'H

•Kit contains: (1) A5-6 - 6-section CSP, (3) S5-2 - 4'W x 5.5'H SORBER baffle (rear), (6) AX12 - 12" height extenders, (1) STC5 - 2'W x 5.5'D center lid section, (2) STS5 - 2'W x 5.5'D side lid section, (4) S2 - 22"W x 2'H SORBER baffle, (1) Fan - 6", 2-speed, low noise fan

ITEM	DESCRIPTION	PRICE
ISOPAC-B	Drum shield kit w/ lid system, 50-60% sound reduction	1732.92

ISOPAC-C - DRUM SHIELD KIT

Dimensions: 6'W x 7'D x 5.5'H

•(1) A5-5 - 5-section CSP, (3) S5-2 - 4'W x 5.5'H SORBER baffle (rear), (5) S2 - 22"W x 2'H SORBER baffle

Sound reduction not possible to measure w/out lid system

ITEM	DESCRIPTION	PRICE
ISOPAC-C	. Drum shield kit, no lid system	1219.26

ISOPAC-D - DRUM SHIELD KIT

•Dimensions: 6'W x 6'D x 4'H

•Kit contains: (1) A4-5 - 5-section CSP, (2) S4-2L - 4'W x 4'H SORBER baffle (rear), (5) S2L - 22"W x 2'H SORBER baffle

Sound reduction not possible to measure w/out lid system

ITEM	DESCRIPTION	PRICE
ISOPAC-D	Drum shield kit, no lid system	819.28

Full Compass also carries IsoPac Vocal Booth Kits. Visit fullcompass.com for details.

CLEARSONIC CSP-LITE

NEW! **DRUM SHIELD KIT** This lower-cost 5-panel kit is constructed with five 24"W x 66"H x 3/16"D acrylic panels and is pre-assembled with flexible hinges to fold flat for easy storage. Unlike

standard ClearSonic panels, the LITE2466-5 are unfinished "as-cut and square". Note that they are not designed to support ClearSonic's height extenders or LidPac assemblies.

ITEM DESCRIPTION PRICE Drum shield kit, 24"W x 66"H x 3/16"D LITE2466-5 ...









































































































AURALEX ROOMINATOR KITS

Kits contain Studiofoam Absorbent Wedge Panels to calm early reflections & kill that hollow, ringy room sound. The LENRD Bass Traps (not included in the D36-DST kit) smooth out inaccurate & excessive low frequencies while the T-Fusor Sound Diffusors (Pro Kit only) gives a spacious ambiance and wide sweet spot that big-name studios have.





D36-DST KIT

Entry-level system for small rooms (6' x 8' x 8' or less). Kit Includes:

- (18) DST-112 1'x1' panels (charcoal)
- (18) DST-114 1'x1' wedge panels (various colors)
- (2) Tubetak liquid adhesive

ITEM	DESCRIPTION	PRICE
D36CHA/BUR	Charcoal & Burgundy	154.99
	Charcoal only	
D36CHA/PUR	Charcoal & Purple	154.99



PROJECT 2 KIT

Designed primarily for rooms <100 sq ft. Kit Includes:

- (24) Studiofoam 2'x2'x2" wedge panels (charcoal)
- (8) LENRD Bass Traps (various colors)
- (2) Tubetak liquid adhesive

	•	
ITEM	DESCRIPTION	PRICE
PROJ2CHA/BUR		659.99
PROJ2CHA/CHA	Charcoal only	659.99
PROJ2CHA/PUR	Charcoal & Purple	659.99
PRUJZCHA/PUR	arcoai & Purpie	659.99



Designed primarily for rooms 15' x 20' x 8' or smaller. Kit Includes:

- (36) Studiofoam 2'x2'x2" wedge panels (charcoal)
- (12) LENRD Bass Traps (various colors)
- (8) T-Fusor 3D Sound Diffusers
- (3) Tubetak liquid adhesive

ITEM	DESCRIPTION	PRICE
PROPLUSCHA/BUR	Charcoal & Burgundy	1319.99
PROPLUSCHA/CHA	. Charcoal & Charcoal	1319.99
PROPLUSCHA/PUR	. Charcoal & Purple	1319.99



AURALEX LENRD BASS TRAPS

LENRD (Low End Node Reduction Device) Bass Traps are triangular-shaped, irregularly wedge-cut pieces of Studiofoam that give superior

broadband absorption, especially at low frequencies. They fit room corners & wall/ceiling junctures perfectly and are the

easiest and most cost-effective way to control excess low frequency energy without sacrificing large amounts of cubic space. Noise reduction coefficient (NRC) is 1.35. (Recommended adhesive: 1 Foamtak or 2 Tubetak per eight units. Sold separately.)

	DESCRIPTION	PRICE
LENBLU	Bass trap, blue, 8-pack	329.99
LENBUR	Bass trap, burgundy	38.75
LENBUR-HP	Bass traps, burgundy, 4-pack	154.99
LENCHA	Bass trap, charcoal	38.75
LENCHA-HP	Bass traps, charcoal, 4-pack	154.99
LENPUR	Bass trap, purple	38.75
LENPUR-HP	Bass traps, purple, 4-pack	154.99

AURALEX STUDIOFOAM® PYRAMIDS A perfect combination of good looks and great sound, giving a cool look to your studio. Pyramids offer tons of versatility, provide virtually seamless installations, supply a bit of extra diffusion due to their 4-sided geometry.



Available in multiple colors, substitute the last 3 letters of the part number for color (CHA = charcoal, BUR = burgundy, PUR = purple. Other colors available for some models, call a sales pro for more information. Prices listed are for charcoal models, a small upcharge is added for alternate colors.)

ITEM	DESCRIPTION	PRICE
2PYR24XXX	. 2'x4'x2" Pyramid Studiofoam	439.99
4PYR24XXX	. 2'x4'x4" Pyramid Studiofoam	444.99
2PYR22XXX	. 2'x2'x2" Pyramid Studiofoam	16.70
4PYR22XXX	. 2'x2'x4" Pyramid Studiofoam	37.50
FOAMTAK-SINGLE	. Spray adhesive, 96 sq ft coverage	24.99
TUBETAK-PRO-SINGLE	Liquid adhesive, 32 sq ft coverage	9.99

AURALEX STUDIOFOAM® PRO CLASS 'A' ACOUSTICAL FOAM The first melamine-

free acoustical foam with a Class 'A' fire rating. Even though its profile is 1.5" thick, it offers a higher noise reduction coefficient (NRC = .90) than 2" Studiofoam Wedges. It will not rot, crumble or suffer surface harm from normal use. Available in 2'x2' and 2'x4' charcoal grey panels. Features beveled edges similar to SonoFlat and EliTE Pro Panels.



ITEM	DESCRIPTION	PRICE
15SFP24CHA	. (10) 2'x2' StudiofoamPro, 1.5" thick, charcoal	274.99
15SFP48CHA	. (10) 2'x4' StudiofoamPro, 1.5" thick, charcoal	549.99

AURALEX STUDIOFOAM® WEDGE FOAM

Has triangular horizontal cuts and treats most small to medium sized areas including vocal booths, control rooms and studios. An industry workhorse. Overall NRC = .80, and comes in various colors. Wedgies™ are 1'x1' panels and come in 2" only.



Available in multiple colors, substitute the last 3 letters of the part number for color (CHA = charcoal, BUR = burgundy, PUR = purple. Other colors available for some models, call a sales pro for more information. Prices listed are for charcoal models, a small upcharge is added for alternate colors.)

ITEM	DESCRIPTION	PRICE
2SF24XXX	(12) 2" Studiofoam, 2'x4'	399.99
3SF24XXX	(8) 3" Studiofoam, 2'x4'	399.99
4SF24XXX	(6) 4" Studiofoam, 2'x4'	399.99
2SF22XXX	(12) 2" Studiofoam, 2'x2'	
4SF22XXX	(12) 4" Studiofoam, 2'x2'	
FOAMTAK-SINGLE	Spray adhesive, 96 sq ft coverage	24.99
TUBETAK-PRO-SINGLE	Liquid adhesive, 32 sq ft coverage	9.99
	(24) 2" foam wedges, 1'x1'	







AURALEX SUSTAIN BAMBOO SOUND DIFFUSORS This new line of bamboo diffusers are designed to accommodate each room's unique acoustical needs. Improve the overall sound and "liveliness" of your room with the sonic warmth of these sustainable diffusors. The Peak Pyramid panel provides high quality diffusion while doubling as an effective bass trap. The QuadraTec panels provide excellent scattering properties, resulting in a warm, musical character to the dispersed sound. The WavePrism eliminates flutter echoes and other anomalies without removing acoustical energy from the space. The WaveLens scatters and redirects acoustical energy while the KeyPacks tune your absorption treatment to be more effective in the low and mid range while not killing off higher frequencies – yielding a room that is well balanced across the frequency range.

ITEM	DESCRIPTION	PRICE
WA2	. WavePrism, 2-pack, 23.75" x 23.75" x 3"	682.50
WC2	. WaveLens, 2-pack, 23.75" x 23.75" x 3"	498.75
WAVE6	. WaveLens, 6-pack, 23.75" x 23.75" x 3"	1153.95
PPD4	. Peak Pyramid, 2-pack, 23.75" x 23.75" x 6"	628.95
QTQRD2	. QuadraTec, 2-pack, 23.75" x 23.75" x 4.1"	712.95
KPS4	. KeyPac, star pattern, 4-pack, 21.5" x 21.5" x 0.625"	393.75
KP9H4	. KeyPac, 9-hole pattern, 4-pack, 21.5" x 21.5" x 0.625"	393.75
KPB4	. KeyPac, bubble pattern, 4-pack, 21.5" x 21.5" x 0.625"	393.75

AURALEX GRAMMA SOUND ISOLATION AMP RISERS Gig and Recording Amplifier and Monitor Modulation Attenuator. The Gramma sound isolation riser is an incredibly effective device used to float an amp or loudspeaker and yields nearly total acoustic



sound isolation. They come complete with a carrying handle, road-ready carpet, Studiofoam Wedges and PlatFoam. The Great Gramma is a larger design intended for guitar cabinets or similar sized speakers and subs.

ITEM	DESCRIPTION	PRICE
GRAMMA-4PACK	. 15" x 26" platform, box of 4	219.96
GRAMMA-SINGLE	. 15" x 23" platform, single	54.99
GREAT-GRAMMA	. 19" x 30" platform, single	84.99

AURALEX ADHESIVES Use these adhesives to affix acoustic foam panels or diffusors to your walls. Tubetak Pro provides a permanent bond and is easily applied from the tube with a standard caulking gun. One tube mounts about 32 square feet of foam or diffusors. Foamtak can be applied lightly so that foam is removeable, or applied heavily for a permanent bond. One can mounts about 96

square feet of foaili or	dillusors.	
ITEM	DESCRIPTION	PRICE
TUBETAK-PRO-SINGLE	Permanent adhesive, tube	9.99
FOAMTAK-SINGLE	Semi-permanent adhesive, aerosol can	24.99



AURALEX STOPGAP ACOUSTICAL SEALANT This highly elastic, water-based sealant is used for reducing sound transmission at the perimeter of wall systems or around electrical box cutouts to achieve specified STC/MTC values. The surface dries to a tough film but the sealant remains flexible and stays pliable for up to 5 times longer than alternative brands. It has no residual run-off, is paintable and non-staining, and meets ASTM C-834 standards for flame retardancy. Coverage per 29 oz. cartridge is approximately 40 linear feet with a 3/8" bead applied.

arage to approxima	itoly to mical rect min a syc boad applical	
ITEM	DESCRIPTION	PRICE
STOPGAP	. Acoustical sealant, 29oz, cartridge	19.99

AURALEX MO-PADS MONITOR ISOLATION SYSTEM The most


critical components in your studio rig are your monitors - how you place them is the next. If they rattle on the stand, or create resonance in your furniture, you won't be getting accurate mixes. Simply place your



near-field monitors into the Mo-Pad's universal wedge cut, and you've effectively created sonic isolation between your monitors and the rest of your studio.

ITEM	DESCRIPTION	PRICE
MOPAD	. Monitor isolation pads	44.99

AURALEX U-BOAT FLOOR FLOATERS These proprietary U-Boat floaters are made of a specially formulated rubber compound. These U channels are used to support framing members and float (isolate and decouple) them from the surrounding structure. With the help of U-Boats, a floated room features greatly improved transmission loss (isolation) and low-frequency definition. Each channel is 2 1/8" W x 1 1/2" H x 2" D, and are 5/16" thick on the sides, & 1/2" thick at the base.



AURALEX HOVERDECK™ ISOLATION RISERS The HoverDeck™ is specifically engineered to reduce coloration from floor resonance by decoupling the drum kit from the structure, resulting in a tighter, more pure sound for both studio and FOH. It has a rugged MDF laminate core & web-like ISO-Puck modular riser to minimize structure-borne sound transmission & vibrations between drums & hardware. Available in two versions, both systems utilize a set of low-profile isolating boards that assemble quickly via a strategically placed hook & loop fastener.

ITEM	DESCRIPTION	PRICE
НИ646	HD64 gig set (for 4-5 piece drum kits) — 6 HD22 platforms (23-3/4" x 23-3/4" x1") & 1 HD-tc platform (23-3/4" x 31-3/4" x 1")	424.99
HD88C	HD88 concert (for larger/touring drum kits) — 12 HD-tc platforms (23-3/4" x 31-3/4" x 1")	949.99

AURALEX SHEETBLOK™ SOUND BARRIER


SheetBlok Sound Isolation Barrier is a dense, limp-mass vinyl material that is about 6dB more effective than solid lead at stopping the transmission of sound. It acts as a thin, dense sound barrier layer in walls, ceilings or floors and is



most effective when used as one component of a multi-layered construction scheme. It helps in decoupling (i.e. floating) floors and walls and is paintable with latex paint. SheetBlok-Plus comes with a PSA (pressure-sensitive adhesive) already attached.

ITEM	DESCRIPTION	PRICE
J-10SHBL	. Sound barrier, 4' x 10' x 1/8"	249.99
J-30SHBL	. Sound barrier, 4' x 30' x 1/8"	424.99
PLSHBL30	. Sound barrier, 4' x 30' x 1/8" w/ adhesive attached	599.99

AURALEX RC-8 RESILIENT CHANNEL Auralex's RC-8 Resilient Channel is a specially-formed, sturdy metal device that, when used to hang drywall (instead of just attaching the drywall to the studs or joists), greatly improves the sound transmission characteristics of the wall or ceiling system. RC-8 is available in handy 8' lengths that are ground shippable.



TEM	DESCRIPTION	PRICE
RC8-RES-CHANNEL	Box of 24, 8ft channels	189.99









































































































AURALEX ROOM ANALYSIS PLUS SERVICE This kit allows you to work hand in hand with the engineering staff at Auralex to diagnose acoustic issues in your room. You record a frequency sweep with the supplied omnidirectional measurement mic and send it back to Auralex who then analyzes it and makes acoustical treatment suggestions. Kit includes an omnidirectional measurement mic and a USB drive that includes frequency sweeps and step-by-step instructions on how to record this sweep in your room.

ITEM	DESCRIPTION	PRICE
RAPLUS-K	Kit includes measurement mic & USB flash drive	499.00

AURALEX PROMAX KIT A set of free-standing absorption panels that includes a pair of ProMAX 2' x 4' x 3" charcoal panels with MAX-Stands mounts. With the ability to be placed wherever they are needed, these panels may be used in a wide variety of applications.

ITEM	DESCRIPTION		PRICE
PROMAX	Acoustic panels,	free-standing	289.99

AURALEX ELITE B24™ PROPANELS™

These are decorative, fabric-wrapped absorptive panels that meet Class 'A' fire ratings per ASTM-E84 standards. The 1" thick, 2' by 4' beveled-edge panels have a 0.8 Noise Reduction Coefficient (NRC), making them the perfect choice for absorbing slap and flutter echo in applications such as schools, gymnasiums, theaters, houses of worship, board rooms or recording and broadcast studios. Includes wall-mounting 'I'-clips

broadcast stadios, metados wan mounting 1 onpo.			
ITEM	DESCRIPTION	PRICE	
B24SAND	. ProPanel, sandstone color (each)	104.99	
B240BS	. ProPanel, obsidian color (each)	104.99	

AURALEX DIFFUSORS MetroFusor™ is made from high quality EPS (expanded polystyrene), and features a distinctive, proprietary surface contour. T'Fusors™ drop easily into ceiling grids and are wall mountable with pushpins, staples, nails, Tubetak, Velcro or 2-sided tape. Improved broadband diffusion can be achieved by filling the cavity in the back of the T-Fusor with acoustic foam or 1" rigid fiberglass. The DST-RKIT consists of (36) 12"x12"x1" diffusors. Their 1" depth makes them ideal for areas where space is tight. The



MiniFusorTM is a 12"x12"x5" diffusor made of thermoplastic resin with an inner cavity which can be filled for better diffusion and low-frequency trapping. All diffusors are white and can be easily painted with water-based paints.

ITEM		PRICE
METRODIFF	24"x24"x2" white diffusor	19.17
TFUSOR	23.75"x23.75"x5.5" white diffusor	64.99
DST-RKIT	12"x12"x1"white diffusor, 36 tiles per box	104.99
MINIFUSOR-EACH	12"x12"x5" diffusor	9.99

AURALEX MINERAL FIBER SOUND

INSULATION Very dense and designed for acoustical usage, mineral fiber has much better bass trapping, overall absorption, thermal characteristics, moisture absorption and isolation than standard fiberglass.



Use mineral fiber insulation in walls or between floor joists for enhanced sound transmission loss. It features a Class 'A' flame retardancy with 1200°F burn point.

ITEM	DESCRIPTION	PRICE
2MF24	6 sound insulation panels, 2' x 4' x 2"	124.99
4MF24	. 3 sound insulation panels, 2' x 4' x 4"	124.99



PRIMACOUSTIC FLEXIBOOTH VOICE-OVER **BOOTH** The 48" x 48" wall-mounted fiberglass FlexiBooth™ opens like a cupboard to create a 16 cubic foot "voice-over zone" that eliminates room ambience. Ideal for voiceovers, vocal tracking, and podcasting, it absorbs sound energy through the voice range. Multiple FlexiBooths can be placed in a room and customized to reflect various acoustic environments. Doubles as a bass trap when closed and can be cleat mounted to any wall surface.

ITEM	DESCRIPTION	PRICE
FLEXI-BOOTH	Dual-purpose vocal booth/bass trap,	
	2" thick main panels, 1" thick door panels	449.99

PRIMACOUSTIC FLEXIFUSER VARIABLE PITCH DIFFUSER

Ideal for recording studios, broadcast stations and home theaters, the pitch diffuser deflects sound energy to create a greater sense of air and space. It mounts at receive end of room, diffusing directional acoustic energy. It also reduces standing waves and flutter echo from 500Hz and up. 6 variable pitch slats can be rotated to tailor the diffuser's sound deflection. The rearmounted absorptive panel behind the diffuser's slats further reduces room reflections. Various patterns can be combined in clusters for maximum effect. Ships flat to reduce freight costs and assembles in minutes using standard household tools.



ITEM	DESCRIPTION	PRICE
FLEXI-FUSOR	Variable pitch diffuser w/ rotating slats, 48"H x 24"W x 6"D	399.99

PRIMACOUSTIC GOTRAP The GoTrap™ is a combination studio gobo and bass trap that controls spill between instruments recording simultaneously and passively removes excess bass in the room (down to 75Hz). GoTraps are comprised of high-density, fabric-covered 6lbs/ft3 sound absorbing panels, an 8" D internal cavity, and internal fiberboard barriers that contain sounds and enhance bass absorption.



ITEM	DESCRIPTION	PRICE
GO-TRAP	. 24" x 36" birch studio gobo and bass absorber,	
	select black/beige/grey panel color	. 399.99

PRIMACOUSTIC MAXTRAP BROADBAND CORNER BASS TRAP

This combination 3-way broadband corner trap consists of a high-density fiberglass panel with a resonator membrane. It's easy to assemble (24" x 48" flat-pack wood frame) and its unobtrusive design fits any décor. Effective from 65Hz and up.

ITEM	DESCRIPTION	PRICE
MAX-TRAP	24" x 48" broadband corner acoustical absorber.	399.99



CLOUD SYSTEM Suspended over the console or listening position, this fabric- wrapped,

high-density fiberglass panel eliminates the need to install

floor-to-ceiling reflectors and comes with easy-to-assemble suspension hardware. Its unobtrusive design fits any décor and is available in Beige, Black and Grey.

ITEM	DESCRIPTION	PRICE
STRATUS	. 24"H x 48"W x 2"D overhead panel w/ frame	199.99

PRIMACOUSTIC CUMULUS BROADBAND CEILING COR in co sour Thei and

0 /1	providing absorption upwards of 125 Hz. design fits any décor and they are quick DESCRIPTION	
Their unobtrusive and easy to mount.	design fits any décor and they are quick	
in corners and is $\\$	These triangular focal point traps mount highly effective in small rooms due to providing absorption upwards of 125 Hz	









A conversation with renowned producer/engineer Dave Rideau

Dave, tell us about your studio... Cane River Studios is my personal mixing room where I now mix 80% of my projects. It is a fusion of digital and analog technology.

Who are some of the better known clients you have worked with? Janet Jackson, Usher, George Benson, Sting, Al Jarreau, TLC, Kirk Franklin and Earth, Wind, and Fire.

What do you do there as opposed to a commercial studio?

ILOVE commercial studios_it is where I have spent most my career. But changes in our business have forced producers to find ways to get projects done for less without sacrificing quality. Recording in big rooms with the interaction of musicians then editing and mixing in a well designed home studio seems to give us the best bang for buck.

What acoustic problems did you have? I had a decent sounding room before but at higher volumes certain gremlins raised their ugly heads, mostly evident in the low-mids.

How did you configure the panels? I have a wall directly to my left where there is no opposing wall to my right. I decided to go floor to ceiling with 3" thick panels to make this wall "disappear" as much as possible. Then I configured 12" x 48" Broadway 2" panels on the parallel walls with space between them to control the first order reflections. I then added a MaxTrap corner bass trap.

Did you do the set up yourself? I did. I like doing this sort of thing. I actually got my first job in the industry as part of the crew that built Westlake Recording Studios in Los Angeles.

What improvements have you noticed? The room sounds great! The sound-stage is more focused and I noticed a big improvement with a tighter low end. I rarely playback at louder levels but when clients are over it happens. Now it sounds much less congested.


How does it translate to other rooms? The main test I measure my mixes by is how they translate to the mastering rooms Luse. The ultimate compliment you can receive from a mastering person is '7 didn't have to touch my EQ". That happens more often since I treated my room with Primacoustic Broadway panels.

London Calling!

New London Kits for Every Room!



Primacoustic London™ Room Kits are available in just the right size to make your room sound great! Each kit comes with the highly acclaimed Broadway 15 fabric covered glass wool acoustic panels to deliver smooth, even absorption down into the difficult to manage bass region.



Tests show Primacoustic Broadway panels absorb far more bass than common acoustic foam panels.



* Suggested price USD



PRIMACOUSTIC

... take control of your room!"



800-356-5844 FULLCOMPASS.COM






















































PRIMACOUSTIC BROADWAY LONDON SERIES **ACOUSTICAL TREATMENT KITS**

The London room kits provide a balanced solution that deals with both room reflections and problem frequencies. The panels are 'modular' and can be easily distributed to meet a multitude of room configurations and be adapted as a starting point for larger rooms or more demanding applications. The kits consist of high-density 6 lb.-per-cubic-foot fiberglass panels, which are 5 times more absorbent than



1.3 lb. foam, resulting in fewer panels altogether. They are Class-1 fire rated for safe installations anywhere. No glue needed. Installation is clean and easy. Available with black, grey or beige panels.





LONDON 8

The Primacoustic London 8 is the perfect 'studio in a box' for those that have small rooms but plan on growing. For rooms under 100 sq ft.

Kit Includes:

- (4) 12" x 36" x 2" panels
- (8) 12" x 12" x 1" panels
- (20) surface impaler clips

ITEM	PRICE
LONDON-8	. 199.99



LONDON 12

A Live-End/Dead-End kit for rooms with a square footage of about 120sq ft.

Kit Includes:

- (2) 24" x 48" x 2" panels
- (8) 12" x 48" x 2" panels
- (12) 12" x 12" x 1" panels
- (28) surface impaler clips
- (8) corner impaler clips

ITEM	PRICE
LONDON-12	. 749.99



LONDON 16

When maximum absorption and accuracy are required. For rooms 150 sq ft or larger. Kit Includes:

- (6) 24" x 48" x 2" panels
- (12) 12" x 48" x 2" panels
- (24) 12" x 12" x 1" panels
- (48) surface impaler clips
- (16) corner impaler clips

ITEM	PRICE
LONDON-16	1499.99



PRIMACOUSTIC ACOUSTIC LANTERNS™ HANGING BAFFLES A series of innovative ceiling baffles designed for architecturally demanding environments. There are 4 models to choose from, The Dragon™ is hexagonal, The Shoji™ is square, The Tiki™ is triangular and The Fiesta™ is cylindrical. Each one measures 24" long and averages 8" in diameter. They are constructed of high density 6 lb glass wool, surrounded with micromesh and wrapped in a resilient polyester yarn that is durable and easy to clean. They are ASTM E 84 tested to meet Class 'A' designation for fire and smoke development. Ideally suited for rooms with higher ceilings, they are generally suspended in clusters. Each design is available in black, grey or beige.

ITEM	DESCRIPTION	PRICE
P220-0115-00	. Dragon hanging baffle (hexagonal), select color	250.25
P220-0105-00	. Shoji hanging baffle (square), select color	250.25
P220-0110-00	. Tiki hanging baffle (triangular), select color	250.25
P220-0100-00	. Fiesta hanging baffle (round), select color	250.25

Follow us!



RPG SKYLINE TWO-DIMENSIONAL PRIMITIVE

ROOT DIFFUSOR Skyline is an omni-directional primitive root number theory 2-dimensional diffusor. It scatters incident sound uniformly so that the acoustic glare in all directions is minimized. This is especially useful for small rooms, where surfaces are relatively close to the listener and a very efficient diffusing surface is needed.



ITEM	DESCRIPTION	PRICE
SKYLINE	2' x 2' x 8", white, 2 per box	354.17

RPG FLATFUSOR PANELS The Flatffusor[™] provides uniform sound diffusion at high and mid band frequencies and crosses over to pure absorption below the diffusive cutoff. The energy that is not diffused is absorbed. This panel extends the acoustical performance of traditional absorptive fabric wrapped panels, allows wide area coverage without excessive deadening, and offers an alternative to RPG's line of traditional phase grating diffusors. Sold in boxes of two.



ITEM	DESCRIPTION	PRICE
FLAT1-298-2	. (2) Diffusors, 2' x 2' x 1", gray	. 184.37
FLAT1-298-4	. (2) Diffusors, 4' x 2' x 1", gray	. 368.74

CLASSIC-36

ARGOSY RACK 'N ROLL CONTROL ROOM RACKS Rack 'n Roll tucks neatly under the armrest of your Mirage, 90, 70, 50 Series console, Dual 15K, or Dual 15 workstation and built-in side handles make it easy to roll it smoothly into position close at hand. Choose from any of the optional trim packages and configurations. (call) Comes with a 1 space blank panel and package of 100 rack screws.

ITEM	DESCRIPTION	PRICE
RR-L10-B	. 10RU tilted vertical rack on dolly base, black	. 367.50
RR-H10-B	. 10RU tilted horizontal rack on dolly base, black	. 367.50



ARGOSY CONSOLE SPECIFIC SOLUTIONS The ARGOSY design, now legendary, has become the archetype solution for Digidesign, SSL, Toft, Mackie, Tascam, and Yamaha consoles and control surfaces. They feature precision fit and finish, powder coated components, padded armrests, and trim options. Custom desk configurations and models available. Please call with your specific studio furniture or technical furniture requirements.

PLEASE CALL YOUR SALES PRO TO TALK AROUT AVAILABLE CONFIGURATIONS, OPTIONS, AND PRICING



ARGOSY MIRAGE EDIT DESKS AND RACK BAYS As a technical furniture solution, the Mirage Edit Desk from ARGOSY positions you there, in control, at the heart of your studio with an integrated R11 or R14 rack bay close at hand for your rack gear. The Mirage rack bays can be adjusted for straight (level top), or 7 degree tilt back. Black is standard, but upgrades to Mahogany hardwood or platinum end panels are available. Custom desk configurations available. Call for more information.

ITEM	DESCRIPTION	PRICE
MIRAGE-EDIT-170S-B-B	Edit desk with one R11 rack, 66"W x 30"H x 28.5"D.	1445.50
MIRAGE-R11	11RU rack bay, straight or 7-degree tilt back,	
	black powder coating	420.42
MIRAGE-R14	14RU rack bay , straight or 7-degree tilt back,	
	black powder coating	491.39

•••••ARGOSY

ARGOSY CONSOLE SPEAKER STANDS Bring order and convenience to your studio / control room. These stands provide iust the right height for your near field monitors. Available in two styles with either 36" or 42" height, ideal for positioning near fields behind the console.

ITEM	DESCRIPTION	PRICE
CLASSIC-36	. 36" H, Top: 12" x 12", Base: 16" x 16", each	. 151.90
CLASSIC-42	. 42" H, Top: 12" x 12", Base: 16" x 16", each	. 161.70
XSTAND-36	. 36" H, Top: 16" x 18", Base: 20" x 24", each	. 263.62
XSTAND-42	. 32" H, Top: 16" x 18", Base: 20" x 24", each	. 273.42



HSA ROLLTOP AUDIO DESKS

HSA desks and racks provide a way to house audio & video equipment in style. Handcrafted from premium northern oak faces, with solid oak tambours, they look like

expensive furniture (but reasonably priced!), but open the roll top, pull out the hidden lower racks, and you can house virtually anything! HSA desks and racks can be custom-ordered for specific requirements & measurements as well. We handle the complete line of HSA desks and racks, call your sales professional for assistance.

ITEM	DESCRIPTION	PRICE
HRSTD-II	Regular width, high-rise	2413.53
HREXT-II	Extended width, high-rise	2790.53





SOUND CONSTRUCTION CUSTOM CONSOLES RECORDING STUDIO FURNITURE These Custom Consoles feature ergonomic designs keep your hands on gear at arms reach. The mixing desk Consoles are manufactured from the finest select hardwoods, multi-ply cabinet grade plywood and all work surfaces are covered with real laminate – never particle board or melamine. There are many options available for Digidesign (incl. Cl24, D Control/Icon, D Command, Control 24, DS RS), Toft, Yamaha (IM8, DM2000, 02R96), Tascam (DM-3200/4800) and more consoles. Standard wood trims include white oak or maple with a hand rubbed satin finish. Optional finishes such as walnut and custom hardwood are available. For all Custom Consoles you can add 1 or 2 IsoBoxes and you have a digtal audio workstation that's at home in any audio or video recording, editing or broadcast application. Matching studio equipment racks are available in standard or custom configuration. Call for more information.

> PLEASE CALL YOUR SALES PRO TO TALK ABOUT AVAILABLE CONFIGURATIONS, OPTIONS, AND PRICING





























































AUDIO

































ACCESSORIES













Apollo plastic AV and video furniture, manufactured from black-textured, high-density polyethylene, is virtually indestructible. These rugged carts are guaranteed against stains, scratches, dents or rust - and continue to look factory-new even after years of use. They support even the heaviest equipment (Monitors up to 27" & 100lbs max), yet are lightweight for easy mobility. Perfect for schools, industrial or corporate use. These models equipped with UL listed 3-outlet electric assembly, included 15' cord. All plastic carts ship UPS. Easy assembly.

phablic curts only or b. Easy assembly.			
ITEM	DESCRIPTION	PRICE	
TPDU0EQ	24" W, 18" D, 26"-42" H	154.31	
TPTVDUOEQ	32" W, 24" D, 27"-54" H	316.63	





ATLAS SOUND SECTIONAL WALL CABINETS Pre-assembled 3-section with swing-away center section for access, may swing right or left. Center sections are available in 12", 15" and 18" depths, the rear mounting section has a 4" depth. Color black is standard, ships with 2" front door only.

ITEM	DESCRIPTION	PRICE
12" Center Depth	Models	
307-12	7RU, 15-1/4"H x 20-5/8"W x 18-1/2"D, with 2" door	422.50
310-12	10RU, 20-1/2"H x 20 5/8"W x 18-1/2"D, with 2" door	465.50
312-12	12RU, 24"H x 20-5/8"W x 18-1/2"D, with 2" door	494.50
316-12	16RU, 34"H x 20-5/8"W x 18-1/2"D, with 2" door	579.50
324-12	24RU, 45"H x 20-5/8"W x 18-1/2"D, with 2" door	721.50
15" Center Depth	Models	
310-15	10RU, 20-1/2"H x 20-5/8"W x 21-1/2"D, with 2" door	492.50
312-15	12RU, 24"H x 20-5/8"W x 21-1/2"D, with 2" door	520.50
316-15	16RU, 34"H x 20-5/8"W x 21-1/2"D, with 2" door	748.50
324-15	24RU, 45"H x 20-5/8"W x 21-1/2"D, with 2" door	890.50
335-15	35RU, 64-1/4"H x 20-5/8"W x 21-1/2"D, with 2" door	1019.50

ATLAS SOUND DEEP WALL CABINETS These wall racks feature a side lock security system for a secure method of joining center section to back pan. Construction allows safe installation by one person. Black electrostatic powder coat finish, and mirror image back pan allows left or right hinging of



center section regardless of orientation. All models have an 18" depth in the center section, and 23.56" overall depth. Call for information about other optional accessories: rear rails, fan panels, and side-mount fans.

ITEM	DESCRIPTION	PRICE
WMA10-23	. 10RU, 23-1/8"H x 21-7/8"W x 23-9/16"D	473.50
WMA12-23	. 12RU, 26-5/8"H x 21-7/8"W x 23-9/16"D	498.50
WMA16-23	. 16RU, 33-3/4"H x 21-7/8"W x 23-9/16"D	564.50
WMA24-23	. 24RU, 47-3/4"H x 21-7/8"W x 23-9/16"D	706.50
WMA35-23	. 35RU, 67"H x 21-7/8"W x 23-9/16"D	835.50
SFD10	. Optional solid front door for WMA10-23	115.50
SFD12	Optional solid front door for WMA12-23	119.50
SFD16	Optional solid front door for WMA16-23	125.50
SFD24	. Optional solid front door for WMA24-23	152.50
SFD35	. Optional solid front door for WMA35-23	193.50



ATLAS SOUND MOBILE EQUIPMENT

RACKS These mobile racks feature 16-gauge CRS frame manufactureed to EIA standards, (4) 4" heavy duty casters (175lb cap/ea), I pair of adjustable 11-gauge front to rear mounting rails, optional RR series rear rails available, removeable front & rear doors which are identically keyed, & rubber padded steel grip road handles.



ITEM	DESCRIPTION	PRICE
RX14-25SFD	.14RU rack, 33-9/16" H x 22-5/16" W x 25-1/2" D, usable depth 24"	625.50
RX21-25SFD	.24RU rack, 45-3/4" H x 22-5/16" W x 25-1/2" D, usable depth 24"	678.50



& bottom of surface panels.
ITEM DESCRIPTION PRICE
121-18 21RU rack, 41" H x 22 5/16" W x 18 1/2" D, usable depth 17"
124-18 24RU rack, 45 1/2" H x 22 5/16" W x 18 1/2" D, usable depth 17" 424.50
135-18 35RU rack, 65 1/2" H x 22 5/16" W x 18 1/2" D, usable depth 17" 567.50
140-18 40RU rack, 74 1/2" H x 22 5/16" W x 18 1/2"D, usable depth 17" 604.50
144-18 44RU rack, 81 1/4" H x 22 5/16" W x 18 1/2" D, usable depth 17" 639.50
200 Series – Similar to 100 series, but features adjustable rack rails
221-18 21RU rack, 41" H x 22 5/16" W x 18 1/2" D, usable depth 17" 407.50
221-25 21RU rack, 41" H x 22 5/16" W x 25 1/2" D, usable depth 24"
224-18 24RU rack, 46 1/4" x 22 5/16" W x 18 1/2" D, usable depth 17" 450.50
224-25 24RU rack, 46 1/4" x 22 5/16" W x 25 1/2" D, usable depth 24" 477.50
235-18 35RU rack, 65 1/2" x 22 5/16" W x 18 1/2" D, usable depth 17" 569.50
235-25 35RU rack, 65 1/2" x 22 5/16" W x 25 1/2" D, usable depth 24" 651.50
240-25 40RU rack, 74 1/2" x 22 5/16" W x 25 1/2" D, usable depth 24" 690.50
244-18 44RU rack, 81 1/4" x 22 5/16" W x 18 1/2" D, usable depth 17" 641.50
244-25 44RU rack, 81 1/4" x 22 5/16" W x 25 1/2" D, usable depth 24" 701.50
Partial Listing of Door Options for 100/200 Series (part numbers end with RU height)
SFD21 Solid 21RU front door for 100/200 series, 1" depth
SFD24 Solid 24RU front door for 100/200 series, 1" depth
SFD35 Solid 35RU front door for 100/200 series, 1" depth



BRETFORD

BRETFORD COMPACT MOBILE CARTS

These steel carts include 4" casters (2 lockable) that are load rated for 115lbs, black powder paint finishes, and a top shelf at 42" height that supports a data or overhead projector. Ideal for presentations that use a data projector and notebook computer. The notebook computer shelf can be set at 3 heights in the standing or seated position. The ECILS2M-BK is similar but adds a UL listed, 3-outlet electrical unit for powering all your equipment.

ITEM	DESCRIPTION	Wr-
ECILS2-BK	Mobile projector/notebook cart	
ECILS2M-BK	As above but w/UL listed 3-outlet electrical	assemb

PRICE 149 80







COMPUTER AV

ACCESSORIES



CHIEF RAXXESS SERIES KNOCK DOWN ECONOMY FLOOR/TABLE RACKS Knock down economy racks with black oak laminate finish over a 5/8" MDF fiberboard core. Assembly hardware & 11ga steel rack rail are provided.

ITEM	DESCRIPTION	_	PRICE
ER4	4RU rack, 15-3/4" D, 8-5/8" H / racking he	eight 7"	128.00
ER8	8RU rack, 15-3/4" D, 15-7/8" H / racking I	height 14"	152.00
ER12	12RU rack, 15-3/4" D, 22-7/8" H / racking	height 21"	164.00
ER12-18	12RU rack, 18" D, 22-7/8" H / racking hei	ght 21"	175.00
ER16	16RU rack, 15-3/4" D, 29-7/8" H / racking	height 28"	175.00
ER16-18	16RU rack, 18" D, 29-7/8" H / racking hei	ght 28"	183.00
ER20	20RU rack, 15-3/4" D, 36-7/8" H / racking	height 35"	183.00
Options:			
ERD8	8RU plexi-door, textured powder-coat finis	h w/lock	14.20
SCDR-8	8RU steel security door, mounts to rack rai	I, w/lock	103.00
ERD12	12RU plexi-door, textured powder-coat fini	ish w/lock	151.00
SCDR-12	12RU steel security door, mounts to rack ra	ail, w/lock	112.00
ERD16	16RU plexi-door, textured powder-coat fini	ish w/lock	184.00
SCDR-16	16RU steel security door, mounts to rack ra	ail, w/lock	121.00
ERD20	20RU plexi-door, textured powder-coat fini	ish w/lock	227.00
SCDR-20	20RU steel security door, mounts to rack ra	ail, w/lock	134.00
CASTER-ER/ERK	Set of 4 casters for ER/ERK series racks/fu	ırniture grade	36.00

CHIEF RAXXESS SERIES CONFIG-U-RAXX SYSTEMS

Examples below are just sample systems. All surfaces are 1-1/8" furniture grade hardboard, smartly finished in either ebony fleck, silver hammertone, or maple. Support structures are fabricated from 14- and 16-gauge cold-rolled steel.



CHIEF RAXXESS SERIES SYSTEM 3

Shown with following components: 1 SCD-36M, 2 SSW-22M, and 1 RGB60M.

ITEM	DESCRIPTION	PRICE
SCD-36M	Straight center desk, maple finish	471.00
SSW-22M	Side wing racks, maple finish	300.00
RB60M	Rack bridge, maple finish	244.00
KBS-1M	Optional keyboard tray, maple finish	173.00

CHIEF RAXXESS SERIES SLANT

FRONT RACKS These economy racks are constructed with heavy duty 3/4" medium density fiberboard, finished with black oak laminate. The included rack rails are make of 11-gauge cold rolled steel. Furniture grade casters are included as standard. The upper half

has a rackable depth of 8.25" at the top and 15.75" at the bottom. $\mbox{\bf ITEM} \qquad \mbox{\bf DESCRIPTION}$

ITEM [DESCRIPTION	•	PRICE
ER12/8	BRU (14") vertical, 12RU(21") slanted top		270.00
ER12/16	16RU vertical, 12RU slanted top		368.00
S-10	Swivel base for ERS10		33.00

CHIEF RAXXESS SERIES SYSTEM 4

Shown with the following components: 1 CRND-B corner desk, 2 SSW22B side wing racks, 1 RB46B rack bridge, 2 RB22B rack bridges, and 1 SFD.

ITEM	DESCRIPTION	PRICE
CRND-B	. Corner desk unit, ebony fleck finish.	620.00
SSW-22B	. Side wing rack, ebony fleck finish	300.00
RB46B	. Rack bridge unit, ebony fleck finish.	204.00
RB-22B	. Rack bridge unit, ebony fleck finish.	146.00
SFD	. Studio furniture door with lock	135.00

CHIEF RAXXESS SERIES ELITE STUDIO RACKS The Elite Series of fine audio

The Elite Series of fine audio racks are of knock down construction using the highest grade of fused 3/4" melamine. They come equipped with 11-gauge steel rack rail and the finest knockdown furniture hardware available, ensuring a solidly constructed and durable unit. Edges are attractively trimmed in solid oak or maple, oiled and rubbed



to enhance the warmth of the wood. Available in ebony fleck and maple. Elite finishes available in maple with maple edging and ebony fleck with oak edging.

ITEM	DESCRIPTION	PRICE
Straight Models		
ERK4-16B	. 4RU	
ERK8-20B	8RU	218.00
ERK12-20	12RU	234.00
ERK16-20	16RU	256.00
ERK20-20	. 20RU	282.00
Slant Models		
ERK16-20BSL	16RU	343.00
	16RU	
ERK20-20BSL	. 20RU	
ERK20-20MSL	. 20RU	346.00
ERK12/8	. 20RU	385.00



CHIEF RAXXESS SERIES SYSTEM 5

Shown with the following components: 1 SCD-42B, 1 RB46B, and 1 UCR-B.

ITEM	DESCRIPTION	PRICE
SCD-42B	. Straight center desk unit, ebony fleck finish	510.00
RB46B	. Rack bridge unit, ebony fleck finish	204.00
UCR-B	. Under counter rack storage unit, ebony fleck finish	321.00























































CHIEF RAXXESS SERIES E1 RACKS This enclosed rack is made with solid steel welded construction, laser cut knockouts and integrated cable tie points with dual 3RU accessory openings on top for fan panels. A rear rack rail and covered bottom panel for mounting components are included. Optional reversible doors fit the front and the rear of the rack to make installation easy and efficient. Black finish. Door options also available as 'P' plexi or 'F' perforated- add suffix to model number.

ITEM	DESCRIPTION	PRICE
NE1F2023	E1 Rack, 20U, 23" D	. 575.00
NE1F2028	.E1 Rack, 20U, 28" D	. 625.00
NE1F2823	E1 Rack, 28U, 23" D	. 600.00
NE1F2828	E1 Rack, 28U, 28" D	. 650.00
NE1F3623	E1 Rack, 36U, 23" D	. 625.00
NE1F3628	E1 Rack, 36U, 28" D	. 700.00
NE1F4423	E1 Rack, 44U, 23" D	. 750.00
NE1F4428	E1 Rack, 44U, 28" D	. 825.00
NE1D20S	E1 Rack Door, 20RU, Solid Steel	. 150.00
NE1D28S	E1 Rack Door, 28RU, Solid Steel	. 175.00
NE1D36S	E1 Rack Door, 36RU, Solid Steel	. 200.00
NE1D44S	E1 Rack Door, 44RU, Solid Steel	. 225.00



CHIEF RAXXESS SERIES G1 GANGABLE RACKS With welded steel construction and extra space on the bottom of the rack for mounting small components and consistent openings for ventilation options, these gangable racks are packed with features that installers have been asking for. All

models include adjustable rear rack rail. Casters, floor levelers, side panels and all doors are sold separately. This is a partial listing of the G1 series. Please call or visit our website


1 0	e listing of racks and accessories.	our website
NG1F3628	DESCRIPTION Gangable rack, 28RU, 28" deep Gangable rack, 36RU, 28" deep Gangable rack, 44RU, 28" deep	1050.00



CHIEF RAXXESS SERIES S1 KNOCK DOWN RACKS

Easy-to-assemble knock down racks. The S1 Series was engineered with rack rails that are self-supported during assembly allowing one person to easily assemble the rack in under five minutes. All models ship with floor levelers, casters sold separately. This is a small sample of the S1 Series. Please call or visit our website for a full listing, including different depths and accessory pieces.

	J 1	
ITEM	DESCRIPTION	PRICE
NS1F1228	Rack, 12RU, 28" deep	410.00
NS1F2028	Rack, 20RU, 28" deep	450.00
NS1F3628	Rack, 36RU, 28" deep	510.00
NS1F4128	Rack, 41RU, 28" deep	525.00



CHIEF RAXXESS SERIES ROTR-RACK The RAXXESS ROTR rack is perfect for installing in existing cabinetry or new millwork. Available in sizes from 8 to 24RU. The rack extends a full 20" from its frame, capable of rotating 90° in either direction allowing unobstructed access to components regardless of their depth. It locks in the closed position with security panel and screws provided. Easy and effective cable management system and 8RU rear rack rail

are included. The ROTR-XL features a 24" deep platform, which allows the ROTR rack to be recessed in an enclosure for use with flush-mounted doors. The ROTR-XL has a 300lb. capacity and is available in 8 to 24RU. Choose size upon ordering.

ITEM	PRICE
ROTR-XX	610.00
ROTR-XL-8	



GATOR CASES STUDIO RACK CABINETS These cabinets are made of 5/8" thick furniture-grade black oak laminate and have steel rack rails. These non-slanted racks have a 15.25" rackable depth. The STUDIO-2-GO and STUDIO-4-GO cases feature rugged ATA-style polyethylene construction, and padded laptop compartments.

00		
ITEM	DESCRIPTION	PRICE
GR-STUDIO-41	J4RU studio rack cabinet w/rack rails	84.99
GR-STUDIO-81	J8RU studio rack cabinet w/rack rails	99.99
GR-STUDIO-12	2U 12RU studio rack cabinet w/rack rails	129.99
GR-STUDIO-16	GU 16RU studio rack cabinet w/rack rails	139.99
GRC-STUDIO-2	2-GO 2RU portable recording center w/laptop compartment	219.99
GRC-STUDIO-4	4-GO-W 4RU ATA carrying case w/laptop compartment,	
	null-out handle, wheels	289 99



LIBERTY AV PRODUCTS SNAPRAX QUICK-ASSEMBLY RACKS These racks provide safe and secure mounting for AV equipment while saving the installer valuable time. This versatile rack system offers six different heights and two different depth options, along with a wide assortment of accessories that allow you to mount a variety of AV components. SnapRax ships unassembled in smaller packages which makes it ideal for maneuvering into smaller spaces. The open-frame design provides stability and makes assembly a snap in under 3 minutes. Shelves and other components can be added in minutes with the help of silk-screen RU markings. They have a UL tested load rating of 600lbs and offer cooling and power strip options to adapt to the evolving AV environment. Kits include self-squaring top and base sections, four main rails, center channels, caster base w/casters, cable egress with grommets, lever brake and mounting hardware. A wide variety of shelves, doors, panels, trim kits, fan panels and other options are also available. Please see our website for details.

ITEM	DESCRIPTION	PRICE
SR8	Rack Kit, 8RU	694.00
SR14	Rack Kit, 14RU	722.00
SR21	Rack Kit. 21RU	
SR29	Rack Kit, 29RU	
SR37	Rack Kit. 37RU	828.00
SR43	Rack Kit, 43RU	842.00





MIDDLE ATLANTIC BGR SERIES RACK ENCLOSURES

These racks have higher weight capacities, provide more useable rack space and are incredibly functional. They feature the patent-pending LeverLock system for tool free installation of cable management accessories and mounting of small devices in areas which were previously unusable. New options include brush grommet rear doors and problem-solving extender bays. The top is configurable and has a generous 21" opening. They offer more useable height – 45RU in less overall height than most 44RU racks. High flow, low energy DC fan system uses less energy to move necessary airflow and the rack is designed with built-in thermal management features. Appearance has also been improved with a new curved front door (plexi or vented) and a vertical trim kit with accent color choices. A small sample is listed below, all models are available in various depths. Please call or visit our website for a complete listing of options and accessories.



ITEM	RACK SPACE	OVERALL HEIGHT	OVERALL DEPTH	USABLE DEPTH	PRICE
BGR-1927	19RU	37-3/8"	27"	24-3/8"	724.94
BGR-2527	25RU	47-7/8"	27"	24-3/8"	743.16
BGR-3827	38RU	70-5/8"	27"	24-3/8"	864.57
BGR-4127	41RU	75-7/8"	27"	24-3/8"	899.93
BGR-4527	45RU	82-7/8"	27"	24-3/8"	971.46



MIDDLE ATLANTIC ECONOMY FLOOR/TABLE RACKS Collapsed, black woodgrain laminate finishes, 5/8" MDF board construction, assembled with hex key & hardware, 16"/18" deep (RK/BRK series).

ITEM	DESCRIPTION	PRICE
RK2	2RU rack, 16" D, 5" H / racking height: 3.5"	99.71
RK4	4RU rack, 16" D, 8.5" H / racking height: 7"	107.57
RK8	8RU rack, 16" D, 15.5" H / racking height: 14"	125.15
BRK8	8RU rack, 18" D, 15.5" H / racking height: 14"	132.96
RK10	10RU rack, 16" D, 19" H / racking height: 17.5"	127.67
BRK10	10RU rack, 18" D, 19" H / racking height: 17.5"	137.40
RK12	12RU rack, 16" D, 22.5" H / racking height: 21"	136.67
BRK12	12RU rack, 18" D, 22.5" H / racking height: 21"	144.05
RK14	14RU rack, 16" D, 26" H / racking height: 24.5"	141.59
BRK14	14RU rack, 18" D, 26" H / racking height: 24.5"	150.75
RK16	16RU rack, 16" D, 29.5" H / racking height: 28"	144.50
BRK16	16RU rack, 18" D, 29.5" H / racking height: 28"	159.93
RK20	20RU rack, 16" D, 36.5" H / racking height: 35"	152.36
BRK20	20RU rack, 18" D, 36.5 H / racking height: 35"	169.56
RKW	Opt. caster kit (4 wheels, 2 locking) for BRK/RK, adds 2.75" heigh	nt 44.33
SRK	Rolling rack, 16RU bottom, 12RU sloped top, 54 1/4" H x 16" D	329.10



MIDDLE ATLANTIC HRF SERIES RACKS

These racks are designed specifically for mounting half rack-sized equipment. Their mounting shelves include a pattern of holes and slots to accommodate any mounting pattern. The low profile design maximizes the amount of useable rackspace. Other features include a strong welded frame, 14" depth, and a cable tie area integrated into the rack rail. Available in 8- and 12-space models with a variety of optional accessories, including a runner kit which allows the rack to easily slide in or out of cabinets or credenzas.



ITEM	DESCRIPTION	PRICE
HRF-814	. 8-space half rack frame	230.25
HRF-1214	. 12-space half rack frame	242.25
HR-UMS1-5.5	. Multi-shelf, with mounting holes, 5.5" depth	41.63
HR-UMS1-11.5	. Multi-shelf, with mounting holes, 11.5" depth	51.38
HRBL1	. 1-space half rack blank panel	9.33
HRBL2	. 2-space half rack blank panel	12.99
HR-EVT-1	. 1-space half rack vented panel	10.13
HR-EVT-2	. 2-space half rack vented panel	12.50
HR-QBP-1	. 1-space half rack blower panel, 50 CFM	195.00
5-RS14	Low friction runner kit	25.83





ON-STAGE STANDS WS7500 WOODEN WORKSTATION A compact workstation ergonomically designed for maximum efficiency. It consists of a compact Z-frame and slide-out keyboard tray. Keyboard tray has a height of 25", a platform height of 29", and a top platform height of 37.5". Stand is height adjustable from 25"-28". Dimensions are 43"W x 37.5"H x 30"D and the total weight capacity is 175lbs. A number of accessories are available to expand the system. Comes in either maple laminate finish with gray frame, or rosewood laminate finish w/ black frame. Accessories shown are for the maple/gray finish. (Replace the "MG" suffix with "RB" for rosewood/black.)

ITEM	DESCRIPTION	PRICE
WS7500MG	. Workstation desk, 175lb capacity, Maple/Gray finish	186.99
WS7500RB	Workstation desk, 175lb capacity, Rosewood/Black finish	186.99
WSC7500MG	.45° angled extension, can be attached to either side,	
	or both sides of WS7500. Maple/Gray finish	. 63.99
WSR7500MG	. 12-space rack stand for added workspace,	
	can be added to left side, right side, or both sides	
	of WS7500. 30"W x 25"H x 23.8"D. Maple/Gray finish	133.99





















































RACK ACCESSORIES







































ACCESSORIES











RACK SHELVES



ATLAS SOUND

Vented rack shelves designed to mount consumer electronics into Atlas Equipment Racks, 15" deep.

Cicculonics into ruids	Equipment nacks, 10	uccp.	
ITEM	DESCRIPTION		PRICE
SH2-15-BLACK	2RU		41.50
SH3-15-BLACK	3RU		44.50



GATOR CASES

Regular and vented rack shelves constructed from 16-gauge, cold-rolled steel with black powder-coat finish.

ITEM	DESCRIPTION	PRICE
GE-SHLF-15-2U	.2RU, 15" deep	44.99
	1RU, vented, 15" deep	
GE-SHLFVNT-17-3U	3RU, vented, 17" deep	64.99



MIDDLE ATLANTIC

Utility shelves constructed of solid steel to hold non-rackmount equipment.

ITEM U1	DESCRIPTION 1RU, 10.72" deep	PRICE 41.36
	2RU, 14.50" deep	
	3RU, 14.50" deep	
	1RU, 10.75" deep, vented	



CHIEF RAXXESS SERIES

Utility shelves constructed of solid steel to hold non-rackmount equipment.

	1.1	
ITEM	DESCRIPTION	PRICE
UTS-1	1RU, 11" deep	
		63.00
		68.00

SCREWS / WASHERS - FOR RACKS





Keep your rackmount equipment secured with these rack screws.

neep jour ruemmount	equipment occurred with those ruen coroner	
ITEM	DESCRIPTION	PRICE
HP	Pack of 100, 10/32, 3/4" Phillips screw & washer	20.55
HTX	Pack of 100, 10/32, 3/4" Torx screw & washer	15.38
HS	Pack of 100, 10/32, 3/4" Square head screw & washer	26.04



CHIEF RAXXESS SERIES

Secure your rackmount equipment with these rack screws.

ITEM	DESCRIPTION	PRICE
PTSW-25	25 pack, 10/32, 3/4" Philips screw & washer	6.40
PTSW-50	50 pack, 10/32, 3/4" Philips screw & washer	10.70
PTSW-100	100 pack, 10/32, 3/4" Philips screw & washer	21.00

This is just a small sample of the rack accessories that Full Compass carries. For more information, visit fullcompass.com or call 800-356-5844 to speak to a Sales Pro.

SLIDING RACK DRAWERS



Cold-rolled 16 Gauge steel drawers with spring-loaded latches and black powder-coat finish, 15" deep.

	•	
ITEM	DESCRIPTION	PRICE
GE-DRAWER-2U	2RU	 94.99
GE-DRAWER-3U	3RU	99.99
GE-DRAWER-4U	4RU	129.99



MIDDLE ATLANTIC

16 Gauge steel drawers with spring-loaded latches. Faceplates feature black anodized finish, 14.5" deep.

ITEM	DESCRIPTION	PRICE
D2	. 2RU	148.38
D3	.3RU	
D5	.5RU	202.71



CHIEF RAXXESS SERIES

Economy rackmount drawers with cable passage knockouts, 12" deep.

ITEM	DESCRIPTION	PRICE
ESD-2	2RU	141.00
ESD-3	3RU	151.00
ESD-4	4RU	173.00

FAN PANELS





Keep your expensive rack-mounted equipment cool with these fan. All models are noise rated at 28dB.

ITEM	DESCRIPTION	PRICE
FW2-3	3RU, 2 fans	114.64
FW3-3	3RU. 3 fans	
FW4-7	7RU, 4 fans	259.18





MIDDLE ATLANTIC

The OBP-2A is a 1RU unit with a pair of custom-designed blowers. The OFP2 is a 3RU unit with 2 fans. The UQFP-4 is an ultra-quiet model with 4 fans.

ITEM	DESCRIPTION	PRICE
QBP-2A	1RU w/2 blowers, 32dB	340.82
QFP2	3RU w/2 fans, 33dB	
UQFP-4	2RU w/4 fans, 27dB	333.78

RACK LIGHTS





Rack lights with dimmable gooseneck LED lights, rechargeable LED flashlight w/ headband and USB power jack for charging portable devices.

ITEM	DESCRIPTION	PRICE
NB-1URLT	.Rack light, 1RU, gooseneck + flashlight, USB	170.95
NB-RLTM	.Rack light, 1/4 rack module, gooseneck + flashlight, USB	146.20
NB-1SHE	.Rack frame for NB-RLTM + 3 modules, empty	126.70
NB-1BP	.Blank panel, 1/4 rack module size	19.45
NB-GNFAN	.Fan, gooseneck, USB	39.31











1/8" thick steel with black powder coat finish, full hole spacing. Designed for use with 19-1/8" rough openings. Available in sizes from 2RU to 45RU, priced per pair.

ITEM	DESCRIPTION	PRICE
RRF4	. 4RU	11.40
RRF12	. 12RU	27.05
RRF16	. 16RU	33.45

RACK VENT PANELS / PERFORATED PANELS





Value in a flanged design using 16-gauge steel construction and a black powder coat finish. Available in sizes from IRU to 4RU (up to 2RU in economy series).

ITEM D	ESCRIPTION	PRICE
EVT22	RU, flanged, economy	13.83
VT2 2	RU, flanged, large perforations	16.34
VTF2 2	RU, flanged, fine perforations	16.34

SECURITY COVERS





Eliminate tampering with these security covers. 1" deep with large perforations that allow unobstructed views of knob settings. Includes installed rubber edging that won't mar your equipment.

ITEM	DESCRIPTION	PRICE
\$1	. 1RU	28.41
S2	. 2RU	32.70
\$3	3RU	34.58





Prevent tampering with these security covers. Constructed with 16-gauge perforated steel, one-piece construction with 1" depth. A neoprene gasket protects your equipment. Notches for screws allow the cover to be removed without removing the gear.

ITEM	DESCRIPTION	PRICE
SEC-1	1RU	32.00
SEC-2	2RU.	35.00
SEC-3	3RU	38.00

BLANK RACK PANELS





Available in flat or flanged style, these economical steel blank panels feature a rugged powder coat finish. Add an 'F' to the part number for a flat version: e.g EB1 becomes FEB1.

ITEM	DESCRIPTION	PRICE
EB1	1RU, flanged	8.46
	2RU, flanged	
	3RU, flanged	

MIDDLE ATLANTIC

Eye-pleasing aesthetics, flat, 11-gauge aluminum construction and a black anodized finish.

ITEM DESCRIPTION PRICE HBI 1 1RII flat 16.58 HBI 2 2RII flat 20.81 .3RU, flat HBI 3 29 37

> This is just a small sample of the rack accessories that Full Compass carries. For more information, visit fullcompass.com or call 800-356-5844 to speak to a Sales Pro.

KEYBOARD SOLD SEPARATELY



GATOR CASES KEYBOARD CASES / COVERS A variety of cases are provided here for any budget or application. Internal dimensions given (L x W x H).

ITEM	DESCRIPTION PRIC
GKC Stretc	hy covers - made of Lycra/Spandex®, with shock cord for snug fit
GKC1540	Fits most 61- & 76-note keyboards
GKC1648	Fits most 88-note keyboards
GKB Gig ba	ngs - 600 denier nylon, with padded secure straps, accessory pocket
GK2110	
GKB49	
GKB61	
GKB76	
GKB88	
ATA Polyet	hylene Cases 2 TSA locking latches, recessed in line wheels

ATA Polyethylene Cases – 2 TSA locking latches, recessed in-line wheels, wedge & block foam system for customizing fit

wedge & block loam system for customizing in	
GKPE-61-TSA 61-note keyboard case, 44" L x 17.8" W x 6" H	. 279.99
GKPE-76-TSA 76-note keyboard case, 51.25" L x 18" W x 6" H	. 309.99
GKPE-76D-TSA 76-note keyboard case, 51.25" L x 20" W x 8" H	. 339.99
GKPE-88-TSA	. 374.99
GKPE-88SLIM-TSA 88-note keyboard case, 54" L x 15" W x 6" H	. 359.99
GKPE-88SLXL-TSA 88-note keyboard case, 59" L x 15" W x 6" H	. 374.99

G-Tour series - 5mm plywood w/ PVC exterior, tongue & groove extrusion aluminum valance, security straps, 4 foam wedges, spring-loaded handles, heavy-duty recessed wheels

G-TOUR-61V2 61-note keyboard case, 44" L x 17.38" W x 6" H	369.99
G-TOUR-76V2	409.99
G-TOUR-88V2 88-note keyboard case, 59" L x 19" W x 6.63" H	449.99
G-TOUR-88-SLIM Slim 88-note case, 54" L x 15" W x 6" H	449.99



MIXER CASES AND BAGS

ITEM	DESCRIPTION	PRICE
GMIX-12X24	. 12" x 24" rolling hard-side mixer case	149.99
GMIX-20X25	. 20" x 25" rolling hard-side mixer case	199.99
GMIX-20X30	. 20" x 30" rolling hard-side mixer case	229.99
GMIX-22X46	. 22" x 46" rolling hard-side mixer case	299.99
GMIX-24X36	. 24" x 36" rolling hard-side mixer case	289.99
GMIXB-1815	. 18.5" x 15" x 6.5" nylon mixer bag	44.99
GMIXB-2118	. 21" x 18.5" x 7" nylon mixer bag90	69.99
GMIXB-2519	. 25" x 19" x 8" nylon mixer bag	74.99
G-TABLETMIX-BAG	. 13" x 11.5" x 2.75" case for small mixer, iPad/tablets	49.99
		-

GATOR CASES SOFT BAGS & HARD SIDE CASES

GATOR GAGEG GOLL BAGG & HARD GIDE GAGEG		
ITEM	DESCRIPTION	PRICE
GPA-SPKSTDBG-58DLX	Speaker stand bag (for 2 stands),	
	interior dimensions (58" x 6" x 6") x 2	29.99
GPA720	Semi-hard powered mixer case.	
	with handle & wheels	. 129.99

GATOR CASES GR SERIES DELUXE RACKS Gator's deluxe lockable rack cases are molded from an incredibly durable high-density military-grade Polyethylene which is ridged to facilitate stacking. The cases also have sloped side your rails

side recessed handles to create maximum comfort for your hand while lifting. They feature front and rear 19" rack rails, heavy-duty twist latches, threaded (field replaceable) 7mm zinc-plated steel rail, limited lifetime warranty.			
ITEM	DESCRIPTION		PRICE
GR2L	2RU		129.99
GR4L	4RU		149.99
			150.00

ITEM	DESCRIPTION	PRICE
GR2L	2RU	129.99
GR4L	4RU	149.99
GR6L	6RU	
GR8L	8RU	
GR10L	10RU	
GR12L	12RU	234.99





































GPA720





































































GATOR CASES SLANT TOP RACK CONSOLES Lightweight slant top polyethylene consoles ideal for mobile DJ, AV or Pro Audio applications. They are avail-

GATOR CASES G-TOUR SERIES

TOURING CASES These cases

come in a variety of sizes and interior

styles to suit any application. Features

include recessed spring-loaded han-

dles & latches, plywood construction,

chrome plated hardware, and tongue

& groove extrusion aluminum valance.

Rack cases feature front & rear rack

able with 6RU or 10RU on the slant top and front racks from 2RU to 8RU. All have top and front threaded steel rack rails, plus a threaded rear steel rack rail for mounting power conditioners, wireless systems or patch bays. Covers are removable. See our website for others sizes and configurations.

ITEM	DESCRIPTION	PRICE
GRC10X4	. 10RU on slant top, 4RU below, 22.25" deep	229.99
GRC10X8	. 10RU on slant top, 8RU below, 22.25" deep	279.99
GRC8X2	. 8RU on slant top, 2RU below, 19" deep	199.99
GRC10X8-PU	. 10RU pop-up slant top, 8RU front & 12RU, 22.75" deep	339.99
GRC10X12-PU	. 10RU pop-up slant top, 12RU front & 12RU rear, 23.25" deep	439.99
GRC12X10-PU	. 12RU pop-up slant top, 10U front & 10 U rear, 26.75" deep	479.99



rails and 17" depth to accommodate	
any rackmountable gear. See our website for	an expanded selection.

ITEM	DESCRIPTION	PRICE
G-TOUR-20X25	Mixer case, 20"x25"x8", no wheels	289.99
	Mixer case, 20"x30"x6", wheels	
G-TOUR-24X36	Mixer case, 24"x36"x5.5", wheels	349.99
G-TOUR-SPKR-215	Fits (2) 15" EON-style speakers, wheels	579.99
G-TOUR-4U	4RU rack case	189.99
G-TOUR-6U	6RU rack case	199.99
G-TOUR-12U	. 12RU rack case	259.99



Protect your investment with these soft sided bags and hard cases.

ITEM	DESCRIPTION	PRICE
	OD Denier Nylon Construction, Shoulder Strap . Holds 12 mics, #10 zippers, exterior pockets for cables/access	. 49.99
	. Mics/mic stand bag, holds up to 3 stands, 5 mics & cables	
	. Holds 6 mics, 6 foam-fitted spaces, triple chrome-plated corner protectors, triple chrome-plated locking latches	. 54.99
GM15-TSA	. Holds 15 mics, chrome-plated corner protectors, triple chrome-plated locking latches	129.99

GATOR CASES ROLLER DELUXE 19" RACKS WITH PULL OUT HANDLES & WHEELS These roller racks offer all the protection and features of the deluxe racks plus recessed wheels and a sturdy pull out handle. The wheels do not interfere with stacking. All units feature locking lids, and heavy duty twist latches. Heat-treated 10/32 bolts with protective washers included. Many more roller models available, please see our website for details.

Follow us!

ITEM	DESCRIPTION	PRICE
GRR4L	. 4RU deluxe 19" roller rack	179.99
GRR6L	. 6RU deluxe 19" roller rack	199.99
GRR8L	. 8RU deluxe 19" roller rack	229.99
GRR10L	. 10RU deluxe 19" roller rack	249.99







•	
GATOR CASES	WIRELESS MIC CASES
ITEM	DESCRIPTION PRICE
Nylon Models	
GM1W	Single wireless system bag, antenna can be extended while
GM2W	in case, shoulder strap, space for lavaliers, cables, etc
UIII2 W	nylon shoulder straps. 2 handheld mic drops
GM5W	Padded bag for 5 wireless systems, large storage
	compartment for receivers and accessories
ATA Models	
GM4WR	Molded case for 4 wireless systems (4 1/2-rack shelves w/ double-sided tape), 4-slot mic/bodypack holder under trap door in lid, accessory pocket, foam lid, carpet lined interior
GM-7W-TSA	(up to 10-1/2"), tricot lined interior, 2 lift-out trays
	w/ 4 adjustable dividers, TSA latches

GATOR CASES SPEAKER BAGS These bags are made of 600-denier nylon and 10mm side foam. They Include pullout handles and wheels and are rated up to 100lbs. The GPA777 features a 1680-denier nylon exterior with roto-molded polyethylene foot, and retractable handle. Features 4 heavier, 100lb test in-line wheels. The G-SUB-2225-24 is designed for subwoofers. It has reinforced lift handles. The GPA-SCVR450-515 is a speaker cover with a hideaway rain cover for use while a speaker is on a speaker stand. It has zippered

access on the front and rear. Can or visit our website for compatible speakers.			
ITEM	DESCRIPTION	PRICE	
GPA-450-515	Non-wheeled bag for Mackie SRM300/450, JBL EON-515	69.99	
GPA-E15	Non-wheeled bag for Behringer B212/A, EV Force I 12", FBT Maxx2		
	JBL MRX512, PRX512M, RCF Art 310A, Yamaha BR10, CM10V		
GPA-712SM	Wheeled bag for QSC K12, JBL PRX612M, JRM112M, SRX712M	. 119.99	
GPA777	Rolling speaker bag for Mackie SRM450, EV SX100+	199.99	
G-SUB-2225-24-BAG	Rolling subwoofer bag	199.99	
GPA-SCVR450-515	Speaker cover for JBL EON-515/Mackie SRM450	59.99	



modate ramana-style	ra systems.		
ITEM	DESCRIPTION	' i ,	PRICE
G-PA-TRANSPORT-LG	Fits Fender Passport 300 & 50	00 (30"W x 24"H x 13" D) 1	49.99
G-PA-TRANSPORT-SM.	Fits Fender Passport 150 (24.	.25"W x 22"H x 13"D)1	19.99

GATOR CASES LARGE FORMAT MIXER CASES


Designed for popular large-format mixers, these flight cases are constructed of thick plywood with a PVC exterior. They feature a custom-fit interior with Ultra-Dur EVA interior padding, red recessed twist latches, spring loaded rubber-gripped handles and heavy-duty

commercial-grade hardware. Doghouse design allows for easy multi-pin snake connection. Upright transport design features 4 heavy-duty casters, 2 of which are locking. More models available, please visit our website for information..

ITEM	DESCRIPTION	PRICE
G-TOUR-YAMLS9	. Case for Yamaha LS9 mixer	499.99
G-TOUR-LS9-16	. Case for Yamaha LS9 mixer - 16ch	399.99
G-TOUR-MIDVENF16	. Case for Midas Venice F 16ch	549.99
G-TOUR-MIDVENF24	. Case for Midas Venice F 24ch	599.99
G-TOUR-MIDVENF32	. Case for Midas Venice F 32ch	649.99
G-TOUR-PRE242-DH	Case for PreSonus Studio Live 24	499.99







If you bought it at Full Compass, Gator's got a case, bag or cover for it



Do you think Gator just offers cases? Check out the new 360 Articulating Arm.





















Lifetime warranty, USA manufacturing facility and the largest selection of cases and bags in the industry.



















































GATOR CASES DJ ARM SERIES

Add this arm to your Gator coffin, mixer case or desk to easily mount a laptop, iPad or monitor. It's easily adjustable in 6 directions with 360 degree horizontal adjustment. Features VESA mount for monitors up to 22". Cable management is inte-



grated into the arm. Available pre-mounted to a variety of cases.

ITEM	DESCRIPTION	PRICE
COF-LGCD10-ARM1-PL	Coffin case, for 2x 2000-style CD players	
	and 10" mixer, w/ DJ Arm	329.99
COF-LGCD12-ARM1-PL	As above, for 12" mixer	339.99
COF-SMCD10-ARM1-PL	Coffin case for 2x 350-style CD players	
	and 10" mixer, w/ DJ Arm	299.99
COF-SMCD12-ARM1-PL	As above, for 12" mixer	299.99
GT-DDJT1-S1-ARM1-PL	Case for Pioneer DDJT1 and S1B, w/ DJ Arm	299.99
GTOUR-MXDECK-ARM1-PL	Case for Numark Mixdeck, w/ DJ Arm	269.99
GTOUR-XONE4D-ARM1-PL.	Case for A&H Xone 4D mixer, w/ DJ Arm	249.99
G-DJARM-360-CASEMT	DJ Arm, with case mounting kit	149.99
G-DJARM-360-DESKMT	DJ Arm, with desk mounting kit	159.99





GRUNDORF MIGHTY LIGHT SERIES The ML Racks are lightweight racks with 13.25" rackable depth behind the rails. The MLD Racks have an 18.75" rackable depth behind the rails. All racks have front capped lids that provide an additional 2.25" in front of the rails to accommodate amplifier handles. The back of the rack has a pressure fit cover with a cable feed. Each rack is finished with durable black carpet and all black hardware for a professional look.

ITEM	DESCRIPTION	PRICE
ML-02	. Mighty Light Rack, 2RU	79.95
	. Mighty Light Rack, 3RU	
ML-04	. Mighty Light Rack, 4RU	99.95
ML-06	. Mighty Light Rack, 6RU	109.95
ML-08	. Mighty Light Rack, 8RU	119.95
ML-10	. Mighty Light Rack, 10RU	139.95
ML-12	. Mighty Light Rack, 12RU	149.95
MLD-03	. Mighty Light Rack, 3RU	99.95
MLD-04	. Mighty Light Rack, 4RU	109.95
MLD-06	. Mighty Light Rack, 6RU	119.95
MLD-08	. Mighty Light Rack, 8RU	134.95
MLD-10	. Mighty Light Rack, 10RU	159.95
MLD-12	. Mighty Light Rack, 12RU	179.95
MLT-08	. Top-load rack, 10RU slant, 8RU bottom	229.95
MLT-10	. Top-load rack, 10RU slant, 10RU bottom	249.95
MLT-12	. Top-load rack, 10RU slant, 12RU bottom	254.95

GRUNDORF ROAD-RUNNER COLLAPSIBLE CART Weighs just over 19 lbs and can carry loads up to 300 lbs. It folds up for easy storage, and features a collapsible handle and a load-bearing platform that is extendable lengthwise. One pair of wheels is fixed while the other set swivels and includes brakes. Also features impact-resistant vinyl corners.

	-	•	
ITEM	DESCRIPTION		PRICE
73-001	Collapsible/exte	ndable rolling	cart 99.95



transforms into 3 different configurations- the 4-wheel tilted "V" mode to weave through tight spots, the 4-wheel flat platform mode, and the 2-wheel classic dolly mode for lighter loads or for steps. It has a load capacity of 500lbs and is constructed of 1" high-tensile

steel tubing. Has (2) 8" flat-free tires and (2) 4" polyurethane casters.

ITEM	DESCRIPTION	PRICE
V-CART	 Versatile utility cart, weighs 25lbs	249.99



KATA COMPACT CAMCORDER SERIES CASES

The Pro-Light line of cases feature rugged Thermo Shield Technology (TST) protection and a main compartment with modular internal division for accessories. All models include shoulder strap and padded mesh grip handle.

Thi inoucis include	shoulder strup and padded mesh grip handle.	
ITEM	DESCRIPTION	PRICE
KTCC-191-PL	17.32"L x 9.45"W x 9.45"H, fits Sony FS100, MC50 & similar	91.08
KTCC-192-PL	20.87"L x 10.24"W x 11.02"H,	
	fits Panasonic HPX15/170 & similar	107.64
KTCC-193-PL	22.44"L x 10.24"W x 12.2"H, fits Panasonic AF100,	
	Sony F3 & similar	132.48
KTCC-195-PL	25.2"L x 12.2"W x 13.39"H, fits Canon XL-H1,	
	JVC HD Series & similar	165.61
KTCC-197-PL	27.56"L x 14.17"W x 13.39", fits Sony EX3, Canon XL-H1,	
	JVC HD Series & similar	207.01



KATA ABS-HD INFLATABLE CAMERA BAG

Ultra portable camera bag that starts out at 7.9" x 3.1" x 7.1" (L x W x H) and inflates to a 27.6" x 10.2" x 11" protective bag. Features quick setup (1 minute manual inflate time approx.), and complies with on board airline regulations.

ITEM	DESCRIPTION	PRICE
KT-ABS-HD	.Inflatable camera bag, fits cameras like Canon XHG1S, XHA1,	
	JVC GYHD250U, GYHM100U, Panasonic, Sony and more	179.89



KATA HDV GUARDS & RAIN COVERS

Designed to fit snugly against specific camcorders and offer extra protection from dirt, dust, bumps, and scratches. Camera controls are accessible, and clear flaps allow visibility of camera panels.

ITEM	DESCRIPTION	PRICE
KTVA-605-53	HDV guard for Canon XLH1, XL2 w/viewfinder sleeve	136.63
KTVA-605-57	HDV guard for Canon XHA1/S, XHG1/S	136.63
KTVA-605-54	HDV guard for JVC GYHD100/110/200/250 w/VF sleeve	136.63
KTPL-VA-801-1	Rain cover - call for fit verification	199.89
KTVA-801-10	Rain cover – fits Canon XLH1a/s, XL2, JVC GYHD100/110/20	0/250,
	Panasonic AGHMC70, Sony DSR500, HVRHD1000U	115.92
KTVA-801-13	Rain cover for Canon GL2 style camcorders	74.52
KTVA-801-14	Rain cover- fits Canon XHG1s/XHA1s, JVC GYHM100,	
	Panasonic AGHPX170, AGHMC150, AGDVX100, AGHMC40	82.80
KTVA-801-15	Rain cover- fits Panasonic AGHVX200,	
	Sony PMWEX1/3, HVRZ5U, HVZ7U	91.08



ODYSSEY

ODYSSEY FLIGHT FX™

DJ CASES These cases feature a color changing multi-mode LED panel

which can be set to any one of 7 colors or to a variety of color changing modes, including sound-activated. Multiple cases can be synchronized via their control boxes. Each Flight FXTM case is

constructed with black anodized and powder coated black

hardware. Other features include, heavy-duty ball corners, removable front-access panels, rear bottom cable ports, recessed handles & latches and ventilation pits.

ITEM DESCRIPTION PRICE
FFX10CDJWBLFlight FX DJ coffin w/wheels, 2 CD/media player + 10" mixer 399.99
FFX12CDJWBLFlight FX DJ coffin w/wheels, 2 CD/media player + 12" mixer 399.99
FFXBM10WBLFlight FX DJ coffin w/wheels, 2 turntables + 10" mixer 399.99
FFXBM12WBLFlight FX DJ coffin w/wheels, 2 turntables + 12" mixer 399.99
FFXCDJBLFlight FX large format CD/media player case
FFXGS12CDJWBLFlight FX Glide Style™ DJ coffin w/wheels,
2 CD/media players + 12" mixer
FFXGSDNMC3600BLFlight FX Series Glide Style™ case for Denon DN-MC3000/
DN-MC6000
ADIN403MF3' 4-pin extension cable for Flight FX Series LED panel control box 5.99



PELICAN

PELICAN CASES Production and laptop cases that provide superior water-tight equipment protection, and with an unconditional lifetime guarantee of excellence. Cases are made of a polypropylene copolymer material that is lightweight, durable, and highly chemical resistant. They may withstand temperatures from -10°F to +210°F, are ROHS compliant, and have an O-ring in the lid with a Gore-tex® membrane that keeps water out of the case. A large variety of cases are available. Please call for more sizes and options.

ITEM	DESCRIPTION	PRICE
Laptop Cases		
PC1490CC1-BLACK	. Deluxe case w/lid organizer, strap, also avail in	
	tan, fits notebooks up to 14"Lx10.8"Wx2.5"D	178.30
PC1490CC2	As above, but fits notebooks up to 17.3"Lx11"Wx3.3"D	157.09

			,					
Equipment	Cases (most av	ailable in	additional	colors,	interior	dimensions	shown
I v W v D	come m	ndale a	vailahla ı	vithout foor	hhe _ n	"NF" to	nort #)	

Equipment bases (most available in additional colors, interior dimensions shown
L x W x D, some models available without foam – add "NF" to part #)
PC1120-BLACK Case, w/pick & pluck foam, 7.25"x 4.75"x 3.06"
PC1150-BLACK Case, w/pick & pluck foam, 8.18"x 5.68"x 3.62"
PC1200-BLACK Case, w/pick & pluck foam, 9.25"x 7.12"x 4.12"
PC1300-BLACK Case, w/pick & pluck foam, 9.87"x 7"x 6.12"
PC1400-BLACK Case, w/pick & pluck foam, 11.81"x 8.87"x 5.18" 71.65
PC1434-BLACK Top loader case w/3 level pick & pluck foam &
padded dividers, 13.56"x 5.76"x 11.70"
PC1470-BLACK Case, w/pick & pluck foam, 15.62"x 10.43"x 3.75"
PC1490-BLACK Case, w/pick & pluck foam, 17.75"x 11.37"x 4.12" 124.40
PC1495 Case, w/pick & pluck foam, 18.87"x 13.12"x 3.81" 141.03
PC1550-BLACK Case w/2-level pick & pluck foam, 18.43"x 14"x 7.62" 131.28
PC1600-BLACK Case w/2-level pick & pluck foam, 21.43"x 16.5"x 7.87"
PC1630 Transport case w/wheels, 3 level pick & pluck foam,
27.7"x 20.98"x 15.5"302.73
PC1640 As PC1630 but larger interior dimensions, 23.7"x 24"x 13.9" 244.82
PC1690 As PC1630 but larger interior dimensions,
30.01"x 25.02"x 16.01"
PC0340 Cube case, 3-level pick & pluck foam, wheels,
pull handle, 18"x 18"x 18"





PETROL CAMERA PROTECTION Petrol makes a variety of camera wrap designs

or raincovers to minimize damage to your gear while out in the field. The CamWrap eliminates scratches and dust appearing on your camera, provides pouches for wireless systems and has clear transparent windows for proper equipment operation. Deca



Raincovers are constructed of transparent polyurethane and offer easy access to all camera features while an exterior 6" ABS track allows for addition of a mini light while cover is in use.

ITEM	DESCRIPTION	PRICE
PW503	. CamWrap for Sony PMW-500, 300 &320	205.14
PR405	. Deca raincover for mini DV/HDV cameras w/1 hotshoe connector .	88.92
PR410	. Deca raincover for small cameras w/1 hotshoe connector	113.10
PR415	. Deca raincover for medium size cameras w/1 hotshoe connector	143.52
PR425	. Deca raincover for full size cameras w/1 hotshoe connector	170.04



PETROL CAMERA BAGS Petrol makes a wide variety of camera support bags that use a variety of design types such as backpacks, HDV wing bags, U opening bags (that allow users to leave accessories on the camcorder when putting in the bag), totes, and duffle styles to name just a few. Please check our website for full array of Petrol camcorder bags.

ITEM	DESCRIPTION	PRICE
PC303	Campack Plus, backpack	310.44
PC201	Deca Mini Camporter - small	138.06
PC202	Deca Mini Camporter - large	151.32
PC102	Deca U-Opening camera bag	326.82
PC001	Deca Doctor camera bag - 1	120.12
PC002	Deca Doctor camera bag - 2	163.02
PC003	Deca Doctor camera bag - 3	180.18
PC004	Deca Doctor camera bag - 4	265.20





PORTA BRACE SLR CAMERA BAGS & RAIN SLICKERS The Digital Camera Organizer has a rigid-frame that provides an extra level of protection; ideal for field photography and video. To protect your DSLR camera from rain, dust and sea spray, the DSLR Rain Slickers use triple-layer nylon material with waterproof coating.

ITEM	DESCRIPTION	PRICE
DCO-2U	Digital Camera Organizer, 19 pockets w/ shoulder strap, PB-B6	
	pouch, PB-B9 pouch, PB-LCP-4 lens cup, 5x9 bendable divider,	
	(2) 5x9 ridged dividers. (2) medium sized pillow stuffers.	
	stuffer block, camera cradle, cinch strap, CB-6 cable binders.	
	interior dimensions 18"L x 10"W x 10"H, blue/black	268 00
DCO-1U	Digital Camera Organizer, 7 pockets w/ shoulder strap,	200.00
DC0-10		
	PB-B6 pouch, PB-B9 pouch, PB-LCP-4 lens cup,	
	(2) 5x9 bendable dividers, medium sized pillow stuffer,	
	stuffer block, camera cradle, cinch strap, CB-6 cable binders,	
	interior dimensions 17"L x 8"W x 8.5"H, blue/black	250.85
DCO-2R	. Same as DCO-2U, but black/red	268.00
DCO-1R	Same as DCO-1U, but black/red	242.17
RS-DSLR2	Large DSLR Rain Slicker, 2 detachable lens protection covers	
	(matte-box & zoom), sleeves w/ elastic openings for control	
	access, double-layer Velcro-sealed top access panel.	
	clear vinyl windows for display screen viewing	198 77
RS-DSLR1	DSLR Rain Slicker, sleeves w/ elastic openings for control	100
NO-DOLN I	access, double-layer Velcro-sealed top access panel.	
		155.07
	clear vinyl windows for display screen viewing	155.37

























































DESCRIPTION

ITFM **PS601**

PS602

PS603



















































PORTA BRACE RAIN SLICKER CAMERA CASES The Mini-DV versions have flaps, vinyl windows and zippered openings for optimum ease of operation. Cameras with fold-out video screens are shrouded with a black fabric hood that makes viewing easier on bright sunny days. The broadcast camera models have an expandable back end for various batteries and wireless receivers, a spare pocket for lens cap storage, a wider clear vinyl window on the operator side, an extra no slip pad and a limited hook & loop closure at the base instead of a long zipper. A zipper at the view finder area makes installation easier; accommodating 1 1/2" to 2" eye piece view finders.

ITEM	DESCRIPTION	PRICE
RS-EX3	Mini-DV Rain Slicker for Sony PMW-EX3	224.81
RS-XHAG1B	Mini-DV Rain Slicker for Panasonic AG-DVC series	181.41
RSXL2	Mini-DV Rain Slicker for Canon XL-2 & XL-H1	198.77
RS25	Broadcast Rain Slicker for JVC GY-DV series, Panasonic	
	AG-DVC200/200P, AG-HPX300/301 & AJ-D410	242.17
RS33	Broadcast Rain Slicker for Hitachi Z-3000,	
	JVC GY-DV5000U/5100U, JVC KY-19/27/29,	
	Panasonic AG-DVC200/200P, AJ-D200/210,	
	Philips BTS LDK-10/20/23HS,	
	Sony DSR-250/300/370/390/400/450/500/570/590,	
	PDW-F330/F335/F350/F355 & Sony PMW-350	242.17

PORTA BRACE CAMERA CASES

Professional camera set-ups and configurations now range dramatically in size and complexity. PortaBrace has the industry experience & design expertise to put broadcast and professional cameras into simple, technically-sound cases. Below is a very abbreviated listing of some cases, please call for others. Dimensions listed are interior.



ITEM	DESCRIPTION	PRICE
DV01U	DV organizer bag, blue cordura, 17"L x 8"W x 8.5"H — fits	
	Canon GL1/2, XHA1/XHG1, Panasonic AGDVX100, AGHVX200.	
		20.00
	Sony DCR-VX2100, HDRFX1/7, HVRA1U, HVRV1U, HVRZ1U	250.85
DV02U	. DV organizer bag, blue cordura, 18"L x 10"W x 10"H – fits	
	Canon GL1/2. Panasonic AGDVC80. AGDVX100. AGHVX200.	
	Sony DCRVX2100, DSRPD170, HDRFX1/7, HVRV1U, HVRZ1U	268 21
NVN2D	Same as DVO2U but black w/red trim	
		200.21
GO-PG	. Carry-on case, thick padding, 23"L x 6"W x 11.5"H – fits	
	Canon XL1/2, XLH1, JVC GYDV5100, Panasonic AGDVC200,	
	Sony DSR250/300/400/450, XDCAM models	346.33
CTC1	Traveler camera case, 22.5"L x 7.5"W x 10.2"H – fits Sony HVR,	
	HD1000, Z7U, Panasonic AG-DVC10, DVC15, DVC20, DVC60,	
		22.40
		233.49
CTC3	. Traveler mid-weight case, 22"L x 6.5"W x 10.5"H — fits XL1/2,	
	XLH1, JVC GYDV5000/5100, GYHD100/110/200/250, Sony DSR500	250.85
CC-235	QuickDraw case w/rigid frame, 20"L x 6.5"W x 10"H – fits	
	Canon XL1/1S, JVC GYHD100U/110U, Sony DSR250	115 77
DOL A		+13.77
POL-A		
	heat pack design, fits Canon XL1S, JVC GYHD100U	398.41
POL-MFZ1	Polar Mitten HDV case, similar to POL-A — fits newer HDV	
	camcorders such as Sony HDR-FX1/7, HVR-Z1U	302.93
PB2550F		
. 520001		



PORTA BRACE FIELD PRODUCTION CASES Watertight, hard-resin cases for video, audio, and photographic equipment. 10-20% lighter than most hard cases, with double-hinged locking system. All models feature cubed foam interior. Custom color options are available for some models. Dimensions listed are internal.

ITEM	DESCRIPTION	PRICE
PB-2300F	Extra small hard case, 12"L x 9.06"W x 5.39"H	68.57
PB2400F	Small hard case, 15"L x 10.4"W x 5.9"H	77.25
PB-4100F	Hard resin case, 15.8"L x 9.1"W x 9.1"H	129.33
PB2500F	Medium hard case, 17.7"L x 12.6"W x 6.9"H	108.50
PB2600F	Large hard case, 18.9"L x 14.2"W x 7.9"H	129.33
PB2700F	Extra large hard case, 21.7"L x 18.1"W x 8.1"H	164.05
Wheeled Version	ons	
PB2550F	Medium wheeled hard case, 20.1"L x 11.2"W x 7.9"H	155.37
PB2650F	Large wheeled hard case, 18.9"L x 14.2"W x 9.5"H	190.09
PB2750F	Extra large wheeled hard case, 21.9"L x18"W x 10.2"H	212.66
PB2850F	Hard resin case, wheels, 29.3"L x 20.65"W x 18.01"H	389.73



PORTA BRACE WHEELED PRODUCTION CASES

Ideal for transporting heavy loads of studio, audio, video or film equipment, this line has been redesigned to provide more space with a new lighter frame. The new frame is covered with padding and 1,000 denier Cordura® nylon fabric. The off-road wheels have ball-bearings and steel axles for smooth rolling over almost any surface. The WPC-1OR and 2OR models have retractable handles while the WPC-3OR has a removable leather handle

nao a removable lee	tiloi lialiaio.	0.0
ITEM		PRICE
WPC-10RB	Production case, 23"x12"x10.5" interior, black	355.01
WPC-10R	as above, in blue	355.01
WPC-20RB	Production case, 23.5"x12"x11.5" interior, black.	424.49
WPC-20R	as above, in blue	424.45
WPC-30RB	Production case, 38"x12"x11.5" interior, black	493.89
	as above, in blue	

PORTA BRACE CS-DV3U MINI-DV CAMERA CASE This case protects and organizes the camera, spare battery,

tapes, microphones and rain cover. The bottom panel is reinforced with 8mm hollow-core plastic, foam layers and a



WPC-30R

layer of Slip Not fabric, which adds an extra layer of protection against water, dirt and grime in an easy wipe-off surface. The 1" thick foam & 1000 Denier Cordura Nylon fabric (with polyurethane waterproofing) provide long lasting protection. The adjustable inside cradle keeps the camera from shifting. A small padded pouch, suede shoulder strap and white balance card are also included. Fits popular models from Canon, JVC and Sony, please visit our website for a list of compatible cameras.

	• • •	•	
ITEM	DESCRIPTION		PRICE
CSDV3U	Camera case, for Mini-DV camcorders		146.69



CHIEF RAXXESS SERIES CONVERTA RACK

A great way to maximize rack storage and keep vertical height to a minimum. The Raxxess Converta Rack units feature a retractable top rack which yields the most compact design as well as a user-adjustable angle. Available in 2 sizes: CR-10/10R (10 spaces on top, 10 spaces on front) and CR-12-10R (12 spaces on top, 10 spaces on front). Rugged plywood construction, carpet covering, nickel-plated latches and corners.



ITEM	DESCRIPTION	PRICE
CR10/10R	10RU top/10RU front	550.00
CR12/10R	12RU top/10RU front	610.00



ROAD READY EFFECTS RACKS Solid ATA cases designed to house your professional effects units. Designed to house any 19" rack-mountable equipment up to 12-3/8" in depth. Features include dual rack rails (mounted front and back at 12 3/8" rack depth) and two removable covers for easy access to your gear.



ITEM	DESCRIPTION	PRICE
RR2UED	2RU deluxe effects rack case, 12-3/8" rack depth, 26lbs	189.99
RR4UED	4RU deluxe effects rack case, 12-3/8" rack depth, 34lbs	209.99
RR6UED	6RU deluxe effects rack case, 12-3/8" rack depth, 38lbs	219.99
RR8UED	8RU deluxe effects rack case, 12-3/8" rack depth , 44lbs	224.99
RR10UED	10RU deluxe effects rack case, 12-3/8" rack depth, 48lbs	239.99
RR12UED	12RU deluxe effects rack case, 12-3/8" rack depth, 55lbs	279.99
RR14UED	14RU deluxe effects rack case, 12-3/8" rack depth, 58lbs	304.99
RR16IIFN	16RH delive effects rack case 12-3/8" rack depth 6/lbs	329 99








ROAD READY DELUXE AMPLIFIER RACKS

Deluxe ATA cases, with premium 3/8" vinyl laminated plywood construction. Features include 2 removable heavy-duty covers, ATA300 rating,



RR4UAD

ITEM	DESCRIPTION	PRICE
RR2UAD	2RU amplifier rack, 16-1/4" rack depth, non-stackable, 28lbs	179.99
RR4UAD	4RU amplifier rack, 16-1/4" rack depth, stackable, 36lbs	199.99
RR6UAD	6RU amplifier rack, 16-1/4" rack depth, stackable, 40lbs	224.99
RR8UAD	8RU amplifier rack, 16-1/4" rack depth, stackable, 46lbs	234.99
RR10UAD	10RU amplifier rack, 16-1/4" rack depth, stackable, 52lbs	279.99
RR12UAD	12RU amplifier rack, 16-1/4" rack depth, non-stackable, 57lbs	294.99
RR14UAD	14RU amplifier rack, 16-1/4" rack depth, non-stackable, 65lbs	319.99
RR14UAD24W	14RU amplifier rack, 22-5/8" rack depth with	
	caster board, 1/2" plywood construction, 120lbs	779.99
RR16UAD	16RU amplifier rack, 16-1/4" rack depth, non-stackable, 68lbs	339.99
RRCF4	2RU Adjustable cooling panel (4 fans), front/rear rackmount	84.99

ROAD READY SLANT MIXER RACKS Common features include double anchor industrial rivets, recessed industrial grade latches and spring loaded handles, 3/8" vinyl laminated plywood construction, heavy-duty rack rails, ATA300 rating, hinged rear door. Mounting hardware included. Units come with limited lifetime manufacturer's warranty.




ITEM	DESCRIPTION	PRICE
RRM2U	Slant rack, 10RU on top, 2RU vertical	189.99
RRM3U	Slant rack, 10RU on top, 3RU vertical	199.99
RRM4U	Slant rack, 10RU on top, 4RU vertical	219.99
RRM6U	Slant rack, 10RU on top, 6RU vertical	239.99
RRM8U	Slant rack, 10RU on top, 8RU vertical	259.99
RRM10U	Slant rack, 10RU on top, 10RU vertical	289.99
RRM12U	Slant rack, 10RU on top, 12RU vertical	329.99
RRM14UW	Slant rack, 10RU on top, 14RU vertical, w/caster board	399.99
RRM16UW	Slant rack, 10RU on top, 16RU vertical, w/caster board	449.99
RR11M16UC	Slant rack, 11RU on top, 16RU vertical w/caster board	449.99
RR12M4U	Slant rack, 12RU on top, 4RU vertical	334.99
RR12M6U	Slant rack, 12RU on top, 6RU vertical	379.99
RR12M8U	Slant rack, 12RU on top, 8RU vertical	414.99
RR12M12UC	Slant rack, 12RU on top, 12RU vertical, w/caster board	469.99
RR12M16UC	Slant rack, 12RU on top, 16RU vertical, w/caster board	539.99
RR12MWAD	3-1/2", opt. caster kit, brakes on 2 wheels, f/ 12U slant racks	129.99
RRMW	Pair of side wings with 1RU drawer for M series, 6RU+	99.99

ROCKIN ROLLE

ROCK-N-ROLLER EQUIPMENT CARTS

A series of versatile carts which can be used in 8 different configurations. The R2 (Micro) expands 26"- 39" in length with 25"/20" (front/



ITEM	DESCRIPTION	PRICE
R2-R/T	Micro R2 equipment cart	99.99
R6-R/T	Mini R6 equipment cart	129.99
R8-R/T	Mid R8 equipment cart	154.99
R10-R/T	Max R10 equipment cart	169.99
R12-R/T	All-Terrain R12 equipment cart	229.99
R6WHL/0	Rear wheel for R2, soft tread	6.97
R8WHL/RT/0	Rear wheel, 8"x2.5", No-Flat w/offset	13.97
R8WHL/RT/S	Rear wheel, 8"x2.5", No-Flat w/symmetrical hub	13.97
R10WHL/RT/0	No-Flat tire and hub, 10"x3"	16.99
R10WHL/P/0	Pneumatic wheels, 10"	13.97





SKB GUITAR / BASS CASES

All cases offer TSA locks and fiberglass reinforced trigger release latches.

IIEM	DESCRIPTION	PRICE
1SKB-18	. Acoustic dreadnought deluxe guitar case, deluxe plush interior	149.99
1SKB-20	. Universal jumbo deluxe acoustic guitar case, foam interior	154.99
1SKB-30	. Thin-line AE/Classical deluxe guitar case, arch top design, dlux plush	144.99
1SKB-35	. Thin body semi-hollow case, ABS molded outer shell, foam interior	144.99
1SKB-44	. Elec. bass rectangular case, fits most Precision/Jazz style, dlux plush	149.99
1SKB-56	. Les Paul guitar case, plush interior, arch top design	139.99
1SKB-61	. SG hardshell guitar case (except 12 string), foam interior	139.99
1SKB-66	. Elec. guitar rectangular case, Strat/Tele style, deluxe plush interior	134.99
31-4214-56	. Les Paul flight case, waterproof, injection-molded, wheels	249.99
31-4214-66	. Strat/Tele flight case, waterproof, injection-molded, wheels	249.99








SKB BAND INSTRUMENT & ORCHESTRAL

CASES Quality cases for orchestral and band instruments. From piccolos to sousaphones, SKB quality means greater protection for delicate



1		
ITEM	DESCRIPTION	PRICE
Band Instrument C	ases	
1SKB-130	. Trumpet case	84.99
1SKB-310	. Flute B foot joint case	39.99
	. Oboe case	
1SKB-320	. Clarinet rectangular case	49.99
	. Sousaphone case	
1SKB-440	. Contoured Pro alto sax case	119.99
1SKB-450	. Contoured Pro tenor sax case	139.99
1SKB-462	. Pro Universal Tenor trombone cases	149.99
	. Clarinet carry-all	
String Cases	•	
1SKB-214	. Violin 1/4 deluxe	79.99
1SKB-212	. Violin 1/2 / 12" viola deluxe	79.99
1SKB-234	. Violin 3/4 / 13" viola deluxe	79.99
1SKB-244	. Violin 4/4 / 14" viola deluxe	79.99
1SKB-344	. Cello 4/4 deluxe, padded	219.99
1SKB-544	. Cello 4/4. shell	344.99

SKB ROTO RACKS The ultra-affordable "Roto Series" racks from SKB boast unilateral molded-in handles, front rack rail, bumpers to protect the hardware, molded rear door for cable access and are stackable



with bild a standard ruck cases. In have it ruck mountable depth.				
SPACES	RACK HEIGHT	PRICE		
2	3-1/2"	109.99		
4	7"	124.99		
6	10-1/2"	154.99		
8	14"	194.99		
10	17-1/2"	219.99		
12	21"	234.99		
20" Roto sho	ckmount case	729.99		
	SPACES	SPACES RACK HEIGHT 2 3-1/2" 4 7" 6 10-1/2" 8 14" 10 17-1/2" 12 21" 20" Roto shockmount case 20" R		





























1SKB-130





























































ACCESSORIES















SKB STANDARD 19" ATA RACK CASES

Lightweight, yet strong, the SKB 19" racks are made of military-grade ultra-high molecular-weight polyethylene material. They are stackable and less than half the weight of wooden racks. The draw-tight latch front and rear covers are gasket-sealed to keep out



moisture and dirt. With the front cover removed, the 19" mounting flange is close to the edge, which makes it extremely easy to visually read the dials and LCD screens on the front of your equipment.

on the none or,	on the front of Jour equipments				
ITEM	SPACES	RACKABLE DEPTH	RACK HEIGHT	PRICE	
1SKB19-2U	2	17"	3-3/8"	164.99	
1SKB19-3U	3	18-1/2"	7"	169.99	
1SKB19-4U	4	18-1/2"	8-3/8"	194.99	
1SKB19-6U	6	18-1/2"	11-3/4"	214.99	
1SKB19-8U	8	18-1/2"	15-1/4"	279.99	
1SKB19-10U	10	18-1/2"	18-3/4"	304.99	
1SKB19-12U	12	18-1/2"	22-3/8"	359.99	
1SKB-1904	Caster kit	for above		114.99	

SKB SHOCKMOUNT RACK CASES An internal frame mounted on 8 coiled shock absorbers. Important for delicate equipment, without the weight of traditional wooden racks. Similar features to the Standard ATA Rack Cases. All have 20" of rackable depth, front and rear covers. Maximum load is 150lbs. Models have adjustable Elastomer shock technology for precise shock absorption for any load.



1	•		
	SPACES	RACK HEIGHT	PRICE
1SKB-R904U20.	4	7"	514.99
1SKB-R906U20.	6	10-1/2"	554.99
1SKB-R908U20.	8	14"	594.99
1SKB-1916	Caster kit	for above	219.99

3SKB-R06U20W

SKB ROLLING ROTO SHOCK RACKS

This series incorporates SKB's recessed patent pending TSA trigger latches and low profile injection molded pull handle. The molded design provides extra stiffness in the lids and sides while also allowing the racks to stack securely together.



ITEM	DESCRIPTION	PRICE
3SKB-R04U20W	. 4RU, 20" deep	714.99
3SKB-R06U20W	. 6RU, 20" deep	734.99
3SKB-R08U20W	. 8RU, 20" deep	784.99

SKB ROTO ROLLING RACKS Ideal for transporting heavy remote recording and sound reinforcement equipment, ranging from power amplifiers to signal processors, these racks offer secure protection with the convenience of sturdy built-in wheels and a handle. They feature indus-

Follow us!



trial grade steel threaded rack rails (allowing non-destructive screw mount installation and removal) and full access rear lids. An optional rear-rack rail kit allows enhanced load capacity and stability, ideal for heavy power amps. These racks are stackable under the new 1SKB19-RSF4U Studio Flyer 4RU model.

	•	
	DESCRIPTION	PRICE
1SKB-R4W	. 4RU rolling rack	204.99
	. 6RU rolling rack	
	. Rear rail kit, 4RU	
1SKB-RRK6	Rear rail kit 6RII	39 99



ITEM	SPACES	RACK HEIGHT	PRICE
1SKB-XRACK2	2	3-1/2"	94.99
1SKB-XRACK3	3	5-1/4"	104.99
1SKB-XRACK4	4	7"	119.99



SKB19-P12 POP-UP MIXER RACK

Designed to hold 19" wide rack-mount type mixers. The 12RU (21") tall internal rack frame is hinged at the bottom and will allow the mixer to tilt-up to a convenient angle for mixing and access to rear connectors.

ITEM	DESCRIPTION
1SKB19-P12	12RU pop-up case



SKB ROLL-X PORTABLE RACKS

The Roll-X portable rack cases have a depth of 17" and will accommodate 19" rack mount equipment with 3-, 4-, 5and 6RU models. Made of polyethylene rotationally molded plastic with 2.5"

interlock and stack	with each other.	
ITEM	DESCRIPTION	PRICE
1SKB-RLX3	. 3RU case	154.99
1SKB-RLX4	. 4RU case	 169.99
1SKB-RLX5	. 5RU case	179.99
1SKB-RLX6	. 6RU case	194.99

SKB MIXER-SAFE UNIVERSAL MIXING **BOARD CASES** This ATA style universal mixing board family presents an amazing

feature which transforms the interior into a snug cradle for virtually any non-rackable mixer. The patent-pending "corner cleats" securely fasten to the Velcro bed of the case to hold your board firmly in place.

Accommodates 99% of all non-racking mixing boards.			
	DESCRIPTION	PRICE	
1SKB-3026	. 30" x 26" case	354.99	
1SKB-3423	. 34" x 23" case	404.99	
1SKB-4031	. 40" x 31" case	439.99	
Call your Sales Pr	o to find the right case for your mixing board		

1SKB19-R1006

version of the GigRig, the Mini GigRig shares the same 10U angled rack space on the top for mixers but with 6U of vertical rack space. The Mini GigRig is ideal for table top mixing or for medium sized PA systems that do not require as much outboard rack gear. The

SKB19-R1006 MINI GIGRIG A smaller

Roto-molded construction is rock-solid, yet very lightweight and side-positioned handles are standard. Stacks securely with other SKB rackmount cases.

ITEM	DESCRIPTION	PRICE
1SKB19-R1006	. With stationary top	
1SKB19-R1006V	. With pop-up Velcro top	
		99.99










COMPLETE CASE SOLUTIONS. INSIDE AND OUT.



SKB CORPORATION Orange CA



FRO AUDIO I VIDEO I AV I LIGHTING

800-356-5844 FULLCOMPASS.COM

















































SKB GIGRIG A perfect rolling rack for mixer, effects and amps. 10RU (17.5") racks both in the front and in the top for any combination of equipment. 5" rear wheels and casters in front make for easy moving with the top-rear handle. Lids for the top and front protect gear and a door in the back makes wiring easy and can be used to store cables and accessories. Molded from high-density polyethylene for durability. Weight is only 50 lbs.

0		W.
ITEM	DESCRIPTION	PRICE
1SKB19-R1010	GigRig	544.99
1SKB19-R1010V	With pop-up Velcro top	589.99
	6RU expander case	
	Gig-Wing	

SKB THE MIGHTY GIGRIG This Rolling Rack System features a deep design (14RU+) for deeper analog and digital mixers. The design allows for rack gear to be mounted on the 6RU front rack rails and additional rack gear mounted on optional 6RU rear rack rails for a total of 12RU on the bottom. The cover is designed for use as a stand for the GigRig and places the mixer at proper mixing height. It will fit over installed XLR cable connectors (top- or rearmounted). The GigRig features a wheel set with locking casters, locking twist latches and indestructible injection molded side handles.



ou delibre injection	moraca orac nanarco.	
ITEM	DESCRIPTION	PRICE
1SKB19-R1406	. Mighty GigRig	524.99
1SKB19-REX6	. 6RU Mighty GigRig expander ra	ack

SKB SERIES 31 MILITARY STANDARD

UTILITY CASES These new Injection Molded Mil-Standard Utility Cases are molded of ultra high-strength polypropylene copolymer resin, featuring a gasketed, water and dust tight, submersible design (IP67) that is resistant to corrosion and impact damage. A continuous molded-in hinge, patent pending "trigger release" latch system, comfortable, snap-down rubber over-molded cushion grip handle,



automatic ambient pressure equalization valve (MIL-STD-648C), stack securely and the cases are padlockable with your lock. The 3I-2011-7B case has a pull out handle and roller blade wheels for ease in transportation. Sized to accommodate airline regulations for traveling in the overhead luggage compartments. Covered by SKB's exclusive "Million Mile" unconditional lifetime warranty. Available in black with interior options of empty, cubed foam, layered foam or padded dividers (dividers not available for 3I-2317-14B and 3I-2918-14B models). Models listed are empty, substitute "C" for cubed foam, "D" for dividers, "L" for layered foam.

ITEM	DESCRIPTION	PRICE
31-0907-4B-E	9.5" x 7" x 4"	39.99
31-0907-6B-E	9.5" x 7" x 6"	44.99
31-0907-6B-DD	9.5" x 7" x 6", double dividers	79.99
3I-1209-4B-E	12" x 9" x 4.5"	64.99
3I-1610-5B-E	16" x 10" x 5.5"	79.99
3I-1813-5B-E	18.5" x 13" x 4.75"	94.99
3I-1813-5B-N	18.5" x 13" x 4.75", notebook molded	314.99
3I-1813-7B-E	18.5" x 13" x 7"	109.99
3I-1914-8B-E	19" x 14" x 8" , w/ pull handle and wheels	169.99
3I-2011-7B-E	20" x 11" x 7.5", w/ pull handle and wheels	134.99
3I-2011-8B-E	20" x 11" x 8"	114.99
3I-2015-7B-E	20.5" x 15.5" x 7.5"	119.99
3I-2015-10BE	20.5" x 15.5" x 10", w/ pull handle and wheels	179.99
3I-2317-14BE	23" x 17" x 14", w/ pull handle and wheels	184.99
3I-2918-14BE	29" x 18" x 14.5", w/ pull handle and wheels	209.99



1SKB19-R1010

SKB AUDIO AND DJ RACK CASES Slanted tops and front rack cases with steel threaded rails, hard lid and doors and side access ports (for cable routing). The back lids provide maximum access to the rack gear. Two TSA locking SKB patented trigger latches secure the lid while the flat hard top allows for stacking in transport and storage. Optional shelf holds laptop or projector.



ITEM	DESCRIPTION	PRICE
1SKB-R102	Case, 10RU top rack, 2RU front rack	179.99
1SKB-R104	Case, 10RU top rack, 4RU front rack	189.99
1SKB-R106	Case, 10RU top rack, 6RU front rack	219.99
1SKB-AV8	Optional shelf	49.99
	•	

SKB WATERPROOF MIC CASES Injection molded waterproof cases constructed of ultra high-strength polypropylene copolymer resin. Feature gasketed, waterproof and airtight, submersible design (IP67) resistant to corrosion and impact damage. Continuous molded-in hinge, patented "trigger release" latch system, snap-down rubber over-molded cushion grip handle, secure stacking, and automatic ambient pressure equalization valve all contribute to its military grade design. Each case has convoluted foam in the lids. The 31-907-MC6 stores 3 mics horizontally two separate layers of foam for a total of 6 mic capacity. The 31-2011-MC16 houses up to 16 mics stored in the vertical position.



•	•	
ITEM	DESCRIPTION	PRICE
31-0907-MC6	. Waterproof mic case for 6 mics (9" x 7" x 6")	74.99
3I-2011-MC16	. Waterproof mic case for 16 mics (20" x 11" x 8"),	
	w/ storage compartment	. 139.99


1SKB-1200

SKB EQUIPMENT CASES ATA-style heavy-duty polyethylene cases. Some models have pick and pluck diced foam to fit any equipment. Some have foam precut such as the microphone cases. Some are empty for less delicate items. All dimensions are internal.

cate itemo. i in ann	cholono al c internai.	-	100
ITEM	DESCRIPTION	DIMENSIONS	PRICE
1SKB-600	Mic case for 6 mics	13" x 11" x 10.5"	154.99
1SKB-1200	Mic case for 12 mics	17" x 13"x 10.5"	169.99
1SKB-1615	Mini-mixer with foam	16" x 15" x 5"	169.99
1SKB-1713	Empty case	17" x 13" x 10.25"	164.99
1SKB-1714	Case with foam blocks	16.25" x 14.5" x 5.5"	199.99
1SKB-2416	Case	24" x 16" x 16"	194.99



ZEBRACASE Zebra cases are made from a tough injected molded polypropylene and provide a lightweight, rugged and inexpensive solution to safe transport of expensive and delicate equipment. They are available in a wide selection of sizes to fit your every need and come complete with tri-layer "pluck & protect" foam liner, steel hinge pins, and tongue and groove top & bottom mating. To get the correct size case for an item you wish to protect, simply



ITEM	DESCRIPTION	PRICE
Z9-MICRO	7.75" x 5.25" x 2.5"	19.99
Z12-COMPACT	11.5" x 8.25" x 3.5"	29.99
Z15-EXECUTIVE	14.25" x 10" x 2.25"	34.99
Z17-STANDARD	15" x 10.5" x 4.25"	44.99
Z21-PROFESSIONAL	. 18.25" x 12" x 5.75"	89.99











AMERICAN DJ POWER CONTROL PRODUCTS These units offer basic on/ off control of AC outlets for audio or lighting gear. The PC-4 offers control of 4 AC 3-prong outlets via 4 lighted switches. The PC-100A offers control of 8 AC 3-prong outlets via 8 lighted switches. It is rackmountable and uses only 1RU of space. Both models feature a 15A resettable circuit breaker.

ITEM	DESCRIPTION	PRICE
PC-4	. AC power center, 4 outlets	14.99
PC-100A	. AC power center, 8 outlets	29.99



ART 4X4 POWER DISTRIBUTORS These units feature ART's 4x4 layout on the back of the unit - 4 of the 8 rear outputs are spaced 1.25" apart, allowing space for wall warts. They all offer Surge and Spike protection as well as RFI and EMI filtering, front mounted power switches and 15A circuit breakers. They are all rackmountable and use only 1RU of space. The PB4X4 is a basic model. The PS4X4 features backlit linear volt and amp meters. The PS4X4 PRO features LED volt and amp meters, pull out light pipes with auto-off and dimmer, as well as the APF (Advanced Power Filtering) which filters out digital and dimmer hash as well as any high frequency noise that is above the audio range. APF's high power discrete design allows the filter to stay effective over the full operating range.

ITEM	DESCRIPTION	PRICE
PB4X4	Power distributor, 8 outlets	49.00
PS4X4	Power distributor, 8 outlets, analog meters	109.00
PS4X4-PR0	Power distributor, 8 outlets, LED meters, APF filtering	155.00



ART POWER REGULATION AND SEQUENCING The PR8 PRO regulates incoming AC line voltages to deliver clean and stable power. Output voltage at any of the 8 rear AC outlets is maintained within 112-122 volts even when the incoming AC line varies from 97 to 137 volts. The PS8 PRO provides controlled power sequencing to 8 rear AC outlets. Each output is delayed by a fixed amount that is determined by the front panel Sequence Delay control. Remote switching is provided via a rear-mounted remote connector.

ITEM	DESCRIPTION	PRICE
PR8-PR0	Power regulator w/Extreme Voltage Shutdown,	
	Advanced Power Filtering, LCD display, 8 outlets	. 399.00
PS8-PR0	Power sequencer w/Advanced Power Filtering, EMI & RFI filtering,	
	surge & spike protection, LCD display, 8 outlets	. 249.00

EBTECH_®

EBTECH HUM-X Hum X[™] filters out unwanted voltage & current in the ground line that cause ground loop hum while simultaneously maintaining a solid, safe ground. Simply place the Hum XTM on the end of the power cord



of the equipment that has a ground loop and plug the Hum XTM into the wall outlet. Ground loop is gone and audio signal remains intact. Easy to use and easy to install.

ITEM	DESCRIPTION	PRICE
HUM-X	Ground hum exterminator.	71.99



ETA SYSTEMS UL LISTED POWER **CONDITIONERS** The ETA-ECS6RM and ECS3 are rack-mountable multi-stage



sequencing units. The ECS3 is a 15A unit that features three sequential timing sections (activated via the unit or remotely). It includes noise filtering for both EMI & RFI, and spike & surge protection. It has 9 power outlets and 24VDC control outputs. The ETA-ECS6RM is a modular system with six sequential timing sections. It can monitor up to six independent 20A AC main lines both for voltage and current readings and informs of potentially damaging voltages as well as incorporating Extreme Voltage Shutdown. The companion ETA-ECM20 and ETA-15SH/20SH power conditioner units provide voltage monitoring and spike/surge suppression.

IIEM DESCRIPTION	PRICE
Rackmount Power Distribution AC (15A) Power Conditioner/Distribution	
with Spike & Surge Protection, and EMI/RFI Filtration	
PD8	69.00
PD8L15amp, 8 outlets, retractable lights	76.50
ETA-S15L15amp, 9 outlets, lights, 1 front panel outlet	
ETA-C15D15amp, 11 outlets, lights, voltmeter, dual front panel outlet	288.50
Rackmount Power Distribution – Sequential Power	
ETA-ECM20 2amp, 2400W module w/ voltage monitoring, EMI & RFI filtering	92.50
ECM-RACEWY6 Power module strip, holds up to 6 ECM modules, 4 AC inlets	112.50
ETA-15SH5amp, 1800W stand alone module, EMI & RFI filtering, mntg rails .	151.50
ETA-20SH 20amp, 2400W stand alone module, EMI & RFI filtering, mntg rails	208.50
ETA-ECS315amp, 1800W sequenced power conditioner & distribution unit	
w/3 control channels, 9 outlets	392.50
ETA-ECSGRM 6 output sequencer controller w/ voltage & current monitoring	438.50
AP-GNL1816" gooseneck LED lamp w/ XLR connection	

FURMAN PL-PLUS-DMC

FURMAN CLASSIC SERIES POWER CONDITIONERS These are 15amp/1800W and 20amp/2400W power conditioners with Series Multi Stage Protection. This absorbs damaging transient voltages and clamps at 188VAC peak, 133 VAC RMS. Other features include 2 retractable, long-life, low-heat LED light fixtures with dimmer switch, BNC utility light connection on the rear panel, 8 rear panel outlets and 1 front panel outlet with circuit breaker and 5-year limited warranty. The PL-PLUS-C and PL-PRO-C add a front panel meter to display incoming line voltage ranging from 90-128V and the DMC versions add a large digital voltmeter/ammeter with discrete dimmer button displaying line voltage and true RMS current draw.

		PRICE
PL-8C	15amp power conditioner	189.95
PL-PLUS-C	15amp metered power conditioner	229.95
PL-PLUS-DMC	15amp digital readout voltmeter power conditioner	324.95
PL-PRO-C	20amp metered power conditioner	374.95
PL-PRO-DMC	20amp digital readout voltmeter power conditioner	439.95

FURMAN P-3600-ARG GLOBAL VOLTAGE REGULATOR A 30 amp power conditioner/



120V power delivery from any input voltage source between 100V to 127V or 208V to 240V, making it ideal for use when travelling to countries with 100V, 220V, 230V, or 240V services. It features Furman's True RMS Regulation Technology (utilizing an ultra-low-noise torroidal isolation transformer/autoformer, high-current switching TRIACs, and micro-processing control) to step-down or step-up input voltages. The unit also offers Furman's exclusive LiFT/SMP/EVS technologies for professionallevel protection and linear AC noise filtration. The front panel has a status LED status light, large LED voltage and current meters and two NEMA-20 power outlets, plus eight more and a L-5 30amp outlet on the rear.

ITEM	DESCRIPTION	PRICE
P-3600-ARG	30amp voltage regulator	CALL

FURMAN PLUGLOCK LOCKING OUTLET STRIP A solution to the "wall wart" problem. Securely lock 5 transformers or regular plugs onto a heavy-duty outlet strip.



EM	DESCRIPTION	PRICE
LUGLOCK	. Locking outlet strip	44.95

AR1215

FURMAN AR1215 VOLTAGE REGULATOR/POWER CONDITIONER Delivers a stable stream of AC power to protect equipment from problems caused by AC line voltage irregularities such as sags, brownouts, or over-voltages. Features 8 outlets on the rear panel and one on the front.

ITEM	DESCRIPTION	PRICE
AR1215	15amp, for 97-141V	549.95





































































































FURMAN F1000-UPS & F1500-UPS UNINTERUPTIBLE POWER SUPPLIES

These power supplies provide a comprehensive battery backup solution for electronics which need to maintain critical memory and be shut down properly in the event of a power outage. The F1000-UPS has a 1,000VA capacity with simulated sine wave output, while the F1500-UPS has a 1,500VA capacity with true sine wave output. Both models feature 8 outlets, RS232 interface and IR control to send "Off" command to components that require a shutdown procedure (component must be capable of receiving IR commands).

ITEM	DESCRIPTION	PRICE
F1000-UPS	Programmable uninterruptible power supply, 1,000VA	749.95
F1500-UPS	Programmable uninterruptible power supply, 1,500VA	1299.95



FURMAN ACD-100 A/C POWER DISTRO Compact, low-cost 100amp power distribution with 5 20amp circuits with high inrush breakers prevent false tripping, MOV spike suppression on each circuit. Four buss design allows easy reconfiguration for 120V, 240V, or 208V 3-phase inputs. 2RU 19" rackmountable. Unit must have supply cable installed by qualified electrician.

ITEM	DESCRIPTION	PRICE
ACD-100	. 100amp power distro	564.95



FURMAN ASD-120 A/C SEQUENCED POWER DISTRO Allows you to power up six 20amp, 120V circuits in a user-adjustable, delayed-sequenced fashion. The sequence is reversed for power down. Each circuit's 20amp rear panel duplex outlet can be switched to be part of or apart from the power up/down sequence, which can be initiated with either momentary or maintained switches, locally or remotely. The ASD-120's design incorporates four oversized busses, allowing wiring for 120V or 240V single phase, or 208V 3-phase power. Unit must have supply cable installed by qualified electrician.

•		
ITEM	DESCRIPTION	PRICE
ASD-120	Sequenced power distro	699.95

FURMAN MP-SERIES POWER SEQUENCERS These remote power relays provide remote turn-on for use with PowerLink, ASD-120, PS-REL, and other units. Q-models feature turn-on via 12VDC trigger. Non-Q-models feature power relay delay.



ITEM	DESCRIPTION	PRICE
CN-MP15	. Power relay and outlet (120V/15A)	199.95
MP20	. Power relay and outlet (120V/20A)	159.95
MP20Q	. Power relay and outlet, quad plate (120V/20A)	99.95

		Will I		
S8R-II	-		Services - 1	
			and the same	

FURMAN PS SERIES POWER CONDITIONERS Powers up equipment in 3 delayed outlet groups, power down in reverse sequence. Power is protected with triple mode Varistor spike and surge suppression, RFI filtering, status LEDs monitor groups and wiring integrity. Rated for 15 amps, the PS8R version has terminals for remote control.

ITEM PS8R-II	DESCRIPTION Sequencer with remote terminals	PRICE 299.95
PS-PRO-II	20amp/2400W power conditioner/3-step sequencer	439.95
	AC relay accessory	
	Wall-key switch remote	



FURMAN MERIT X SERIES POWER CONDITIONERS Rackmount power conditioners offering "Noise Sniffer" compatible RFI/EMI filtration, and standard level surge & spike protection. The M-8LX also features front-panel lights, and the M-8DX features lights and a digital voltage meter.

ITEM	DESCRIPTION	PRICE
M-8X2	. 15amp power conditioner	64.95
M-8LX	. As M-8X with front-panel lights	99.95
M-8DX	. As M-8X with front-panel lights and voltage meter	. 129.95

FURMAN

ing optimum performance.



FURMAN P-2400 AR 20AMP VOLTAGE REGULATOR/POWER CONDITIONER Delivers a stable 120V of AC power to protect equipment from problems caused by AC line voltage irregularities such as sags, brownouts, or overvoltages. It accepts input voltage between 97V-137V. It is ideal for high-current equipment such as power amplifiers or powering AV racks in large installations. Additionally, it's a full-featured power conditioner that filters and purifies AC power, reducing line noise and ensur-

ITEM	DESCRIPTION	PRICE
P2400AR	20 amp voltage regulator/power conditioner	. 1799.95

P1800PFR

FURMAN PRESTIGE SERIES POWER CONDITIONERS Power conditioners offering high levels of filtration and protection with advanced features like power factor technology to provide the headroom your equipment needs or true RMS voltage regulation. Other features include series multi-stage protection, automatic extreme voltage shutdown, 1800W rating with circuit breaker, rear BNC for optional gooseneck light, isolated outlet banks minimize inter-component interference and noise, wall wart spacing, and USB charger. Each unit has 9 total outlets, 8 in the rear and 1 in the front. The P-1800 AR adds true RMS voltage regulation and the LED voltmeter displays both incoming voltage and output current draw (LED on P-1800PFR only shows voltage in).

ITEM	DESCRIPTION	PRICE
P1800PFR	. 15amp power distributor	619.95
P1800AR	. 15amp power distributor w/ RMS regulation	899.95



FURMAN POWER STATION SERIES: POWER SURGE STRIPS The Power Station series provides zero ground contamination, series mode maintenance-free surge suppression and Linear Filtering Technology for safe and quiet AC for Home Theatre and other sensitive applications. The PST-8 and PST-8D feature Furman's Series Multi Stage Protection circuit which incorporates Linear Filtering Technology (LiFT) to insure that any electronic device is fed clean, filtered AC power.

ITEM	DESCRIPTION	PRICE
PST-6	6-outlet surge strip	95.00
PST-2+6	8-outlet surge block and surge alarm	60.00
PST-8	8-outlet surge strip	149.00
	8-outlet, isolated analog plus digital banks	

JUICE GOOSE




JUICE GOOSE JG SERIES POWER CONDITIONERS Switched outlets on the back of each unit provide power and a basic level of protection from dirty and dangerous AC voltage. The basic power conditioning can clamp voltage spikes and reduce AC line interference between line and neutral leads.

ITEM	DESCRIPTION	PRICE
JG-JUNIOR	15 amps, 6 outlets	44.80
JG8.0	15 amps, 8 outlets	54.00
JG8.0L	JG8.0 w/ two sliding dimmable rack lights	75.60
JG8.0LM	JG8.0L w/ 20 segment color-coded voltmeter	122.85
JG11.0-15A	15 amps, 11 outlets (1 unswitched & 9 switched on rear,	
	1 unswitched on front)	97.20
JG11.0-20A	20 amps, 11 outlets (1 unswitched & 9 switched on rear,	
	1 unswitched on front), requires 20 amp rated receptacle	110.70

JUICE GOOSE XVRT-PRO SERIES UNINTERRUPTIBLE POWER






ITEM	DESCRIPTION	PRICE
XVRT-1000-PR0	UPS, 1000VA, 600W, 2hr full load run time, 1RU	485.14
XVRT-1500-PR0	UPS, 1500VA, 900W, 2hr full load run time, 2RU	627.38
XVRT-2200-PR0	UPS, 2200VA, 1320W, 3hr full load run time, 3RU	680.72
XVRT-3000-PR0	UPS, 3000VA, 1800W, 2hr full load run time, 3RU	876.30







THEIR PROTECTION







You've invested all your time and money into your gear, but what are you plugging it into?

Sure, any power protection is better than no protection at all – but MOV based protection products degrade over time, leaving your valuable equipment vulnerable to spikes, surges, and dangerous voltage fluctuations. Furman uses non-sacraficial components and proven SMP, EVS and LiFT technologies which allow you to get the most out of your gear... without compromise. Every time.

- Series Multi-Stage Protection (SMP), Linear Filtering Technology (LiFT), and Extreme Voltage Shutdown (EVS) together on one incredible board provide the most comprehensive protection available on the market.
- Ensures a "no surge fail" environment for your connected equipment and rig, protecting your investments as well as your peace of mind.
- The simple, proven solution to real world performance issues and concerns on the stage, in the studio, and in your home - do more, go further with the Furman "peak performance" edge.







Exclusive technologies available in all Classic and Prestige Series models From the most trusted name in pro audio power management for over 35 years.






















































MIDDLE ATLANTIC PD SERIES RACKMOUNT POWER STRIPS These costeffective power units all feature 9 outlets in a variety of configurations. All models feature surge and spike protection, EMI filtering, and are rackmountable, requiring only 1RU of space. The PDC models can be used with existing control systems, or even a remote switch, to control power remotely. The PD-915RV-RN offers remote and local notification of surge suppression status.

ITEM	DESCRIPTION	PRICE
PD915R	. Power strip, 8 rear, 1 front, power switch, 9' cord	104.49
PD915R-PL	. Power strip, 8 rear, 1 front, no power switch, 9' cord	111.99
PD915RC-20	. Power strip, 8 rear, 1 front, power switch, 20' cord	216.09
PD915RV-RN	. Power strip, 8 rear, 1 front, power switch, 9' cord,	
	status notification	163.17
PDC-915R-2	. Power strip, 8 rear (2 controlled), 1 front,	
	power switch, 9' cord, remote control ability	190.86
PDC-915R-6	Power strip, 8 rear (6 controlled), 1 front,	
	power switch, 9' cord, remote control ability	190.86



NEM!

sales pro.





MIDDLE ATLANTIC MPR SERIES MODULAR RACEWAY SYSTEM

Create a custom power strip with exactly the functions you need for an installation. Many modules are available, from 15 to 30Amp outlets, to advanced remotely controlled power modules - even sequencing controller. All retain full ETL Listing. For assistance in building a system, please call a Full Compass

saics pro.				
PART #	LENGTH	MOUNTING SPACE	MOUNTING SPACE W/ Optional J-Box	PRICE
Chassis				
MPR3	32"	24"	32"	45.98
			56"	
MPR8	72"	64"	72"	57.72
MPR9	80"	72"	80"	61 22
ITFM		SCRIPTION		PRICE
Optional J-B		JOHN HON		INIOL
		vClv2 I bov		44.04
	8"	X6"X3" J-D0X		53.84
Modules				
MPR-BL8A	8"	blank cover, 4pk		8.84
			nodule, 9' cord	
			nodule, 9' cord	
M-2X20A	20	A double duplex module		78.02
M-201GA	20	A duplex isolated ground r	nodule	70.93
M-20TL-HWA	20	A twist-lock L5-20R (hard)	vired only)	62.96
M-30TL-HWA	30	A twist-lock L5-30R (hard)	vired only)	70.45
M-15-IECA	15	A 3-gang IEC module		55.90
			ed module	
Control Mod	dules	· ·		
			contact closure control	
			lule, (4) 1-15R fan receptacles	167.89
FC-4-1CA		and-alone thermostatic fai		
	(4)	1-15R fan receptacles, 9'	cord	184.68
FC-2-215-1C	A Sta	and-alone thermostatic far	control, (2) 1-15R fan receptad	les,
	(0)	E 15D (1 1 01 1	
MPR-SEQ-1C	Δ St	and-alone 6-sten sequence	controller	
10	CO	ntact closure control, 9' co	rd	201.19




MIDDLE ATLANTIC SERIES PROTECTION™ POWER DISTRIBUTION

New Series ProtectionTM technology provides instantaneous surge protection for AV systems. Its MOV-free design is non-sacrificial and non-degrading. Automatic recovery after an over/under voltage event minimizes system downtime, avoiding the need for a hard reset. Available in a variety of configurations, including full and half rack models.

ITEM	DESCRIPTION	PRICE
PD915R-SP	15A w/1 front & 8 rear outlets, 1RU	448.50
PD920R-SP	20A w/1 front & 8 rear outlets, 1RU	568.50
PD415R-SP	15A w/ 4 rear outlets, 1RU half-rack	261.75
PDHW15-SP	15A w/hardwire only, no outlets	269.25

MIDDLE ATLANTIC RACKLINKTM POWER MANAGEMENT SYSTEM



installations. Set it up in less than 5 minutes and it will monitor the power and temperature conditions of your system, log and alert you to any irregularities, and even reboot or take another action to correct problems on its own. It is easy to set up and operate, with an open architecture that integrates seamlessly with leading control systems, including your smart phone. It is compatible with "cloud" based services but is not dependent on them. Available in a variety of rackmount and in-line models. Features include remote access via web or serial communication API, free DDNS, automatic data logging, email alerts and the ability to schedule commands.

	55,	
ITEM	DESCRIPTION	PRICE
RLNK-MON115-NS	. 15A in-line power monitor module	387.51
RLNK-MON120-NS	. 20A in-line power monitor module	395.30
RLNK-SW215-NS	. 15A in-line controlled & monitored power switch	410.85
RLNK-SW220-NS	. 20A in-line controlled & monitored power switch	418.64
RLNK-SW620R	. 20A rackmount controlled & monitored power switch,	
	2-STG surge	807.69
RLNK-SW620R-NS	20A rackmount controlled & monitored power switch	792.14
RLNK-SW715R	. 15A rackmount controlled & monitored power switch,	
	2-STG surge	776.57
RLNK-SW715R-NS	15A rackmount controlled & monitored power switch	761.01

MONSTER 1

MONSTER PRO-SERIES POWER **CONDITIONERS** Affordable, audiophile-grade power centers that provide better sound and complete pro-



tection against electrical surges and spikes for performing musicians and recording professionals. They feature Monster Clean Power filtering for high-quality sound, along with an audible and visual alarm for comprehensive power surge protection.

ITEM	DESCRIPTION	PRICE
PR03500	12 outlets, Stage 3 Clean Power	349.95
PR02500	10 outlets, Stage 2 Clean Power	229.95
	12 outlets, Stage 2 Clean Power	
PR01000	8 outlets, Stage 2 Clean Power	179.95
	, 5	



MONSTER PRO 900 POWERCENTER™ Designed for high-performance hookup to AC power for both studio and live sound equipment. Features Monster Clean Power[™] Stage 1 filtering for high quality sound, Dual Mode Plus Disconnect Protection which automatically disconnects all of your equipment in case of a big power surge (if your system takes a hit, dual indicators with lights and an audible alarm will tell you that Monster Power has protected your system from damage) and 1850-joule rating for surge protection. Unit has 8 switched, color-coded outlets for error free connections, and a heavy-duty 8' high current Powerline® cable.

ITEM	DESCRIPTION	PRICE
PR0900	8 switched outlets w/Stage 1 Clean Power	119.95









PEERLESS SURGE PROTECTORS

Protect your electronic equipment with this new line of surge protectors. The PVP-1000-PL6 has 6 outlets mounted, 3 per side with each side swiveling up to 90°. It has green and red indicator lights



as well as an EMI/FRI noise filter. The PVP2000-4 features 4 outlets. One master outlet provides consistent power while cutting off power to the remaining outlets when the unit plugged into the master outlet is turned off. It also has RJ45/RJ11 combo jacks for network or phone line surge protection. The PVP3000-PL8 has 8 outlets, with 1 master outlet controlling the power to the other 7 outlets. The combination jack provides protection to modems, phone lines and routers. It also features an EMI/RFI noise filter. The PVP4000-PL10 features a master outlet which controls 7 other outlets while the remaining 3 are unswitched. The IR Signal Indicator allows the 7 controlled outlets to be powered on with any IR remote. The PVP4000-PL10 also includes green and red indicator lights, DSS/Coax connectors and RJ45/ RJ11 network/phone combo jacks.

ITEM	DESCRIPTION	PRICE
PVP1000-PL6	. 6-outlet surge protector, swivel	19.99
PVP2000-PL4	. 4-outlet surge protector, master/slave control	36.80
PVP3000-PL8	. 8-outlet surge protector, master/slave control	49.99
PVP4000-PL10	. 10-outlet surge protector, master/slave control	109.99





SX2120


ogy is superior to conventional MOV circuitry. It provides proven, reliable protection, stopping multiple surges of up to 6,000V, and does not produce ground contamination. The entire line meets the

most stringent government purchase specifications for power line surge suppressors. Its A-1-1 rating assures you of dependable protection from destructive spikes, surges and inductive transients. All models carry a 10-year manufacturer's warranty. Models shown with COUVS® designation have Catastrophic Over/Under Voltage Shutdown feature.

ITEM DESCRIPTION PRICE
Rack Mount Models
SEQ2RU, 14-outlet, 20A, sequential startup, LCD display,
ICE inrush current elimination, EMI/RFI filtering, COUVS®
SX2120 2RU, 15-outlet, 20A, EMI/RFI filtering
SX1120RT1RU, 9-outlet, 20A, ICE, COUVS®, remote control capability
for AC power distribution systems, can interface with SEQ model 689.00
SX1115 1RU, 9-outlet, 15A, EMI/RFI filtering
SX1115RT1RU, 9-outlet, 15A, ICE, COUVS®, remote control capability
for AC power distribution systems, can interface with SEQ model 629.00
SX1115RL 1RU, 8-outlet, 15A, COUVS®, 2 Littlite ports
SX1115RLXAs SX1115RL, but adds 2 Littlite 6X-HI lamps
Stand-Alone Models
SA966
SA1810 10-outlet, 15A, EMI/RFI filtering
SA15 2-outlet, 15A, EMI/RFI filtering
SA20 2-outlet, 20A, EMI/RFI filtering
SA-BMounting brackets (1 pair)

SURGEX SA82 FLATPAK™ PROTECTION FOR FLAT PANEL MONITORS AND

PROJECTORS The SA82 utilizes the patented Series Mode® surge protection technology, Impedance Tolerant® EMI/RFI filtering and Over-Voltage-Shutdown which automatically



ITEM	DESCRIPTION	PRICE
FLATPAK-SA82	. 2-outlet, 8A surge suppressor/power conditioner	
	for LCD panels (select color)	259.00



ANSMANN NIMH 1.2V RECHARGEABLE CELLS

You can use rechargeable NiMH batteries in all kinds of electronic appliances such as radios, portable CD players, audio appliances

and flashlights and they are especially qualified for high current applications. Using rechargeable batteries also reduces environmental pollution.

ITEM	DESCRIPTION	PRICE
AA-RECHARGEABLES-4PK	. AA cell, 4-pack, 2850mAh, runs in	
	wireless systems 10+ hrs, recycle 1,000 times	17.99
AAA-RECHARGEABLES	. AAA cell, 4-pack, 1,000mAh, recycle 1,000 times	12.99
9V-RECHARGEABLES-300	. 9V, 1-pack, 250mAh, runs in wireless systems	
	4-6 hrs, recycle 1,000 times	14.50

ANSMANN ENERGY SERIES SMART BATTERY CHARGERS Battery con-

ditioning stations with refreshing process, faulty cell detection, trickle charge, switch mode power supply for worldwide use (wide range input 100-240VAC).





abe (wide runge input 100 210 vite).		
ITEM	DESCRIPTION	PRICE
ENERGY-16	Up to 16 NiCd/NiMH cells, 1-12 Micro AAA/Mignon AA,	
	1-6 Baby C/Mono D and 4 pieces 9V block	. 137.00
ENERGY-8-PLUS	Up to 8 NiCd/NiMH cells, 1-6 Micro AAA/Mignon AA,	
	1-4 Baby C/Mono D and 2 pieces 9V block	84.00

ANSMANN PROFESSIONAL SERIES **RACKMOUNT CHARGERS** Microprocessor-

controlled charging stations for use on stage, in the laboratory or in the field. Charging time approx. 2 hours for Professional-8 (2-3 hours for Professional-16). 3-year warranty.



nours for Processional 10). 6 year warranty.		
ITEM	DESCRIPTION	PRICE
PROFESSIONAL-16	. 1RU charge station for up to 16AA cells (NiCD/NiMH),	
	700mA charge current per cell, charge time 2-3 hours	575.00
PROFESSIONAL-8	. 1RU charge station for up to 8 9V cells, 75mA	
	charge current per cell, charge time 2 hours	660.00





DURACELL

INTERSTATE

NiMH Rechargeab	le	PRICE
NIC1331	AA 2.4AH, NiMH high power 4pack/rechargeable	CALL
NIC1329	AAA 750MAH, NiMH Pre-charged 4PK/rechargeable	CALL
NIC5115	C-Cell 1.2V 4AH, NiMH 1pk/rechargeable	CALL
NIC5120	D-Cell 1.2V 9AH, NiMH carded 1pk	CALL
NIC5122	9V 200MAH, NiMH carded	CALL
CHG6016	AA/AAA only 8-bay NICD-NiMH charger	CALL
CHG6015	9V/D/C/AA/AAA 4-bay charger	CALL

INTERSTATE

Dallery Grangers		
CHG6015	Charger, universal, 4-bay	CALL
CHG6016	Charger for AA & AAA, 8-bay	CALL
NIC1321	Charger w/2 AA, USB	CALL
Workaholic Alkai	line Series	
DRY0114	AAA, Alkaline Workaholic Gold HiDrain, 24PK	CALL
DRY0069	AA, Alkaline Workaholic Gold HiDrain, 24PK	CALL
DRY0075	AAA 1.5V, Alkaline Workaholic, 24PK	CALL
DRY0070	AA 1.5V, Alkaline Workaholic, 24PK	CALL
DRY0080	C-Cell, Alkaline Workaholic, 1PK	CALL
DRY0085	D-Cell, Alkaline Workaholic, 1PK	CALL
DRY0067	9V, Alkaline Workaholic, 1PK	CALL
DRY0035	AAA, 1.5V, Alkaline Workaholic, Carded 4PK	CALL
DRY0030	AA 1.5V, Alkaline Workaholic, Carded 4PK	CALL
DRY0015	C-Cell 1.5V, Alkaline Workaholic, Carded 2PK	CALL
DRY0020	D-Cell 1.5V, Alkaline Workaholic, Carded 2PK	CALL
DRYNNN5	9V Alkaline Workaholic Carded 1PK	CALL

DURACELL

FIUCEII SEIIES		
DRY1600	AAA, Procell, 4PK	CALL
DRY1601	AA, Procell, 4PK	CALL
DRY1602	C-Cell, Procell, 1PK	CALL
DRY1603	D-Cell, Procell, 1PK	CALL
DRY1604	9V. Procell, 1PK	CALL

























































TEST EQUIPMENT & METERS



















































<u> AudioControl</u>

AUDIO CONTROL SA3051/SA3052 1/3 OCTAVE ANALYZERS The SA3051 is a self contained professional grade 1/3-octave real-time audio analyzer. Features include 30 bands (25Hz-20kHz)




plus broadband SPL analyzing, 6 non-volatile memory locations plus averaging, digital SPL display w/0.1dB resolution, digital pink-noise generator and includes a calibrated microphone. The SA3052 adds an internal battery pack w/ intelligent charger, parallel printer port for hard copy documentation, and a soft carrying case. Both units use fourth order ANSI class II filters.

ITEM	DESCRIPTION	PRICE
SA3051	1/3-octave analyzer	925.88
SA3052	1/3-octave analyzer with battery and port	1324.16



BEHRINGER CT100 CABLE TESTER The CT100

cable tester is an intelligent CPU-controlled tester that accepts virtually any type of cable or connector. It features LED displays that show which input pin



ITEM	DESCRIPTION	PRICE
CT100	Cable tester	29.99

GALAXY AUDIO CM-130 CHECKMATE AUDIO TESTER Many of the same features as the CM-140 but at a lower price. It features a max function resolution of 0.5 dB with accuracy of \pm 2.0 dB, range of 40-130dB with 30dB of dynamic range covering 125Hz-8kHz. Battery life 110 hours.

ITEM	DESCRIPTION	PRICE
CM130-CHECKMATE	Audio tester	59.99

GALAXY AUDIO CM-140 CHECKMATE SPL METER/TESTER

The Check Mate is a mini-size, low-cost, high-performance IEC 651 Type II sound pressure level meter with MAX/MIN function, level range display, AC signal output, and a resolution of 0.1dB. It features an electret condenser microphone, selectable level ranges, frequency weightings A & C, time weightings fast & slow, an auxiliary AC signal output, and a frequency range from 31.5Hz-8kHz. Comes with a windscreen and battery.


ITEM	DESCRIPTION	PRICE
CM140-CHECKMATE	SPL meter/tester	129.99

GALAXY AUDIO CHECKMATE CM-150 SPL METER Extended range of measurement from 50-150dB with +/-1.5dB accuracy. Perfect for industrial measurements, factory worker safety, or any other loud environment. Freq. range 31.5Hz-8kHz, & can be software controlled and tripod mounted w/optional accessories (see below).

	(
ITEM	DESCRIPTION	PRICE
CM150-CHECKMATE	SPL meter	249.99
CM-BS-6	Tripod & carrying c	ase for CM-15029.99

GALAXY AUDIO CRICKET POLARITY AND **CONTINUITY TEST SET** The battery-powered

Cricket can test the absolute polarity of wireless microphones, mixers, effects devices, amps, cables, and speakers. Cricket makes it easy to



ITEM	DESCRIPTION	PRICE
CRICKET	Polarity tester	99.99

GOLD LINE

GOLD LINE GL1K MICROPHONE INPUT TESTER

Microphone input tester with tone generator & phantom power detector built into a standard 3-pin XLR male connector. If a voltage is present, a 1kHz will be sent into the microphone input and the LED lights.



TEM	DES	CRIPT	ION
L1K	Mic	input	tester

GOLD LINE APT2 ABSOLUTE PHASE/ POLARITY CHECKER The APT2/APT2B Polarity/ Phase Analyzers accurately determine the absolute polarity of speakers and signal processing devices. Comes in 2 housings – the pulse generator which drives the level of the speaker directly and second-

ly, the detector with built in condenser microphone. The APT2B offers the same features plus balanced outputs and inputs.

ITEM	DESCRIPTION				PRICE
APT2	Phase and Polarit	y checker		 	344.25
APT2B	Same as APT2 plu	is balanced I/	0	 	385.56

GOLD LINE PN2 PINK NOISE GENERATORS

ITEM

Pink-noise generators supply a flat noise source as a test signal for sound systems. The PN2 provides professional quality pink-noise for equalization/analysis, 1/4" output in a durable 9V powered case.



I	DESCRIPTION	PRICE
	Pink-noise generator	104.41

GOLD LINE IMPEDANCE METERS The ZM1 and ZM1P are unique test and measurement instruments useful to every sound contractor or installer. The ZM1 measures the impedance of loudspeakers and entire distributed loudspeaker systems as well as individual components (resistors, capacitors, inductors). It will also calculate the wattage that will be produced on an installed loudspeaker system. The ZM1P adds an overload protection circuit that prevents the meter from being damaged from amplifier output overloads up to 120VAC and a Tone Generator to improve system testing and performance.



ITEM	DESCRIPTION	PRICE
ZM1	. Impedance meter	428.48
ZM1P	Impedance meter with overload protection	522.16

GOLD LINE PORTABLE DIGITAL SPEECH INTELLIGIBILITY METERS Featuring a 600 ohm omni electret condenser mic, these models display results in CIS, and STI formats (PI formats displayable only on DSP2BP model), factoring in the effects of room acoustics & background noise. Both models also feature a RS232 interface and come with OPT STIC is $^{\scriptscriptstyle \mathsf{TM}}$

	ng case, and an STI-PA Test Tone CD. ncludes OPT PI firmware.	The Part of the
ITEM	DESCRIPTION	PRICE
	Portable digital speech intelligibility meter Portable digital speech privacy meter	

GOLD LINE TEFPRO AUDIO ANALYZER

KIT A dual-channel USB/DC powered analyzer. Includes Soundlab RTA and Soundlab TDS software modules, TEF preamp, TEF04 mic w/20ft cable & case. The RTA module measures in 1-, 1/2-, 1/3-, 1/6-, and 1/12-octave resolutions. Data can be viewed with a choice of A, B, or C weighting and other displays are peak hold, screen freeze, overlay & difference mode. The TDS module



identifies and treats reflections, measures the frequency response of reflections, and performs equalizations. TDS simplifies aligning clusters, setting delay lines & measurements of intelligibility. TDS will output pink-noise, white-noise & sine wave signals & will perform auto polarity test.

ITEM	DESCRIPTION	PRICE
TEF25-PROKIT	. Audio analyzer kit	2119.79







KALTMAN CREATIONS HANDHELD RF SPECTRUM

ANALYZERS Handheld, battery-operated, true spectrum analyzers ideally suited for helping avoid wireless microphone interference. Also measures RF exposure. The intra-day logging feature monitors RF activity so potential interference in the VHF, UHF, and WiFi bands can be spotted. 10 hot keys to address the more popular North America RF bands: Wi-Fi, industrial remotes, wireless microphone, business & emergency 2-way, assisted listening, Telco/cellular, intercom, and radio/TV broadcast. The LCD screen displays frequency and signal levels, and the internal audio demodulator allows for monitoring through the built-in speaker or external 2.5mm output jack. PC software allows for enhanced visual monitoring. The systems includes

an SMA full-range rod antenna, log periodic antenna, batteries & charger/AC adapter, PC software, mini-tripod stand, aluminum carrying case and more.

ITEM	DESCRIPTION		PRICE
HF4040	. Handheld RF analyzer system	10MHz-4GHz	1557.40
HF4060	. Handheld RF analyzer system	10MHz-6GHz	1864.20
HF6080	. Handheld RF analyzer system	1MHz-9.4GHz	CALL





NTI INSTRUMENTS MINIRATORS Powerful audio generators that offer a full-range of useful analog test signals for calibration, maintenance, and repair of professional audio equipment. They generate sine waves, sweep signals, white-/pink-noise, and polarity/delay test signals. In addition the MR-PRO may be loaded with proprietary user wave forms (via USB), and offers integrated cabletesting capabilities (via XLR input).



ITEM MR2	DESCRIPTION Test signal generator	PRICE 329.01
	Pro-test signal generator & cable tester	
NTI INSTRUME	NTS ML1 MINILYZER® This is a handheld	

analog audio meter that has a comprehensive set of functions for analysis of pro audio systems. It continuously measures the audio signal and displays the desired results on its integrated LCD display. Measurement functions include: Level RMS, relative, sound pressure level, VU & PPM meter, speaker polarity test, signal balance error, frequency-/time sweep recording, 1/3-octave spectrum RMS & SPL, and distortion analyzer (THD+N), k2-k5 harmonics. The optional MiniLink allows you to interface the ML1 with a PC via software and is user installable.



ITEM	DESCRIPTION	PRICE
ML1	Analog audio analyzer	689.29
MINILINK	USB interface, user installable option	343.74
MINI-SPL	Battery-powered measurement mic, optional	368.29

NTI INSTRUMENTS AL1 ACOUSTILYZER COMPACT **ACOUSTIC ANALYZER** A compact handheld instrument that has a wide range of acoustical measurement functions. Includes sound pressure level, room acoustics, speech intelligibility, reverberation time, delay time testing and monitoring as well as zoom FFT and a real-time spectrum analyzer. Features a USB interface for computer connectivity and a battery good for over 16 hours per charge. ITEM DESCRIPTION

.... Compact acoustical analyzer



NTI INSTRUMENTS DL1 DIGILYZER™ This device is a digital audio analyzer in a convenient palm-sized shape. It handles most digital audio formats including ADAT and sampling frequencies from 32Hz-96kHz. Features include AES3, S/PDIF, TOS-Link, ADAT input connections, carrier status analysis, carrier signal measurement, dual domain monitor speaker, and comprehensive event logger. Unit is powered by 3 AA batteries. The optional MiniLink allows you to interface the DL1 with a PC via software and is user installable.

ITEM	DESCRIPTION	PRICE
DL1	Digital audio analyzer	. 1570.38
MINILINK	USB interface, user installable option	343.74

PLATINUM TOOLS

& VIDEO TESTER Combines continuity testing, mapping, tone generation and length measurement functions into a single unit. It can identify and map 19 locations simultaneously. It will test voice, data and video cables, indicating shorts, opens, reversals, miswires and split pairs. Features include extra-large LCD display, RJ Voice and Data master remote and low power consumption with auto power-off function.



ITEM	DESCRIPTION	PRICE
T129	. VDV MapMaster 2.0	110.46
	. Coax Remote Set	
T121C	. Data Remote Set	29.71
T124C	. Master remote replacement	13.98
T125C	Toner cable RJ45/alligator	8.46
T126C	. No-fault cable	3.36
21025C	. RJ45 PortSaver	8.46

PLATINUM TOOL SNAP SHOT™ FAULT-FINDER & CABLE MEASUREMENT DEVICE This finds the cable length (up to 3,000ft) or distance to a fault condition, will measure cable distance on a spool, calibrates NVP values and features a tone generator for cable tracing and identification. It is accurate to 1% or better is immune to voltage, current or data stream disruptions. Other features include a large backlit LCD display, loop test function, and auto-off function to preserve battery life.



ITEM	DESCRIPTION	PRICE
TSS200	SnapShot™ fault-finder, length measurement device	259.95
4007	Hanging pouch	1925.00

PLATINUM TOOLS COAX CLARIFIER™ Makes it easy to discern the layout of a dark coax network, locate faults on individual cable runs, identify remotes through splitters, and determine cable run lengths. Separate wire mapping sets allow the entire coax system to be mapped. It can also be used to measure the quality and network characterization for carrying high grade video, surveillance data and HD programming.



ITEM	DESCRIPTION	PRICE
	. Coax Clarifier™ w/ 2 coax RF remotes, cable assemblies, adapters & pouch	329.95
TCC220	. Coax Clarifier™ w/ 4 coax RF remotes, cable assemblies, adapters & pouch	379.95

Looking for measurement mics? See General Condender Mics pages 54-62







































































































PYLE HDMI TESTER Use this tester to troubleshoot your HDMI cables. It tests every pin connection of standard "A" type HDMI connectors instantly indicating continuity status via 9

toro, motanti	maicating continuity status via v	
LEDs. All conf	nections are HDMI female type.	
Requires 1 9V I	battery, sold separately.	
ITEM	DESCRIPTION	
PHCT85	HDMI Tester	



PYLE PRO AUDIO CABLE TESTERS The PCT10 is an

8-in-1 model with connections for 1/8"TRS, 1/4"TRS, 3-pin XLRM, 3-pin XLRF, RCA phono,



4-pin Speakon and banana plugs. The PCT40 is a 12-in-1 model with connections for 1/4" TRS, 3-pin XLRM, 3-pin XLRF, 5-pin XLRM, 5-pin XLRF, 4-pin Speakon, 4-pin S-Type, banana plugs, 3-pin Din, 5-pin Din, 8-pin Din, USB-A and RJ45. Both models feature LED continuity indicators, 6-way switch for selecting connections to be tested and rugged, compact metal construction. Both require a 9V battery, sold separately.

ITEM	DESCRIPTION	PRICE
PCT10	. Cable tester, 8-in-1	21.57
PCT40	. Cable tester, 12-in-1	35.64
DRY0005	. 9V alkaline battery	3.49





ROLLS CS1000 CABLE SCANNER COMPLETE CABLE TESTER The

CS1000 tests 10 different types of cable ends - banana, Speakon, RCA, 1/4", 1/8",

XLR female, XLR male, MIDI, RJ11 and RJ45. Each cable being tested has its pin-out scanned for continuity as well as proper polarity. Features a balanced 1kHz Test Tone oscillator with a calibrated variable level control. The CS1000 also features phantom power voltage and polarity (both signals present) testing as well.

ITEM	DESCRIPTION	PRICE
CS1000	Cable tester	135.00





SM PRO AUDIO JACK-A-ROO MULTI FUNCTION TEST DEVICE A combination cable tester, signal generator, splitter, combiner, DI box and more all housed in a sturdy 2RU chassis. It boasts a wide array of front-panel inputs and outputs, including Neutrik XLR, 1/4" TRS, 1/8" TRS, RCA, BNC, 5-pin MIDI, RJ11 and RJ 45. Any input can feed any output, making it a snap to connect equipment with dissimilar I/O configurations. Transformer isolation, on-board continuously variable passive attenuators with true-switched bypass and banana plug connections for continuity testing are also included. It also sports a 100Hz/1kHz/10kHz signal generator, selectable output voltage power supply (AC & DC), ground lift and a monitor speaker. It can also function simultaneously as two separate devices, and multiple Jack-A-Roos can be linked via a standard RJ45 cable.

ITEM	DESCRIPTION	PRICE
SMP-JKR-1	Multifunction test device	649.99

whirlwind

WHIRLWIND AESQBOX A tester of AES-3 and S/PDIF digital audio systems that generates AES-3 or S/PDIF output signals over a sample frequency range from 32kHz-192kHz. Audio sources available for the signal generator/



transmitter function include a built-in microphone, a pair of tone generators, or an external line-level stereo audio source. It also functions as an AES-3 or S/PDIF receiver capable of receiving sample frequencies from 32kHz-192kHz, and can monitor audio content via a built-in speaker or line/headphone output jack.

ITEM	DESCRIPTION	PRICE
AES-QBOX	S/PDIF & AES-3 I/O, 1/8" TRS line-level audio in, 1/8"	
	TRS line-level/headphone out, and 5.5mm x 2.1mm	
	co-axial external power jack	532.73

WHIRLWIND DCT-9 CABLE TESTER Fast and accurate, it tests a variety of cables. It offers a digital test program that checks for correct wiring and displays any faults on the numeric display. It indicates several fault types including shorts, opens & crosswired conductors. A built-in test tone oscillator generates 440Hz & 1kHz tones for basic signal path tracing. It tests XLR, RCA phono, RJ-45, 1/4" TS, 1/4" TRS, BNC, TT Patch, NL4, & 1/8" TRS.



ITEM	DESCRIPTION	PRICE
DCT9	. Cable tester	89.04

WHIRLWIND DMX35 CABLE TESTER This cable tester checks 3- and 5-pin XLR DMX lighting cables and also indicates the presence of the DMX data signal when connected to a functioning control line. The 3-pin XLR jacks also test microphone cables for opens, shorts or reversed connections.



ITEM	DESCRIPTION	PRICE
DMX35T	DMX cable tester	162.47

WHIRLWIND MCT7 CABLE TESTER This diagnostic cable tester has connectors for analyzing almost any type of cable connection. The convenient rotary switch allows testing of each conductor within the cable and can determine the internal wiring configuration. Tests NL4, 5-pin DIN, BNC, XLR, TRS, RCA, and $3.5 \mathrm{mm}$ types.



ITEM	DESCRIPTION	PRICE
MCT7	Cable tester	122.54

WHIRLWIND QBOX REVISION 2 This is an all-in-one audio line tester ideal for live sound or installation work. Unit includes a microphone, a speaker, a test tone generator, outputs for standard headphones, a 1/4" jack for line in, or a 2k ohm (telephone) earpiece out, plus voltage presence LEDs for confirming phantom or intercom power. For an instant hands-free intercom, simply plug in headphones and hook up a Qbox on each end of a line. Unit is powered by a 9V battery.



ITEM	DESCRIPTION	PRICE
Q-BOX	Line tester	195.02

WHIRLWIND SC SERIES NL/EP TESTERS The SC series testers provide rapid, positive testing for multiline speaker cables. Rotating the central switch applies voltage to the cable conductors one-at-a-time. A SEND LED indicates the pin to which the voltage is being applied, and a RECEIVE LED indicates where it returns. This system clearly reveals shorts, opens, and cross-wires allowing you to test common combinations of speaker cables. All three models test 3-pin XLR cables as well.



ITEM	DESCRIPTION	PRICE
SC48RJ	. Tests 4- and 8-pin NL cables +RJ45 data cables	216.03
SC46EP	. Tests 4- and 6-pin EP cables	221.87
	. Tests 4- and 8-pin EP cables	
	·	







STUDIO CABLES | XLR - XLR



ESSENTIALS SERIES - ECONOMY

The Essentials Series features soldered connections and metal shells for durability at a great value. Available in lengths from 1' to 50'.

ITEM	LENGTH	PRICE
XF3-XM3-ES-15	15'	10.42
XF3-XM3-ES-25	25'	14.28
XF3-XM3-ES-50	50'	23.29



INDUSTRIAL SERIES - ECONOMY

The Industrial Series features a combination of low capacitance cable and soldered connectors with gold-plated contacts. Available in 20', 30' and 50' lengths.

ITEM	LENGTH	PRICE
MIC-20	20'	12.31
MIC-30	30'	15.17
MIC-50	50'	23.65



INDUSTRIAL AES SERIES

The Industrial AES Series features a combination of low capacitance AES/EBU quality microphone cable and soldered connectors with gold-plated contacts. Available in Lengths from 1' to 200'.

ITEM	LENGTH	PRICE
MIC-D-XX-15	15'	20.42
MIC-D-XX-25	25'	28.27
MIC-D-XX-50	50'	48.06



PREMIUM SERIES

The Premium Series utilizes a proprietary, low capacitance Belden cable with a high strand count of oxygen-free copper. -HD models are terminated with Neutrik X-HD connectors with weather-resistant O-rings. Made in the U.S.A. Available in lengths from 1' to 200'.

ITEM	LENGTH	PRICE
MIC-AN-XX-25-STD	25'	52.79
MIC-AN-XX-25-HD	25'	59.13

EANARE



MC SERIES

Lower-priced heavy-duty star quad microphone cables. 4-conductor design cancels electromagnetic noise. 3-Pin XLR male to XLR Female connectors. Available in lengths from 3' to 50'.

ITEM	LENGTH	PRICE
MC15F		28.98
MC25F	25'	37.84
MC50F	50'	60.40



STAR QUAD SERIES

4-conductor cable cancels electromagnetic noise. Hand-soldered Neutrik XLR-3 connectors with black chrome shells and gold-plated pins. Available in lengths from 5° to 100° and several jacket colors.

ITEM	LENGTH	PRICE
EC015F	15'	42.71
EC025F	25'	47.58
EC050F	50'	59.48



HMIC-025

Silver-plated REAN connectors, 24 gauge Oxygen-Free Copper conductors for enhanced signal clarity and 90% OFC spiral shield for effective EMI and RFI rejection and flexibility. HXX models are 24 gauge and designed for studio interconnect applications while HMIC models are 20 Gauge and designed to be used as microphone cables.

ITEM	LENGTH	PRICE
HXX-005	5'	10.26
HXX-010	10'	13.08
HMIC-025	25'	28.59
HMIC-050	50'	48.99
HMIC-100	100'	90.15

mogami



GOLD STUDIO SERIES

Wired with Neglex Studio Quad for clarity and freedom from noise and RF interference. XLR connectors with gold-plated pins and black bodies. Available in lengths from 6' to 50'.

ITEM	LENGTH	PRICE
GOLD-STUDIO-15	15'	54.95
GOLD-STUDIO-25	25'	69.95
GOLD-STUDIO-50	50'	109.95

® PRO CO



24 Gauge twisted pair cables with spiral shield and molded Neutrik XLR connectors on both ends. Available in lengths from 10' to 50'.

ITEM	LENGTH	PRICE
15-MIC		12.48
25-MIC	25'	17.48
50-MIC	50'	27.98



MASTERMIKE SERIES

24 gauge twisted pair cables with braided shield and black Amphenol XLR connectors on both ends. Available in lengths from 1' to 200'

ITEM 15_MIC_YY	LENGTH 15'	PRICE
	25'	
50-MIC-XX	50'	56.47



AMERIQUAD SERIES

24 gauge cables with two tight-twist inner quad conductors for maximum conductivity and noise reduction. They also feature a braided shield, double jacket with Kevlar core and black Neutrik XLR connectors with gold-plated contact pins. Available in lengths from 10' to 200'.

ITEM	LENGTH	PRICE
15-MIC-XX-SQ	15'	45.17
25-MIC-XX-SQ	25'	54.63
50-MIC-XX-SQ	50'	70.63

whirlwind



STANDARD SERIES

Extremely flexible Accusonic +2 cable with finely stranded center conductors and braided shield. Fitted with Whirlwind XLR connectors. Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
MK415	15'	30.45
MK425	25'	38.18
MK450	50'	58.67

MICROPHONE CABLES



Superior transient response for a quick, natural sound. Neutrik XLR connectors, BigFoot 1/4" TS connectors and ArmorFlex outer jackets. Available in lengths from 1' to 50'.

ITEM	LENGTH	PRICE
15-MIC-XQ	15'	21.02
25-MIC-XQ	25'	23.32
50-MIC-XQ	50'	26.77

MICROPHONE CABLES XLR - 1/8"



INDUSTRIAL SERIES

Available in lengths from 1' to 25', some available with right angle connectors.

ITEM	LENGTH	PRICE
XF3-M2-5	5'	6.31
XF3-M2-15	15'	9.33
XF3-M2-25	25'	12.34



Right angle 1/8" TRS mini to XLR connectors. Connect the stereo output of portable CD Players, MP3 players, etc. to a single mono XLR output. Available in lengths from 1' to 15'.

ITEM	XLR TYPE	LENGTH	PRICE
XVM115M	Male	15'	10.62
XVM115F	Female	15'	10.89

Science and Performance

The Cable Up family is broken down into three distinct lines -

Premium, Industrial and Essentials.

PREMIUM

Low capacitance cables excellent for live sound and broadcast applications, as well as digital and analog audio recording. Designed for long, reliable life during heavy professional use.

INDUSTRIAL

High-performance, yet rugged combination of low capacitance AES/EBU quality cable and connectors with gold-plated contacts for everyday use at a competitive price.

This line of economy grade cables are durable, robust and priced to fit any budget.









































































































MIC SNAKE CABLES **LIVE SNAKES**



STAGEMASTER ECONOMY SERIES

Rugged design with the latest in connectors and a cable that is extremely flexible for easy coiling. The reliable no-solder contact points eliminate highly resistive connections. Available in 50' and 100' lengths.

ITEM	SEND/RET		
SMA0804FBX-100			
SMA1604FBX-100	16 x 4	100'	533.28
SMA2404FBX-100	24 x 4	100'	784.91



MEDUSA SERIES Powder-coated stageboxes with Belden CM rated multipair cable. Each pair contains two twisted 24 gauge 7 x 32 polyethylene insulated conductors with 100% foil shield and 24 gauge gain wire. Available in 25', 50' and 100' lengths.

0 0 0			
ITEM	SEND/RET	LENGTH	PRICE
MS08-4-XL-100	8x4	100'	380.51
MS12-4-XL-100	12x4	100'	441.12
MS24-4-XL-100	24 x 4	100'	721.67

STUDIO CABLES XLR-RCA UNBALANCED



ESSENTIALS SERIES Available in lengths from 2' to 20'.

ITEM	XLR TYPE	LENGTH	PRICE
XF3-RM-ES-20	Female	20'	11.53
XM3-RM-ES-20	Male	20'	11.21



INDUSTRIAL SERIES

Available in lengths from 3' to 15'.

ITEM	XLR TYPE	LENGTH	PRICE
XF3-RM-15	Female	15'	11.49
XM3-RM-15	Male	15'	10.91

Hosa



These cables feature oxygen-free copper conductors, OFC spiral shield and nickel-plated connectors. Available in lengths from 2' to 20'

-			
ITEM	XLR TYPE	LENGTH	PRICE
XRF120	Female	20'	8.24
XRM120	Male	20'	8.40



PRO SERIES

These cables feature silver-plated REAN connectors for superior signal transfer, 24 gauge conductors for enhanced signal clarity and a 90% Oxygen-Free Copper spiral shield. Available in lengths from 1.5' to 20'.

ITEM	XLR TYPE	LENGTH	PRICE
HRX-015	Male	15'	10.22
HXR020	Male	20'	12.20

STUDIO CABLES XLR-1/4" TRS BALANCED



Available in lengths from 1' to 25'.

ITEM	XLR TYPE	LENGTH	PRICE
XF3-PM3-ES-25	Female	25'	13.95
XM3-PM3-ES-25	Male	25'	13.82



INDUSTRIAL SERIES

Available in lengths from 1' to 25'.

ITEM	XLR TYPE	LENGTH	PRICE
XF3-P3-25	Female	25'	29.62
XM3-P3-25.	Male	25'	29.43



CABLES BUILT FOR THE PROS

mogami



STAR-QUAD

Made with Star-Quad cable to reduce induced noise with gold-plated contacts on TRS and XLR connectors. Available in lengths from 6' to 20'.

ITEM	XLR TYPE	LENGTH	PRICE
GOLD-TRS-XLRF-20	Female	20'	65.95
GOLD-TRS-XLRM-20	Male	20'	65.95



CUSTOM SERIES

Featuring double-molding, double-insulation and double-shielding, these cables deliver an ultra-clean signal. The patent-pending swivel XLR plug fits into tight spaces. Available only in the lengths shown below.

ITEM	XLR TYPE	LENGTH	PRICE
PW-GMMS-05.	Male	5'	16.14
PW-GMMS-10	Male	10'	21.52



Featuring 224S Armorflex jacketed 2-conductor cable with spiral shield. They have a ShowSavers TRS plug on one end and a Neutrik XLR female plug on the other. Available in lengths from 5' to 20'.

ITEM	XLR TYPE	LENGTH	PRICE
BPBQXF-20	Female	20'	24.06
BPBQXM-20	Male	20'	24.06

whirlwind



ST SERIES

1/4" TRS plug wired to XLR connectors. The tip of the TRS plug is wired to pin 2 of the XLR connector. Available in lengths from 6' to 25'.

ITEM	XLR TYPE	LENGTH	PRIC
STF25	Female	25'	34.78
STM25	Male	25'	35.54

STUDIO CABLES XLR-1/4" TS UNBALANCED

CABLE UP/

ESSENTIALS SERIES

Available in lengths from 2' to 20'

ITEM	XLR TYPE	LENGTH	PRICE
XF3-PM2-ES-20	Female	20'	11.76
XM3-PM2-ES-15	Male	15'	10.06



INDUSTRIAL SERIES

Available in lengths from 1' to 50'.

	-		
ITEM	XLR TYPE	LENGTH	PRICE
XF3-PM2-15	Female	15'	11.78
XM3-PM2-15.	Male	15'	11.78





PRO SERIES

REAN® connectors, 24AWG OFC conductor, 90% OFC spiral shield. Available in lengths from 1.5' to 15' (HXP) and 5' to 10' (HPX).

ITEM	XLR TYPE	LENGTH	PRICE
HXP-010	Female	10'	12.60
HPX010	Male	10'	8.16

RCA-RCA SINGLE STUDIO CABLES

ESSENTIALS SERIES Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
RM-RM-ES-15		8.33
RM-RM-ES-25	25'	12.90
RM-RM-ES-50	50'	20.06



INDUSTRIAL SERIES

Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
RM-RM-15	15'	12.75
RM-RM-20	20'	14.71
RM-RM-50	50'	26.47

Hosa



PRO SERIES

Silver-plated REAN connectors, 20AWG OFC conductors, 90% OFC braided shield. Available in lengths from 1.5' to 100'.

ITEM	LENGTH	PRICE
HRR-003	3'	10.14
HRR-005	5'	11.13
HRR-010	10'	13.59



only in the lengths shown below.

PURE PATCH SERIES Constructed with super-flexible Neglex OFC cable and high performance polymer encapsulated terminations. These cables deliver superb noise rejection and clarity. Available

ITEM	LENGTH	PRICE
RRO3-PUREPATCH	3'	18.95
RRO6-PUREPATCH	6'	21.95
RR10-PUREPATCH	10'	26.95











Hosa Pro Series Cables are engineered to deliver years of rock-solid reliability. Combining REAN® connectors by Neutrik AG with world-class manufacturing techniques, they redefine what performance and value are all about.



Hosa Pro Microphone Cables

HMIC - XLR3F to XLR3M HMIC-HZ - XLR3F to 1/4 in TS

- Silver-plated REAN connectors for superior signal transfer
- 20 AWG Oxygen-Free Copper (OFC) conductors for a louder, clearer signal
- · 90% OFC braided shield for a higher signal to noise ratio



Hosa Pro Guitar Cables

HGTR - Straight to Same HGTR-R - Straight to Right-angle HGTR-RR - Right-angle to Same

- Nickel-plated REAN plugs for efficient signal transfer and superior durability
- 20 AWG Oxygen-Free Copper (OFC) conductor for a louder, clearer signal
- · 90% OFC braided shield for a higher signal to noise ratio



Hosa Pro Balanced Interconnects

HXX - XLR3F to XLR3M

HXS - XLR3F to 1/4 in TRS

HSX - 1/4 in TRS to XLR3M

HSS - 1/4 in TRS to Same

- REAN connectors for superior signal transfer and rugged durability
- 24 AWG Oxygen-Free Copper (OFC) conductors for enhanced signal clarity
- 90% OFC spiral shield for a higher signal to noise ratio



Hosa Pro Unbalanced Interconnects

HPP - 1/4 in TS to Same

HPR - 1/4 in TS to RCA

HXP - XLR3F to 1/4 in TS

HRR - RCA to RCA

HPX - 1/4 in TS to XLR3M

HXR - XLR3F to RCA

HRX - RCA to XLR3M

REAN connectors for superior signal transfer and rugged durability

- 24 AWG Oxygen-Free Copper (OFC) conductor for enhanced signal clarity
- 90% OFC spiral shield for a higher signal to noise ratio



800-356-5844 FULLCOMPASS.COM

















































STUDIO CABLES | RCA-1/4' TS UNBALANCED

ESSENTIALS SERIES

Available in lengths from 3' to 15'.

ITEM	LENGTH	PRICE
PM2-RM-ES-5	5'	7.81
PM2-RM-ES-10	10'	9.60
PM2-RM-ES-15	15'	11.40



INDUSTRIAL SERIES Available in lengths from 3' to 15'

	J		
ITEM	CONNECTOR TYPE	LENGTH	PRICE
RM-PM2-10	Straight 1/4"	10'	10.62
RM-PM2R-10	Right Angle 1/4"	10'	10.99



PRO SERIES

Silver-plated REAN connectors, 20AWG OFC conductors, 90% OFC braided shield. Available in lengths from 1.5' to 100'.

ITEM	LENGTH	PRICE
HPR003	3'	9.27
HPR-005	5'	10.50
HPR-010	10'	13.08

STUDIO CABLES RCA-RCA DUAL





ESSENTIALS SERIES

Available in lengths from 1' to 20'.

ITEM	LENGTH	PRICE
RMD-RMD-5	5'	8.43
RMD-RMD-10	10'	10.62
RMD-RMD-20	20'	15.13

Hosa



PRO SERIES

Silver-plated REAN connectors, 20AWG OFC conductors, 90%OFC braided shield. Available in lengths from 1.5' to 100'.

ITEM	LENGTH	PRICE
HRR-003X2	3'	18.54
HRR005X2	5'	13.44
HRR-010X2	10'	24.48



MOLDED W/ GOLD-PLATED CONNECTORS

These cables feature oxygen-free copper conductors and oxygen-free spiral shield. Gold-plated plugs offer superior signal transfer and resistance to corrosion. Available in lengths from 3.3' to 13.2'.

-			
ITEM	TYPE	LENGTH	PRICE
CRA201AU	Molded Connectors	3.3'	6.93
CRA202AU	Molded Connectors	6.6'	8.64

STUDIO CABLES | RCA-1/4" TS DUAL UNBAL



ESSENTIALS SERIES

Only available in the lengths shown below.

ITEM	LENGTH	PRICI
PM2D-RMD-3	3'	7.94
PM2D-RMD-10	10'	10.88
PM2D-RMD-20	20'	15.13

| | I | O S G



These cables feature oxygen-free copper conductors and oxygen-free spiral shield. They also feature nickel-plated plugs. Available in lengths from 3.3' to 20'.

ITEM	LENGTH	PRICE
CPR201	3.3'	6.93
CPR202	6.6'	8.52
CPR203	9.9'	10.14

₩ PRO CO



EXCELLINES

These cables are built from ProCo 2120SM 2-conductor wire with a spiral shield and two ShowSavers 1/4" phone plugs on one end with two ProCo HD RCA phono plugs on the other.

ITEM	LENGTH	PRICE
DKQR10	10'	27.95
DKQR20	20'	35.26
DKQR25	25'	38.94

STUDIO CABLES 1/4" TS UNBALANCED

CABLE UP/



ESSENTIALS SERIES

Available in lengths from 3' to 20'.

ITEM	LENGTH	PRICE
PM2-PM2-ES-10	10'	9.77
PM2-PM2-ES-15	15'	11.63
PM2-PM2-ES-20	20'	13.33

INDUSTRIAL SERIES

Available in lengths from 0.5' to 50', some models available with right-angle connectors.

ITEM	LENGTH	PRICE
PM2-PM2-10	10'	10.42
PM2-PM2-15	15'	12.38
PM2-PM2-20	20'	14.33

Hosa



PRO SERIES

Silver-plated REAN connectors, 20AWG OFC conductors, 90% OFC braided shield. Available in lengths from 1.5' to 20'.

ITEM	LENGTH	PRICE
HPP-003	3'	8.64
HPP-005	5'	9.90
HPP-010	10'	12.48
HPP-015	15'	14.97
HPP-020	20'	17.55

STUDIO CABLES 1/4" TS DUAL UNBALANCED

CABLE UP



ESSENTIALS SERIES

Only available in the lengths shown below.

ITEM		PRICE
PM2D-PM2D-3	3'	8.85
PM2D-PM2D-10	10'	11.73
PM2D-PM2D-15	15'	14.11

Hosa



MOLDED

These cables feature oxygen-free copper conductors and oxygen-free spiral shield. They also feature nickel-plated plugs. Available in lengths from 3.3' to 13.2'.

ITEM CPP201		PRICE 7 29
CPP202		
CPP203	9.9'	10.14

STUDIO CABLES | 1/4" TRS DUAL BALANCED

CABLE UP/



ESSENTIALS SERIES

Available in lengths from 1' to 50'.

ITEM	LENGTH	PRICE
PM3D-PM3D-3	3'	9.87
PM3D-PM3D-10	10'	13.95
PM3D-PM3D-20	20'	19.96

Hosa



MOLDED

These cables feature oxygen-free copper conductors and oxygen-free spiral shield. They also feature nickel-plated plugs. Available in lengths from 3.3' to 13.2'.

ITEM CSS201		PRICE 5.94
CSS202	6.6'	7.08
CSS203	9.9'	8.32



PREMIUM

Ultimate Durability & Performance

INDUSTRIAL

High Bandwidth / Low Capacitance



Studio & Stage Tough

















































STUDIO CABLES 1/4" GUITAR/INSTRUMENT



1/4" TRS BALANCED

Available in lengths from 1' to 50'.

STUDIO CABLES

ITEM	LENGTH	PRICE
PM3-PM3-ES-10	10'	7.84
PM3-PM3-ES-15	15'	9.34
PM3-PM3-ES-25	25'	12.48



INDUSTRIAL SERIES Available in lengths from 0.5' to 50'.

ITEM	LENGTH	PRICE
PM3-PM3-10	10'	19.26
PM3-PM3-15	15'	23.21
PM3-PM3-20	20'	27.14



Oxygen-free copper conductors & spiral shield with nickelplated plugs. Available in lengths from 1' to 25'.

ITEM	LENGTH	PRICE
CSS110	10'	5.36
CSS115	15'	6.52
CSS125	25'	8.66



PRO SERIES

With nickel-plated REAN plugs for efficient signal transfer, oxygen-free copper conductors for enhanced clarity and an oxygen-free copper spiral shield for effective EMI and RFI rejection & flexibility. Only available in lengths listed below.

ITEM	LENGTH	PRICE
HSS010	10'	9.64
U0004F		11.80

₩ PRO CO

EXCELLINES WITH 223B WIRE

These cables are built with ProCo's 224S Armorflex jacketed 2-conductor cable with spiral shield and ShowSavers TRS phone plugs at each end. Available in lengths from 3' to 50'.

ITEM	LENGTH	PRICE
BP10	10'	18.29
BP15	15'	21.16
BP25	25'	26.93

whirlwind



Accusonic +2 two-conductor shielded cable with 1/4" TRS plugs at each end. Available in lengths from 1' to 50'.

ITEM	LENGTH	PRICE
ST10	10'	28.54
ST15	15'	31.92
ST25	25'	38.66

STUDIO CABLES	1/4" Y, PARALLEL
CABLE UP	
	- 3=
INDUSTRIAL SER Available in lengths fro	
YP-PM3-PF3D-0.5 1/4	CONNECTOR TYPE LENGTH PRICE '4" TS M - 2 x 1/4" TS M 0.5' 9.58 " TRS M - 2 x 1/4" TRS F 0.5' 10.37

YP-PM2-RMD-0.5 1/4" TRS M - 2 X RCA M 0.5'

INDUSTRIAL SERIES

These cables feature a combination of low capacitance cable and soldered connectors with gold-plated contacts. The dark gray braided cloth outer jacket stands up to hard usage, yet remains kink free and flexible.

ITEM	CONNECTOR TYPE Straight		
	(1) Right Angle		
G-BG-0.5-RR	(2) Right Angles	0.5'	5.79



Instrument cables built with low capacitance, low-loss polyethylene insulation and oxygen-free copper cores. A conductive plastic PVC layer next to the copper braided shield minimizes static noise due to mechanical movement. Available in lengths from 12' to 25'.

_			
ITEM	CONNECTOR TYPE	LENGTH	PRICE
G-HT-25	Straight	25'	19.48
G-HT-25-R	Right Angle	25'	19 76

Hosa



Sliver-plated REAN® connectors, 20AWG OFC conductors, 90% OFC braided shield. Available with straight or right angle connectors, in lengths from .5' to 25'.

ITEM	LENGTH	CONNECTORS	PRICE
HGTR-020	20'	Straight to straight	24.24
HGTR-025	25'	Straight to straight	28.08
HGTR-020R	20'	Straight to right angle	24.48
HGTR-025R	25'	Straight to right angle	28.44
HGTR-001RR	1'	Right Angle to right angle .	9.78

₩ PRO CO



ECONOMY SERIES

Built with 20 gauge 120S1 cable, which features dual shielding and a rugged, flexible jacket. Terminated with Amphenol ACPM-GN plugs. Available in lengths from 3' to 25'.

ITEM	LENGTH	PRICE
SEG10	10'	6.79
SEG15		8.26
SEG25	25'	11.25



EXCELLINES

ShowSavers standard 1/4" connectors and 23rd generation Pro Co 120S1 wire are used to construct the Excellines series. Available in lengths from 1' to 50'

ITEM	LENGTH	PRICE
EG10	10'	10.17
EG15	15'	12.58
EG25	25'	15.62

LAVA 6 CABLE

MAGMA SERIES

G&H Industries ShowSavers connectors, 19% pure copper low strand count conductor and 95% spiral shield. Available in lengths from 5' to 30'

ITEM	LENGTH	PRICE
LCMG15	15'	26.95
LCMG20	20'	29.95
LCMG30	30'	35.95

STUDIO CABLES | 1/4" GUITAR/INSTRUMENT



Coiled cables with a 99.99% pure oxygen-free low strand count copper conductor and ShowSaver 1/4" plugs. One straight and one right angle connector.

ITEM	COLOR	LENGTH	PRICE
LCRCROS	Orange	25'	64.95
LCRCRMS	Red	25'	64.95
LCRCRMB	Blue	25'	64.95

ULTRAMAFIC™ SERIES

Features purple outer jacket and dielectric, 18AWG CDA102 silver plated low strand count copper conductor and 97% silver plated copper shielding. Its capacitance is 25 pF/ft - minimizing early high frequency roll off and providing premium note articulation. Available in lengths from 1' to 30'

ITEM	CONNECTOR TYPE	LENGTH	PRICE
LCUF15	Straight	15'	102.95
LCUF20	Straight	20'	124.95
LCUF25	Straight	25'	144.95

whirlwind



LEADER SERIES

Patented cable grip absorbs straining. Flexible boot extension resists breakage. Only available in the lengths shown below.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
L03	Straight	3'	15.30
L10	Straight	10'	21.44
L25	Straight	25'	32.04
L10R	(1) Right Angle	10'	26.70
L18R	(1) Right Angle	18'	32.41

STUDIO CABLES | HEADPHONE EXTENSION



Available in	lengths from	10' to 50'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
PM3-MF3-25	i 1/4"M - 1/8"F	25'	12.72
PM3-PF3-25	1/4"M - 1/4"F	25'	31.99

SEND/RETURN
THE RESERVE THE

INDUSTRIAL SERIES

Partial listing, call or visit our website for more options.

ITEM	CONNECTOR TYPE	LENGTH PRICE
YS-M3-MF2D-0.5 1/8	" TRS M - 2 x 1/8" TS F	9.99
YS-M3-PF2D-0.5 1/8	" TRS M - 2 x 1/4" TS F	9.42
YS-M3-PM2D-10 1/8	" TRS M - 2 x 1/4" TS N	I10'13.60
YS-M3-RMD-10 1/	'8" TRS M - 2 x RCA M	10'13.60
YS-PM3-RMD-151/	4" TRS M - 2 x RCA M	15'15.08



STW SFRIFS

One 1/4" TRS plug wired to two 1/4 TS plugs for use when insertion send and return signals are accessed through the same TRS jack.

ITEM	LENGTH	PRICE
STWY05	5'	38.02
	10'	



















































STUDIO CABLES 1/8" TRS Y, PARALLEL

INDUSTRIAL SERIES

Available in lengths from 0.5' to 25'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
YP-M3-MF3D-0.5 1/8	" TRS M - 2 x 1/8" TRS F	0.5'	10.43
YP-M3-M3D-31/8	"TRS M - 2 x 1/8" TRS M .	3'	10.77
YP-M3-PM3D-101/8	" TRS M - 2 x 1/4" TRS M .	10'	13.60

STUDIO CABLES | 1/8" TRS TO DIFFERENT



INDUSTRIAL SERIES

Available in lengths from 1' to 15'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
M3-M3-5	1/8" TRS M -1/8" TRS M	5'	14.58
M3-P2-5	1/8" TRS M - 1/4" TS M	5'	6.41
M3-P3-5	1/8" TRS M - 1/4" TRS M	5'	14.95
M3-XF3-5	1/8" TRS M - XLR F	5'	13.66

STUDIO SNAKES LINE LEVEL SNAKES



Hosa **LINE LEVEL SNAKES**

Ideal for connecting mixing consoles to outboard gear and studio applications. Available in lengths from 6.6' to 23.1'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
CRA802	RCA M - RCA M x 8	6.6'	19.72
CPP802	1/4" TS M - 1/4" TS M x 8	6.6'	22.26
CSS802	1/4" TRS M - 1/4" TRS M x 8	6.6'	31.34
XLR803	XLR M - XLR F x 8	9.9'	56.06
CPR802	RCA M - 1/4" TS M x 8	6.6'	20.60
STX802F	XLR F - 1/4" TRS M x 8	6.6'	51.53
STX802M	XLR M - 1/4" TRS M x 8	6.6'	47.42



LINE LEVEL SNAKES

Pro Co Studio and Stage Patching snakes are available in 4, 8, 16, and 24 channel configurations with XLRF, XLRM and TRS connector options. Available in lengths from 10' to 250'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
MT8XFXM-10	XLR M - XLR F x 8	10'	.115.73
MT16XFXM-10.	XLR M - XLR F x 16	10'	.262.68
MT8BQXM-10	XLR M - 1/4" TRS M x 8	10'	.107.18
MT16BQXM-10	XLR M - 1/4" TRS M x 16	10'	.203.52
MT8BQXF-10	XLR F - 1/4" TRS M x 8	10'	.112.88



These cables are used at the insertion points of a mixer to connect signal processors, etc. Only available in the lengths shown below.

ITEM		C	ONNI	ECT	OR	T	YPE		LENGTH	PRICE
STP802	4 x	1/4"	TRS	M	- 8	χ	1/4"	TS	M 6.6'	21.10
STP803	4 x	1/4"	TRS	М	- 8	Х	1/4"	TS	M10'	26.80
STP804	4 x	1/4"	TRS	M	- 8	х	1/4"	TS	M14'	32.80

STUDIO SNAKES | DB25-PIN ANALOG/DIGITAL



Hosa TASCAM COMPATIBLE

Analog breakout snake cables with Tascam pinout. Available in lengths from 3' to 15'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
DBD310	25-Pin D-Sub - 25-Pin D-Sub	10'	27.04
DTM803	25-Pin D-Sub - XLR M	10'	30.92
DTF803	25-Pin D-Sub - XLR F	10'	33.39
DTM807	25-Pin D-Sub - XLR M	23.1'	44.58
DTP803	25-Pin D-Sub - 1/4" TRS M	10'	31.67



TASCAM, MACKIE & PRO TOOLS COMPATIBLE

Analog D-Sub multitrack recording cable compatible with Mackie, Tascam, Pro Tools, Radar and Otari. Available in lengths from 5' to 15'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
DA88Q-10	25-Pin D-Sub - 1/4" TRS M	10'	68.38
DA88XM-10	25-Pin D-Sub - XLR M	10'	.110.47
DARRYF-10	25-Pin D-Sub - XI R F	10'	117 31



DB25 MODULAR SNAKE SYSTEMS

Four interchangeable breakout connectors (1/4" TRS, XLR-F, XLR-M & 4-XLR-F/4-XLR-M) can be connected to a core cable (of 5', 10' or 25' length). Features oxygen-free conductors, 100% shielding and Amphenol gold-plated connectors.

ITEM	LENGTH	PRICE
PW-DB25MM-05	5' M-M DB25 Core Modular Snake Cable	17.60
PW-DB25MM-10	10' M-M DB25 Core Modular Snake Cable	23.48
PW-DB25MM-25	25' M-M DB25 Core Modular Snake Cable	35.21
PW-TRSB-01	DB25 - 8 x 1/4" TRS Connectors	35.21
PW-XLRFB-01	DB25 - 8 x XLR F Connectors	49.59
PW-XLRMB-01	DB25 - 8 x XLR M Connectors	58.68
PW-XLRMFB-01	DB22 - 4 x XLR M & 4 x XLR F Connectors .	49.59





INDUSTRIAL High Bandwidth / Low Capacitance



DIGITAL AUDIO

CABLE UP/





WORD CLOCK

INDUSTRIAL SERIES

Available in lengths from 3' to 20'.

ITEM	LENGTH	PRICE
BNC-BNC-10	10'	24.91
BNC-BNC-15	15'	29.94
BNC-BNC-20	20'	35.06







75 ohm BNC male to BNC male coaxial cable for use with video and word clock applications. Available in lengths from 3' to 50'.

ITEM	LENGTH	PRICE
BNC59-110	10'	8.75
BNC59-115	15'	10.30
BNC59-125	25'	14.03

DIGITAL AUDIO CATEGORY 5E (CAT5)



ESSENTIALS SERIES - MOLDED

Available in lengths from 3' to 150'.

ITEM	LENGTH	PRICE
CAT5E-10-BLK	10'	6.14
CAT5E-25-BLK	25'	10.23
CAT5E-50-BLK	50'	23.29

Comprehensive



DURACAT

Designed to mate with standard RJ45 panel mount connectors, this solid core Cat5 cable made with Duracat wire has a thick protective jacket. Available in lengths from 10' to 300'.

ITEM	LENGTH	
DURACAT-10	10'	18.39
DURACAT-25	25'	23.99
DURACAT-50	50'	32.79





DURACAT - ETHERCON LOCKING

This solid core Cat5 cable is made with Duracat wire and has a thick protective jacket. It features Neutrik locking ends (will not mate with standard Cat5 jacks). Available in lengths from 10' to 300'.

ITEM	LENGTH	PRICE
DURACAT-10NN	10'	39.99
DURACAT-25NN	25'	44.79
DURACAT-50NN	50'	54.39



These enhanced Cat5 cables are rated at 305MHz. Only available in the lengths shown below.

ITEM	LENGTH	PRICE
CAT503E-BLK		2.37
CAT505-BLK	5'	2.77
CAT510-BLK	10'	4.03





Hosa



Follow us!

DIGITAL AUDIO | FIBER OPTIC / TOSLINK



ESSENTIALS SERIES - MOLDED

The Essential line of Fiber Optic Toslink cable boasts clear signal transmission, low signal loss and secure connections. Available in lengths from 2' to 50'.

ITEM	LENGTH	PRICE
OPT-10	10'	13.99
OPT-30	30'	25.99
OPT-50	50'	38.19



Z SERIES

Molded connector housings, 1mm polymer fiber optic core in a flexible PVC jacket. Available in lengths from 3' to 45'

ITEM	LENGTH	PRICE
ZTOS2	7'	25.60
ZTOS6	20'	46.80
ZTOS15	50'	92.40

DIGITAL AUDIO S/PDIF - RCA-RCA

ESSENTIALS SERIES - MOLDED

This cable is 75 ohms and can be used for video applications as well. Available in lengths from 3.3' to 19.7'.

ITEM	LENGTH	PRICE
SPDIF-RM-1M	3.3'	6.40
SPDIF-RM-2M	6.6'	7.51
SPDIF-RM-4M	13.1'	10.49





DRA-500 SERIES

The DRA-500 series features gold plated RCA connectors and spring strain-relief. 75 ohms, can also be used for video applications. Available in lengths from 3.3' to 12.2'.

ITEM	LENGTH	PRICE
DRA501	3.3'	9.03
DRA502	6.6'	11.13
DRA503	9.9'	13.35

DIGITAL AUDIO AES/EBU - XLR-XLR

INDUSTRIAL AES SERIES

The Industrial AES Series features low capacitance AES/ EBU quality microphone cable and soldered connectors with gold-plated contacts. Available in lengths from 1' to 200'.

ITEM	LLIIUIII	
	10'	
	50'	

Hosa



AES/EBU CABLES

Made with Belden 110 ohm cable and Neutrik 3-pin XLR connectors. Available in lengths from 3' to 20'.

ITEM	LENGTH	PRICE
AES003	3'	41.30
AES015	15'	98.22
AES020	20'	121.77

MIDI CABLES

Hosa

MIDI CABLES

These MIDI cables are wired 5-pin discrete and feature oxygen-free copper conductors, oxygen-free spiral shield and nickel-plated plugs. Available in lengths from

ITEM	LENGTH	PRICE
MID-310	10'	8.28
MID-510	10'	9.90

₩ PRO CO



MIDI CABLES

For connecting MIDI and 5-pin DIN control devices. Built with ProCo 424F wire and Neutrik NYS322 plugs. Available in lengths from 1' to 50'.

ITEM	LENGTH	PRICE
MIDI-10	10'	18.95
MIDI-25	25'	25.07
MIDI-50	50'	35.49

SPEAKER CABLES 1/4" PHONE - 1/4" PHONE



ESSENTIALS SERIES

Available in lengths from 3' to 100'.

ITEM	WIRE SIZE	LENGTH	PRICE
SPK12/2-PP-25	. 12 Gauge	25'	35.80
SPK16/2-PP-25	. 16 Gauge	25'	20.09



PREMIUM SERIES

Made in the U.S.A. Available in lengths from 3' to 150'.

ITEM	LENGTH	PRICE
SPK12-PP-25-NE0	25'	36.21
SPK12-PP-50-NE0	50'	55.79
SPK12-PP-100-NE0	100'	94.76

₩ PRO CO



EXCELLINES SERIES

ProCo's low capacitance, low inductance PowerPlus wire, made of high-purity stranded copper. They feature an exclusive ArmorFlex outer jacket which is durable and highly flexible. Available in lengths from 3' to 150'.

0 3		U	
ITEM	WIRE SIZE	LENGTH	PRICE
25-SPK12-QQ	12 Gauge	25'	53.22
25-SPK14-QQ	14 Gauge	25'	37.03
25-SPK16-QQ	16 Gauge	25'	24.38

whirlwind



ECONOMY

Imported single line speaker cables with 1/4" connectors at each end. Velcro tie-wrap is included. Available in lengths from 10' to 50'.

ITEM	WIRE SIZE	LENGTH	PRICE
SPKR1425	14 Gauge	25'	30.38
SPKR1625	16 Gauge	25'	27.35

SPEAKER CABLES

CABLE UP/

PREMIUM SERIES

Only available in the lengths shown below. Made in the

ITEM	LENGTH	PRICE
SPK12-PBN-25-NE0	25'	33.93
SPK12-PBN-50-NE0	50'	53.51
SPK12-PBN-100-NE0	100'	92.48

SPEAKER CABLES SPEAKON - BANANA



PREMIUM SERIES

Only available in the lengths shown below. Made in the IISA

ITEM	LENGTH	PRICE
SPK12/2-SBN-25-NEO	25'	39.74
SPK12/2-SBN-50-NE0	50'	59.31
SPK12/2-SBN-100-NE0	100'	98.28

SPEAKER CABLES SPEAKON - SPEAKON



ESSENTIALS SERIES

"Speaker Twist" connectors are compatible with Speakon. Available in lengths from 3' to 100'.

ITEM	WIRE SIZE	LENGTH	PRICE
SPK12/2-SS-25	12 Gauge	25'	49.88
SPK16/2-SS-25	16 Gauge	25'	27.64



PREMIUM SERIES

Available in lengths from 10' to 100'. Made in the U.S.A.

ITEM	LENGTH	PRICE
SPK12/2-SS-25-NEO	25'	47.81
SPK12/2-SS-50-NEO	50'	67.38
SPK12/2-SS-100-NE0	100'	106.35

🕮 PRO CO





EXCELLINES SERIES

These cables are encased in an ArmorFlex outer jacket and terminated with heavy-duty connectors for years of trouble-free use. Available in lengths from 15' to 100'.

ITEM	WIRE SIZE	LENGTH	PRICE
25-SPK12/2-SS	12 Gauge	25'	64.72
25-SPK14/2-SS	14 Gauge	25'	48.53

whirlwind



MULTILINE SPEAKER CABLES

These 4 conductor cables use 12/4 SJ type wire with Speakon connectors on each end. Available in lengths from 10' to 150'

TH PRICE
'104.54
'173.88
)'311.95







































































































SPEAKER CABLES 2-POLE SPEAKON - 1/4"



ESSENTIALS SERIES

Speaker Twist connectors are compatible with Speakon. Available in lengths from 3' to 50'.

ITEM	LENGTH	PRICE
SPK12/2-SP-3	3'	15.62
SPK12/2-SP-25	25'	45.67
SPK12/2-SP-50	50'	79.19



PREMIUM SERIES

Available in lengths from 10' to 150'. Made in the U.S.A.

ITEM	LENGTH	PRICE
SPK12/2-SP-25-NEO	25'	42.00
SPK12/2-SP-50-NE0	50'	65.04
SPK12/2-SP-100-NE0	100'	100.55





EXCELLINES SERIES

These cables are encased in ArmorFlex outer jackets and are terminated with heavy-duty connectors for years of trouble-free use.

ITEM	WIRE SIZE	LENGTH	PRICE
25-SPK12/2-SQ	12 Gauge	25'	58.97
25-SPK14/2-SQ	14 Gauge	25'	42.78

whirlwind





SINGLE LINE SERIES

Constructed with Speakon and 1/4" oversized connectors, these cables are extremely durable. Available only in the lengths shown below.

ITEM	LENGTH	PRICE
SK225G12	25'	68.22
SK250G12	50'	106.61
SK2100G12	100'	182.80

SPEAKER CABLES SPEAKER ADAPTERS



CABLE UP ESSENTIALS SERIES

ITEM	DESCRIPTION	PRICE
SPKADP12/2-PF2-S.	1/4" TS F - Speaker Twist, 12 AWG x 2	12.84
SPK16-PF2-BND-BK.	1/4" TS F - Banana, 16 AWG x 2	9.83



BNP116-BLACK	DESCRIPTION . 1/4" TS F - Speakon, 16 AWG . Dual Banana - 1/4" TS F, 16 AWG	12.05
BNP118	. Dual Banana - 1/4" TS F, 18 AWG	11.85



ITEM	DESCRIPTION	PRICE
NA4LJX	. Speakon - 1/4" TS F	9.09
NL4MMX	. Locking Coupler, Speakon - Speakon.	6.26

SPEAKER CABLES



RUNONE POWERED SPEAKER CABLES

Cables that combine audio and power under one durable, yet flexible jacket. Fully shielded to prevent 60Hz interference. Available in a wide variety of configurations, see our website for more options.

	-	
ITEM	DESCRIPTION	PRICE
PA0125EFIM	. XLRF-XLRM, Nema 5-15 to IEC, 25'	.112.06
PA0125EMIF	. XLRM-XLRF, Nema 5-15 to IEC, 25'	.112.06

PATCH CABLES | TT-BANTAM PATCH PANEL

||||089



PATCH CABLES

Balanced TT-TT cables with molded connectors, OFC spiral shield and heavy-duty strain relief. Sold in packs of 8, individually color coded for easy identification.

ITEM	QUANTITY	LENGTH	PRICE
TTS830	8-pack	1'	39.58
TTS845	8-pack	1.5'	42.88
TTS890	8-pack	3'	49.46

AC CABLES

POWER / EXTENSION





ESSENTIALS SERIES - IECC

Compatible with most PCs, monitors, amplifiers and other devices that use the 3-pin shroud power connector. Constructed of 14-gauge cable with molded connectors. Available in lengths from 1.5' to 25'.

ITEM	LENGTH	PRICE
IEC-ED-14-3	3'	7.19
IEC-ED-14-8	8'	13.75
IEC-ED-14-15	15'	22.77



ESSENTIALS SERIES - NEMA

These extension cables feature 14-gauge cord with molded 3-pin connectors. Available in lengths from 1.5' to 50'.

LENGTH	PRICE
15'	25.68
25'	37.47
50'	74.71



MULTI-OUTLET EXTENSION CORDS

Extension cords with multiple outlets placed along the length of the cable.

ITEM	DESCRIPTION	LENGTH	PRICE
MOXB14-25	14ga, 3 outlets	25'	24.95
MOXB12-25	12ga, 4 outlets	25'	34.95
MOXB12-50	12ga, 6 outlets	50'	59.95



POWER CABLES

These cables are compatible with most amplifiers, PCs and devices that use the 3-pin shroud power connector. Constructed of 14-gauge or 18-gauge cord with molded connectors. Available in lengths from 1.5' to 50'.

	-		
ITEM	WIRE SIZE	LENGTH	PRICE
PWC403	14 Gauge	3'	10.26
PWC143	18 Gauge	3'	8.64

VIDEO CABLES

BNC - BNC, 75 OHM

CABLE UP



ESSENTIALS SERIES

75 ohm cable with molded BNC connectors and strain relief. Available in lengths from 6' to 100'.

ITEM	LENGTH	
BNC-750-10	10'	8.07
BNC-750-25	25'	12.84
BNC-750-50	50'	20.94



INDUSTRIAL SERIES

Premium RG59 low-capacitance 75 ohm cable with a 20 gauge 7 strand inner conductor in a foam dielectric with two layers of braided tinned copper shielding and a PVC jacket. Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
BNC-BNC-10	10'	24.91
BNC-BNC-15	15'	29.94
BNC-BNC-50	50'	64.83



BNC VIDEO CABLES

RG-6, 18 AWG bare copper, 75 ohm super-high resolution cable pre-terminated with 75 ohm BNC connectors. Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
C-BM/BM-10	10'	10.40
C-BM/BM-25	25'	17.60
C-BM/BM-50	50'	35.20

VIDEO CABLES



BNC - RCA

ESSENTIALS SERIES

75 ohm video cable with molded BNC to RCA connectors with strain relief. Only available in 6' length.

ITEM	LENGTH	PRICE
BNC-RM-V-6	6'	5.85



These cables feature premium RG59 low capacitance 75ohm cable with a 20 gauge 7 strand inner conductor with two layers of braided tinned-copper shielding and a PVC jacket. Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
RM-BNC-10	10'	24.22
RM-BNC-20	20'	34.33
RM-BNC-50	50'	64.21





High quality molded connectors with strain relief add reliability and assured contact to the low-loss, 75 Ohm, RG59/U coaxial cable.

ITEM	LENGTH	PRICE
CA908B	3'	3.84
CA909B	6'	4.50
CA910B	10'	5.91







Available in lengths from 3' to 100'.

ITEM	LENGTH	
RM-RM-VP-10 RM-RM-VP-20	······	
RM-RM-VP-50	50'	63.67





RVM SERIES

RVM series cables are constructed of RG-59 cable with male RCA connectors. They feature a 95% braided copper shield and a PVC jacket. Available in lengths from 10' to 100'.

ITEM	LENGTH	PRICE
C-RVM/RVM-10	10'	10.40
C-RVM/RVM-25	25'	16.00
C-RVM/RVM-50	50'	27.20

VIDEO CABLES A/V DUBBING CABLES



A/V CABLES

Connect VCRs, TVs, and video equipment. The Yellow lead is for a video signal (75 Ohm) with two more for L/R audio. Available in lengths from 3.3' to 26.4'.

ITEM	LENGTH	PRICE
VRA302	6.6'	11.25
VRA303	9.9'	13.74
VRA304	13.2'	16.32



A/V CABLES

Plenum-rated video/audio cables constructed of minicoax cable terminated with 3 molded male RCA connectors at each end. Available in lengths from 3' to 50'.

ITEM	LENGTH	PRICE
C-3RVAM/3RVAM-10	10'	13.60
C-3RVAM/3RVAM-25	25'	28.00
C-3RVAM/3RVAM-50	50'	49.60



5-RCA COMPONENT CABLES

Constructed with three 75 ohm RG-59 cables for video and two stranded conductors for audio. Molded, gold-plated connectors. Only available in the lengths shown below.

ITEM	LENGTH	PRICE
C-5RVAM/5RVAM-6	6'	20.00
C-5RVAM/5RVAM-12	12'	31.20
C-5RVAM/5RVAM-25	25'	53.60



CABLES BUILT FOR THE PROS

VIDEO CABLES COMPONENT



Kramer 3RVM series cables are constructed of 3 RG-59 cables in a flat configuration with male RCA connectors at each end. Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
C-3RVM/3RVM-10	10'	40.00
C-3RVM/3RVM-25	25'	60.00
C-3RVM/3RVM-50	50'	100.00



COMPONENT CABLES

3xRCA cables with gold-plated contact surfaces, colorcoded metal connector bodies, RG59 75-Ohm video coaxial cableOFC conductors & shields and extremely flexible soft PVC jacket.

ITEM	LENGTH	PRICE
Z250CV1	3.3'	41.00
Z250CV3	9.9'	51.00
Z250CV6	20'	65.60

VIDEO CABLES F-TYPE, 75 OHM

ESSENTIALS SERIES

Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
FC-FC-V-10	10'	6.11
FC-FC-V-15	15'	7.81
FC-FC-V-50	50'	21.53



These cables feature premium RG59 low capacitance 75ohm cable with a 20 gauge 7 strand inner conductor with two layers of braided tinned-copper shielding and a PVC jacket. Available in lengths from 3' to 100'.

ITEM FC-FC-10	LENGTH 10'	
FC-FC-15FC-FC-50		

VIDEO CABLES S-VIDEO

CABLE UP	
	The same of
INDUSTRIAL SERIES	

Available in lengths from 1' to 100'.

ITEM	LENGTH	PRICE
SV-10	10'	6.47
SV-25	25'	11.24
SV-50	50'	18.52



S-VIDEO CABLES

Passes Chrominance (C) and Luminance (Y) signals over a high quality 2-conductor 26 AWG cable with gold plated pins and tube. Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
C-SM/SM-10	10'	7.20
C-SM/SM-25	25'	12.80
C-SM/SM-50	50'	20.80

DATA/ANTENNA CABLES | BNC, 50 OHM

CABLE UP/

ESSENTIALS SERIES

Available in lengths from 1.5' to 100'.

ITEM	LENGTH	PRICE
BNC-500-10	10'	7.94
BNC-500-25	25'	12.64
BNC-500-50	50'	19.11

DMX CABLES



INDUSTRIAL SERIES

Available in lengths from 0.5' to 200'.

ITEM	TYPE	LENGTH	PRICE
DMX-XX3-25	3-pin	25'	20.49
DMX-XX5-25	5-pin	25'	26.23

Hosa



DMX CABLES

5-pin male to 5-pin male DMX lighting cable. Available in lengths from 10' to 200'.

ITEM	TYPE	LENGTH	PRICE
DMX510	5-pin	10'	19.95
DMX520	5-pin	20'	26.42
DMX1065	p-M to 3p-F adap	iter 0.5'	14.11

Leprecon.



DMX CABLES

Featuring 5-pin M/F XLR connectors and shielded twisted-pair cable. Specifically designed capacitance and impedance characteristics guarantee superior data transmission. Available only in the lengths shown below.

ITEM	LENGTH	PRICE
DMX25	25'	106.00
DMX50	50'	141.00
DMX100	100'	198.00



DMX CABLES

3-pin and 5-pin DMX lighting cables. Available in lengths from 3' to 100'.

ITEM	TYPE	LENGTH	PRICE
FGP-DMX3P-02	25 3-pin	25'	21.87
FGP-DMX5P-02	25 5-pin	25'	41.46

r⊕sco



DMX CABLES

High quality cables with 5-pin XLR gold-tipped connectors. Polyurethane jackets and heat-resistant inner liners make these cables durable and dependable. Available in lengths from 2.5' to 150'.

ITEM	LENGTH	PRICE
50425-0010	10'	42.34
50425-0025	25'	50.79
50425-0050	50'	65.02



















































COMPUTER/MULTIMEDIA























































CABLE UP/



INDUSTRIAL SERIES

VGA cable with DE15 connectors. Shielded cables maintain EMI/RFI rejection which allow for longer runs and clear signals. Available in lengths from 1.5' to 100'.

ITEM	LENGTH	PRICE
VGADE15-10	10'	15.78
VGADE15-25	25'	32.77
VGADE15-FB-50Ferrite Bead	50'	65.40

Comprehensive



HR SERIES VGA CABLES

Built with 3 individually shielded coaxes. Molded 15-pin connectors. Available in lengths from 3' to 200'.

ITEM VGA15P-P-10HR	PRICE 23.19
VGA15P-P-25HRVGA15P-P-50HR	



VGA CABLES

15-pin male to 15-pin male VGA cables. Available in lengths from 1' to 150'.

ITEM	TYPE	LENGTH	PRICE
C-GM/GM-25	Male - Male	25'	36.00
C-GM/GF-25	Male - Female	25'	32.80
C-GMA/GMA-25M-	F + 1/8" TRS aud	io 25'	46.40

VGA BREAKOUT CARLES

Breakout cables available in various configurations with







Molded 15-pin connectors, 26 AWG high-resolution coaxial cable, double-shielded foil and braid overall shield, and ferrite beads for EMI compliance.

ITEM	TYPE	LENGTH	PRICE
E-VGAM-M-10	Male - Male	10'	41.60
E-VGAM-M-25	Male - Male	25'	81.00
E-VGAM-M-50	Male - Male	50'	162.00

COMPUTER/MULTIMEDIA	DVI



These 28 gauge male to male DVI-D Dual Link cables provide extra bandwidth for maximum clarity and resolution. Available in lengths from 3' to 65'.

LENGTH	PRICE
10'	39.20
25'	71.20
50'	103.20
	10'



 $Molded\,19\hbox{-pin connectors}, 28\,AWG\,cable, triple\hbox{-}shielded$ construction and ferrite beads for EMI compliance.

ITEM	LENGTH	PRICE
E-DVIDSL-2	6'	55.80
E-DVIDSL-6	20'	100.00
E-DVIDSL-10	33'	156.00

COMPUTER/MULTIMEDIA **HDMI**

CABLE UP/

INDUSTRIAL SERIES

Carry an HD signal (720p, 1080i, 1080p) with refresh rates above 60Hz. They support uncompressed 7.1 digital audio up to 192kHz and work with all standard HDMI interfaces. Available in lengths from 1.5' to 50'.

ITEM	LENGTH	PRICE
HDMI-HDMI-6	6'	19.70
HDMI-HDMI-25	25'	45.99
DVID-HDMI	DVI-D to HDMI adapter.	16.69

EANARE



MC SERIES

High-Speed HDMI cables with molded Male-A to Male-A

ITEM	LENGTH	PRICE
HDM009ED	3'	20.18
HDM02ED	6.6'	23.02
HDM03ED	9.8'	25.85

Hosa



HDMI CABLES

These cables transfer data at rates up to 10.2Gbps. Available in lengths from 3' to 50'.

ITEM	TYPE	LENGTH	PRICE
HDM1325	HDMI M-M	25'	45.41
HDMD325	HDMI M - DVI-D M	25'	45.41



Cables with molded HDMI connectors at both ends. Available in lengths from 3' to 50'.

ITEM	LENGTH	PRICE
C-HM/HM-6	6'	12.00
C-HM/HM-25	25'	28.80
C-HM/HM-50	50'	69.90

Comprehensive



HR PRO SERIES

Featuring pro-grade 26AWG high-resolution, low-loss construction. Supports latest HDMI technology for speeds up to 10.2Gbps, Deep Color and up to 240Hz refresh rate. Supports 1080p, 2K, 4K and beyond. 24K gold-plated connectors. Amilable in the largest and the connectors. nectors. Available in the lengths from 3' to 50'.

ITEM	LENGTH	PRICE
HD-HD-6EPRO	6'	15.99
HD-HD-10EPRO	10'	19.99
HD-HD-25EPR0	25'	31.99



STANDARD HDMI CABLES

HDMI cables featuring molded Male-A to Male-A connectors with gold-plated contacts, 30 AWG cable as well as dual-layer foil and braid shielding.

ITEM	LENGTH	PRIC
E-HDM-M-03	10'	37.6
E-HDM-M-10	33'	93.6
E-HDM-M-25	83'	488.0
and the same		

HIGH SPEED HDMI CABLES

High-Speed HDMI cables featuring molded Male-A to Male-A connectors with gold-plated contacts, 30 AWG cable as well as dual-layer foil and braid shielding.

LENGTH	PRICE
3'	22.40
16.5'	55.80
33'	171.00
	3'

COMPUTER/MULTIMEDIA **FIRFWIRF**

CABLE UP



ESSENTIALS SERIES

4-pin to 9-pin and 6-pin to 9-pin IEEE 1394 firewire cable. Molded type hood, PVC shell and tinned copper conductors. Various configurations available, 3' to 15' lengths.

ITEM	TYPE	LENGTH	PRICE
FW9-FW4-6	4-pin to 9-pin	6'	15.26
FW9-FW6-6	6-pin to 9-pin	6'	15.22
FW6-FW6-6	6-pin to 6-pin	6'	9.15

|Hosa



FIREWIRE CARLES

Firewire cables in various configurations, available with lengths from 3' to 15'.

ITEM	TYPE	LENGTH	PRICE
FIW-66-106	6-pin to 6-pin	6'	9.24
FIW-46-106	4-pin to 6-pin	6'	7.66
FIW-99-106	9-pin to 9-pin	6'	19.20

COMPUTER/MULTIMEDIA **USB** CABLE UP



ESSENTIALS SERIES

Handle 480Mbps and comply with the USB 2.0 serial bus interface standard. They work with USB 1.1 interfaces. Available in various configurations from 3' to 15'.

ITEM	TYPE	LENGTH	PRICE
USBA-USBB-3	Type A to Type B	3'	3.79
USBA-USBB-5	Type A to Type B	5'	4.28
USBA-USBB-10	Type A to Type B	10'	5.19
USBA-USBB-15	Type A to Type B	15'	6.80
USBA-USBMB-3	Type A to Mini B	3'	3.82
USBA-USBMB-6	Type A to Mini B	6'	4.38
USBA-USBA-5	Type A to Type A	5'	4.57
USBA-USBA-10	Type A to Type A	10'	5.29

Comprehensive



Constructed with premium shielded twisted pair cable and molded USB-A connectors with strain relief. Available in lengths from 3' to 25'.

ITEM	LENGTH	PRICE
USB2-AA-3ST		3.59
USB2-AA-10ST	10'	7.99
USB2-AA-25ST	25'	114.39

[|asa

USB CABLES





iciiguis ii	OIII 5 to 15.		
ITEM	TYPE	LENG?	TH PRICE
USB203AB	USB A - USB	B3'	5.94
USB210AB	USB A - USB	B10'	7.65
HCR210AE	IISB A M E Exton	cion 10	7 02



CABLES BUILT FOR THE PROS





























































MF3-MF3-ADPTR 1/8" TRS-F - 1/8" TRS-F 2.06



MF3-PM3-ADPTR 1/8" TRS-F - 1/4" TRS-M 1.64



PF2-M2-ADPTR PF2-PM3-ADPTR 1/4" TS-F -1/8" TRS-M 1/4" TS-F - 1/4" TRS-M 1.68 2.06



PF3-M3-ADPTR 1/4" TRS-F - 1/8" TRS-M 1.68



PF3-PF3-ADPTR 1/4" TRS-F - 1/4" TRS-F 3.14



PF3-XF3-ADPTR 1/4" TRS-F - XLR-F 6.25

PF3-XM3-ADPTR 1/4" TRS-F - XLR-M 5.58

RF-RF-ANPTR RCA-F - RCA-F (2 pk)

1.85



RF-XF3-ADPTR

RCA-F - XLR-F

6.00

RF-XM3-ADPTR

RCA-F - XI R-M

5.48



Dual RCA-F - RCA-M

1.78

XF3-PM3-ADPTR XI R-F - 1/4" TRS-M

5.93



XF3-RM-ANPTR XIR-F - RCA-M 5.93

XF3-XF3-ADPTR XIR-F - XIR-F

6.77



RF-PM2-ADPTR

RCA-F - 1/4" TS-M (2 pk)

2.02







XF3-XM3-GND-LIFT-P1 XLR3-F - XLR3-M Pin1 Lift

XF3-XM3-PHASE-REV XLR3-F - XLR3-M, Phase Rev 6.07

XM3-PM3-ADPTR XI R-M - 1/4" TRS-M 6.25

XM3-RM-ADPTR XI R-M - RCA-M 5.51

XLR-M - XLR-M 5.76

AUDIO ADAPTERS- NEUTRIK



RCA-F - XLR3-M 11.37



11.80

NA3FM

XLR3-M - XLR3-F

11.07

NA2MP 1/4" TS-M - XLR3-M 11.55



NA3FJ 1/4" TRS-F - XLR3-F 12.72



14.06

NADITBNC-FX

AES/EBU Transformer

XLR3-F cable - BNC-F

41.50

NA3MJ 1/4" TRS-M - XLR3-F 1/4" TRS-F - XLR3-M 12.20



NADITBNC-M AES/EBU Transformer, XLR3-M - BNC-F

37.06



NA3MP

1/4" TRS-M - XLR3-M

13.92

NADITBNC-MX AES/EBU Transformer, XLR3-M cable - BNC-F 41.50



NA3MM

XLR3-M - XLR3-M

11.07

NYS238 1/4" TRS-F - 1/4" TRS-F 2.20

365X

1/8" TS-F - RCA-M

5.86

AUDIO ADAPTERS- SWITCHCRAFT



NA3FF

XLR3-F - XLR3-F

11.76

332AX MC1M - 1/4" TS-F 9.55



336AX 1/4" TS-F - RCA-M 12.73



NA3FMX

XLR3-M - XLR3-F, Phase Rev.

18.98

336BX 1/4" TS-F - RCA-F 12.30



NADITBNC-F

AES/EBU Transformer.

XLR3-F - BNC-F

37.06

345AX 1/4" TS-M - RCA-F 7.00



361A 1/4" TS-F - 1/4" TS-F 9.28



1/4" TRS-F - 1/4" TS-F 10.74









370A

1/8" TS-M - RCA-F

6.00





15.54



14.20



14.74

387AX

XLR3-M - 1/4" TRS-M 13.93

364A

389X XLR3-F - XLR3-F 15.92



SPEAKER ADAPTERS



CABLE UP SPK16-PF2-BND-BK 1/4"TS-F-Banana-M, 16AWG 1/4" TS-F-Banana-M, 16AWG 1/4" TS-F-Banana-M, 18AWG

Visit fullcompass.com today!



12.05



11.85



1/4" TS-F - Speakon

15.85



6.26



















































IMPEDANCE/MODIFIER/TRANSFORMER ADAPTERS/ATTENUATORS





CANARE BCJ-XP-TRC Impedance Transformer



27.21

HOSA ATT448 HOSA MIT-129 XLR3-F - XLR3-M 20/30/40 dB Attenuator



XLR-M (Lo Z) - 1/4" TS-F (Hi Z) Transformer



HOSA MIT-156 XLR3-F - 1/8" TRS-M 600Ω - 2.5k Imp. Transformer Transformer, pigtail



HOSA MIT-176 XLR-F (Lo Z) - 1/4" TS-M (Hi Z) XLR-F (Lo Z) - 1/4" TS-M (Hi Z)

27.00



HOSA MIT-435 Transformer

19.15



NFIJTRIK NA2F-DOB-TX XLR-F-RCA-F, 1:1 Imp.Tran. 38.14



CANARE BCJ-XJ-TRC

Impedance Transformer

28.28

NFIITRIK NA2F-J-TX XLR-F-1/4"TS-F, 1:2 Imp.Tran. 35.79



28.08

NFIITRIK NA2M-DOB-TX 34.40



NFIITRIK NA2M-J-TX XLR-M-RCA-F, 1:1 Imp.Tran. XLR-M-1/4" TS-F, 1:1 Imp.Tran. XLR-F - XLR-M ground lifter 37.75



19.15

PRO CO GLX 39.28



22.68

PRO CO IT1 Isolation transformer XLR & 1/4" in/out/thru 126.56



PRO CO ITX Inline isolation transformer Line / mic adapter 600Ω Loads, XLR-M - XLR-F 1/4" TRS-F line - XLR-M mic 54.38



PRO CO LMX 37.20



PRO CO PRX Polarity reverser XLR-F - XLR-M 31.34







PRO CO MAX20 20dB mic attenuator XLR-F - XLR-M 40.08



PRO CO MAX30 30dB mic attenuator XLR-F - XLR-M 40.08



SHURE A15AS Attenuator, 15/20/25dB XLR-F - XLR-M 45.60



SHURE A15BT Bridging transformer XLR-F - XLR-M 51.30



SHURE A15HP High pass filter, 100Hz XLR-F - XLR-M 54.15



SHURE A15LA Line - mic input adapter XLR-F - XLR-M 41.33



SHURE A15PRS Phase reverser XLR-F - XLR-M 71.25



18 75





WHIRLWIND IMP-COMBINER

2 Mic inputs - 1 mic output combiner

95.54

SHURF A95U Reversible transformer XLR-M - 1/4" F/M 46 88



SHURF A95UF Reversible transformer XLR-F - 1/4" F/M 46 88

WHIRLWIND IMP-LINE-COMBINER

2 Line inputs - 1 line output combiner

108.87



SHURF A96F Camcorder mic adapter XLR-F - 1/8" TRS-M 61.99



SWITCHCRAFT 9144 7-matching transformer XLR-F (Lo Z) - 1/4" TS-M (Hi-Z) 58 77



SWITCHCRAFT 9244 7-matching transformer XLR-M (Lo Z) - 1/4" TS-M (Hi-Z) 58 34



SWITCHCRAFT 367 AFS-FBU Adapter (110-75Ω) AFS-FBU Adapter (110-75Q) XLR3-F - BNC XLR3-M - BNC 34 60 34 60





322.47



WHIRLWIND MLTSP1X3 5-Channel rackmount - 1 in 3 out mic splitter 378.77

VIDEO ADAPTERS



CABLE UP **BNCF-BNCF-ADPTR** BNC-F - BNC-F 2.41

CARLE UP RF-BNC-ADPTR

RCA-F - BNC-M

2.41



CABLE UP BNCF-RF-ADPTR BNC-F - RCA-F

2.55

CARLE UP

RF-FC-ADPTR

RCA-F - F-Connector M

2.65

DF15-F - DVI-I-M

4.89



2.48

CARLE UP

RF-FCF-ADPTR

RCA-F - F-Connector F

2.44

CABLE UP BNCF-RM-ADPTR BNC-F - RCA-M



CABLE UP DE15-DE15 Dsub-15-F - Dsub-15-F

6.24

HOSA NHD518

HDMI - Mini-HDMI

23.96



CABLE UP DE15-DVI Dsub-15-F - DVI-I-M

6.57

HOSA NDH445

HDMI - DVI-D-M

15.59



CABLE UP DVID-HDMI HDMI - DVI-D-F 16.69

HOSA NDH444

HDMI - DVI-D-E

16.20



CABLE UP FCF-BNC-ADPTR FCF-FCF-ADPTR F-Connector F - BNC-M F-Con. F - F-Con. F (2 pk)





CABLE UP

2.86

NEUTRIK NAHDMI-W NEUTRIK NYS355 HDMI Feed-thru, IP65 rated RCA-F - RCA-F 16.36 1.19

COMPUTER ADAPTERS





IISB-B - Mini IISB

4.89





DVI-I-F - HDMI

10.40



9.77

NA1394-6-W FireWire feed-thru, 6 pole







CABLE UP DMX-1200HM-XM3 120Ω Terminator, XLR3-M 5.31

CABLE UP DMX-1200HM-XM5 120Ω Terminator, XLR5-M 6.35









BEHRINGER PX3000 ULTRAPATCH PATCHBAY A 48-point balanced patchbay (24 vertical pairs TRS connectors) with 3-mode (normal, half normal, and thru) top-side switching.

ITEM	DESCRIPTION	PRICE
PX3000	. 48-point TRS patchbay	75.99



PB48.



points on the front	panel, connected to 48 1/4" points on the rear.	
ITFM	DESCRIPTION	PRICE

ששועו	



HOSA 1/2 NORMALLED PATCHBAYS 48-point wired w/shorting jacks at the front bottom position, may be changed by reversing modules. The PHB-265 has a recessed 3-position switch for each vertical pair which selects 1/2 normal/full-normal or straight through.

ITEM	DESCRIPTION	PRICE
PHB340	. 1/4" TS unbalanced jacks front and rear	125.94
PHB350	1/4" TRS balanced jacks front and rear	153.08

HOSA MODULAR AUDIO PATCHBAYS Sometimes, all you need is a little patching. Or perhaps you require different types of connections to be available. Hosa has created a modular patchbay system consisting of a 1RU frame which can hold up to four modular patch panels.

. 48-point patchbay...



The 1/4" types are modular versions of the PHB-340, 350 and 360 full-size panels. Each vertical pair can be flipped for choice of half-normalled or de-normalled (straight through) operation. Modules can be used stand-alone or mounted in the optional PPP-000 Rack Frame.

ITEM	DESCRIPTION	PRICE
MXL369	. Straight through triple female to male XLR patch module	56.78
MHB340	. 8-unbal. 1/4" to 1/4" half-normalled or no normal module	49.46
MHB350	. 8-balanced 1/4" to balanced 1/4"	62.83
MXL369	. 3 Balanced XLR F to XLR M	56.78
PPP000	. 1RU rack frame for four modules, with three blank covers	18.06



HOSA PDR369 XLR PATCHBAY

ITEM	DESCRIPTION	PRICE
	Balanced XLR patchbay, w/ 12 female front & 12 male rear,	100 00
	wired straight-through (no normals) with shielding wiring	123.00



NEUTRIK EASY-PATCH PATCHBAY 2x48 TT (tiny-telephone or bantam) jacks in a 2-space rack configuration. The goldplated pre-wired double jacks have drastically improved contact integrity. Each pair can be programmed for normal or half-normal switching. Capable of handling analog and digital signals. Dual designation strips and a real lace bar. Available with a variety of rear terminations.

ITEM	DESCRIPTION	PRIC
NPPA-TT-PT	Panel with rear push terminals	891.0
NPPA-TT-E56	With ELCO-56 connectors	1022.4
NPPA-TT-S	With 1/2-normal, solder tabs	645.4

IEUTRIK

NEUTRIK NYS-SPP-L1 PATCHBAY The NYS-SPPL1 patchbay features 48 balanced channels with 1/4" TRS jacks front and rear for use with standard 1/4" plugs, in a 1-space rack-mount chassis.

ITEM	DESCRIPTION	PRICE
NYS-SPP-L1	. 48-channel patchbay	80.47

Switchcraft



SWITCHCRAFT STUDIOPATCH SERIES PATCHBAYS These TT (Bantam) patchbays utilize Switchcraft's EZ Norm Technology, allowing signal flow to be changed from the front of the patchbay using a standard screwdriver. They feature bussed grounds, and are hard-wired using 110-ohm AES/EBU digital audio cable, all in just 1 rack space. Two-version terminated to DB25 connectors, wired to the Tascam DTRS standard pinout allow for direct connection to Digidesign's most popular audio interfaces. A third version terminated to Cannon DL is also available.

ITEM	DESCRIPTION	PRICE
TTEZNSP6425	. 64-point/32-channel TT patchbay (DB25 terminals)	722.09
9625	. 96-point/48-channel TT patchbay (DB25 terminals)	. 1063.13
TTEZNSP96DL	.96-point/48-channel TT patchbay (Cannon DL terminals)	. 1228.50

PATCH CABLE	S, CONNECTORS & ACCESSOR	IES		
ITEM	DESCRIPTION	QTY	LENGTH	PRICE
HOSA				
TTS-102	TT - TT	1	2'	5.52
TTQ103	TT - 1/4" TRS	1	3'	10.62
TTQ105	TT - 1/4" TRS	1	5'	11.13
TTS830	TT - TT	8	1'	39.58
TTS845	TT - TT	8	1.5'	42.88
TTS890	TT - TT	8	3'	49.46
TTX103F	TT - XLR-F	1	3'	15.57
TTX103M	TT - XLR-M	1	3'	14.85
NEUTRIK				
NKTT03-BLK	TT/Bantam patch cord	1	1'	21.54
NKTT05-BLK	TT/Bantam patch cord	1	2'	22.14
NKTT1-BLK	TT/Bantam patch cord	1	3'	22.71
NP3TB-B	1/4" Mil. plug, black	1		7.70
NP3TB-R	1/4" Mil. plug, red	1		7.70
NP3TT-P-B	TT/Bantam plug, black	1		6.38
NP3TT-P-R	TT/Bantam plug, red	1		6.38

PLANET WAVES BANTAM TT PATCH CABLES

Made from premium-quality, oxygen-free copper conductors with gold-plated, patented compression spring plugs and provide superior signal transfer and sound reproduction

0			41		
ITEM	DESCRIPTION	QTY	LENGTH	SALE	
PW-TT-10-BK	BANT (TT) - Black	1	10'	2.28	
PW-TT-GF-10	BANT (TT) - 1/4" Female adapter	1	10'	2.76	
PW-P047UU	BANT (TT) - XLR Female adapter	1	2'	2.76	

SWITCHCRAFT J	ACK PANEL ACCESSORIES		
ITEM	DESCRIPTION	LENGTH	PRICE
1/4" MT TYPE			
420	2-Conductor black plug 1/4"		18.60
482X	3-Conductor black plug 1/4"		25.80
MT48FNX	48-pt 1/4" Jack Panel, Full-Normal		215.20
MT48NNX	48-pt 1/4" Jack Panel, Non-Normal		197.15
MT52FNX	52-pt 1/4" Jack Panel, Full-Normal		222.73
482NC	3-Conductor 1/4", nickel plug		17.08
20QD20N0-BLACK	3-Conductor 1/4" patch cord, nickel plug	2'	35.26
20QF20N0	3-Conductor 1/4" patch cord, nickel plug	3'	36.33
TT TYPE			
TT253	3-Conductor TT plug jack		18.24
TT122	3-Conductor patchcord	1'	21.34
TT124	3-Conductor patchcord	2'	22.00
TTP96ASFNX	96-pt Full-Normal		305.50
TTP96ASHNX	96-pt Half-Normal		291.95
TTP96ASNNX	96-pt Non-Normal		281.42











































































































RSS S-4000M REAC MERGE AND S-0808 8X8 I/O UNIT The S-4000M merges up to four digital snake heads, such as the S-0808, S-1608 and S-4000, and merges the input/output to a single REAC signal. Ports 1 to 4 supply REAC embedded power to compatible product such as the S-0808. The intelligent Auto Map function assigns input channels automatically. REAC master devices recognize the S-4000M as a single REAC slave unit even when multiple digital snake heads are connected. Also serves as an output/splitter distributor. Any inputs returning from Port 1 (Master) are distributed to the outputs depending on the devices connected. When S-0808s are connected, specific output assignments can be set. Routing, input gain, PAD and phantom power is configurable from a PC with the dedicated Remote Control Software or V-Mixer. The S-0808 multi-channel distribution I//O for broadcast, event, live stage, audio installation and location sound, features 8 inputs x 8 outputs, TRS and Hi-Z inputs. All channels equipped with preamps, external battery powered or embedded power over REAC. V-Mount (IDX) and Gold Mount (Anton Bauer) battery systems and mounts are supported using the included universal adapter plate.

ITEM	DESCRIPTION	PRICE
S4000M	Reac Merge w/ 4 digital snake heads	1995.00
S0808	8X8 input/output unit	1695.00
P-V2	ENDURA V-Mount Plate with 2 Pin D-Tap	
	DC Out & Digi-View, for S-0808	91.00
QRC-GOLD	Anton Bauer compact universal gold mount, for S-0808	111.30
POWERTAP-20	Anton Bauer female 4-pin XLR cable, for S-0808	66.19



RSS S-4000 SERIES DIGITAL SNAKE The RSS Digital Snake is a digital audio transmission system featuring high-quality remote-controllable microphone preamps, configurable inputs and outputs, and immunity to RF and electrical interference. It transmits 40 channels of 24-bit/96kHz audio with low latency (375 microseconds) over one Cat5e cable and features a redundant Cat5e port for main audio cable redundancy. Optional remote control adjusts input gain, individual phantom power and recall of preamp settings. The system inputs can be split via Ethernet switching hubs for providing multiple audio feeds to monitor consoles, recording devices, and broadcast facilities.

ITEM	DESCRIPTION	PRICE
System Componen	nts	
	32-input x 8-output modular rack unit	
S4000S-0832	8-input x 32-output modular rack unit	CALL
S4000H	. 8-input x 32-output fixed unit	2995.00
S4000R	System remote control w/9.9' RS232C serial cable	435.00
S4000SP	. REAC splitter, 1RU redundant Ethercon dual 5-port	
	device for splits	1195.00
Cards/Parts/Cables	s	
SIAES4	4-channel AES/EBU digital input card w/2 XLR connections	725.00
SOAES4	4-channel AES/EBU digital output card w/ 2 XLR connection	ıs 825.00
SIAD4	. 4-channel analog input card w/4 XLR inputs	
	(XR1 high grade preamps)	
SODA4	4-channel analog output card w/ 4 XLR outputs	345.00
SC-PACK	Complete single run cable kit for S4K3208SYS (recommende	ed),
	includes 1 SCW100X, 4 SCA0805DM, & 1 SCA0805DF	895.00
SCW100S	328ft Cat5e REAC cable w/Neutrik Ethercon connectors	275.00
	8-channel D-Sub to XLR male fanout cable	
SCA0805DF	8-channel D-Sub to XLR female fanout cable	150.00





RSS S-1608 DIGITAL SNAKE SYSTEM

Easy-to-use and quick-to-install, this Digital Snake system is a small format audio snake solution that offers the high resolution 24-bit/96kHz audio quality, remote controllable preamps using an S-4000R or free RCS software, and REAC low latency digital audio transmission system. Ideal for anyone that needs the best possible sound quality without the high frequency losses and bulk of an analog snake.

ITEM	DESCRIPTION	PRICE
S1608	16-input x 8-output fixed unit	2095.00
S0816	8-input x 16-output fixed unit	1795.00
\$4000R	System remote control	435.00
SCW100S	100m Cat5e REAC cable w/Neutrik Ethercon connectors	275.00
S4000SP	REAC solitter 111 redundant Ethercon dual 5-port device	1195 00

whirlwind

WHIRLWIND CONNECT SERIES DIGITAL SNAKES Providing a complete digital solution, the transmitter and



receiver feature 32 analog inputs on stage to 32 analog inputs at FOH and 8 analog returns from FOH to analog outputs on stage via a single Cat5 cable. Gain and 48V phantom power are manually controlled at the stagebox, with no computer required. Additional receivers can be added for providing splits to multiple locations.

ITEM	DESCRIPTION	PRICE
DS328T	. 32x8 digital snake input box, 32 mic/line inputs,	
	variable input gain, phantom power	. 3442.50
DS328R	. 32x8 digital snake output box, 32 line level outputs,	
	8 mic/line inputs, variable input gain, phantom power	. 2842.50



WHIRLWIND E SNAKE DIGITAL SNAKE SYSTEM The systems consist of E Snake Frames (ESF), and/or E Snake 2 Frames (ES2), and E Snake Control software. Connect 2 or more of these units to each other through a 100MB Ethernet switch with Cat5 (up to 328 ft) or fiber cable. Start with a basic system and expand as necessary using either ES frames or 2 8-channel I/O interface boxes. The systems are impervious to the effects of induced interference and are not subject to ground loop problems. Each unit features 24-bit/48kHz sampling rate, provides control of input features with the included software, and can be interfaced to CobraNet, EtherSound, or A-Net systems.

ITEM DESCRIPTION PRIC	Ε
ESF32x32 channel frame, unloaded, with CobraNet	13
ESF-ES 32x32 channel frame, unloaded, with EtherSound	13
ES216-channel frame, accepts any two I/O cards, unloaded, w/Cobranet 2399.9	13
ES2-ES 16-channel frame, accepts any two I/O cards, unloaded, w/EtherSound 2999.9	13
ESP1Power supply, powers one fully loaded ESF or up to 3 ES2	0
ESMLI Mic/line input card, 8-channel	13
ESTRMI Mic only input card, 8-channel with Lundahl transformers	0
ESAESI AES/EBU input card, 8-channel	13
ESMLO Mic/line Output card, 8-channel	13
ESAESO AES/EBU output card, 8-channel	13
ES2JF Optional input panel for ES2 with 16 female XLRs	
ES2JM Optional output panel for ES2 with 16 male XLRs	3
ES2JFM Optional in/out panel for ES2, 8 female & 8 male XLRs	13

WHIRLWIND DIGITAL NETWORK SYSTEM INTERFACES Each unit provides effective networking and management. The CIA (Computer Interface Alternative) provides an interface to the E Snake or E Snake 2 over the CobraNet network, eliminating the need for a separate computer. The PXP converts up to 64 channels to and from CobraNet, EtherSound, Dante, MADI, and A-Net.

ITEM	DESCRIPTION	PRICE
C12L	. 2-channel CobraNet input	917.70
C18M	. 8-channel mic/line input module, XLR/TRS combo inputs	1199.93
CIA	. Computer interface	825.00
CO2A	. 2-channel CobraNet output	598.50
C08A	. 8-channel CobraNet output	899.93
PXP-CA	. 16-channel converter, CobraNet to A-NET Pro16	1725.00
PXP-EA	. 16-channel converter, EtherSound to A-NET Pro16	2475.00
PXP-CE	. 16-channel bi-directional converter, CobraNet to EtherSound	2025.00

Follow us!

AUDIO — MICROPHONE CABLE, 2-CONDUCTOR SHIELDED										
ITEM			GAUGE	STRANDING	0.D.	PF/FT	SHIELD	JACKET		
Belden	8412		20	26 x 34	.262"	30	85% Braid	EDPM Rubber		
Gepco	MP1022		24	41 x 40	.195"		95% Braid Synth	Rubber		
Liberty	22-1P-EZ-BLK	-	22	7 x 30	.155"		100% Alum/Poly Foil	PVC		
Mogami	W2549	-	22	30 x 37	.236"	23		Super Flexible PVC		
Whirlwind	WMKPVC		22	26 x 36		35	78% BC Braid	Flexible PVC, black		

AUDIO — ANALOG MIC CABLE: 4-CONDUCTOR STAR-QUAD, LOW NOISE, FOR PORTABLE USE								E
ITEM			GAUGE	STRANDING	0.D.	PF/FT	SHIELD	JACKET
Canare	L4E6S	100000	24	40	.237"	46	95% Braid	PVC
Liberty	24-2P-STAR-BLK		24	41 x 40	.24"		96%	PVC
Mogami	W2534		24	20 x 37		20	Spiral	Super Flexible PVC

	AUDIO -	- ANALOG MIC/	LINE PER	MANENT INSTAL	L, 2-COND	UCTOR, FOIL	SHIELD WITH DRAIN WIR	E	
ITEM			GAUGE	STRANDING	0.D.	PF/FT	SHIELD	JACKET	NEC
Belden	1503A		22	7 x 30	.142"	53	100% Foil	PVC	CM
Belden	8450		22	Solid	.118"	40	100% Foil	PVC	CM
Belden	9451	-	22	7 x 30	.135"	34	100% Foil	PVC *	CMR
Canare	L4E6AT	400	20		.244"	46	100% Alum. Tape	PVC	
Gepco	61801EZ	mer -	22	7 x 30	.140"	34	100% Foil	PVC	CMR
Liberty 22-	1P-CMP-EZ-BLK		22	7 x 30	.13"		100% Alum/Poly Foil	PVC	CMP
West Penn	291		22	7 x 30	.165"		100% Foil	PVC	CL2
West Penn	292		20	7 x 28	.184"		100% Foil	PVC	CL2
West Penn	293		18	7 x 26	.208"		100% Foil	PVC	CL2
West Penn	25291B		22	7 x 30	.165"		100% Foil	PVC	CMP
West Penn	25292B		20	7 x 28	.143"		100% Foil	PVC	CMP

 $[\]ensuremath{^\star}$ Features self-stripping foil and BananaPeel- no jacket, just pull and peel.

AUDIO - DIGITAL MIC CABLE: AES/EBU 2-CONDUCTOR SHIELDED, 110 OHMS, LOW CAPACITANCE								
ITEM		GAUGE	STRANDING	0.D.	PF/FT	SHIELD	JACKET	
Cable Up	AES7-500	24	7 x 30	.198"	14.5	95% Braid	Non-plen PVC	
Canare	DA206	20		.287"	14.6	95% Braid	Non-plen PVC, blue	

AUDIO — ANALOG MIC/LINE MULTIPAIR (SNAKE), FOIL SHIELD, COMMON JACKET										
ITEM			GAUGE	PAIRS	0.D.	PF/FT	SHIELD	JACKET	NEC	
Gepco	6604HS		22	4	.285"	52	100% Foil/mylar side out	Plenum PVC	CMP	
Gepco	6608HS		22	8	.385"	52	100% Foil/mylar side out	Plenum PVC	CMP	

Bulk wire is available in standard spool lengths, and some can be cut to your requirements. Please call for specifics.































M-F: 9:00-5:30 Central



		AIININ — ANAI (NG MIC/LINE	MIII TIPAIR (SNAKF) W	ITH INNIVINIIAI	JACKETS PER PAIR		
ITEM		HODIO AMALE	GAUGE	PAIRS	0.D.	PF/FT	SHIELD	JACKET	NE
Gepco - C	all for Length info	ormation, some a	vailable by th	e foot (varies).					
Gepco	GA61804GFC		22	4	.40"	60		PVC	CM
Gepco	GA61806GFC		22	6	.475"	60		PVC	CM
Gepco	GA61812GFC		22	12	.635"	60		PVC	CM
Gepco	GA61820GFC		22	20	.800"	60		PVC	CM
Gepco	GA61826GFC		22	26	.840"	60		PVC	CM
Gepco	GA61832GFC		22	32	.935"	60		PVC	CM
Gepco - D	irect Burial series	- for permanent	underground	installs, incl.	water block	ing tape that is w	rapped around cable c	ore, difficult to pu	ncture.
Gepco	GA61806PEF		22	6	.475"	48	100% Foil	PVC/Base10)
Gepco	GA61812PFF		22	12	.635"	48	100% Foil	PVC/Base10)
Mogami -	Super flexible dov	vn to -2° C, chan	inel #s printed	& underlined	on jacket to	o ensure correct II	D. Ideal for soldering or	crimping to conne	ectors.
Mogami	W2932		25	8	.453"	40		PVC	
Mogami	W2934		25	16	.622"	40		PVC	
Mogami	W2936		25	24	.787"	40		PVC	
Mogami	W2938		25	32	.854"	40		PVC	
Pro Co	AC4		24	4	.425"	21		PVC	
Pro Co	AC8		24	8	.550"	21		PVC	
		AUDIO – SF	PEAKER CAB	LE, PORTABLI	E HIGH FLI	EXIBILITY, HEAV	Y DUTY JACKET		
ITEM			GAUGE	COND.	0.D.	JACKET	NEC D	ESCRIPTION	
Belden - :	2 Conductor, ultra	flexible, ideal fo	or home theate	er installs, jack	kets marked	l at 2' intervals. E	Black, white, gray blue	or green jackets.	
Belden	5000UP		12	2	.302"	PVC	CL3		
Belden	5200UP		16	2	.208"	PVC	CM		
Canare	4\$8		16	4	.327"	PVC	General pi	ırpose, bi-amp r	igs
Canare	4\$11		11	4	.421"	PVC	Long runs	, subwoofers, gra	ay only
Gepco - A	All-weather TPE ou	ter jacket, round	construction,	ideal for Spea	kon.				
Gepco	GSC132		13	2	.350"	TPE, black			
Gepco	GSC134		13	4	.420"	TPE, black			
Gepco	GSC138		13	8	.580"	TPE, black			
				_					

512

MUSIC

COMPUTER AV

VIDEO VIDEO

LIGHTS

ACCESSORIES

Pro Co

Pro Co

Pro Co

Pro Co

11-4

14-4

13-8

14-2

Bulk wire is available in standard spool lengths, and some can be cut to your requirements. Please call for specifics.

PVC PVC

PVC

PVC

4

4

8

2

11

14

13

14

			AUDIO – G	UITAR / KEYB	BOARD / INS	TRUMENT CAE	BLE			
ITEM			GAUGE	COND.	0.D.	PF/FT	SHIELD	JACKET		
Cable Up - Guitar cable, low noise, low capacitance.										
Cable Up	M54C-500		20	1	.236"	37.2	PVC	Conductive PVC Layer		
Canare - F	or electronic ins	truments, test pro	bes, audio p	atch, and amp	to cabinet le	ads.				
Canare	GS6	HARD.	18	1	.228"	49	OFC >92% Braid	Carbon Sleeve		
Gepco - Da	ata-grade, foam	dielectric (drastic	ally reduces	capacitance), a	abrasion resi	stant PVC.				
Gepco	XB20UB	No. of the last of	20	1	.228"	22.3	Double 95% TC Braid	I PVC		

		AUDIO – U	INSHIELDED	CABLE: FOR SPEA	KER AND CONTR	ROL APPLICATIONS		
ITEM			GAUGE	COND.	0.D.	STRANDING	JACKET	NEC
Belden	8471	Maga	16	2	.274"	19 x 29	PVC	CMG
Belden	8477		22	2	.386"	65 x 30	PVC	CL3R
Coleman	23288		12	2	.41"	65 x 30	T*Prene	
Gepco	GSC134		13	4		52 x 30	PVC	
Liberty	22-2P-SHEX-YEL	-	22	2	.186"	16 x 34	PVC	CL3
Pro Co	14-2		14	2	.325"	41 x 30	PVC	
Pro Co	12-2		12	2	.365"	65 x 30	PVC	
West Pen	n 224	SC	18	2	.186"	7 x 26	PVC	CL2, CMR
West Pen	n 226		14	2	.24"	19 x 27	PVC	CL2, CMR
West Pen	n 227		12	2	.278"	19 x 25	PVC	CL2, CMR
West Pen	n 25224B		18	2	.138"	7 x 26	Plenum	CMP

			AUDIO –	S/PDIF DIGITAL AUD	10 CABLE – 75	5 OHM		
ITEM			GAUGE	STRANDING	O.D.	PF/FT	JACKET	NEC
Belden	1505F	amire!	22	7 x 29	.242"	17	PVC Black	CM
Gepco	VDM230	The second second	Mini23	Solid	.164"	16.5	PVC, Multiple Colors	CMR
Gepco	VHD1100	33 m	RG11/14	Solid	.405"	16.2	PVC, Multiple Colors	CMR
Gepco	VHD2000M		21	19 x 34	.242"	17	Flexible PVC	
Gepco	VSD2001	127)m	RG6/18	Solid	.272"	16.3	PVC, Multiple Colors	CMR
Gepco	VPM2000	32	RG59/20	Solid	.272"	16.3	PVC, Multiple Colors	CMR

AC — POWER CABLE FOR PORTABLE USE								
ITEM			GAUGE	COND.	JACKET			
Coleman	23387		14	3	T*Prene SJEW			
Coleman	23388		12	3	T*Prene SJEW			

Bulk wire is available in standard spool lengths, and some can be cut to your requirements. Please call for specifics.



Visit fullcompass.com today!













































514 BULK WIRE

MUSIC

COMPUTER AV

LIGHTS

ACCESSORIES

HHATE

HATE

				LIGHTING	- DMX CABLE	– BULK			
ITEM			GAUGE	COND.	STRANDING	0.D.	SHIELD	JACKET	NEC
Belden	9841		24	4	7 x 32	.232"	100% Foil + 90% TC Braid	PVC	CM
Belden	9842	The same of the sa	24	4	7 x 32	.34"	100% Foil + 90% TC Braid	PVC	CM
Gepco	DLC224	204	24	4	7 x 32	.27"	100% Foil + 90% TC Braid	PVC	

			DAT	A – CAT5E	AND CATE	BULK CAR	BLE				
ITEM			TYPE	GAUGE	COND.	PAIRS	0.D.	PF/FT	STRANDING	JACKET	NEC
Belden	1583A-1000		CAT5e	24	8	4	.214"	15	Solid	PVC	CMR
Belden	1585A-1000		CAT5e	24	8	4	.2"	15	Solid	Plenum	CMP
Belden	10GX12		CAT6	23	8	4	.295"	17	Solid	P0	CMR
Belden	10GX13		CAT6	23	8	4	.295"	17	Solid	Plenum	CMP
Gepco	CT504HD		CAT5e	24		4	.26"	17	41 x 40	TPE, black	
Liberty	24-4P-L5SH-EN-BLU	Sł	nielded CAT5	24	8	4	.237"	17.0	Solid	FR-PVC	CMR
Liberty	24-4P-L6SH-BLK	Sh	ielded CAT6	24	8	4	.270"	17.0	Solid	FR-PVC	CMR

DIGITAL/ANALOG VIDEO — 75 OHM SDI/HDSDI COAXIAL CABLE — RG6										
ITEM		GAUGE	STRAND	0.D.	PF/FT	VEL-PROP	SHIELD	JACKET	NEC	
Belden	WV-1694D	2 x 18	Solid	.334"x.618"	16.2	82%	100%Duofoil+95%TCBraid	Non-plenum	CMR	
Belden	1694A	RG6/18	Solid	.275"	16.2	82%	100%DuoFoil+95%TCBraid	Non-plen PVC	CMR	
Belden	1695A	RG6/18	Solid	.234"	16.2	82%	100%DuoFoil+95%TCBraid	Plenum	CMP	
Liberty	18-CMR-SD-BLK	18	Solid	.27"	16.2	82%	100%Alum/Poly+95%TCBraid	PVC	CMP	

		DI	GITAL/ANAL	OG VIDEO	– 75 OH	IM SDI/H	IDSDI COA)	(IAL CABLE – RG59		
ITEM			GAUGE	STRAND	0.D.	PF/FT	VEL-PROP	SHIELD	JACKET	NEC
Belden	1505A	and the same of	RG59/20	Solid	.233"	16.3	83%	100%DuoFoil+95%TCBraid	Non-plen PVC	CMR
Cable Up	RG59ST-500	-	RG59/22	7 x 29	.242"	17	80%	Double TC Braid 95%	Non-plen PVC	CM
Gepco	VPM2000	33	RG59/20	Solid	.242"	16.3	83%	100%Foil/95%TCBraid	Non-plen PVC	CMR
Gepco	VPM2000TS	15 m	RG59/20	Solid	.2"	16	84%	100%Foil/95%TCBraid	Plen PVC	CMP
Liberty 2	O-CMR-VIDEO-B	LK	20	Solid	.24"			100%Alum/Poly+95%TCBraid	PVC	CMR

	VIDEO — RG-59/8281F TYPE (STANDARD & PLENUM) SINGLE CHANNEL										
ITEM			GAUGE	STRANDING	0.D.	PF/FT	VEL-PROP	SHIELD	JACKET		
Belden	8241	557	RG59/23	Solid	.242"	21	66%	95%Braid	PVC	CM	
Canare -	Highly flexi	ble, copper braid	shield polyet	hylene dielectric							
Canare	LV61S	- 100	RG59/24	7/7.88	.24"	21	66%	95% Braid	Poly		

Bulk wire is available in standard spool lengths, and some can be cut to your requirements. Please call for specifics.

515











WP1008 WP1010 WP1007 WP1021







100	0

WP3002



LIBERTY AV SOLUTIONS PANELCRAFTERS CUSTOM WALL PLATES While many of the common configurations and colors are readily available, most floor and wall boxes require custom labeling and connectors. PanelCrafters makes ordering custom wall plates easy. Everything from Single- or dual-gang plates up to large rack

panels, loaded or unloaded, can be custom created especially for your project. Blank plates and header panels are also available. PanelCrafters can incorporate your logo, the logo of a customer or custom labels for a unique and totally personalized product. Simply call a Full Compass sales associate, and we will assist you in the design of your custom wall plate. Liberty also offers a full line of pre-assembled audio, video, and data













COMPUTER AV























AUDIO W	ALL PLATES	
BLANK PLATI		
ITEM	DESCRIPTION	PRICE
PRO CO WPU1004	1 "D" series punchout, single-gang	7.66
WPU1013	2 "D" series punchout, single-gang	11.22
WPU2011	4 "D" series punchout, dual-gang	24.88
WPU3002	6 "D" series punchout, triple-gang	37.26
XLR CONNEC		
ITEM	DESCRIPTION	PRICE
NEUTRIK	W. C. J. NOOFD I. J. NOOND I. J	
	rith female or male NC3FD-L-1 or NC3MD-L-1 series receptacles.	10.42
103M 103F	Single-gang, with one NC3MD-L-1 receptacle Single gang, with one NC3FD-L-1 receptacle	10.42 10.58
203M	Single-gang, with two NC3MD-L-1 receptacles	15.71
203F	Single-gang, with two NC3FD-L-1 receptacles	16.64
203FM	Single-gang, with one each NC3FD-L-1 & NC3MD-L-1 receptacles	15.67
PRO CO		
	ve beveled edges and color matching screws. Available in stainless st	eel, clear
	PCA part #s), or black anodized (WPBA part#s) aluminum finishes.	11.00
WP1004 WP1042	Single-gang, with one XLR-F (AC3FDZ), latching	11.36 11.36
WP1042 WP1013	Single gang, with one XLR-F (AC3FDZL), latchless Single-gang, with two XLR-F (AC3FDZ), latching	20.10
WP1043	Single gang, with two XLR-F (AC3FDZL), latchless	20.10
WP1014	Single-gang, with one XLR-M (AC3MMDZ)	25.98
WP1008	Single-gang, with two XLR-M (AC3MMDZ)	18.22
WP2035	Dual-gang, with four XLR-F (AC3FDZ), latching	42.36
WP2011	Dual-gang, with four XLR-F (AC3FDZL), latchless	42.66
WP2012	Dual-gang, with four XLR-M (AC3MMDZ)	41.36
WP3002 Speakon Co	Triple-gang, with six XLR-F (AC3FDZ), latching	64.06
ITEM	DESCRIPTION	PRICE
NEUTRIK	DESCRIPTION	THIOL
Available wit	th NL2MP or NL4MP square flanged solder terminated receptacles.	
104L	Single-gang, with one NL4MP receptacle	9.27
102L	Single-gang, with one NL2MP receptacle	9.62
204L	Single-gang, with two NL4MP receptacles	14.06
PRO CO	for sovice description	
See ALK type WP1009	e for series description. Single-gang, with one NL4MP receptacle	11.62
WP1010	Single-gang, with two NL4MP receptacles	21.12
1/4" CONNEC		21.12
ITEM	DESCRIPTION	PRICE
NEUTRIK		
Single-gang	wallplates with NJ3FP6C 1/4" locking jacks in nickel/silver.	
103P	Single-gang, contains one NJ3FP6C 1/4" locking jack	13.98
203P	Single-gang, containing two NJ3FP6C 1/4" locking jacks	22.73
PRO CO	e for series description.	
WP1006	Single-gang, with one 1/4" locking TRS-F, NJ3FP6C	15.76
WP1007	Single-gang, with two 1/4" locking TRS-F, NJ3FP6C	27.90
WP1017	Single-gang, with one Switchcraft L12B 1/4" TRS-F	23.10
WP1018	Single-gang, with two Switchcraft L12B 1/4" TRS-F	33.02
RCA CONNEC		
ITEM	DESCRIPTION	PRICE
PRO CO	for animal description	
	e for series description.	32.12
WP1021 MULTIPLE CO	Single-gang, with two RCA-F, 3505F	32.12
ITEM	DESCRIPTION	PRICE
PRO CO		TRIDE
	e for series description.	
WP1055	Single-gang, with one XLR-F, one 1/4" TRS-F	24.14
WP2040	Dual-gang, w/2 XLR-F, and 2 1/4" locking TRS-F	38.14



Single-gang with one USBA female (USBB female on rear)

Single-gang with one USB / NAUSB (Type A)

Single-gang with two USB / NAUSB (Type A)

Single-gang with one FW /NA1394-6 pole

DESCRIPTION

CALL FOR CUSTOM WALL PLATE QUOTES - ADDITIONAL CONNECTORS / FINISH OPTIONS ARE AVAILABLE

LIBERTY PC-G1760-E-P-C

PRO CO WP1064

WP1065

ITEM PRO CO WP1067

FIREWIRE CONNECTORS

M-F: 9:00-5:30 Central



40.60

35.08

PRICE

23.40

MUSIC

COMPUTER AV

LIGHTS

ACCESSORIES

POWERCON A			CTORS			
ITEM	DESCRI	PTION		SEX		
NEUTRIK						44.
NAC3FCA		ower inle		F		
NAC3MPA-1		power in		М		
NAC3MPB-1	Chassis	power ou		M		NAC3MPA-
NAC3MM-1	Cable c	oupler	(joins NAC	BFCA to NAC3F	CB)	
NAC3FC-HC	32amp,	cable co	nn	F		
NEUTRIK -	True 1 C	onnecto	rs			
NAC3FPX	True1 cl	hassis po	wer outlet	F		
NAC3MPX	True1 cl	hassis po	wer inlet	M		
NACPX	True1 cl	hassis po	wer in/out	M/F		
NA3MX	True1 ca	able powe	er connector	М		
NAC3FX	True1 ca	able powe	er connector	F		
BANANA PLUI		·				
ITEM	TYP	E				
HOSA						
BNA-100		ıal - blac	k/red	of Street, or		
BNA260-BLA				STORE		_
BNA260-RED	Pro	dual				
PROCO .				Spinster, or other Designation of the last	-	
MDP-BLACK	Dua	l banana	plug		HOSA	NA260
MDP-RED		l banana				
AMPHENOL A			INECTORS - CAB			
	ONTACTS		DESCRIPTIO			
			, "Jaws" cable	retention sy	stem, RoHS	compliant
AC3FCP	3	F	Plastic	4		
AC3FR	3	F	90°, nickel	4		
AC3F	3	F	Nickel		1	
AC3M	3	M	Nickel			
AC3MCP	3	M	Plastic, blac	k	000	
AC3MM	3	M	Machined, n	ickel		1
AC3MMCP	3	M	Machined, p		AC3MM	1
AC3MMR	3	M	Machined, n			
AMPHENNI S	OLDERI F	SS XLR C	ONNECTORS - C			
	ONTACTS		DESCRIPTIO			
Solder buci						
			tem, RoHS col	npliant		AC3FI
AC3FI	3	F	IDC, nickel		1	
AC3MI	3	M	IDC, nickel		E 1	=/-
AMPHENOL A	X SERIES	XLR CON	NECTORS - CAB	LE TYPE		
	ONTACTS		DESCRIPTIO			
Oversized la	atch leve	er, comp	act solder bud	kets, overmo	olded boot, Ro	HS complia
AX3F	3	F	Nickel			
AX3M	3	M	Nickel			
AX3M	3	М	Nickel			
AX3M	3	М	Nickel			
AX3M	3	М	Nickel			
АХЗМ	3	М	Nickel			
AX3M	3	М	Nickel		21	
CABLE UF	He	М	Nickel CABLE UP		AMPHE	NOL
	He	M			AMPHE AX3M	NOL
CABLE UP			CABLE UP XLRF-C			NOL
CABLE UF XLRM-C CABLE UP XL ITEM C	R CONNE	CTORS - I	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO			NOL
CABLE UF XLRM-C CABLE UP XL	R CONNE	CTORS - I	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO	N old contacts		NOL
CABLE UF XLRM-C CABLE UP XL ITEM C	R CONNE	CTORS - I	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g			NOL
CABLE UF XLRM-C CABLE UP XL ITEM C XLRM-C XLRM-C NEUTRIK XLR	R CONNE ONTACTS 3 3	CTORS - SEX M F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g	old contacts old contacts E TYPE		NOL
CABLE UF XLRM-C CABLE UP XL ITEM C XLRM-C XLRF-C NEUTRIK XLR ITEM C	R CONNE ONTACTS 3 3 10 OR QG T'	CTORS - SEX M F YPE CONI	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g NECTORS - CABL DESCRIPTIO	old contacts old contacts E TYPE N	АХЗМ	
CABLE UF XLRM-C CABLE UP XL ITEM C XLRM-C XLRF-C NEUTRIK XLR ITEM C	R CONNE ONTACTS 3 3 10 OR QG T'	CTORS - SEX M F YPE CONI	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g	old contacts old contacts E TYPE N	АХЗМ	
CABLE UF XLRM-C CABLE UP XL ITEM C XLRM-C XLRF-C NEUTRIK XLR ITEM C	R CONNE ONTACTS 3 3 10 OR QG T'	CTORS - SEX M F YPE CONI	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g NECTORS - CABI DESCRIPTIO in relief, No s	old contacts old contacts E TYPE N	АХЗМ	
CABLE UF XL XLRM-C CABLE UP XL ITEM C XLRM-C NEUTRIK XLR ITEM C X SERIES -	R CONNE ONTACTS 3 3 OR QG T' ONTACTS Chuck-l	CTORS - (SEX M F YPE CONI SEX	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g BLOGGERIPTIO CESCRIPTIO	old contacts old contacts E TYPE N crew assemi	AX3M bly, 3- to 7-p	
CABLE UF XL XLRM-C CABLE UP XL ITEM C XLRM-C XLRF-C NEUTRIK XLR ITEM C X SERIES - NC3FX	R CONNE ONTACTS 3 3 OR QG T' ONTACTS Chuck-1 3	CTORS - (SEX M F YPE CONI SEX type stra F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g NECTORS - CABI DESCRIPTIO in relief, No s Nickel with Right angle	old contacts old contacts E TYPE N crew assemi	AX3M bly, 3- to 7-p	
CABLE UF XL XLRM-C CABLE UP XL ITEM C XLRM-C XLRF-C NEUTRIK XLR ITEM C X SERIES - NC3FX NC3FX	R CONNE ONTACTS 3 3 COR QG TONTACTS Chuck-tontacts 3 3	CTORS - I SEX M F F YPE CONI SEX type strat F F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g Black with g NECTORS - CABL DESCRIPTIO in relief, No s Nickel with Right angle Nickel with	old contacts old contacts E TYPE N crew assems silver contacts nickel w/silve	AX3M bly, 3- to 7-p	
CABLE UF XLRM-C CABLE UP XL ITEM C XLRM-C XLRF-C NEUTRIK XLR ITEM C X SERIES - NC3FX NC3FX NC3FX	R CONNE ONTACTS 3 3 1 OR QG T ONTACTS Chuck-t 3 3 4	CTORS - I SEX M F FYPE CONI SEX type strat F F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g NECTORS - CABI DESCRIPTIO in relief, No s Nickel with Right angle, Nickel with	old contacts old contacts E TYPE N ccrew assems silver contacts nickel w/silve silver contacts	AX3M bly, 3- to 7-p	
CABLE UF XLRM-C CABLE UP XL ITEM C XXLRM-C XLRF-C NEUTRIK XLR ITEM C X SERIES - NC3FX NC3FX NC4FX NC5FX	R CONNE ONTACTS 3 3 OR QG T' ONTACTS Chuck-L 3 3 4	SEX M F YPE CONI SEX type stra F F F F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g BLCTORS - CABI DESCRIPTIO in relief, No s Nickel with Right angle Nickel with Nickel with Nickel with	old contacts old contacts E TYPE N crew assemi silver contacts nickel w/silve silver contacts	AX3M bly, 3- to 7-p	
CABLE UF XLRM-C CABLE UP XL ITEM C XLRM-C NEUTRIK XLR ITEM C X SERIES - NC3FX NC3FX NC3FX NC4FX NC5FX NC6FX NC6FX NC7FX	R CONNE ONTACTS 3 3 1 OR QG T' ONTACTS Chuck-t 3 3 4 5 6 7	SEX M F F YPE CONI SEX type strat F F F F F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g NECTORS - CABI DESCRIPTIO in relief, No s Nickel with Right angle Nickel with Nickel with Nickel with Nickel with	old contacts old contacts E TYPE N crew assemm ickel w/silve silver contacts silver contacts silver contacts silver contacts	AX3M bly, 3- to 7-p	
CABLE UF XL XLRM-C CABLE UP XL ITEM C XLRM-C XLRF-C NEUTRIK XLR ITEM G X SERIES - NC3FX NC3FX NC3FX NC4FX NC5FX NC5FX NC5FX NC5FX NC7FX NC3FX-BAG	R CONNE ONTACTS 3 3 C DR QG T' ONTACTS Chuck-1 3 3 4 5 6 7 3	SEX M F F F F F F F F F F F F F F F F F F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g BLOCTORS - CABLE DESCRIPTIO in relief, No s Nickel with Right angle Nickel with Nickel with Nickel with Black with s	old contacts old contacts E TYPE N crew assemm inckel w/silve silver contacts silver contacts silver contacts silver contacts silver contacts silver contacts	AX3M bly, 3- to 7-p	in versions
CABLE UF XLRM-C CABLE UP XL ITEM C XLRM-C NEUTRIK XLR ITEM C X SERIES - NC3FX NC3FX NC3FX NC4FX NC5FX NC6FX NC6FX NC7FX NC7FX NC7FX NC7FX NC7FX NC7FX-BAG NC4FX-BAG	R CONNE ONTACTS 3 3 3 COR QG T' ONTACTS Chuck-1 3 3 4 5 6 6 7 7 3 4	SEX M F YPE CONI SEX F F F F F F F F F F F F F F F F F F F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g Black with g NECTORS - CABI DESCRIPTIO in relief, No ss Nickel with Right angle Nickel with Nickel with Nickel with Nickel with Black with s Black with s	old contacts old contacts E TYPE Crew assemments ilver contacts nickel w/silve silver contacts silver contacts silver contacts silver contacts silver contacts ilver contacts	AX3M bly, 3- to 7-p	
CABLE UF XLRM-C CABLE UP XL ITEM C XLRM-C XLRF-C NEUTRIK XLR ITEM C X SERIES - NC3FX NC3FX NC3FX NC4FX NC5FX NC6FX NC7FX NC7FX NC7FX NC7FX NC7FX NC7FX-BAG NC4FX-BAG NC5FX-BAG	R CONNE ONTACTS 3 3 3 4 OR QG T' ONTACTS Chuck-1 3 3 4 5 6 6 7 7 3 4 5	SEX M F YPE CONI SEX F F F F F F F F F F F F F F F F F F F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g Black with g NECTORS - CABI OESCRIPTIO in relief, No s Nickel with Right angle Nickel with Nickel with Nickel with Black with s Black with s	old contacts old contacts E TYPE N crew assemi silver contacts nickel w/silve silver contacts silver contacts silver contacts silver contacts ilver contacts ilver contacts ilver contacts	AX3M bly, 3- to 7-p	in versions
CABLE UF XLRM-C CABLE UP XL ITEM C XLRM-C XLRF-C NEUTRIK XLR ITEM C X SERIES - NC3FX NC3FX NC4FX NC5FX NC5FX NC5FX NC7FX NC3FX NC5FX NC7FX NC3FX	R CONNE ONTACTS 3 3 4 OR QG T' ONTACTS Chuck-1 3 3 4 5 6 6 7 3 4 5 6	SEX M F YPE CONI SEX F F F F F F F F F F F F F F F F F F F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g Black with g NECTORS - CABI DESCRIPTIO in relief, No s Nickel with Right angle, Nickel with Nickel with Nickel with Nickel with Black with s Black with s Black with s	old contacts old contacts E TYPE N Cerew assemmisilver contacts nickel w/silve silver contacts silver contacts silver contacts ilver contacts	AX3M bly, 3- to 7-p	in versions
CABLE UF XLRM-C CABLE UP XL ITEM C XLRM-C XLRM-C NEUTRIK XLR ITEM C X SERIES - NC3FX NC3FX NC4FX NC5FX NC5FX NC6FX NC7FX NC3FX NC7FX NC3FX NC4FX NC5FX NC5FX NC6FX NC7FX NC3FX NC7FX NC3FX NC7FX NC3FX NC7FX NC3FX NC3FX NC3FX	R CONNE ONTACTS 3 3 4 OR QG T ONTACTS Chuck-t 3 3 4 5 6 7 3 4 5 6 7	SEX M F F F F F F F F F F F F F F F F F F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g Black with g NECTORS - CABI DESCRIPTIO in relief, No s Nickel with Nickel with Nickel with Nickel with Nickel with Black with s Black with s Black with s Black with s	old contacts old contacts E TYPE N Cerew assemmisitiver contacts nickel w/silver silver contacts silver contacts silver contacts ilver contacts ilver contacts ilver contacts ilver contacts ilver contacts ilver contacts	AX3M bly, 3- to 7-p	in versions
CABLE UF XLRM-C CABLE UP XL ITEM C XLRM-C NEUTRIK XLR ITEM C X SERIES - NC3FX NC3FX NC3FX NC4FX NC5FX NC5FX NC6FX NC7FX NC3FX-BAG NC4FX-BAG NC5FX-BAG NC5FX-BAG NC5FX-BAG NC5FX-BAG NC5FX-BAG NC5FX-BAG NC5FX-BAG NC5FX-BAG	R CONNE ONTACTS 3 3 4 OR QG T ONTACTS Chuck-1 3 4 5 6 7 3 4 5 6 7 3	SEX M F F YPE CONI SEX F F F F F F F F F F F F F F F F F F F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g Black with g Nickel with Right angle Nickel with Nickel with Nickel with Nickel with Black with s	old contacts old contacts E TYPE N Crew assemments ilver contacts nickel w/silve silver contacts silver contacts silver contacts ilver contacts	bly, 3- to 7-p	in versions
CABLE UF XLRM-C CABLE UP XL ITTEM C XLRM-C NEUTRIK XLR ITEM C X SERIES - NC3FX NC3FX NC3FX NC3FX NC4FX NC5FX NC6FX NC7FX NC3FX-BAG NC4FX-BAG NC5FX-BAG NC5FX-BAG NC5FX-BAG NC5FX-BAG	R CONNE ONTACTS 3 3 3 C OR QG T' ONTACTS Chuck-1 5 6 7 3 4 5 6 7 7 3 3 4	SEX F F F F F F F F F F F F F F F F F F F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g Black with g NECTORS - CABL UESCRIPTIO IN relief, No s Nickel with Nickel with Nickel with Nickel with Black with s Black with g Right angle	old contacts old contacts E TYPE **Crew assemment of the contacts of the cont	bly, 3- to 7-p	in versions
CABLE UF XLRM-C CABLE UP XL ITEM C XXRM-C NEUTRIK XLR ITEM C X SERIES - NC3FX NC3FX NC3FX NC4FX NC5FX NC6FX NC7FX NC7FX NC7FX NC7FX NC7FX-BAG NC4FX-BAG NC4FX-B	R CONNE ONTACTS 3 3 3 4 OR QG T' ONTACTS Chuck-1 3 3 4 5 6 6 7 3 4 5 6 6 7 3 4	SEX M F YPE CONI SEX F F F F F F F F F F F F F F F F F F F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g Black with g NECTORS - CABL DESCRIPTIO in relief, No. s Nickel with Nickel with Nickel with Nickel with Nickel with Slack with s Black with s	old contacts old contacts E TYPE COUNTY COU	bly, 3- to 7-p	in versions
CABLE UF XLRM-C CABLE UP XL ITEM C XLRM-C XLRF-C NEUTRIK XLR ITEM C X SERIES - NC3FX NC4FX NC5FX NC6FX NC7FX NC7FX NC7FX NC7FX NC7FX-BAG	R CONNE ONTACTS 3 3 4 OR QG T' ONTACTS Chuck-1 3 3 4 5 6 6 7 3 4 5 6 6 7 3 4 5 6 6 7 3 4 5 6 6 7	SEX M F YPE CONI SEX F F F F F F F F F F F F F F F F F F F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g Black with g NECTORS - CABI DESCRIPTIO in relief, No s Nickel with Right angle Nickel with Nickel with Nickel with Black with s	old contacts old contacts E TYPE Crew assemmisilver contacts nickel w/silve silver contacts silver contacts silver contacts ilver contacts ilver contacts ilver contacts ilver contacts ilver contacts ilver contacts black w/gold old contacts old contacts	bly, 3- to 7-p	in versions
CABLE UF XLRM-C CABLE UP XL ITEM C XXRM-C XLRF-C NEUTRIK XLR ITEM C X SERIES - NC3FX NC3FX NC4FX NC5FX NC5FX NC5FX NC5FX NC5FX NC5FX NC5FX NC4FX-BAG NC5FX-BAG NC3FX-B NC5FX-B	R CONNE ONTACTS 3 3 4 OR QG TONTACTS Chuck-1 3 4 5 6 7 3 4 5 6 7 3 4 5 6 7 3 4 5 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7	SEX M F YPE CONI SEX F F F F F F F F F F F F F F F F F F F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g Black with g NECTORS - CABI DESCRIPTIO in relief, No s Nickel with Nickel with Nickel with Nickel with Nickel with Black with s Black with s Black with s Black with s Black with g	old contacts old contacts E TYPE Crew assemmisilver contacts nickel w/silve silver contacts silver contacts silver contacts ilver contacts ilver contacts ilver contacts ilver contacts ilver contacts bilver contacts bilver contacts black w/gold old contacts old contacts old contacts	hly, 3- to 7-p	in versions
CABLE UF XLRM-C CABLE UP XL ITEM C XLRM-C XLRF-C NEUTRIK XLR ITEM C X SERIES - NC3FX NC4FX NC5FX NC6FX NC7FX NC7FX NC7FX NC7FX NC7FX-BAG	R CONNE ONTACTS 3 3 4 OR QG T' ONTACTS Chuck-1 3 3 4 5 6 6 7 3 4 5 6 6 7 3 4 5 6 6 7 3 4 5 6 6 7	SEX M F YPE CONI SEX F F F F F F F F F F F F F F F F F F F	CABLE UP XLRF-C CABLE TYPE DESCRIPTIO Black with g Black with g Black with g NECTORS - CABI DESCRIPTIO in relief, No s Nickel with Nickel with Nickel with Nickel with Nickel with Black with s Black with s Black with s Black with s Black with g	old contacts old contacts E TYPE Crew assemmisilver contacts nickel w/silve silver contacts silver contacts silver contacts ilver contacts ilver contacts ilver contacts ilver contacts ilver contacts ilver contacts black w/gold old contacts old contacts	hly, 3- to 7-p	in versions

	NTACTS	SEX	ECTORS - CABLE TYPE (CONT.) DESCRIPTION	
			strain relief, No screw assei	mbly, 3- to 7-pin versions
NC4MX NC5MX	4 5	M M	Nickel with silver contacts Nickel with silver contacts	
NC6MX	6	M	Nickel with silver contacts	
IC7MX	7	M	Nickel with silver contacts	
VC3MX-BAG	3	M	Black with silver contacts	
NC4MX-BAG	4	M	Black with silver contacts	
IC5MX-BAG	5	M	Black with silver contacts	NC3MX-BAG
IC3MX-B	3	M	Black with gold contacts	
NC3MRX-B	3	M	Right angle, black w/gold cor	ntacts
NC4MX-B	4	M	Black with gold contacts	
NC5MX-B NC6MX-B	5	M M	Black with gold contacts	
VUDIVIA-D (LR OR QG-TYI			Black with gold contacts	
			DESCRIPTION	
			amp, precision machined p	in contacts,
positive latc	hlock,	RoHS col	mpliant	
AG3F	3	F	Nickel	
AG3M	3	M	Nickel	
			on Series - IDC contacts, 2	2-26AWG wire,
s <i>elf-adjustin</i> NC3FXX-HA	g cam 3	IOCK Stra		
NG3FXX-HA NG3FXX-B	3	F	Nickel with gold contacts Black with gold contacts	
IC3FXX-B	3	M	Nickel with gold contacts	NC3FXX-HA
IC3MXX-B	3	M	Black with gold contacts	
	igital A	udio RF-S	Shielded - Coaxial ground s	spring & coax hex crimp
NC3FX-CC	3	F	Nickel with silver contacts	
NC3MX-CC	3	M	Nickel with silver contacts	
			rproofed - O-ring enabled to	o prevent water in shell
NC3FX-HD	3	F	Nickel with silver contacts	
NC4FX-HD	4	F F	Nickel with silver contacts Nickel with silver contacts	
NC5FX-HD NC3MX-HD	5 3	M	Nickel with silver contacts	
NC4MX-HD	4	M	Nickel with silver contacts	NC3FX-HD
NC5MX-HD	5	M	Nickel with silver contacts	HOOT X-IID
SWITCHCRAI	FT Stan	dard Seri	es - Rotated solder termina	ols, all metal shells for
extreme dura	ability.	Available	e in 3- to 7-pin versions, pa	artial listing of SKUs
			ins desired after A prefix.	
A3F	3	F	Nickel with silver contacts	
A4F	4 5	F F	Nickel with silver contacts	
A5F A6F	5 6	F	Nickel with silver contacts Nickel with silver contacts	A3F
A7F	7	F	Nickel with silver contacts	ASF
A3FBX	3	F	Black with silver contacts	
A3FBXAU	3	F	Black with gold contacts	_
			Diack With gold contacts	
ASM	3	M	Nickel with silver contacts	
	3 4		•	
A4M A5M	4 5	M M M	Nickel with silver contacts Nickel with silver contacts Nickel with silver contacts	АЗМВАИ
A4M A5M A6M	4 5 6	M M M	Nickel with silver contacts Nickel with silver contacts Nickel with silver contacts Nickel with silver contacts	АЗМВАИ
A4M A5M A6M A7M	4 5 6 7	M M M M	Nickel with silver contacts Nickel with silver contacts Nickel with silver contacts Nickel with silver contacts Nickel with silver contacts	АЗМВАИ
A4M A5M A6M A7M A3MB	4 5 6 7 3	M M M M M	Nickel with silver contacts Nickel with silver contacts Nickel with silver contacts Nickel with silver contacts Nickel with silver contacts Black with silver contacts	АЗМВАИ
A4M A5M A6M A7M A3MB A3MBAU	4 5 6 7 3 3	M M M M M	Nickel with silver contacts Nickel with silver contacts Nickel with silver contacts Nickel with silver contacts Nickel with silver contacts Black with silver contacts Black with gold contacts	азмваи
A4M A5M A6M A7M A3MB A3MBAU Switchcrai	4 5 6 7 3 3	M M M M M M	Nickel with silver contacts Black with silver contacts Black with gold contacts Black with gold contacts	
A4M A5M A6M A7M A3MB A3MBAU <i>Switchcrai</i>	4 5 6 7 3 3	M M M M M	Nickel with silver contacts Nickel with silver contacts Nickel with silver contacts Nickel with silver contacts Nickel with silver contacts Black with silver contacts Black with gold contacts	A3MBAU
A4M A5M A6M A7M A3MB A3MBAU <i>Switchcrai</i> Ta3fx Ta4fx	4 5 6 7 3 3 FT Tiny 3	M M M M M M G Conno	Nickel with silver contacts Black with silver contacts Black with gold contacts ectors Nickel, Tini-QG	ТАЗЕХ
A4M A5M A6M A7M A3MB A3MBAU Switchcrai Ta3fX Ta4fX Neutrik XX Se ITEM C0	4 5 6 7 3 3 FT Tiny 3 4 ERIES -	M M M M M M F F CHUCK TYPE :	Nickel with silver contacts Black with silver contacts Black with gold contacts Black with gold contacts ectors Nickel, Tini-QG Nickel, Tini-QG TERAIN RELIEF WITH IMPROVED LATCH, DESCRIPTION	TA3FX REDUCED WEAR ON CONTACTS
ITEM GO Available in	4 5 6 7 3 3 4 ERIES - NTACTS 3- to 7	M M M M M M M F CAGC Connu F F F CHUCK TYPE: SEX	Nickel with silver contacts Black with silver contacts Black with gold contacts B	TA3FX REDUCED WEAR ON CONTACTS
A4M A5M A6M A7M A3MB A3MBAU SWITCHCRAI TA3FX TA4FX NEUTRIK XX SE IITEM CO Available in Substitute #	4 5 6 7 3 3 3 FT Tiny 3 4 ERIES - NTACTS 3- to 7 pins d	M M M M M M M M M M M M M M M M M M M	Nickel with silver contacts Black with silver contacts Black with gold contacts Black with silver contact	TA3FX REDUCED WEAR ON CONTACTS
A4M A5M A6M A7M A3MB A3MBAU SWITCHCRAI TA3FX TA4FX NEUTRIK XX SE TITEM CO Available in Substitute #	4 5 6 7 3 3 3 4 ERIES - NTAGIS 3- to 7 pins d	M M M M M M M M M M M M M M M M M M M	Nickel with silver contacts Black with silver contacts Black with gold contacts Black with gilver contacts Nickel, Tini-QG Nickel, Tini-QG STRAIN RELIEF WITH IMPROVED LATCH, DESCRIPTION LOSS STRAIN RELIEF WITH IMPROVED LATCH, STRAIN RELIEF WITH IMPROVED LATCH, LOSS STRAIN RELIEF WITH IMPROVED LATCH,	TA3FX REDUCED WEAR ON CONTACTS
A4M A5M A6M A7M A3MB A3MBAU SWITCHCRAI TA3FX TA4FX NEUTRIK XX SE ITEM CO Available in Substitute # NC3FXX-BAG	4 5 6 7 3 3 4 4 ERIES - NTAGIS 3- to 7 pins d 3	M M M M M M M M M M M M M M M M M M M	Nickel with silver contacts Black with silver contacts Black with gold contacts Black with silver contacts Nickel, Tini-QG STRAIN RELIEF WITH IMPROVED LATCH, DESCRIPTION DESCRIPTION LONG STRAIN FLIEF WITH IMPROVED LATCH, LONG STRAI	TA3FX REDUCED WEAR ON CONTACTS
A4M A5M A6M A7M A3MB A3MBAU SWITCHCRAI TA3FX TA4FX NEUTRIK XX SE ITEM CO Available in Substitute # NC3FXX NC3FXX-BAG NC3FXX-BAG	4 5 6 7 3 3 4 FT Tiny 3 4 ERIES - NTACTS 3- to 7 pins d 3 3	M M M M M M M M M M M M M M M M M M M	Nickel with silver contacts Black with silver contacts Black with gold contacts Black with gold contacts Black with gold contacts Nickel, Tini-QG STRAIN RELIEF WITH IMPROVED LATCH, DESCRIPTION IONS, partial listing of SKU: Nickel with silver contacts Black with gold contacts Black with gold contacts	TA3FX REDUCED WEAR ON CONTACTS
A4M A5M A6M A7M A3MB A3MBAU SWITCHCRAI TA3FX TA4FX TA4FX FOUR CO Available in Substitute # NC3FXX-BAG NC3FXX-BAG NC3FXX-B	4 5 6 7 3 3 3 4 ERIES - NTACTS 3- to 7 pins d 3 3	M M M M M M M M M M M M M M M M M M M	Nickel with silver contacts Black with silver contacts Black with gold contacts Black with gold contacts Black with gold contacts Nickel, Tini-QG STRAIN RELIEF WITH IMPROVED LATCH, DESCRIPTION ions, partial listing of SKUS ter NC prefix. Nickel with silver contacts Black with gold contacts Nickel with silver contacts	TA3FX REDUCED WEAR ON CONTACTS S shown below.
A4M A5M A6M A7M A3MB A3MBAU SWITCHCRAI TA3FX TA4FX NEUTRIK XX SE ITEM CO Available in Substitute # NC3FXX NC3FXX-BAG NC3FXX-BAG	4 5 6 7 3 3 4 FT Tiny 3 4 ERIES - NTACTS 3- to 7 pins d 3 3	M M M M M M M M M M M M M M M M M M M	Nickel with silver contacts Black with silver contacts Black with gold contacts Black with gold contacts Black with gold contacts Black with silver contacts Nickel, Tini-QG DESCRIPTION Ions, partial listing of SKUS Let NC prefix. Nickel with silver contacts Black with gold contacts Nickel with silver contacts Nickel with silver contacts Black with silver contacts Black with silver contacts Black with silver contacts	TA3FX REDUCED WEAR ON CONTACTS
A4M A5M A6M A7M A3MB A3MBAU SWITCHCRAI TA3FX TA4FX NEUTRIK XX SE ITEM CO Available in Substitute # NC3FXX NC3FXX-BAG NC3FXX-BAG NC3MXX NC3MXX-BAG NC3MXX-BAG	4 5 6 7 3 3 FT Tiny 3 4 ERIES - NTACIS 3 3- to 7 pins d 3 3 3 3	M M M M M M M M M M M M M M M M M M M	Nickel with silver contacts Black with silver contacts Black with gold contacts Black with gold contacts Black with gold contacts Nickel, Tini-QG STRAIN RELIEF WITH IMPROVED LATCH, DESCRIPTION ions, partial listing of SKUS ter NC prefix. Nickel with silver contacts Black with gold contacts Nickel with silver contacts	TA3FX REDUCED WEAR ON CONTACTS S shown below. NC3FXX
A4M A5M A6M A7M A3MB A3MBAU SWITCHCRAI TA3FX TA4FX TA4FX CO Available in Substitute # NC3FXX-BAG NC3FXX-BAG NC3FXX-BAG NC3MXX	4 5 6 7 3 3 FT Tiny 3 4 ERIES - NTACTS 3- to 7 pins d 3 3 3	M M M M M M M M M M M M M M M M M M M	Nickel with silver contacts Black with silver contacts Black with gold contacts Black with gold contacts Black with gold contacts Black with silver contacts Nickel, Tini-QG STRAIN RELIEF WITH IMPROVED LATCH, DESCRIPTION LODGE OF THE SILVER CONTACTS DESCRIPTION LODGE WITH SILVER CONTACTS Black with silver contacts Black with gold contacts Black with silver contacts Black with gold contacts Black with gold contacts Black with gold contacts Black with gold contacts	TA3FX REDUCED WEAR ON CONTACTS S shown below. NC3FXX F rejection
A4M A5M A6M A7M A3MB A3MBAU SWITCHCRAI TA3FX TA4FX NEUTRIK XX SE TITEM CO Available in Substitute # NC3FXX NC3FXX-BAG NC3FXX-BAG NC3MXX-BAG NC3MXX-BAG NC3MXX-BAG NC3MXX-BAG	4 5 6 7 3 3 3 FFT Tiny 3 4 4 ERIES - NIACIS 3- to 7 pins d 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	M M M M M M M M M M M M M M M M M M M	Nickel with silver contacts Black with silver contacts Black with gold contacts Black with gold contacts Black with gold contacts Black with gold contacts DESCRIPTION BLOOK, partial listing of SKUS Black with silver contacts Black with silver contacts Nickel with silver contacts Nickel with silver contacts Black with gold contacts Nickel with silver contacts Black with gold contacts Nickel with silver contacts Black with gold contacts Nickel with silver contacts	TA3FX REDUCED WEAR ON CONTACTS S shown below. NC3FXX F rejection F rejection

PRICES FLUCTUATE, CALL OR VISIT FULLCOMPASS.COM FOR PRICING







NC3MRX

Right angle, nickel w/silver contacts



powerCON TRUE1 | Lockable mains voltage connector

Mains connector according to IEC 60320 | VDE and UL certified | Single-phase system for 16 A / 250 V / VDE respectively 20 A / 250 V / UL | Integrated twist-lock | Complete system including inlet and outlet cable connector and chassis | IP65 – water resistant ready-made cord sets





















XCR-GR

XCR-R

XCR-WT



































XCR-0

XCR-V

XCR-Y

Orange ID ring

Violet ID ring

Yellow ID ring

		0	
XLR OR	QG-TYPE CONNE	CTORS -	PANEL TYPE
ITEM	CONTACTS	SEX	DESCRIPTION

Grey ID ring

Red ID ring

White ID ring

NEUTRIK DL Series - Cups for wire soldering, compatible with Switchcraft E Series (except 6 pin). Available in 3- to 7-pin versions.

Partial listing of SKUs shown below. Substitute # pins desired after NC prefix NC3FDL-1 Nickel with silver contacts, square panel with latch NC3FDL-B-1 Black with gold contacts, square panel with latch NC3FDL-BAG-1 3 Black with silver contacts, square panel with latch NC3MDL-1 Nickel with silver contacts NC3MDL-B-1 Black with gold contacts M NC3MDL-BAG-1 3 M Black with silver contacts

NEUTRIK P Series - Rectangular-shaped, front-mounted, compatible with Switchcraft D series (except 6 pin). Available in 3- to 7-pin versions, partial listing of SKUs shown below. Substitute # of pins desired after NC prefix

Nickel with silver contacts, rectangular panel with latch NC3FP-1 NC3FP-B-1 Black with gold contacts, rectangular panel with latch NC3FP-BAG-1 Black with silver contacts, rectangular panel with latch NC3MP Nickel with silver contacts, rectangular panel M NC3MP-B 3 M Black with gold contacts, rectangular panel NC3MP-BAG 3 М Black with silver contacts, rectangular panel

SWITCHCRAFT D Series - Rectangular panel mounts, compatible with Neutrik P-series. Available in 3- to 7-pin versions, partial listing of SKUs shown below. Substitute # of pins desired after D prefix

D3F Nickel with silver contacts, rectangular panel with latch D3M Nickel with silver contacts, rectangular panel D3MB M Black with silver contacts, rectangular panel





NC3MDL-1





NC3MP-BAG NC3FP-1

ALIA AND 1/T	OUMDO OUMILOTORO
ITEM	DESCRIPTION
NEUTRIK –	3-pole F-XLR with a 1/4" TRS jack. Several versions available.
NCJ5FI-S	3-pole XLR-F with 1/4" TS jack with out normalling, solder cups
NCJ6FI-S	3-pole XLR-F with 1/4" TRS jack with out normalling, solder cups
NCJ9FI-S	3-pole XLR-F with 1/4" TRS jack with normalling, solder cups
NCJ10FI-S	3-pole XLR-F with 1/4" switching ground and stereo jack, solder cups
MALE 1/4" P	HONE PLUGS - ALL CONNECTORS ARE SOLDER TYPE UNLESS NOTED

CONTACTS NOTES COLOR AMPHENOL - AC Series - Robust diecast shell, precision machined contacts, met cable protection PoUS compliant

HEXIDIE BIOHIIII	LUADIC	ргосессион, когто сотприать.	_
ACPM-GB	2	Black/Nickel	
ACPM-GB-AU	2	Black/Gold	111
ACPM-GN	2	Satin/Nickel	A. Service
ACPM-GN-AU	2	Satin/Gold	
ACPS-GN	3	Satin/Nickel	ACPM-GN-AU
ACPS-GN-AU	3	Satin/Gold	
		Unique 360° sliding ring contact	

signal circuit to ground, preventing noise when changing instruments.

TM1P-AU	2	Satin/Gold	
TM1PB-AU	2	Black/Gold	
TM1RJ-AU	2	Satin/Gold	Right angle
	=		

ITEM C	ONTACTS	I.) - ALL CUNNECTUR COLOR	S ARE SULDER III	NOTES	
AMPHENOL - T			recision mac		
"Jaws" cable re				mneu contacts,	
TM2P	2		ickel contacts		
TM2P-AU	2		old contacts	_	
TM2PB	2		ickel contacts	100	100
TM2PB-AU	2		gold contacts	20	
TM2PJ	2	Satin, la		TM2P.	
TM2PN	2		ickel contacts	111121	
TM2PNJ	2		ickel contacts,	large	
TM2RBJ	2			, large, right angle	
TS3P	3		ickel contacts		
TS3PN	3	,		metal backshell	
TS3PN-AU	3			netal backshell	
CABLE UP	-	· · · · · · · · · · · · · · · · · · ·	,, .		
YS224RA	2	Gold Tip)	Right angle	
YS224S	2	Gold Tip		0 11 0 1	_
14TSM-C	2	Gold Tip			
14TRSM-C	3	Gold Tip			and the second
CANARE					
F15	2	Brass/N	lickel	F15	
F16	3	Brass/N	lickel	1100	
NEUTRIK			lickel		
NP2C	2	Nickel/S	Silver	Accession	
NP2C-BAG	2	Black/S		63	
NP2C-B	2	Black/G			NP2C
NP2RX	2	Nickel/S		Right angle	III 20
NP2RX-AU-SILENT		Red/Gol		Right angle w/ sil	ent switch
NP2RX-B	2	Black/G		Right angle	ont Switch
NP2RX-BAG	2	Black/S		Right angle	
NP2X	2	Nickel/S		mgiit diigio	
NP2X-AU-SILENT	2	Red/Gol		Silent switch	
NP2X-B	2	Black/G	-	Onone Switton	
NP3C	3	Nickel/S			
NP3C-BAG	3	Black/S			
NP3RX	3	Nickel/S		Right angle	
NP3RX-B	3	Black/G		Right angle	
NP3RX-BAG	3	Black/S		Right angle	
NP3X	3	Nickel/S		mgm anglo	
-				_	
NP3X-B	3	Black/G	old	Contraction of the Contraction o	
NP3X-B NP3X-BAG	3	Black/G Black/S		(4)	=
	3 3 3	Black/S	ilver	All metal	NP3X-BAG
NP3X-BAG	3	Black/S Black/M	ilver Iil Gauge	Carrier .	NP3X-BAG
NP3X-BAG NP3TB-B	3 3	Black/S	ilver Iil Gauge	All metal All metal	
NP3X-BAG NP3TB-B NP3TB-R	3 3 3	Black/S Black/M Red/Mil	ilver Iil Gauge	All metal All metal Crimp, short, 24a	wg
NP3X-BAG NP3TB-B NP3TB-R NYS201	3 3 3 2	Black/S Black/M Red/Mil Silver	ilver Iil Gauge	All metal All metal	wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202	3 3 3 2 3	Black/S Black/M Red/Mil Silver Silver	ilver Iil Gauge	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24aw	wg wg vg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224	3 3 3 2 3 2	Black/S Black/M Red/Mil Silver Silver Silver	ilver Iil Gauge	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24aw Crimp, long, 12aw	wg wg vg vg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L	3 3 2 3 2 2	Black/S Black/M Red/Mil Silver Silver Silver Silver	ilver Iil Gauge	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24aw	wg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L	3 3 2 3 2 2 2 2	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver	ilver Iil Gauge	All metal All metal Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 12av	wg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS228	3 3 2 3 2 2 2 2	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver	ilver lil Gauge Gauge	All metal All metal Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 12av	wg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS225L SWITCHCRAFT	3 3 2 3 2 2 2 2 2	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver	ilver lil Gauge Gauge Jickel	All metal All metal Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 24av	wg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS225L SWITCHCRAFT 184	3 3 3 2 3 2 2 2 2 3	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver	ilver lil Gauge Gauge Jickel Jickel	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24aw Crimp, long, 12aw Crimp, long, 12aw Crimp, long, 24aw Large	wg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS228 SWITCHCRAFT 184 184L	3 3 3 2 3 2 2 2 2 3	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/N	ilver lil Gauge Gauge dickel lickel lickel	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 24av Large For large cable	wg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS225L NYS228 SWITCHCRAFT 184 184L	3 3 3 2 3 2 2 2 2 3 3 2 2 2 2 2 2 2 2 2	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/N Nickel/M	ilver lil Gauge Gauge lickel lickel lickel	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty	wg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS225L NYS228 SWITCHCRAFT 184 188 226	3 3 3 2 3 2 2 2 2 2 3 3 2 2 2 2 2 2 2 2	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/N Nickel/N	ilver lil Gauge Gauge lickel lickel lickel lickel	All metal All metal Crimp, short, 24a' Crimp, short, 24a' Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle	wg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS228 SWITCHCRAFT 184 184L 188 226	3 3 3 2 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/N Nickel/N Nickel/N Nickel/N	ilver lil Gauge Gauge lickel lickel lickel lickel lickel	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle	wg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS228 SWITCHCRAFT 184 184L 188 226 228	3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/N Nickel/N Nickel/N Nickel/N	ilver lil Gauge Gauge dickel lickel lickel lickel lickel lickel	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle	wg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS228 SWITCHCRAFT 184 184L 188 226 228 228	3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M	ilver lil Gauge Gauge Gickel lickel lickel lickel lickel lickel	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle	wg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS225L NYS228 SWITCHCRAFT 184 184 188 226 228 250 280 297 MALE MINI-1/8" P ITEM GON	3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M	ilver lil Gauge Gauge dickel lickel lickel lickel lickel lickel	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle	wg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224 NYS225L NYS225L NYS228 SWITCHCRAFT 184 184L 188 226 228 250 280 297 MALE MINI-1/8" P ITEM CON CABLE UP	3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M S - CABLE TYPE COLOR	ilver lil Gauge Gauge Gauge lickel lickel lickel lickel lickel lickel	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle	wg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS2D1 NYS2D2 NYS224 NYS224L NYS225L NYS228 SWITCHCRAFT 184 184L 188 226 228 250 280 297 MALE MINI-1/8" P ITEM CON CABLE UP 18TSM-C	3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M S - CABLE TYPE COLOR	ilver lil Gauge Gauge Gauge lickel lickel lickel lickel lickel lickel lickel lickel lickel	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle	wg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS228 SWITCHCRAFT 184 184L 188 226 228 250 280 297 MALE MINI-1/8" P ITEM CON CABLE UP 18TSM-C 18TRSM-C	3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M S - CABLE TYPE COLOR	ilver lil Gauge Gauge Gauge lickel lickel lickel lickel lickel lickel	All metal All metal Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle Plastic	wg wg vg vg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS225L NYS228 SWITCHCRAFT 184 188 226 228 250 280 297 MALE MINI-1/8" P ITEM CON CABLE UP 18TSM-C 18TRSM-C CANARE	3 3 3 2 2 2 2 2 3 2 2 2 2 2 2 2 3 iHONE PLUG TITACTS	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/N Nickel/N Nickel/N Nickel/N Nickel/N Nickel/N S - CABLE TYPE COLOR Gold Tip	ilver lil Gauge Gauge Gauge lickel lickel lickel lickel lickel lickel lickel lickel lickel Metal Metal	All metal All metal Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle Plastic	wg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224 NYS225L NYS225L NYS228 SWITCHCRAFT 184 188 226 228 250 280 297 MALE MINI-1/8" P ITEM CON CABLE UP 18TRSM-C CANARE F11	3 3 3 2 2 2 2 2 3 2 2 2 2 2 2 2 2 3 **HONE PLUG ITACTS 2 3 2	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M S - CABLE TYPE COLOR Gold Tip Silver	ilver lil Gauge Gauge Gauge lickel	All metal All metal Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle Plastic	wg wg vg vg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS225L NYS228 SWITCHCRAFT 184 188 226 228 250 280 297 MALE MINI-1/8" P ITEM GON CABLE UP 18TSM-C 18TRSM-C CANARE F11 F12	3 3 3 2 2 2 2 2 3 2 2 2 2 2 2 2 3 iHONE PLUG TITACTS	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/N Nickel/N Nickel/N Nickel/N Nickel/N Nickel/N S - CABLE TYPE COLOR Gold Tip	ilver lil Gauge Gauge Gauge lickel lickel lickel lickel lickel lickel lickel lickel lickel Metal Metal	All metal All metal Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle Plastic	wg wg vg vg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224 NYS225L NYS225L NYS228 SWITCHCRAFT 184 184L 188 226 228 250 280 297 MALE MINI-1/8" P ITEM CON CABLE UP 18TSM-C 18TRSM-C CANARE F11 F12 NEUTRIK	3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3 4 HONE PLUG ITACTS 2 3	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M S - CABLE TYPE COLOR Gold Tip Gold Tip Silver Silver	ilver lil Gauge Gauge Gauge lickel	All metal All metal Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle Plastic	wg wg vg vg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS228 SWITCHCRAFT 184 184L 188 226 228 250 280 297 MALE MINI-1/8" P ITEM CON CABLE UP 18TRSM-C 18TRSM-C CANARE F11 F12 NEUTRIK NYS231	3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 3 3 HONE PLUG ITACTS 2 3 3 3	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M S - CABLE TYPE COLOR Silver Silver Silver Nickel/M Nickel/Silver Nickel/Silver	ilver lil Gauge Gauge Gauge lickel	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle Plastic	wg wg vg vg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS228 SWITCHCRAFT 184 184L 188 226 228 250 280 297 MALE MINI-1/8" P ITEM CON CABLE UP 18TSM-C 18TRSM-C	3 3 3 2 2 2 2 2 3 2 2 2 2 2 2 2 2 2 3 3 HONE PLUG TTACTS 2 3 3 3 3	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M S - CABLE TYPE COLOR Gold Tip Gold Tip Silver Silver Silver Silver Nickel/M Nickel/Silver Silver Silver Silver Black/Gold	ilver lil Gauge Gauge Gauge lickel lickel lickel lickel lickel lickel lickel lickel Metal Metal Metal Metal Metal Metal	All metal All metal Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 12av Crimp, long, 24av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle Plastic	wg wg vg gg yg yg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224 NYS225L NYS225L NYS228 SWITCHCRAFT 184 188 226 228 250 280 297 MALE MINI-1/8" P ITEM CON CABLE UP 18TSM-C 18TRSM-C CANARE F11 F12 NEUTRIK NYS231 NYS231B NTP3RC	3 3 3 2 2 2 2 2 3 2 2 2 2 2 2 3 HHOME PLUG TIACTS 2 3 3 3 3 3 3	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/N Nickel/N Nickel/N Nickel/N Nickel/N S - CABLE TYPE COLOR Gold Tip Gold Tip Silver Silver	ilver lil Gauge Gauge Gauge Gauge lickel	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle Plastic	wg wg vg vg wg wg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224 NYS225L NYS225L NYS228 SWITCHCRAFT 184 188 226 228 250 280 297 MALE MINI-1/8" P ITEM CON CABLE UP 18TRSM-C CANARE F11 F12 NEUTRIK NYS231 NYS231B NTP3RC NTP3RC-B	3 3 3 2 2 2 2 2 3 2 2 2 2 2 2 2 2 2 3 3 HONE PLUG TTACTS 2 3 3 3 3	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M S - CABLE TYPE COLOR Gold Tip Gold Tip Silver Silver Silver Silver Nickel/M Nickel/Silver Silver Silver Silver Black/Gold	ilver lil Gauge Gauge Gauge lickel lickel lickel lickel lickel lickel lickel lickel Metal Metal Metal Metal Metal Metal	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle Plastic	wg wg vg gg yg yg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224 NYS225L NYS225L NYS228 SWITCHCRAFT 184 188 226 228 250 280 297 MALE MINI-1/8" P ITEM GON CABLE UP 18TSM-C 18TRSM-C CANARE F11 F12 NEUTRIK NYS231 NYS231B NTP3RC NTP3RC-B SWITCHCRAFT	3 3 3 2 2 2 2 2 2 2 2 2 2 3 3 HHONE PLUG ITACTS 2 3 3 3 3 3 3 3 3 3	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M S - CABLE TYPE COLOR Gold Tip Gold Tip Silver Silver Silver Silver Silver Silver Silver Silver	ilver lil Gauge Gauge Gauge Gauge lickel lic	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle Plastic	wg wg vg gg yg yg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS228 SWITCHCRAFT 184 184L 188 226 228 250 280 297 MALE MINI-1/8" P ITEM CABLE UP 18TSM-C 18TRSM-C CANARE F11 F12 NEUTRIK NYS231 NYS231B NTP3RC NTP3RC-B SWITCHCRAFT 35HDNN	3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 3 3 HONE PLUG ITACTS 2 3 3 3 3 3 3 3 3 3 3	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M S - CABLE TYPE COLOR Gold Tip Gold Tip Silver Nickel/Silver Black/Gold Silver	ilver lil Gauge Gauge Gauge Gauge lickel	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle Plastic	wg wg vg gg yg yg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224L NYS225L NYS228 SWITCHCRAFT 184 184L 188 226 228 250 280 297 MALE MINI-1/8" P ITEM CON CABLE UP 18TSM-C 18TRSM-C	3 3 3 2 2 2 2 2 3 2 2 2 2 2 2 2 3 3 4 4 10 ME PLUG 1TACTS 2 3 3 3 3 3 " PHONE JAC	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M S - CABLE TYPE COLOR Gold Tip Gold Tip Silver Nickel/Silver Black/Gold Silver	ilver lil Gauge Gauge Gauge dickel lickel l	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle Plastic	wg wg vg gg yg yg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224 NYS225L NYS225L NYS228 SWITCHCRAFT 184 188 226 228 250 280 297 MALE MINI-1/8" P ITEM CON CABLE UP 18TSM-C 18TRSM-C 18TRSM-C 18TRSM-C NTP3RC-B SWITCHCRAFT 35HDNN FEMALE MINI-1/8' ITEM CON	3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 3 3 HONE PLUG ITACTS 2 3 3 3 3 3 3 3 3 3	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M S - CABLE TYPE COLOR Gold Tip Gold Tip Silver Nickel/Silver Black/Gold Silver	ilver lil Gauge Gauge Gauge Gauge lickel lic	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle Plastic	wg wg vg gg yg yg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224 NYS225L NYS225L NYS228 SWITCHCRAFT 184 188 226 228 250 280 297 MALE MINI-1/8" P ITEM CON CABLE UP 18TSM-C 18TRSM-C CANARE F11 F12 NEUTRIK NYS231 NYS231B NTP3RC NTP3RC-B SWITCHCRAFT 35HDNN FEMALE MINI-1/8" ITEM CON PHILMORE	3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 3 **HONE PLUG ITACTS 2 3 3 3 3 **PHONE JAC TTACTS	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M S - CABLE TYPE COLOR Gold Tip Gold Tip Silver Nickel/Silver Black/Gold Silver	ilver lil Gauge Gauge Gauge Gauge lickel li	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle Plastic	wg wg vg gg yg yg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224 NYS225L NYS225L NYS228 SWITCHCRAFT 184 188 226 228 250 280 297 MALE MINI-1/8" P ITEM CON CABLE UP 18TSM-C 18TRSM-C CANARE F11 F12 NEUTRIK NYS231 NYS231B NTP3RC NTP3RC-B SWITCHCRAFT 35HDNN FEMALE MINI-1/8" ITEM CON PHILMORE 504KB	3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 3 3 2 2 2 2 2 3 3 3 3 3 7 PHONE JACIS 3	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M S - CABLE TYPE COLOR Gold Tip Gold Tip Silver Nickel/Silver Black/Gold Silver	ilver lil Gauge Gauge Gauge lickel l	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle Plastic	wg wg vg gg yg yg
NP3X-BAG NP3TB-B NP3TB-R NYS201 NYS202 NYS224 NYS224 NYS225L NYS225L NYS228 SWITCHCRAFT 184 188 226 228 250 280 297 MALE MINI-1/8" P ITEM CON CABLE UP 18TSM-C 18TRSM-C CANARE F11 F12 NEUTRIK NYS231 NYS231B NTP3RC NTP3RC-B SWITCHCRAFT 35HDNN FEMALE MINI-1/8" ITEM CON PHILMORE	3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 3 **HONE PLUG ITACTS 2 3 3 3 3 **PHONE JAC TTACTS	Black/S Black/M Red/Mil Silver Silver Silver Silver Silver Silver Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M Nickel/M S - CABLE TYPE COLOR Gold Tip Gold Tip Silver Nickel/Silver Black/Gold Silver	ilver lil Gauge Gauge Gauge Gauge lickel li	All metal All metal Crimp, short, 24a Crimp, short, 24a Crimp, long, 24av Crimp, long, 12av Crimp, long, 24av Large For large cable Heavy-duty Right angle Right-angle Plastic	wg wg vg gg yg yg

MALE 1/4" PHONE PLUGS (CONT.) - ALL CONNECTORS ARE SOLDER TYPE UNLESS NOTED



NC3FDL-1

VID AND 1/A" COMPO CONNECTORS

EEMALE 1/A"	DUONE I	ACKS - PANEL	TVDE	
ITEM	CONTAC		YPE	
NEUTRIK				
NYS229	2		pen frame	
NYS230	3	0	pen frame	1
SWITCHCR.	AFT 2	0	non frama	
12B	3		pen frame pen frame	
N111X2	2		ylon bushing	100 m
N112BX	3		lastic bushing	NYS229
Z15J	2		igh current	
E111L	2	N	lono locking	
E112BL	3		tereo locking	
		ACKS - CABLE		
NEUTRIK	ONTACTS	COLOR	TYPE	
NJ3FC6-BAG	3	Black	Solder - locking	
NJ3FC6	3	Silver	Solder - locking	
SWITCHCR	AFT			
121	2	Silver	Solder	NJ3FC6
131	3	Silver	Solder	
	ONTACTS	ACKS - PANEL Color	TYPE	
NEUTRIK		002011		
NJ3FP6C	3	Silver	Square locking	
NJ3FP6C-BA	G 3	Black	Square locking	
NYS212	3	Silver	Panel	
NYS322	5	Silver	Cable/DIN	NJ3FP6C
NYS2202	2		Thick panel	
NYS221			Thick panel	
ITEM		IGS - CABLE TY Type	/PE	
	1		/PE	4
ITEM		TYPE	plated, black	
AMPHENOL ACPR-BLK ACPR-RED		TYPE	plated, black	
AMPHENOL ACPR-BLK ACPR-RED CABLE UP		TYPE RCA Plug, gold RCA Plug, gold	plated, black plated, red	ACPR-BLK
AMPHENOL ACPR-BLK ACPR-RED CABLE UP RCA-G		TYPE RCA Plug, gold RCA Plug, gold Metal solder, g	plated, black plated, red old tip, video use	ACPR-BLK
AMPHENOL ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C		TYPE RCA Plug, gold RCA Plug, gold	plated, black plated, red old tip, video use	ACPR-BLK
AMPHENOL ACPR-BLK ACPR-RED CABLE UP RCA-G	1	TYPE RCA Plug, gold RCA Plug, gold Metal solder, g	plated, black plated, red cold tip, video use cold tip	ACPR-BLK
AMPHENOL ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE	!	TYPE RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder, g	plated, black plated, red cold tip, video use cold tip	ACPR-BLK
AMPHENOL ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE F09		TYPE RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder, g Slim metal sol Metal solder	plated, black plated, red cold tip, video use cold tip	ACPR-BLK
AMPHENOL ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE F09 F10 RCAP-C3A RCAP-C4A		TYPE RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder, g Slim metal sol Metal solder Crimp, for A2V Crimp, for LV6	plated, black plated, red told tip, video use told tip der 1/2, V3C, L3C2VS 1S, 8241, RG59B/U	ACPR-BLK RCAM-C
AMPHENOL ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE F09 F10 RCAP-C3A RCAP-C4A		TYPE RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder, g Metal solder Crimp, for A2V Crimp, for L4C Crimp, for L4C	plated, black plated, red old tip, video use old tip der 1/2, V3C, L3C2VS 1S, 8241, RG59B/U FB, 1505A, 8241F	
AMPHENOL ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE F09 F10 RCAP-C3A RCAP-C4A RCAP-C4F RCAP-C5A		TYPE RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder, g Metal solder Crimp, for A2V Crimp, for L4C Crimp, for L4C Crimp, for L4C	plated, black plated, red cold tip, video use cold tip der 1/2, V3C, L3C2VS 1S, 8241, RG59B/U FB, 1505A, 8241F	
AMPHENOL ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE F09 F10 RCAP-C3A RCAP-C4A RCAP-C4A RCAP-C5A RCAP-C53		TYPE RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder, g Slim metal sol Metal solder Crimp, for A2V Crimp, for L4C	plated, black plated, red cold tip, video use cold tip der 1/2, V3C, L3C2VS 1S, 8241, RG59B/U FB, 1505A, 8241F	
AMPHENOL ACPR-BLK ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE F09 F10 RCAP-C3A RCAP-C4A RCAP-C4A RCAP-C53 RCAP-C53 RCAP-C53 RCAP-C53		TYPE RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder, g Metal solder Crimp, for A2V Crimp, for L4C Crimp, for L4C Crimp, for L4C	plated, black plated, red cold tip, video use cold tip der 1/2, V3C, L3C2VS 1S, 8241, RG59B/U FB, 1505A, 8241F	
AMPHENOL ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE F09 F10 RCAP-C3A RCAP-C4A RCAP-C4A RCAP-C5A RCAP-C53		TYPE RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder Crimp, for A2V Crimp, for V5C Crimp, for V5C Crimp, for U4C Crimp, for V5C Crimp, for L4C Crimp, for L4C Crimp, for L4C Crimp, for L4C	plated, black plated, red told tip, video use old tip der 1/2, V3C, L3C2VS 1S, 8241, RG59B/U FB, 1505A, 8241F 4A, RG6 7S, 8281F	
AMPHENOL ACPR-BLK ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE F09 F10 RCAP-C3A RCAP-C4A RCAP-C53 RCAP-C57 NEUTRIK		TYPE RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder, g Slim metal sol Metal solder Crimp, for A2V Crimp, for L4C	plated, black plated, red told tip, video use old tip der 1/2, V3C, L3C2VS 1S, 8241, RG59B/U FB, 1505A, 8241F 4A, RG6 7S, 8281F	
AMPHENOL ACPR-BLK ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE F09 F10 RCAP-C3A RCAP-C4A RCAP-C5A RCAP-C5A RCAP-C57 NEUTRIK NF2CB/2 NYS352 NYS352G		TYPE RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder, g Metal solder Crimp, for A2V Crimp, for L4C Crimp, for L4C Crimp, for 169 Crimp, for 169 Crimp, for L6V Pair black/golc	plated, black plated, red old tip, video use old tip der 1/2, V3C, L3C2VS 1S, 8241, RG59B/U FB, 1505A, 8241F 4A, RG6 7S, 8281F	RCAM-C
AMPHENOL ACPR-BLK ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE F09 F10 RCAP-C3A RCAP-C4A RCAP-C5A RCAP-C5A RCAP-C53 RCAP-C77 NEUTRIK NF2CB/2 NYS352 NYS352G SWITCHCR		TYPE RCA Plug, gold RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder, g Slim metal sol Metal solder Crimp, for A2V Crimp, for L4C Metal Metal, gold con	plated, black plated, red old tip, video use old tip der 1/2, V3C, L3C2VS 1S, 8241, RG59B/U FB, 1505A, 8241F 4A, RG6 7S, 8281F	RCAM-C
AMPHENOL ACPR-BLK ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE F10 RCAP-C3A RCAP-C4A RCAP-C53 RCAP-C53 RCAP-C57 NEUTRIK NF2CB/2 NYS352 NYS3526 SWITCHCR 3502		TYPE RCA Plug, gold RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder Crimp, for A2V Crimp, for V5C Crimp, for V5C Crimp, for V5C Crimp, for L4C Crimp, for L4C Crimp, for L4C Crimp, for L4C Metal Metal solder Metal solder	plated, black plated, red liplated, red lipl	RCAM-C
AMPHENOL ACPR-BLK ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE F09 F10 RCAP-C3A RCAP-C4A RCAP-C4A RCAP-C53 RCAP-C54 RC		TYPE RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder, g Metal solder Crimp, for A2V Crimp, for L4C Crimp, for L4C Crimp, for L4C Crimp, for L4C Metal solder Metal solder Metal solder Metal solder Metal solder	plated, black plated, red dold tip, video use old tip der 1/2, V3C, L3C2VS 1S, 8241, RG59B/U FB, 1505A, 8241F 4A, RG6 7S, 8281F	RCAM-C
AMPHENOL ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE F09 F10 RCAP-C3A RCAP-C4A RCAP-C4A RCAP-C53 RCAP-C54 RCAP-C54 RCAP-C54 RCAP-C54 RCAP-C54 RCAP-C54 RCAP-C55 RC		TYPE RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder, g Metal solder Crimp, for A2V Crimp, for LV6 Crimp, for L4C Metal solder Metal solder Metal solder-b Right angle, bl	plated, black plated, red old tip, video use old tip der 1/2, V3C, L3C2VS 1S, 8241, RG59B/U FB, 1505A, 8241F 4A, RG6 7S, 8281F Intact	RCAM-C
AMPHENOL ACPR-BLK ACPR-BLK ACPR-RED RCA-G RCAM-C CANARE F09 F10 RCAP-C3A RCAP-C4A RCAP-C4A RCAP-C53 RCAP-C53 RCAP-C77 NEUTRIK NF2CB/2 NYS352 NYS3526 SWITCHCR 3502 AS02ABAU 3502ABAU		TYPE RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder, g Metal solder, g Metal solder Crimp, for A2V Crimp, for L4C Crimp, for L4C Crimp, for L96 Crimp, for L97 Pair black/gold Metal Metal, gold col Metal solder-b Right angle, bl Metal solder-g	plated, black plated, red old tip, video use old tip der 1/2, V3C, L3C2VS 1S, 8241, RG59B/U FB, 1505A, 8241F 4A, RG6 7S, 8281F Intact	RCAM-C NYS352
AMPHENOL ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE F09 F10 RCAP-C3A RCAP-C4A RCAP-C4A RCAP-C53 RCAP-C54 RCAP-C54 RCAP-C54 RCAP-C54 RCAP-C54 RCAP-C54 RCAP-C55 RC		TYPE RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder, g Metal solder, g Metal solder Crimp, for A2V Crimp, for L4C Crimp, for L4C Crimp, for L96 Crimp, for L97 Pair black/gold Metal Metal, gold col Metal solder-b Right angle, bl Metal solder-g	plated, black plated, red old tip, video use old tip der 1/2, V3C, L3C2VS 1S, 8241, RG59B/U FB, 1505A, 8241F 4A, RG6 7S, 8281F Intact	RCAM-C
AMPHENOL ACPR-BLK ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE F09 F10 RCAP-C3A RCAP-C4A RCAP-C4A RCAP-C53 RCAP-C57 NEUTRIK NF2CB/2 NYS352 SWITCHCR 3502ABAU 3502ABAU 3502ABAU RCA TO BNC ITEM SWITCHCR	AFT CONNECT	TYPE RCA Plug, gold RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder, g Metal solder Crimp, for A2V Crimp, for L4C Crimp, for L4C Crimp, for L4C Crimp, for L4C Metal solder Metal solder Metal solder Metal solder-b Right angle, bl Metal solder-g ORS TYPE	plated, black plated, red liplated, video use liplated liplate	RCAM-C
AMPHENOL ACPR-BLK ACPR-BLK ACPR-RED CABLE UP RCA-G RCAM-C CANARE F09 F10 RCAP-C3A RCAP-C4A RCAP-C5A RCAP-C5A RCAP-C53 RCAP-C77 NEUTRIK NF2CB/2 NYS352 NYS352G SWITCHCR. 3502 3502ABAU 3502ABAU RCA TO BNC	AFT	TYPE RCA Plug, gold RCA Plug, gold Metal solder, g Metal solder, g Metal solder Crimp, for A2V Crimp, for L4C Crimp, for L96 Crimp, for L97 Metal solder Metal solder-b Right angle, bi Metal solder-g ORS	plated, black plated, red old tip, video use old tip der 1/2, V3C, L3C2VS 1S, 8241, RG59B/U FB, 1505A, 8241F 4A, RG6 77S, 8281F Intact lack/gold old	RCAM-C

NEUTRIK SPEA	KON SPEAKER	CONNECTORS	
ITEM	POLES	TYPE	
NL2FC	2	Cable	~ 4
NL2MP	2	Panel	
NL4FC	4	Cable	
NL4FC-B	4	Cable - gold	
NL4MMX	4	Coupler	
NL4MP	4	Panel, square flange	100
NL4MPR	4	Panel, round flange	NL4MP
NL4MP-ST	4	Panel, screw terminal	
NL4MP-UC	4	Panel, 40 amp	
NL8MM	8	Coupler	0
NL8FC	8	Cable	
NL8MPR	8	Panel, nickel	
NL8MPR-BAG	8	Panel, black	
NLJ2MD-V	Combo	Speakon 1/4"	
NLT4FX	4	Cable, nickel	NL8MPR
NLT4MX	4	Cable	NLOWIFK
NL4FX	4	Cable, brass	
NL4FRX	4	Cable, right angle	
NL4MD-H-I	4	Chassis, PCB mount	
NLT8FX	8	Cable, extra strain relief	CA CA
NL4MD-V-R	4	Chassis, red	
NLT4MP-BAG	4	Chassis, weather resistant	
NLJ2MD-H	Combo	Chassis, horiz. PCB mount	NL4FX

FEMALE BNC - PANE	L TYPE	
ITEM	TYPE	
AMPHENOL		
AC-BNC-JJ-75	Bulkhead adapter, nickel	9
AC-BNC-JJ-75B Canare	Bulkhead adapter, black	7
BCJ-R/1	Circular solder	
BCJ-RU	Rectangular flush	AC-BNC-JJ-75B
BCJ-JR	Circular double-ended	1
BCJ-JRU	Rectangular double-ended flush	
NEUTRIK		
NBB75DFG	D-style, feedthrough, grounded - n	ickel
NBB75DFI	D-style, feedthrough, isolated - nic	ckel
NBB75SI	D-style, solder, isolated - nickel	
NBB75FG	Bulkhead feed through - grounded	
NBB75FI	Bulkhead feed through - isolated	
<i>SWITCHCRAFT</i>		C
EHBNC2	Circular solder feed through - nick	el NBB75DFI
EHBNC2B	Circular solder feed through - blac	:k
MALE BNC CONNECT		
ITEM	TYPE CABL	E COMPATIBILITY

AMPHENOL			
112119	Crimp		112508
112508	Crimp	RG-6/U 75 Ohms	0.00
112951	Crimp	734A Cable, 75 Ohms	1
112952	Crimp	Belden 8241	(B)
112955	Crimp	75 Ohms	3
112957	Crimp	RG6 Plenum	
CABLE UP			
BNC-G	Solder	1505A, 8421, other RG59 typ	oes
CANARE - Call for	complete cable compatil	bility 📖	Street, or other Designation
BCP-C32	Crimp	Belden 1506A	THE REAL PROPERTY.
BCP-C3B	2-piece crimp	Canare A2V1, A2V2L	BNC-G
BCP-C4F	BNC crimp	Belden 1505A, 8241F,	
BCP-C4B	2-piece crimp	Belden 8241, 8279	
BCP-C5FA	BNC crimp	Belden 1198A - Canare L5	CFB
BCP-C51	Crimp	Belden 8281, 88281	
BCP-C53A	Crimp	Belden 1694A, 9066	
BCP-C55A	Crimp	Belden 1695A, 9066	
BCP-C77A	2-piece crimp	Belden 8281F - Canare LV	77S
BCP-TA	BNC termination plug		-
PHILMORE		BCP-C3B	
961NPB	Screw clamp, RG59	9000	
973B	2-piece crimp, built-in pin,	RG59/RG62	A STATE OF THE PARTY OF THE PAR
974B	2-piece crimp, separate pin	, RG58	
975B	Screw clamp RGG	-6	
979B	2-piece crimp, built-in pin,	RG58	
980B	2-piece crimp, built-in pin,	RG59/62	

3-piece crimp, built-in pin, RG6





















































FULL COMPASS

989B

RCAF-C

3503

NF2D-WT

Metal solder, cable type, gold tip

Recessed D panel-mount - white

Recessed D panel-mount - yellow

Circular recessed panel - nickel

Circular recessed panel - black

Flush rectangular panel

Circular panel

Cable metal

Cable metal

Front panel-mount

Rear panel-mount

FEMALE RCA PHONO JACKS

CABLE UP RCAF-C

CANARE

NEUTRIK NF2D-WT

NF2D-Y

3501FP

3501FRX

EHRCA2X

EHRCA2B

3503

PHILMORE MS9B

SWITCHCRAFT

RJ-RU

RJ-R

CONNECTORS














































CRIMP TOOLS FOR BNC & F CONNECTORS

	ШЕ	.IVI		
Ī	CA	NA	DE	

FPC4F

TC-1 Hand Crimp Tool TCD-3C Die Set - BNC, F, RCA TCD-5CF

L-2.5CFB, L-3C2V, L-3CFB, V-3C, V-3CFB Die Set - BNC, F, RCA L-5CFB, LV-77S, V-5CFB

TC-1

NE8MC

100003B

NAUSB-W

ICMCORP TVCPLCCTSLM Strip tool for RG59, RG6 & RGB FSBNC15RGB Mini Coax, fits Belden 1855A FS6BNCU RG6, fits Belden RG6 FS6BNCPL2 RG6 plenum, fits Belden 1695A FS6BNCU RG6, fits Belden RG6 FS6BNCPL2 RG6 plenum, fits Belden 1695A

F-type, crimp

SWITCHCRAFT SVHS (CONNECTORS		1	1
ITEM	TYPE	- 6	(mile)	and to the
EHSVHS2X	SVHS connector – nickel	EHSVHS2X		1
EHSVHS2BX	SVHS connector – black			

PLATINUM TOOLS

100004C EZ - RJ45 Crimp Tool 162200 Sealsmart II compression tool, F, BNC, RCA

PALADIN TOOLS ITEM 1555 Sealstite Pro Crimper, F, BNC, RCA & more

NEUTRIK ETHERCON - RJ45 TYPE NE8FDV-Y110

Nickel panel, vertical PCB mount, accepts NE8MC, punch down terminals NF8FDP Nickel panel, D-shape, feedthrough receptacle, latch lock, accepts NE8MC NESENP-R As NE8FDP, but w/black D-series metal flange

NE8MC RJ45 carrier for RJ45 plugs - shell, fixing disk, chuck, bush & boot NE8MC-B As NE8MC but with black chromium shell NE8MC-B-1 NE8MC-B version with X series Neutrik black shell

NE8FF Feedthrough RJ45 coupler for cable extensions BSF-XX Boot accessory for Ethercon series - XX - specify color

CRIMP-ON MODULAR RJ45

ITEM

BTX CD-CAT6M CAT6 plug PLATINUM TOOLS

TYPE

100003B EZ-RJ45 plug for CAT5e (bag of 100) 100026C CD-CAT6M EZ-RJ11/12 plug (bag of 50) 100020 EZ-RJ45 shielded CAT5e connector (bag of 50) 100035 EZ-RJ45 CAT5e snagless boot (bag of 50) 100036 EZ-RJ45 CAT6 snagless boot (bag of 50)

100030 CAT6 strain relief (50 count) 100004C EZ-RJ45 crimp tool 10004BL Extra blades for crimp tool 15015C CAT5/5e cable jacket stripper

FIREWIRE/USB ADAPTERS ITEM

NEUTRIK NAUSB-W USB A - USB B (reversible) - nickel NAUSB-W-B

USB A - USB B (reversible) - black NA1394-6-W 6-pole FireWire - nickel STAGE PIN CONNECTORS

ITEM ROSCO 12120 Male stage pin connector 70005 Male stage pin to female Edison adapter UNION

2P&GFC Female stage pin connector 2P&GMC Male stage pin connector

PRICES FLUCTUATE, CALL OR VISIT FULLCOMPASS.COM FOR PRICING

MEDIA & MEDIA ACCESSORIES

1
-

BULK RECORDABLE CD-R	
ITEM	DESCRIPTION
JVC (TAIYO YUDEN) – C	D-R, 80 min, 52X, sold per spindle
JCDR-WPY-SB	Silver print, thermal, 100/spindle
JCDR-ZZP-SB	Silver printable, thermal, 100/spindle
JCDR-TWY-SB	White printable, thermal, 100/spindle
JCDR-SPT-SK	Silver printable, thermal, 100-disc tape wrap
JCDR-WPT-SK	White printable, thermal, 100-disc tape wrap
JCDR-SPY-SB	Silver printable, inkjet, 100/spindle
JCDR-WPP-SK	White printable, inkjet, hub printable, 100-disc tape wrap
JCDR-ZZ-SB	100-pack spindle, silver
JCDR-SPP-SK	Silver printable, inkjet, hub printable, 100-disc tape wrap
JCDR-WPP-SB-WS1	White printable, inkjet, Water resistant, 50/spindle
MAXELL - CD-R, sold as	
MX-CDR80SS-BULK	74 min, shiny silver, 100-pack
MX-CDR80PSI-BULK	74 min, matte silver, 100-pack
MX-CDR80PWB	74 min, white printable surface, 100-pack
MX-CDR80-BULK	80 min, shiny silver, 100-pack
CDR80-MUSIC-30PC-MXL	80 min, consumer media, 30-pack
MX-CDR80MUSICGOLD-B	80 min, consumer meida, 50-pack
MICROBOARDS	Cilver leaguer aurface 100/anindle
MIC-CDR80-SS100	Silver lacquer surface, 100/spindle
MIC-CDR80-WIP100	White Inkjet surface, 100/spindle 700MB, up to 52x, sold as bulk
RICDR80PSI-BULK	Silver printable, inkjet, 100-pack, no spindle
RICDR80SS-BULK	Shiny silver lacquer therm printable, 10-pack, no spindle
VICENCOSS-DOFK	Silling Silver lacquer therin printable, 10-pack, no spinule

MINI-DISC			SONY
ITEM	LENGTH	DESCRIPTION	2 Mar 1107 -
SONY			E UN F
MDW80PL	80	Mini-disc, consumer	131

Silver print, thermal, 50/spindle

Silver print, thermal, 50/spindle

White Inkjet Hub Printable, 100-pack, no spindle

74 min, AZO low speed dye, green silent coat, 10-pack

DAT			
ITEM	LENGTH	DESCRIPTION	
SONY			
PDP35C	35	Plastic case	21
PDP65C	65	Plastic case	DA
PDP95C	95	Plastic case	Towns.
PDP125C	125	Plastic case	

BLU-RAY OPTICAL MEDIA (R - WRITE ONCE, RE - REWRITABLE)

RMGI – Green Tune Mastering CD-R, sold in packs of 10

MICROBOARDS

50188

RICDR80PWI-HUB-BULK

CDR80-CAKEBLANK-TDK

CDR80-PWCBCB50-TDK

MFDB-1000 25GB 4x -R, single-sided, single layer, sliver lacquer, 50/spindle MFDB-1001 As above, white Inkiet surface

MEDB-1002 As above, white Everest surface

SONY BNE25AHE 25GB 2x Blu-Ray-RE, single-sided, single-layer BNR25AHF 25GB 2x Blu-Ray-R, single-sided, single-layer BNR50AHE 50GB 2x Blu-Ray-R, double-sided, dual-layer

BDRE25X50CBS 25GB 4x Blu-Ray-RE, single-sided/layer, rewritable, 50/spindle BDRE50X50CBS 50GB Dual layer Blu-Ray-RE, rewritable, 50/spindle

Looking for...

digital audio recorders or video camcorders?





















































XDCAM-PROFESSIONAL OPTICAL MEDIA				
ITEM	DESCRIPTION			
SONY				
PFD23	23.3GB, 5" single-sided re-rewritable			
PFDF50GB	50GB, 5" double-sided, rewritable			

DVD-R MEDIA	
ITEM	DESCRIPTION
JVC (TAIYO YUDEN)	- DVD-R (8x and 16x general purpose), sold per spindle
JDMR-ZZ-SB	4.7GB DVD-R, 8x, silver thermal printable, 100/spindle
JDMR-TWY-SB16	4.7GB DVD-R, 8x, white thermal printable, 50/spindle
JDMR-WPT-SK	4.7GB DVD-R, 8x, white thermal printable, 100-disc tape wrap
JDMR-WPP-SK8	4.7GB DVD-R, 8x, white inkjet/hub printable, 100-disc tape wrap
JDMR-SPY-SB8	4.7GB DVD-R, 8x, silver Inkjet printable, 100/spindle
JDMR-VALWPP-SK	4.7GB DVD-R, 8x, Valueline, white inkjet/hub print, 100-tape wrap
JDMR-ZZ-SB16	4.7GB DVD-R, 16x, silver thermal printable, 100/spindle
JDMR-SPP-SK16	4.7GB DVD-R, 16x, silver inkjet/hub printable, 100-disc wrap
JDMR-WPP-SK16	4.7GB DVD-R, 16x, white inkjet/hub printable, 100-disc wrap
JDMR-WPT-SK16	4.7GB DVD-R, 16x, white thermal printable, 100-disc tape wrap
JDMR-WPPSB16-WS	4.7GB DVD-R, 16x, water resistant, 50/spindle
JDMR-WPP-SK16-HC	4.7GB DVD-R, 16x, white ink/hub print, scratch-resistant, 100
JDMR-ZZSB16-HC	4.7GB DVD-R, 16x, silver thermal lacquer, scratch-resistant, 100
	(8x & 16x General Purpose), 50 per spindle
DVD-94971	4.7GB DVD-R, 8x, White inkjet, 50-disc spindle, no stacking ring
DVD-95079	4.7GB DVD-R, 16x, White inkjet, 50-disc spindle, hub printable

DID 01071	1.7 00 010 11, 0	m, mine minger, ee alee epinan	o, no otaoning mig
DVD-95079	4.7GB DVD-R, 1	.6x, White inkjet, 50-disc spind	lle, hub printable
DVD-R DUAL L	AYER/DOUBLE SIDED MEDIA		
ITEM	DESCRIPTION		
VERBATIM -	Sold as packs		
DVD-95165	8.5GB DVD-R dual-l	ayer, 4x, jewel-cased, priced ea	ach, sold in 3-pack
DVD-RW MEDI	A		
ITEM	DESCRIPTION		maxin /

4.7GB DVD-RW, rewritable, single, jewel-cased

DVD-RW4.7

DVD+R MEDIA		
ITEM	DESCRIPTION	
JVC (TAIYO YUD	EN) – DVD+R (8X SPEED), bulk on spindle packs	
JDPR-ZZ-SB	4.7GB DVD+R, 8x, silver thermal printable, 100/pk	
DVD+R47WPT600	SK 4.7GB DVD+R, 8x, white thermal printable, 100/pk	
DVD+R47WPP600	SK 4.7GB DVD+R, 8x, white inkjet printable, 100/pk	-
JDPR-SPY-SB	4.7GB DVD+R, 8x, silver inkjet printable, 100/pk	
JVC (TAIYO YUD	EN) – DVD+R (16x SPEED), bulk (spindle or tape wrap)	
JDPR-ZZ-SB16	4.7GB DVD+R, 16x, silver thermal lacquer, 100-disc spindle	
JDPR-WPP-SK16	4.7GB DVD+R, 16x, white inkjet/hub print, 100-disc tape wrap	
VERBATIM - Soi	ld as spindle	
DVD 04017	4.700 DVD - D. 10	

D10-34317	4.7 db byb+k, 10x, white likjet, hab printable, 50/pk	
DVD+R DUAL L	AYER MEDIA	
ITEM	DESCRIPTION	
VERBATIM -	DVD+R DL (4-6x speed), sold as pack/spindle	
DVD-95123	8.5GB DVD+R DL, 4x dual-layer, white inkjet, 20-disc spindle	
DVD-95166	8.5GB DVD+R DL, 4-6x dual-layer, branded, 10-disc spindle	
DVD+RW MEDI	A	
	PERCEIPTION	


ITEM	DESCRIPTION	
MAXELL - Jewi	el-cased, general use, single disc	Bliggoran
DVD+RW4.7	4.7GB, DVD+RW, rewritable, single disc	THE PERSON NAMED IN
VERBATIM		
DVD-94520	4.7GB DVD+RW, rewritable, single disc, jewel-cased	HINNA C

LIGHTSCRIBE DVD	(BURNS IMAGES TO DISC WITH LIGHTSCRIBE ENABLED DRIVES)
ITEM	DESCRIPTION
LIGHTSCRIBE	
LS-DVD+R-50Y	4.7GB DVD+R, 18x speed, 50/spindle
LS-DVD-R-50Y	4.7GB DVD-R, 18x speed, 50/spindle
LIGHTSCRIBE CD	(BURNS IMAGES TO DISC WITH LIGHTSCRIBE ENABLED DRIVES)
ITEM	DESCRIPTION
LIGHTSCRIBE	
LS-CDR80-50Y	CD-R, 52x speed, 50/spindle
8CM DVD-R MEDIA	A (FOR DVD CAMCORDERS)
ITEM	DESCRIPTION
JVC	
VDR28DU	2.8GB DVD-R disc (60min) double-sided

8CM DVD±RW/RAM MED	IA (FOR DVD CAMCORDERS)	
ITEM	DESCRIPTION	fine Jak
JVC		一 (高度)
VDW14DU	1.4GB DVD-RW disc (30 min)	A COLUMN TWO IS NOT
VDW28DU	2.8GB DVD-RW disc (60min), double-sided	Did en

All RMGI magnetic coatings use the exact same formulations and raw materials as in the production process at the $\textsc{EMTEC}^{\scriptscriptstyle{\text{TM}}}$ Munich

plant. Bias and recording characteristics will be identical to the original EMTEC™/



RMGI ANALOG AUDIO REEL TO REEL STUDIO MASTER RECORDING TAPES

IIEM	WIDIH/LENGIH	KEEL TYPE	PACKAGING
RMGI - SM900	Premium +9 high out	put, high bias, 1.5 Mil.	
SM900-34620	1/4" X 2500'	10.5" metal	Box
SM900-34621	1/4" X 2500'	10.5" plastic	Box
SM900-34720	1/2" X 2500'	10.5" metal	Box
SM900-34730	1/2" X 2500'	10.5" hub	Box
SM900-34820	1" X 2500'	10.5" metal	Box
SM900-34920	2" X 2500'	10.5" metal	Box
SM900-34921	2" X 5000'	14" metal	Box
		?OnW/m level, 1.5 Mil.	
SM911-34110	1/4" X 600'	5" plastic	Hinged box
SM911-34111	1/4" X 1200'	7" plastic	Hinged box
SM911-34112	1/4" X 2500'	10.5" plastic	Hinged box
SM911-34120	1/4" X 2500'	10.5" metal	Box
SM911-34130	1/4" X 2500'	10.5" hub	Economy pack
SM911-34220	1/2" X 2500'	10.5" metal	Box
SM911-34230	1/2" X 2500'	Hub	Hinged box
SM911-34320	1" X 2500'	10.5" metal	Box
SM911-34420	2" X 2500'	10.5" metal	Box
SM911-34421	2" X 5000'	14" metal	Box
RMGI – LPR 35	1 Mil. Long play vers	ion of 911	
LPR35-34511	1/4" X 1800'	7"	Box
LPR35-34512	1/4" X 3600'	10.5" plastic	Box
LPR35-34530	1/4" X 3600'	Hub	Box
		Emtec/BASF 468) 1.5 Mil.	
SM468-35110	1/4" X 600'	5" plastic	Hinged box
SM468-35111	1/4" X 1200'	7" plastic	Hinged box
SM468-35112	1/4" X 2500'	10.5" plastic	Hinged box
SM468-35120	1/4" X 2500'	10.5" metal	Box
SM468-35130	1/4" X 2500'	10.5" hub	Economy pack
SM468-35220	1/2" X 2500'	10.5" metal	Box
SM468-35320	1" X 2500'	10.5" metal	Box
SM468-35420	2" X 2500'	10.5" metal	Reel Box

MINI DV/DV-CAM VIDEO CASSETTES				
ITEM	LENGTH	DESCRIPTION		
FUJI		MILLI KO		
DVC-60	60	MiniDV, consumer-grade, mini-cassette		
PANASONIC - PQ	Series (Pr	ro Quality)		
PA-AYDVM63PQUS	63/42	MiniDV/DVCAM pro-grade, mini-cassette		
PA-AYDVM83PQUS	83/55	MiniDV/DVCAM pro-grade, mini-cassette		
PA-AYDVMCLA		MiniDV cleaning tape		
PANASONIC - HD	V Tape			
PA-AYHDV96AMQ	96	HDV/DVCAM, master quality, large cassette		
PA-AYHDV124AMQ	124	HDV/DVCAM, master quality, large		
PA-AYHDV186AMQ	186	HDV/DVCAM, master quality, large		
PA-AYHDV276AMQ	276	HDV/DVCAM, master quality, large		
SONY - Consume	r Chipless			
DVM60PRL	60	MiniDV — no chip, mini-cassette		
DVM80PRL	80	MiniDV — no chip, mini-cassette		
DVM63HD	63	HD-DVC "MiniDV format", mini-cassette		
DVM12CLD		MiniDV cleaning tape		

CD/DVD JEWEL BOXES/MAILERS				
ITEM	DESCRIPTION			
AMERICAN RECORDABLE	MEDIA			
CD-PAPER-SLEEVE	White CD paper with window			
JEWEL-BOX-ONLY	CD case only			
CD-TRAY/BLACK	CD tray only			
CD-TRAY/CLEAR	CD tray only			
DURASLIM-CB/11	Duraslim CD/DVD case			
PJB-1-0/B	Vinyl CD jewel case - black			
PJB-1/SC	Vinyl CD jewel case - super clear			
DVDB-1-0/B-CM	DVD case with overwrap - economy version			
DVDB-2/B	Dual DVD case, double-sided - black			
DVDB-2/SC	Dual DVD case, double-sided - clear			
DVDB-4-0/B	Quad DVD case, double-sided - black			

PRICES FLUCTUATE, CALL OR VISIT FULLCOMPASS.COM FOR PRICING


















































		RDS AND DRIVES	
SD / SDHC SECURE DIGITAL™ CARDS MULTIMEDIA MEMORY CARDS AND DRIVES			
ITEM	CAPACITY	DESCRIPTION	
HOODMAN RAWSDHC4GBST	4GB	SDHC card, Class 10	
RAWSDHC8GBST	8GB	SDHC card, Class 10	
RAWSDHC16GBST	16GB	SDHC card, Class 10	
RAWSDHC32GBST Lexar	32GB	SDHC card, Class 10	
LSD16GBSBNA100	16GB	SDHC card, Class 6, 100x	
LSD32GBSBNA100	32GB	SDHC card, Class 6, 100x	
LSD16GFSBNAHD Panasonic	16GB	SDHC card, Class 4	
RPSDW16GU1K	16GB	SDHC card, Class 10	
RPSDW32GU1K	32GB	SDHC card, Class 10	
SANDISK SDSDB2048	2GB	SD card, Class 2	
SDSDB2409GA11	4GB	SD card, Class 2	
SDSDB8192 SDSDRH016GA11	8GB 16GB	SD card, Class 2 Ultra-II SDHC card, Class 4	
SDSDRH032GA11	32GB	Ultra-II SDHC card, Class 4	
SDSDRH064GA11	64GB	Ultra-II SDHC card, Class 4	
TRANSCEND TS16GSDHC4	16GB	SDHC card, Class 4	
TS32GSDHC4	32GB	SDHC card, Class 4 SDHC card, Class 4	
TS16GSDHC10	16GB	SDHC card, Class 10	
TS32GSDHC10	32GB	SDHC card, Class 10	
MICRO SD - MICRO S	SECURE DIGITAL		
ITEM LEXAR – Micro SD/	CAPACITY	DESCRIPTION Limited warranty	
LSDMI2GBASBNAA	2GB Micro	SDHC card, w/SD card adapter	
LSDM14GBASBNAA	4GB Micro	SDHC card, w/SD card adapter	
LSDM18GBASBNAA LSDM14GBASBNA	8GB Micro 4GB Micro	SDHC card, w/SD card adapter SDHC card only, no adapter	
LSDM18GBASBNA	8GB Micro	SDHC card only, no adapter	
LSDM116GBASBNA	16GB Micro	SDHC card only, no adapter	
TRANSCEND TS2GUSD2	2GB	MicroSD card, Class 2	
TS4GUSDHC6	4GB	MicroSDHC card, Class 6	
TS8GUSDHC6	8GB	MicroSDHC card, Class 6	
COMPACT FLASH TYP			
HOODMAN	CAPACITY	DESCRIPTION	
RAW6-CF8GB	8GB	Compact Flash card, 675x	
RAW6-CF16GB	16GB	Compact Flash card, 675x	
RAW6-CF32GB	32GB	Compact Flash card, 675x up to 30MB/s, limited lifetime warranty	
LCF4GBBSBNA200	4GB	CF card, 200x	
LCF8GBBSBNA200	8GB	CF card, 200x	
LCF16GBSBNA200 LFXAR - Profession	16GB nal CF (300x) -	CF card, 200x - up to 45MB/s, limited lifetime warranty,	
compatible with U			
CF8GB300381	8GB	Pro CF card, 300x speed	
CF16GB300381 LCF32GCRBNA300	16GB 32GB	Pro CF card, 300x speed Pro CF card, 300x speed	
		- up to 90MB/s, limited lifetime warranty	
LCF8GBCRBNA600	8GB	Pro CF card, 600x speed	
LCF16GCRBNA600 LCF32GCRBNA600	16GB 32GB	Pro CF card, 600x speed Pro CF card, 600x speed	
SANDISK (note: no		use larger sizes, check owners manual)	
SDCFH002GA11	2GB	Ultra II series, 15MB/sec read/write speed	
SDCFH004GA11 SDCFH008GA11	4GB 8GB	Ultra II series, 15MB/sec read/write speed Ultra II series, 15MB/sec read/write speed	
SDCFX008GA61	8GB	Extreme CF card, 60MB/sec, ideal for digi cams	
SDCFX016GA61 SDCFX032GA61	16GB 32GB	Extreme CF card, 60MB/sec, ideal for digi cams Extreme CF card, 60MB/sec, ideal for digi cams	
SDCFXP064GA91	64GB	Extreme Pro series, 90MB/sec	
TRANSCEND - 133	x speed		
TS2GCF133 TS4GCF133	2GB 4GB	CF card, 133x CF card, 133x	
TS8GCF133	8GB	CF card, 133x	
TRANSCEND - 400	x speed	Cintipacti Lish*	
TS8GCF400 TS16GCF400	8GB 16GB	CF card, 400x CF card, 400x	
TS32GCF400	32GB	CF card, 400x CF card, 400x	
TRANSCEND - 600	x speed, for co	ertain camcorders, digital still cameras	
TS8GCF600 TS16GCF600	8GB 16GB	CF card, 600x CF card, 600x	
TS32GCF600	32GB	CF card, 600x	

PRICES FLUCTUATE, CALL OR VISIT FULLCOMPASS.COM FOR PRICING

Follow us!



M2 MOBILE (MEMORY STICK MICRO)				
ITEM	CAPACITY	DESCRIPTION		
LEXAR - M2 Mobile	(Memory Sti	ick Micro w/o adapter), 5-year limited warranty		
LMSM4GBASBNA	4GB	M2 Mobile MS Micro card only, no adapter		
LMSM8GBASBNA	8GB	M2 Mobile MS Micro card only, no adapter		
LMSM16GASBNA	16GB	M2 Mobile MS Micro card only, no adapter		

SXS PRO MEMORY CARDS — FOR SONY XDCAM-EX SERIES PRODUCTS				
ITEM	CAPACITY	DESCRIPTION		
HOODMAN				
SXSKIT16GB		SxS adapter & 16GB SDHC card		
SXSKIT32GB		SxS adapter & 32GB SDHC card		
SONY			Marie A	
SBS-32G1A	32GB	SxS-1 G1A memory card, approx 2 hr	me 32.	
SBP-64G1A	64GB	SxS-1 G1A memory card, approx 4 hr		
SBP-16	16GB	SxS Pro memory card, approx 1 hr		
SBP-32	32GB	SxS Pro memory card, approx 2 hrs		
WISE				
WI-SE-32	32GB	SxS Pro memory card		
WI-SE-64	64GB	SxS Pro memory card		

P2 MEDIA CARDS - FOR P2 FORMAT CAMCORDERS CAPACITY DESCRIPTION

For P2 format camcorders such as the AG-HVX200 & AG-HPX170. 'E' Series has about 5-year life span when used 100% per day & about 10 years when used 50% day, multiple level cell flash memory, 1.2Gbps transfer rate, diecast aluminum.

PANASONIC			
AJP2E016XG	16GB	P2 'E' series media card	450
AJP2E032XG	32GB	P2 'E' series media card	
AJP2E064XG	64GB	P2 'E' series media card	

CAPACITY	DESCRIPTION
Retrax Seri	ies, retractable w/ capless design,
inty, Mac/Vi	sta/Win7 compatible, plug-and-play design
4GB	USB jump drive, red
8GB	USB jump drive, blue
16GB	USB jump drive, gray
32GB	USB jump drive, black
USB FLASH	DRIVE
2GB	
4GB	
8GB	
16GB	
	P Retrax Seninty, MacVis 4GB 8GB 16GB 32GB USB FLASH 1 2GB 4GB 8GB

SDCZ36032GA11 32GB RAWUSB3 LRW024URBNA USB 3.0 FIREWIRE / USB READER / WRITERS

DESCRIPTION

ITEM HOODMAN **RAWUSB3**

Offers 5Gbps data transfers of CompactFlash or SD cards. USB 3.0 is up to 10 times faster than USB 2.0. Rugged metal housing and Pin Guard (drop down door protects pins until a CompactFlash card is inserted.) Detachable 36" USB 3.0 cable. Supports CompactFlash, SD, SDHC, SDXC & UHS-1 memory cards.

LEXAR LRW024URBNA 24-in-1 USB card reader, 5-slots, supports 2 dozen of the most popular card formats (see the Lexar website for details), 1yr warranty Single Slot Multi-Card USB reader, doubles as USB flash drive when RW023001 card is inserted, reads/writes to SD, Memory Stick, MS DUO, MMC, and XD type cards, compatible with USB2.0 ports.

RW035001 Dual Slot Multi-Card USB reader, read/writes UDMA CF, CF, SDHC & SD Cards, compatible with USB 2.0 ports SANDISK

ImageMate® - All-in-one USB 2.0 Reader. Up to 34MB/s transfer speed SDDR189A20 depending on card and host computer. Win XP/Vista, Mac OS 10.3, 10.4, and 10.5. Supports SD, miniSDHC, MultiMediaCard, RS-MMC, Memory Stick Pro, Memory Stick PRO-HG Duo, xD Type M+, SDHC, microSD, MMCplus, RS-MMC DV, Memory Stick Duo, xD, xD Type H, miniSD, microSDHC, MMCmobile, Memory Stick, Memory Stick PRO Duo, xD Type M, and CompactFlash.