



## NOS Systems

The Leader In Nitrous. For 27 years NOS has been pioneering the nitrous industry with the most dominant nitrous products, sales, service, tech support, and customer satisfaction. Drag racing is at the backbone of NOS, in fact almost every major nitrous milestone in racing has come from an NOS system. Put the nitrous leader to work for you-NOS!



### PRO SHOT FOGGER NITROUS SYSTEM

**Max Horsepower: 150-500+ • Injection Type: Nozzle • Adjustable: Yes**

The Pro Shot Fogger utilizes patented Fogger2 Nozzle technology for excellent combustion, distribution and adjustability, allowing each cylinder to be injected with a precise cool, dense fuel laden Nitrous "fog" mixture. Featuring our Super Pro Shot solenoids, power levels may be adjusted from 150 HP, to well above 500 extra HP. The Pro Shot Fogger system is designed primarily for highly modified V8 engines built with race quality components. The Pro Shot Fogger System includes a 10 lb. capacity Nitrous bottle, Super Pro Shot Nitrous and Cheater fuel solenoids, Fogger2 nozzles jetting from 250 to 450 extra HP, aircraft quality steel braided hose and all other necessary electrical/ mounting hardware for a complete installation. Requires removal of intake Manifold for plumbing.

#### DESCRIPTION

All V8s EFI or Carbureted

#### PART NO.

02462NOS



### PRO RACE FOGGER™ - For 4-Cylinder

**Max Horsepower: 80-225 • Injection Type: Nozzle • Adjustable: Yes**

Using state-of-the-art direct-port Nitrous Injection technology, this system produces the largest HP gains of any single stage nitrous system available today. Designed for all-out competition-only import four cylinder and rotary engines. Components include a Super Hi-Flo bottle valve, Pro Race solenoids, Y-shaped distribution blocks and your choice of Soft Plume 90° or Annular Discharge stainless steel nozzles. They are adjustable to produce power gains from 80 to well over 225 hp.

#### APPLICATION

Competition race engine applications

#### PART NO.

04430NOS



### BIG SHOT NITROUS SYSTEM "The World's Most Powerful Single Stage Plate Nitrous System!"

**Max Horsepower: 200-400 • Injection Type: Nozzle • Adjustable: Yes**

System uses a special "fogging" plate design that vastly improves Nitrous flow, fuel atomization and mixture distribution. This Big Shot plate utilizes a unique spray bar that is equipped with tiny orifices that are precisely located to efficiently dispense a powerful nitrous/gasoline mixture for unbelievable horsepower. Single stage Big Shot systems incorporate a NOS Pro Shot Nitrous solenoid with -6 AN Nitrous supply line. Systems include a variety of power jets, bottle, 1/2" fogging plate, filters, fittings for fuel and nitrous, switches and all electrical and other hardware necessary for installation. For use on engines that have been extensively modified for competition applications.

#### DESCRIPTION

Holley 4-barrel flange

Holley DOMINATOR flange

#### PART NO.

02101NOS

02102NOS



### CHEATER NITROUS SYSTEM

**Max Horsepower: 150-250 • Injection Type: Nozzle • Adjustable: Yes**

The NOS Cheater system is designed for use on 350 CID or larger, carbureted engines. It uses large Nitrous and fuel solenoids and can be adjusted to any desired power level from 150 to 250 horsepower, in a matter of seconds. Cheater systems are easy to install and utilize a 1/2" thick injector plate which fits between the Carburetor and intake Manifold to provide ample hood clearance. Available in both single stage and dual-stage models. Cheater systems include a 10 lb. Nitrous bottle, four (4) stages of jets, aircraft-quality steel braided line and all other necessary electrical and mounting hardware for a complete installation.

#### DESCRIPTION

Holley V8 4-barrel/Carter AFB (late) flange

Holley DOMINATOR flange

#### PART NO.

02001NOS

02002NOS



### SNIPER NITROUS SYSTEM "The Best ENTRY-LEVEL Nitrous System On The Market!"

The Sniper is the economical "entry-level" kit that simply blows away competitive kits. Developed to introduce enthusiasts to the use of nitrous at a very affordable price. This system is a safe and reliable street/strip system that fits all popular 4 bbl. applications. Fully adjustable system that is designed to provide from 100-150 extra horsepower. Comes race ready right out-of-the-box with all necessary components, including a distinctive bright orange 10 lb. bottle with the industry standard industrial valve, adjustable plate with jets, solenoids, plus all required lines, hoses, fittings, clamps and a detailed instruction sheet to make installation simple.

#### DESCRIPTION

Standard Holley 4-barrel

Quadrajet 4-barrel

EFI applications

#### PART NO.

07001NOS

07004NOS

07006NOS



### SNEEKY PETE™ "It's Only Cheating If You Get Caught"

The Sneaky Pete was designed as a true "cheater kit". This kit will allow a user to obtain that extra tenth of a second without being obvious. Designed as a very compact, simple to use nitrous only injection system, it will be necessary to jet carburetors a little richer while being "sneaky" since no additional fuel source is utilized. The kit comes complete with a super slim 10 oz. bottle, a nitrous solenoid, nylon nitrous line, wiring, 9V battery holder and an assortment of jets.

#### DESCRIPTION

All carbureted applications only

#### PART NO.

05029NOS

# NOS Systems

The Leader In Nitrous. For 27 years NOS has been pioneering the nitrous industry with the most dominant nitrous products, sales, service, tech support, and customer satisfaction. Drag racing is at the backbone of NOS, in fact almost every major nitrous milestone in racing has come from an NOS system. Put the nitrous leader to work for you-NOS!



## NOSzle™ DIRECT PORT EFI NITROUS SYSTEMS "Add Up To An Additional 300 Horses!"

The patented NOSzle™ systems represent the most sophisticated advance in nitrous oxide technology in years. The NOS NOSzle™ Direct Port EFI systems allow precise fuel/nitrous distribution without the chance of fuel puddling, and huge horsepower gains with no intake manifold modifications or hard line routing required.

UNIVERSAL APPLICATIONS	PART NO.	APPLICATION	PART NO.
MPFI 4-cylinder - 50-125 HP)	08004NOS	4.6L Mustang MPFI (100-300 HP) Deluxe	08100NOS
MPFI 6-cylinder - 75-200 HP)	08006NOS	4.6L Mustang MPFI (100-300 HP) Standard	08101NOS
MPFI 8-cylinder - 100-300 HP)	08008NOS	Honda (50-150 HP)	08201NOS
MPFI Individual part sale - 100-300 HP)	08001NOS	LS1 F-Body (125-300 HP)	08301NOS



## MUSTANG NITROUS SYSTEMS

4.6L system pumps out an additional 100 to 125 horsepower from your Supercharged Cobra with this wet plate system from NOS. When installed correctly on the 4.6L 4V engine, this system is designed to work with stock internal engine and driveline components, however colder spark plugs are required.

Features of the 2005 System:

- Safe jetting provides proven power
- Supplied fuel rail adapter requires no fuel system modifications
- On demand power does not affect daily driving characteristics
- Patented WOT/Window switch & billet switch panel for arming switches



APPLICATION	PART NO.
Ford Cobra '03-'04 4V 4.6L (100-125 HP)	02120NOS
Ford Mustang 2005 (Up to 75 HP)	02121NOS

## GM LS1/LS2 EFI NITROUS SYSTEM

The NOS LS1/LS2 plate system uses a billet plate with no spray bars. This unique design allows better atomization which prevents puddles in your manifold and provides the best cylinder to cylinder distribution for maximum power. This is no ordinary low HP kit. The plate and solenoids supplied will easily support 250HP. Kit includes stainless jets for 100,125 and 150HP, nitrous line, nitrous and fuel solenoids, throttle body gaskets and bolts, Corvette micro-switch bracket, fuel and nitrous hoses, a 10lb bottle and various wiring components to complete installation.

APPLICATION	PART NO.
GM LS1 (100-250 HP)	05168NOS
GM LS2 (100-250 HP)	05169NOS



## POWER FOGGER EFI WET KIT

**Max Horsepower: 35-75 • Injection Type: Nozzle • Adjustable: Yes**

Universal "Wet" has nitrous systems for 4 and 6 Cylinder engines. The 05130NOS system is great for vehicles where a NOS application-specific kit is not available. This "Wet" system provides 35 to 75 adjustable horsepower utilizing the NOS "Soft-Plume" fogger nozzle for superior nitrous and fuel distribution. This system comes complete with 10lb blue bottle, brackets, solenoids, "Soft-Plume" fogger nozzle, braided hose, micro-switch and everything needed for a clean and simple installation.

DESCRIPTION	PART NO.
Universal Wet Nitrous Kit for 4 & 6 Cylinder Multi-Point EFI Engines w/10 lb. Bottle	05130NOS
Universal Wet Nitrous Kit for 8 Cylinder Multi-Point EFI Engines w/10 lb. Bottle	05131NOS



## UNIVERSAL DRIVE-BY-WIRE WET NITROUS SYSTEMS

The Universal Drive-By-Wire System is great for vehicles where an NOS application-specific kit is not available. Designed to work on sequential firing, multipoint fuel Injection systems, the NOS Universal Drive-By-Wire kits allow for trouble free easy Nitrous activation. And, since it's an NOS kit, you know that it has been thoroughly dyno-tested on numerous vehicles. The highest-quality NOS components are utilized for the best-looking, universal fit, multi-point EFI engines with Drive-By-Wire throttle control. Note: The NOS Universal Drive-By-Wire WOT kits will not work on "falling" TPS signal vehicles (ex. Low throttle is 5 volts, high throttle is approximately 1 volt, such as the 2005 and up LS2 GM engine).

DESCRIPTION	PART NO.
Universal Drive-By-Wire kit for 4 & 6 Cylinder Multi-Point EFI Engines w/10 lb. Bottle	05134NOS
Universal Drive-By-Wire kit for 8 Cylinder Multi-Point EFI Engines w/10 lb. Bottle	05135NOS



## DRY TO WET CONVERSION KIT

This simple kit allows users to convert their existing "Dry" kit to hard hitting "Wet" nitrous. Thousands of existing "Dry" kit users can now have "Wet" Nitrous without buying another complete kit.

DESCRIPTION	PART NO.
Dry to Wet Conversion Kit	0031NOS







# Nitrous Systems

Edelbrock is known for innovative products, and our new Nitrous Systems are no exception... All Edelbrock Nitrous Systems are dyno-tested and calibrated to deliver accurate and safe horsepower gains with even distribution to each cylinder. Available from 50 to 500+ horsepower, Edelbrock Nitrous Systems and components are the quickest and easiest way to get large horsepower increases with a minimum of engine modifications and expense.



**NITROUS  
MADE  
BETTER**

**50-75-100 HP**

**BOTH SYSTEMS NOW AVAILABLE WITH POLISHED BOTTLE**

### PERFORMER NITROUS SYSTEM

Edelbrock Performer Nitrous Systems are for carbureted V8 applications with standard flange or spread-bore carburetors. Three ranges of adjustability provide power increases in steps of 50, 75 or 100 extra horsepower by changing fuel and nitrous jets. Performer Nitrous Systems include a 10 lb. capacity nitrous bottle (shipped empty), nitrous and fuel solenoids, spray bar plate, aircraft quality steel braided hose, nitrous and gasoline filters, jet selection, aircraft quality fittings, and all necessary switches, brackets, and hardware for a complete installation.

DESCRIPTION	PART NO.
Standard Flange Carburetors	70001
Spread Bore Carburetors	70002
Standard Flange 50-100 HP Kit w/Polished Bottle	70031
Spread Bore 50-100 HP Kit w/Polished Bottle	70032

**100-150 HP**  
**175-200 HP**  
**250 HP**

### PERFORMER RPM NITROUS SYSTEM

Edelbrock Performer RPM Nitrous Systems are for carbureted 350 cubic-inch or larger V8 applications with standard flange, spread-bore or 4500 series carburetors. Five ranges of adjustability provide power increases in steps of 100, 125, 150, 200 or 250 extra horsepower by changing fuel and nitrous jets. Performer RPM Nitrous Systems include a 10 lb. capacity nitrous bottle (shipped empty), nitrous and fuel solenoids, spray bar plate, aircraft quality steel braided hose, nitrous and gasoline filters, jet selection, aircraft quality fittings, and all necessary switches, brackets, and hardware for a complete installation.

DESCRIPTION	PART NO.
Standard Flange Carburetors	70050
Standard Flange 100-250 HP Kit w/Polished Bottle	70033



### NITROUS SYSTEM FOR CORVETTE C5 AND GTO

Performer Nitrous Systems are the best way to get a major power increase in your Corvette or GTO. Our dry nitrous systems interface with the OE fuel system and increase fuel flow to the existing fuel injectors and our wet systems use a nozzle to supply both nitrous and additional fuel. The Nitrous Systems listed below include: • 10-lb. nitrous bottle (shipped empty, powder-coated silver finish unless noted otherwise) • nitrous solenoids • aircraft quality steel braided hose • nitrous filter • stainless steel jet selection • aircraft quality fittings • switches • brackets • hardware for a complete installation.

DESCRIPTION	PART NO.
1997-04 C5 Corvette with LS1 and LS6 (75-100-125 HP)	70202

### EFI NITROUS SYSTEMS

Performer EFI Nitrous Systems are the best way to get a major power increase in your fuel injected late-model street machine. These systems work with your stock ECU for a simple installation.

**40-150 HP**

DESCRIPTION	PART NO.
1998-99 Camaro/Firebird LS1 (80-100-125 HP)	70200
1993-97 Camaro/Firebird LT1 (80 HP)	70205
1986-95 Mustang 5.0L & 1996-98 4.6L (80 HP)	70400
1999-02 Mustang 4.6L (80 HP)	70405

*Includes a fuel pump voltage booster for additional fuel delivery.*

### NITROUS SYSTEMS

Performer EFI Nitrous Systems are easy to install and are designed to interface with the on-board powertrain computer, producing an emissions-friendly nitrous boost from 50 to 125 horsepower. Performer EFI nitrous kits won't harm emissions components, such as catalytic converters and oxygen sensors. The extra fuel for the boost in horsepower comes from the interface between the nitrous system and the factory computer. Performer EFI Nitrous Systems include a 10-lb. capacity nitrous bottle (shipped empty), nitrous solenoid, aircraft quality steel braided hose, nitrous filter, jet selection, aircraft quality fittings, and all necessary switches, brackets, and hardware for a complete installation.

DESCRIPTION	PART NO.
Universal EFI Dry Kit w/10 lb. bottle (50-70 HP Adjustable)	71006
Universal EFI Wet Kit w/10 lb. bottle (50-70 HP Adjustable)	71820

# Nitrous Systems & Accessories

Why is Zex right for you? It all comes down to what Zex calls "Plug and Play Performance". Many other kits require that you spend hours on the assembly and wiring of their nitrous kits before you begin installation. Zex sets a new standard by assembling and testing every kit before it is shipped. Since the proper assembly is already done for you, it is typical to be able to do a complete installation in less than 2 hours. Zex has taken quality and convenience to a new level!



## ZEX™ Rapid Fire Purge Module Kit

Pulsates the nitrous purge for even more light and sound.



Part#	Description
82370R	ZEX™ Rapid Fire purge Module Kit (red)
82370G	ZEX™ Rapid Fire purge Module Kit (green)
82370B	ZEX™ Rapid Fire purge Module Kit (blue)

## ZEX Purge-Cloud LED Kit

A focused beam, high-intensity LED light assembly that illuminates the purge-cloud.



Part#	Description
82170R	ZEX™ Purge-Cloud LED Kit (red)
82170G	ZEX™ Purge-Cloud LED Kit (green)
82170B	ZEX™ Purge-Cloud LED Kit (blue)

## ZEX™ Nitrous Bottle Heater

Part No. 82006




## Nitrous Pressure Gauge

Part No. 82005



## ZEX™ Nitrous Purge Kit

Part No. 82010



## ZEX™ Remote Bottle Valve Opener

Part No. 82009



## ZEX™ Safety Blow Down Kit

Universal kit, fits all valves  
Part No. 82099



## ZEX™ V8 Spark Plugs

Igniter Core™ technology transfers more electricity & heat than platinum or iridium. Clean Fire™ technology uses 3 additional ground straps for added ignition power and resistance to fouling.

Part#	Description
82070	Power Tune™ Plug
82171	Power Racer™ Plug



## ZEX™ Wet & Dry Nitrous Kits

Featuring "Active Fuel Control." This feature monitors nitrous bottle pressure and adds or subtracts enrichment fuel so the engine never runs too rich or too lean.



Part No.	Description
<b>Dry Kits</b>	
82011*	Fits most Honda, Acura, Hyundai, Mitsubishi & other EFI 4 & 6 cylinders. 55-75 HP
82014*	Fits most Nissan, Saturn & Infiniti. 55-75 HP.
82018	LT1 Camaro & Firebird 93-97, Corvette 93-96. 75-125 HP
82015	Mustang 5.0 & 4.6L. 75-125 HP
82016	*Fits most EFI Volkswagens. 55 HP
<b>Wet Kits</b>	
82021*	Fits most Honda, Acura, Hyundai, Mitsubishi & other EFI 4 & 6 cylinders. 55-75 HP
82026	Camaro & Firebird 93-02, Corvette 93-05, 04 GTO, 75-125 HP
82023	Mustang 5.0 & 4.6L, Mercury Marauder, 75-125 HP
82034	05-06 Mustang GT. 75-175 HP
82047	Fits 4, 6 & 8 cylinder Trucks EFI engines. 55-125 HP
82037	Race EFI 100-250 HP

\*Call for application.

## ZEX™ Direct Port Nitrous Kits

- Easy to install, pre-made nozzle flex-lines.
- Dual-stage jet technology uses one jet in the distribution block and one jet in the injector nozzle. Offers much finer tuning adjustments as well as easy HP level changes.



Part#	Description
82030	Fits all EFI 4 cylinder engines (50-200 HP)
82032	LS1/LS6 engines equipped with the LSX intake manifold (75-250 HP)

## ZEX™ Perimeter Plate Nitrous System

- Injects at 12 unique points surrounding the intake manifold plenum.

Part#	Description
82040	Square flange applications (100-300 HP)
82048	Dominator flange applications (100-300 HP)



## ZEX™ Diesel Nitrous System

- 35-200 HP increases!
- Reduce turbo lag and improve throttle response with cooler exhaust temps

Part#	Description
82028	Fits all EFI Diesel engines







## NOS Components & Accessories

The Leader In Nitrous. For 27 years NOS has been pioneering the nitrous industry with the most dominant nitrous products, sales, service, tech support, and customer satisfaction. Drag racing is at the backbone of NOS, in fact almost every major nitrous milestone in racing has come from an NOS system. Put the nitrous leader to work for you-NOS!

### DIESEL NITROUS SYSTEM (All Diesel Applications)

If you think the torque of that monster diesel is something to brag about then you should feel it with the extra power of NOS. This kit works with stock and modified applications. Vehicles with computer upgrades will benefit even more as Nitrous will aid in a clean combustion. Comes complete with 10lb bottle, bottle brackets, Nitrous feed line, large Nitrous solenoid, electrical wiring and complete instructions.

**Part No. 02519NOS** All Diesel Applications w/10 lb. Bottle



### INTER-COOLER SPRAY BAR KIT

New cobra snake design. Adjustable to fit all intercoolers. Decreased intake air temperatures. Better inter-cooler coverage than competitor kits. Includes 5 lb. NOS bottle.

APPLICATION	PART NO.
Inter-cooler spray bar kit w/bottle	16034NOS
Inter-cooler spray bar only	16035NOS



### ELECTRICAL COMPONENTS

APPLICATION	PART NO.
Covered Toggle Switch	15606NOS
Push-button (momentary) Switch	15610NOS
Micro-switch and Bracket	15640NOS
Remote Nitrous Push-button (waterproof)	15651NOS



### PURGE VALVE KIT

Designed to "purge" nitrous at the solenoid(s) for instant and consistent nitrous injection. Bleeds accumulated nitrous vapors from the supply lines.

APPLICATION	PART NO.
-4AN Line purge kit	16030NOS
-6AN Line purge kit	16032NOS



### MINI 2-STAGE PROGRESSIVE NITROUS CONTROLLER

Featuring two completely independent stages of Nitrous control, each with its own throttle position activation switch and progressive ramps. It allows you to get the most out of your Nitrous system and put more power to the ground when traction is at its best. RPM on/off control eliminates the need for a window switch and allows you to turn the Nitrous off and on at set points. It also features two programmable outputs, so you can control timing retard or other devices. With the hand held programmer, it makes programming quick and simple and allows you to mount the main box out of site.

**Part No. 15974NOS**



### P.O.D. (Pressure On Demand) NITROUS PRESSURE CONTROLLER

Designed to control a remote bottle opener along with a bottle heater with just the push of a button. Features a blue LCD screen for easy monitoring and the ability to hold accurate bottle pressure within 1% of the target pressure. It works by monitoring bottle pressure thru a pressure transducer based on a user set target pressure. Will also automatically cycle the bottle heater on and off to maintain the preset bottle pressure. The P.O.D. takes all the guesswork out of trying to maintain correct bottle pressure

APPLICATION	PART NO.
P.O.D. Controller Only	14180NOS
P.O.D. Controller w/Heater	14181NOS
P.O.D. Controller w/Heater & Bottle Opener	14182NOS



### DIGI-SET TIME DELAY RELAY SWITCH (DIP Switch)

Allows you to activate a second or third stage of Nitrous (or other electronic device) as a function of time. Delay is easily set from 1/10th of a second to almost two minutes, in 1/10th second increments, by setting the small switches on the top of the timer. Available with DIP switch settings.

**Part No. 15838ANOS**



### INTIMIDATOR ILLUMINATED LED PURGE KIT (with Bottle)

Create a smoke and light show on your street car or just intimidate your opponents at the races with an Intimidator purge kit. The Intimidator kits use 5 bright blue LEDs to light up a plume of Nitrous each time the purge button is pushed.

APPLICATION	PART NO.
Purge Kit with 5 lb. Bottle	16028NOS
Purge Kit with 10 lb. Bottle	16029NOS



### INTIMIDATOR ILLUMINATED LED PURGE KIT

Utilizes a bright blue LED to illuminate a 4 foot plume of nitrous each time you push the purge button, striking fear into all night time competitors. Ensures consistent performance by purging the feed line(s), as well as maintaining a consistent bottle pressure between each pass.

APPLICATION	PART NO.
For all nitrous kits with a -4AN feed line	16033NOS
LED Upgrade kit for existing purge systems	16039NOS



# NOS Components & Accessories

The Leader In Nitrous. For 27 years NOS has been pioneering the nitrous industry with the most dominant nitrous products, sales, service, tech support, and customer satisfaction. Drag racing is at the backbone of NOS, in fact almost every major nitrous milestone in racing has come from an NOS system. Put the nitrous leader to work for you-NOS!



A Holley Performance Brand

### REMOTE BOTTLE VALVE

The NOS Remote Bottle Valve is the perfect convenience accessory for electronically turning a nitrous bottle on and off. A simple flick of the switch eliminates the chore of opening the trunk to turn your bottle on or off. Also great as a safety shut off valve, it operates on 12 volts DC and fits in line with 5 lb. or larger nitrous bottles. Comes complete with all necessary hardware and easy to install wiring instructions. Additional fitting required for -6AN supply line connection.

**Part No. 16058NOS**



### SUPER HI-FLO VALVE

NOS has done it again! With an orifice that flows 249% more than the standard industrial valve used by most competitors, the new Super Hi-Flo valve provides better flow for more consistency and power in today's monster engines. The Super Hi-Flo valve features specially designed passages to maximize flow rate and velocity, twin gauge ports for the attachment of a nitrous pressure gauge or other performance accessories, the exclusive NOS safety venting system with -8AN fitting for professional in-car blow down tube, and a standard 660 automotive connection.

**Part No. 16139NOS** 10 lb., 7" dia., 19" tall



### BOTTLE BLANKET

An excellent accessory to help stabilize bottle temperature by keeping heat in and cold out. It is an excellent companion to the NOS bottle heater.

**Part No. 14165NOS** 7" Dia., 10 lb. bottle



### AUTOMATIC PRESSURE TRANSDUCER BOTTLE HEATER

The bottle heater regulates the bottle pressure by using a pressure transducer and heater element. The pressure transducer turns the heater element on when pressure drops below the preset pressure setting warming the bottle. Once the bottle returns to the preset pressure it shuts the heater off. Works with both 10 lb. and 15 lb. bottles. The transducer will fit all NOS bottle valves with a gauge port or a 4AN nitrous line using supplied fittings. The bottle heater will operate on 12 or 18 volt systems.

**Part No. 14169NOS**



### BOTTLE HEATER

NOS systems are calibrated for optimum performance with a bottle pressure of 900-950 PSI. Heater kits are thermostatically controlled to keep the bottle at correct pressure.

**Part No. 14164NOS** 10/15 lb. bottles, 12-volt



### NITROUS BOTTLES BLUE & POLISHED

NOS offers D.O.T. approved aluminum nitrous bottles in a variety of sizes, complete with CGA approved chrome Hi-Flo Valve and built-in siphon tubes. Available in blue or polished.

DESCRIPTION	BLUE	POLISHED
10 oz.	14700NOS	14700-PNOS
1 lb.	14705NOS	14705-PNOS
2 lb.	14710NOS	14710-PNOS
2-1/2 lb.	14720NOS	14720-PNOS
5 lb.	14730NOS	14730-PNOS
10 lb.	14745NOS	14745-PNOS
15 lb.	14750NOS	----
20 lb.	14760NOS	----

### CARBON FIBER NITROUS BOTTLE

**Part No. 14747NOS** 12.8 lb. bottle



### BOTTLE VALVE OPENER

Allows users to open their nitrous bottle valve at the touch of a button. Exclusive low profile design fits all NOS 5 lb. and larger bottle valves. Top quality NOS blue anodized finish.

**Part No. 14168NOS**

### BILLET ALUMINUM BOTTLE BRACKETS

The ultimate mount for your NOS bottle! These brackets are precision CNC machined from solid billet aluminum for high strength and great looks. Also available for dual bottle style.



### STANDARD BOTTLE BRACKETS

Designed to securely hold your nitrous bottle at the proper angle for maximum flow through the siphon tube. Available in steel with black vinyl coating, or nylon. Quick-Release aluminum models also available.



DESCRIPTION	PART NO.
<b>Billet Aluminum Brackets</b>	
10 lb. & 15 lb. 7" dia. bottles	14130NOS
20 lb., 8" dia. bottles	14155NOS
<b>Standard Brackets</b>	
2-1/2 lb., (1pc.), 4-3/8" dia., (steel)	14100NOS
10 oz., 1-1/8" dia.	14104NOS
1 lb., (1pc.), 3-1/8" dia., (steel)	14105NOS
5 lb., 5-1/4" dia., (steel)	14110NOS
10 lb., old style, 6-3/4" dia., (steel)	14120NOS
10/15 lb., new style, 7" dia., (steel)	14125NOS
10/15 lb., new style, 7" dia., (nylon)	14135NOS
20 lb., 8" dia., (steel) Quick Release	14150NOS
Hinged Alum. for Carbon Fiber Bottle	14147NOS

### BOTTLE COMPONENTS

DESCRIPTION	PART NO.
Nitrous Safety Blow-Off Cap, 5 lb. and Larger bottles	16150NOS
Nitrous Bottle Blow Down Tube	16160NOS
Racer Safety Blow-Off Adapter, -8AN (2nd generation Hi-Flo/Super Hi-Flo)	16166NOS
Bottle Nut Washer (Teflon), 5 lb. Bottles and Up	16210NOS



### NITROUS PRESSURE GAUGES

The Fuel Pressure Gauge is an important component for maximizing and tuning your nitrous system, because bottle pressure changes with temperature and fuel pressure compensation may be necessary. Available in liquid filled.



DESCRIPTION	PART NO.
0-1500 PSI	
1-1/2" Dia., w/-4AN Adapter	15910NOS
1-1/2" Dia., w/-6AN Adapter	15912NOS

### BOTTLE NUT ADAPTER (5 lb. Bottles & Up)

DESCRIPTION	PART NO.
-6AN-660 w/washer	16230NOS
-4AN-660 w/washer	16220NOS
Bottle Nut Washer	16210NOS







A Holley Performance Brand

## NOS Components & Accessories

The Leader In Nitrous. For 27 years NOS has been pioneering the nitrous industry with the most dominant nitrous products, sales, service, tech support, and customer satisfaction. Drag racing is at the backbone of NOS, in fact almost every major nitrous milestone in racing has come from an NOS system. Put the nitrous leader to work for you-NOS!



16020NOS      16020-CNOS      16010NOS



16050NOS      16045-CNOS

### SOLENOIDS

State-of-the-art solenoids for N2O, gasoline and exotic fuel applications. Stainless steel or brass bodies, top quality seals for ultra-longer life. For Power Shot, Super Power Shot, Sportsman Fogger & many EFI systems. Others available.

DESCRIPTION	PART NO.
-------------	----------

#### Super Power Shot Systems

Nitrous Solenoid	16020NOS
Nitrous Solenoid, Polished Chrome	16020-CNOS
Fuel Solenoid	16080NOS
Fuel Solenoid, Polished Chrome	16080-CNOS

#### Cheater Systems

Nitrous Solenoid	16000NOS
Nitrous Solenoid, Polished Chrome	16000-CNOS
Fuel Solenoid	16050NOS
Fuel Solenoid, Polished Chrome	16050-CNOS

#### Super Pro Shot

Nitrous Solenoid	16045NOS
Nitrous Solenoid, Polished Chrome	16045-CNOS

#### Super Big Shot

Nitrous Solenoid	16010NOS
------------------	----------


#### Nitro/Alky

Fuel Solenoid	16060NOS
---------------	----------



### REPLACEMENT JET SETS FOR PLATES AND FOGGERS

DESCRIPTION	PART NO.
Super Powershot 100, 125, 150HP	13721NOS
Cheater 150, 180, 210, 250HP	13726NOS



### INJECTOR PLATES

Plates to suit virtually any need, single or multi carbs, fuel injection or supercharged. Available for those who want to build their own system or upgrade their current system. Others available.

APPLICATION	PART NO.
-------------	----------

Holley/Carter AFB (late) 4bbl., Cheater w/jets & plumbing, V8	12500NOS
--	----------

### MICRO SWITCH



Allows full throttle activation of nitrous system. Use where a manual activation switch is inconvenient or as a safety device that prevents the nitrous system from activating unless you are at full throttle. All NOS systems are designed for use under full throttle conditions only. Also great for use in our dual or multi-stage systems. Easy to install with mounting bracket.

Part No. 15640NOS

### DRIVE-BY-WIRE/ WIDE OPEN THROTTLE WINDOW SWITCH



Designed to work on sequential firing, multi-point fuel injection systems, the NOS WOT/Window switch allows for trouble-free, easy, Nitrous activation. Features adjustable low and high RPM set points and TPS activation, all in a compact easy to install design.

Part No. 15972NOS

### SHIFT HANDLE SWITCHES



Recessed thumb-operated trigger button in the handle allows for manual activation of nitrous. This shift handle is available in threaded shift-lever hole sizes.

DESCRIPTION	PART NO.
Remote switch w/ spring coiled cord	15651NOS



13700RNOS



13700BNOS

### FOGGER NOZZLES

The NOS line of Fan Spray or Jet Spray nozzles is designed to be used as independent nozzles for nitrous and fuel where installation restrictions might make the Fogger Nozzle impractical. Fan Spray nozzles are fully adjustable with a simple jet change and feature injection at a 90° angle much like the NOS Fogger2 Nozzle.

DESCRIPTION	PART NO.
Fogger Nozzle, Standard.	13700NOS
Fogger Nozzle, Stainless Steel	13700RNOS
Fogger 2™ Nozzle	13700BNOS
Fogger Nozzle, Soft Plume 90°, SS	13716NOS



### STAINLESS STEEL BRAIDED HOSES

NOS premium grade stainless steel braided hoses come in virtually any length. They are all Teflon lined with stainless steel outer covering for strength and resistance to abrasion. All NOS lines are configured for a superior flow to strength ratio.

DESCRIPTION	PART NO.
-4AN 14-Foot Blue	15295NOS



### NITROUS FILTER

Keep contaminants from attacking the solenoid and plugging the jet. Standard replacement. 1/8" NPT x -4AN Power Shot.

Part No. 15570NOS

### FUEL PRESSURE SAFETY SWITCH

Prevents nitrous system from engaging when the fuel pressure is below a safe level. Easy to install.

Part No. 15750NOS

