

B&M Racing Shifters

B&M invented the racing automatic shifter and still leads the way today, offering the widest range of applications, functions and styling in the world. Key benefits include: control, the ability to manually shift through the gears allows the driver to maximize the engines power curve.

PRO RATCHET SHIFTERS

Single hand operated reverse lockout feature meets NHRA & IRHA requirements. Stick always returns to center position after shift. Easiest unit to "double shift" with an air, CO2 or electric shift mechanism. Supplied with a lightweight brushed aluminum cover. Precision ratchet action works with either standard or reverse pattern valve bodies. Includes neutral safety switch, backup light switch, gear position indicator and both forward and reverse pattern indicator decals. Supplied with 5' Super Duty race cable part

APPLICATION	PART NO.
Powerglide	80840
GM TH-700R4, 400, 200-4R, 350, 250 & 200 4-Spd	80842
Ford C4, C6 & AOD (AOD req. 40496 Inst. Kit)	80842
66-Later Chrysler Torqueflite 727 & 904	80842

PRO BANDIT

Milled from a 7-pound block of billet aluminum, the Pro Bandit shifter features an easy to operate gate type mechanism. Designed as a rear exit cable mode for Powerglide transmissions with stanmade for rear engine dragsters and includes: 8' super duty cable, B&M P/G pro lever, Quick Disconnect and cable extension (CO2 or electric solenoid may be used on this shifter for a P/G transmission). #80794 includes the mechanism only and is intended for custom installation. Be sure to order proper length cable and transmission lever assembly.



APPLICATION	PART NO.
Shifter Kit for Powerglide Rear Engine Dragster	80793
Shifter Only - Powerglide for cars, roadsters & altereds	80794

LAUNCH CONTROL

Works with 12 and 16 volt systems. Can be used with other B&M switches. The B&M Launch Control is a sophisticated device, which installs into your existing brake system. This easily installed solenoid provides the brake holding capacity you are looking for. It can be used for racing or for street applications if you need a hill

holder while stopped on an uphill grade. This high quality solenoid can be used on either the front or rear brakes of your vehicle and can handle pressure spikes up to 1500 psi or maintain constant pressure of up to 400 psi.

DESCRIPTION	ON		PART NO.
Launch Contr	rol Solenoid		46075

TRANS SHIELDS

Trans Shields protect from drum explosion. Trans Shield made of high strength, light weight 6061-T6 aluminum. Adjustable belly strap for use with deep pan or standard pan. Precision-fitted to save time on installation/removal. Smooth radiused finish on all edges (no sharp corners - additional cooler line clearance). SFI approved. Hole and pem nut that's SFI approved in 1996 and later versions (Poweralide models only).



APPLICATION	PART NO.
Powerglide trasmission shield (red)	22150
TH-400 transmission shield (red)	22151

MAGNUM GRIP PRO STICK

The cutting-edge style of the Magnum Grip coupled with the time-tested design and per-formance of the Pro Stick shifter makes an awesome combination! The Magnum Grip Pro Stick shifter includes all of the standard Pro Stick features with the new Magnum Grip handle CNC machined from billet aluminum. Compact, stong and functional, the ultimate in a shifter for a drag race car! All Pro Stick shifters use interchangeable gate plates. Dimensions measure 8.23" long, 12.04" high and 2.92" wide.



APPLICATION	PART NO.
GM Turbo, Ford C4/C6 , Mopar A727/904	81040
GM Powerglide 62-73	81041

PRO STICK

Light, compact design ideal for use in cramped quarters. Shifter positions are controlled with a very positive spring loaded detent which provides superior feel. Supplied with 3-speed forward pattern gate plate. Other gate plates available for both reverse and forward patterns.

DESCRIPTION	PART NO.
Shifter w/aluminum cover	80706
Shifter w/o cover	80701
Powerglide Pro-Stick	80702





SHIFTER CABLES

DESCRIPTION	PART NO.
Ends: eyelet/threaded	
4' Performance cable	80604
5' Performance cable	80605
Ends: eyelet/threaded	
3' Super duty race cable	80831
4' Super duty race cable	80832
5' Super duty race cable	80833
8' Super duty race cable	80834
10' Super duty race cable	80835
5' Blue jacket cable Unimatic Replacement Cable	80735

B&M Street Shifters

B&M invented the racing automatic shifter and still leads the way today, offering the widest range of applications, functions and styling in the world. Key benefits include: control, the ability to manually shift through the gears allows the driver to maximize the engines power curve. B&M offers shifters that fit into the existing console, as well as universal applications that are easy to install.





STEALTH PRO BANDIT SHIFTER

This brand new shifter from B&M features a black anodized and shot-peened shifter body & cover plate, this shifter exudes attitude with its choice of either a Magnum Grip style handle or a Blade style handle. Both style handles feature a CNC machined



Product shown

aluminum black anodized stick. The Magnum Grip handle includes carbon fiber side plates. This lightweight shifter is ideal for rear engine dragster applications and includes mount for CO2 ram or an electric solenoid.

Part No. 81110 Stealth Pro Bandit, Blade Style (Shifter only) Also available as complete kit and with Magnum Grip.

HAMMER SHIFTER

The ergonomically designed Hammer-Head handle comfortably fits small to large hands and provides the appropriate wrist angle. The unique multi-position trigger is spoon-shaped for easier finger operation in a multitude of T-handle positions.

Part No. 80885



MUSTANG CONSOLE HAMMER

The ergonomically-minded Hammer has been designed to fit the stock factory full console for 1987-2000 Mustangs with the AOD & AODE transmission! It has a full ratchet action mechanism for positive upshifts and downshifts. When shifting the Mustang Hammer from neutral or reverse to park positions, just lift the trigger and ratchet the shifter forward for each position. The unique Hammer Head handle comfortably fits small to large hands. Factory cables are utilized to retain the factory interlock mechanisms.



DESCRIPTION	PART NO.
94-00 Mustang console w/AODE	81001
87-93 Mustang console w/AOD	81002

MEGASHIFTER

4-speed look with full ratchet action. In drive, you can lift the trigger and shift directly to reverse or park. Shifter is designed to eliminate the ratchet action gear positions if desired.

APPLICATION	PART NO.
Universal shifter	80690
82-92 Camaro/Firebird	80692
73-81 Camaro, 70-81 Firebird	80694
Megashifter Boot	80668



'05-'08 MUSTANG QUICKSILVER **CONSOLE SHIFTER**

Get the Hi-Tek look for your '05-'08 Mustang with the B&M Console QuickŠilver shifter! This shifter features several unique materials - the black Delrin® knob with aluminum insert, along with the stainless steel stick and CNC machined, billet aluminum cover plate with lighted gear indicator, provide a one-of-a-kind look! The Console QuickSilver Shifter for Mustang features the famous B&M



ratchet action mechanism, providing performance shifting without a trigger. Shift one gear at a time, no missed shifts and improve your driving

Part No. 81004 '05-'08 Mustang w/5R55E trans.

MAGNUM GRIP STREET BANDIT™

Bold look that takes your ride into the new millennium! Includes all of the standard B&M Street Bandit features along with the new Magnum Grip handle. Milled from a 7-pound block of billet aluminum, includes an 8' foot cable and measures 9.96" L, 9.31" H and 1.33" W.

APPLICATION	PART NO.

GM TH-700R4, 350, 400, 200-4R, 250 & 81050 200. 200-4R Ford C4, C6 & AOD 81050 Chrysler '66 & later Torqueflite A727 & A904 81050



QUICKSILVER SHIFTER

Universal floor mount application. Base can be trimmed to custom fit any floor. Reverse lockout feature meets NHRA/IHRA requirements. Includes neutral safety switch, backup light switch, lighted gear indicator & chrome knob & cable. Can be used with a reverse pattern valve

PART NO. GM TH-700R4, 350, 400, 200-4R, 250 & 200 3/4 spd; Ford C4/C6 & AOD; Chrysler '66 & later Torqueflite A727 & A904

Camaro/Firebird 82-92 Console

80683 80688

Features an attractive chrome console wrapped around a simple, fool-proof mechanism. This design totally eliminates the possibility of over shifting. Trigger action also provides a positive reverse lock-out which makes it legal for NHRA/IHRA racing.







HURST Shifters

Known as "America's Number 1 Shifter" Hurst proudly maintains a wide variety of quality products for the performance enthusiast. When you purchase a Hurst Shifter or accessory you are receiving a piece of legendary Hurst heritage and quality. From Drag Racing to Street Rods, Circle Track to Street Machines, Hurst manufactures quality engineered shifters, accessories and transmission controls to fit the needs of the performance minded driver.

PRO-MATIC 2 RATCHET SHIFTER

Ratchet shifter for automatic transmissions is engineered for years of precise trouble-free shifting. Ideal for street or strip use. Pro-Matic's full forward ratchet action permits use with standard or reverse pattern valve bodies.



APPLICATION	PART NO.
GM TH 250, 350, 375, 400	383 8500
GM TH 700 R4 and 200 4R	383 8504
GM 62-73 Powerglide (Aluminum Case)	383 8505
Ford C-4 and C-6	383 8500
Mopar Torqueflite A727-A904	383 8500
AMC Torque Command A727-A904	383 8500

PISTOL-GRIP 2™ QUARTER STICK™ SHIFTER

Based on the original Quarter Stick technology, this ultimate drag racing shifter features a rear cable exit which is ideal for rear engine dragsters. The pistol grip handle is CNC-machined from billet aluminum for exceptional strength, and is designed for a firm, comfortable grip to provide a positive feel when shifting. This shifter has all of the same award-winning features of our Quarter Stick automatic shifter, including controlled detent activation, one-hand operated spring loaded reverse lock-out mechanism and neutral safety switch. The handle incorporates a precision snap action switch that is ideal for operat-

TRANSMISSION	PART NO.	
Powerglide (Alum. case only) Forward & Rev Valve Body	316 2020	
GM TH-250, 350, 375, 400 Reverse Valve Body	316 2020	3
GM TH-250, 350, 375, 400 Forward Valve Body	316 2025	•

ing a Hurst Roll/Control, nitrous system or trans brake.

PISTOL-GRIP QUARTER STICK™ SHIFTER

The HURST Pistol-Grip Quarter Stick Shifter is designed for a firm comfortable natural grip, providing a positive feel when shifting. It features controlled detent activation, one-hand operated spring loaded reverse lock-out mechanism, and neutral safety switch. The pistol-grip handle is CNC-machined from billet aluminum for exceptional strength, and features a precision snapaction switch that is ideal for operating a HURST Roll/Control, nitrous system or trans brake.



APPLICATION	PART NO.
Powerglide (Aluminum case only) Forward & Reverse valve body	316 2001
GM TH-250, 350, 375, 400, forward valve body	316 2006
GM TH-250, 350, 375, 400, reverse valve body	316 2001
GM TH-700R4 & 2004R, forward valve body	316 2030
Chrysler/AMC A-727, A-904, forward valve body	316 2009
Ford C4, C6, forward valve body	316 2009
Chrysler/AMC A-727, A-904, reverse valve body	316 2014
Ford C4, C6, reverse valve body	316 2014

V-MATIC 2 SHIFTER

This heavy duty shifter can be operated in a standard in-line shift pattern or, by pushing down, in a race only ratchet pattern. Includes neutral safety with backup light switch and all hardware.

APPLICATION	PART NO.
Most 3-speed automatics	383 8520
TH 700 R4 and 200 4R	383 8521
62-73 Powerglide (Aluminum Case	383 8525



QUARTER STICK™ SHIFTER

State of the art competition shifter with features like a squeeze handle trigger & one hand operated reverse lock-out, compact & light (2.5 lbs.). This unit will provide positive gear changes. Aluminum cover not included.

APPLICATION	PART NO.
GM Powerglide, forward & reverse valve bod	y 316 0001
GM TH-250, 350, 375, 400, forward valve body	316 0006
GM TH-250, 350, 375, 400, reverse valve body	316 0001
GM TH-700R4 & 2004R, forward valve body	316 0030
Chrysler/AMC A-727, A-904, reverse valve boo	dy 316 0014
Chrysler/AMC A-727, A-904, forward valve bo	dy316 0009
Ford C4, C6, reverse valve body	316 0014
Ford C4 C6 forward valve body	316 0009



QUARTER STICK ACCESSORIES

Aluminum Cover Kit

Adds a professional finished look to your Quarter Stick or Pistol Grip installation. Attaches to shifter with quick release pins (included) and may be used in conjunction with the aluminum mounting plate kit. Does not fit Quarter Stick Pistol Grip 2^{TM} .

APPLICATION	PART NO.
Aluminum Cover	130 0041
Replacement Pins	189 0082



Adds a distinctive finished look to your Quarter Stick installation. Mounting plate and button head screws are included.

neda serews are included.	
APPLICATION	PART NO.
Quarter Stick/Pistol Grip Quarter Stick 2/Pistol Grip 2	130 0055 130 0056
Noutral Cafaty Switch	

Neutral Safety Switch

Neutral/park start safety switches include the switch and mounting hardware.

Part No. 248 8600

Back-up Light Switch

These backup light switch kits are designed to illuminate your OEM reverse lights when backing up.

Part No. 248 8601



SHIFTER CABLES

For replacement of damaged cables or to tailor a shifter to your own specific applications.



APPLICATION	PART NO.
11' Adjustable single eyelet	500 0020
3' Adjustable single eyelet	500 0023
4' Adjustable single eyelet	500 0024
5' Adj. single eyelet Quarter Stick,	
Auto Stick 3	500 0025
8' Adjustable single eyelet	500 0028
5' Adj. single eyelet V-Matic, Pro Matic	500 8555
5' Adj. double eyelet Q-Stick, late	
Camaro/Monte Carlo	500 0029

B&M Racing Shifters & Accessories

Over 50 years of race experience, design and performance! Since the very early 1950s, B&M has been at the vanguard of the growing automotive aftermarket. Racers themselves, B&M's founders identified the needs of local racers and street performance enthusiasts, and developed products to fill those needs. As the industry grew so did B&M. And as racers went faster, B&M developed products to help them break the records they just set.



STREET ROD SHIFTER

The B&M Street Rod shifter features a clean, compact design featuring a unique fully adjustable mounting bracket assembly for optimum shifter location. The CNC machined 6061-T6 aluminum stick and billet aluminum knob (with insert) feature a bright-anodized finish that will look spectacular in any interior whether you've got a coupe, highboy, roadster or sedan. Most shifter boots will easily slip over the stick to provide the finishing touch.

- Easy to operate gate-style mechanism
- Mechanism attaches directly to the transmission
- No buttons to rattle, just press the stick down and into reverse!



DESCRIPTION	PART NO.
Street Rod Shifter - TH-350 with 12" stick	81010
Street Rod Shifter - TH-350 with 15" stick	81011
Street Rod Shifter - TH-700R4/4L60/4L60E with 12" stick	81013
Street Rod Shifter - TH-700R4/4L60/4L60E with 15" stick	81014

STREET ROD SHIFTER STICKS

By popular request from the street rodding community B&M has introduced longer sticks for the popular Street Rod Shifter. Whether you have the B&M Street Rod Shifter for the TH-350 or TH-700R4 transmission, you can now replace the standard stick with a longer stick to further customize your street rod! These new, longer sticks are available in 24" and 33" lengths and come in two styles - single bend or double bend.



DESCRIPTION	PART NO.
Street Rod Stick 24", Single Bend	81100
Street Rod Stick 24", Double Bend	81101
Street Rod Stick 33", Single Bend	81102
Street Rod Stick 33", Double Bend	81103

CAST ALUMINUM DEEP PANS

Additional oil capacity (deep pans only) equals more cooling ability. No modification to the dipstick needed. Some models include fluid pickup extension and gasket. Filter included in TH-350, Powerglide, Ford and TF-727/518 deep pan kits. B&M Deep Pans feature built-in drain plugs.



APPLICATION	PART NO.
GM 4L60E & 4L60	70260
GM Powerglide	70280
Chrysler TF A-727 & 518	10280
Ford E4OD	40290
GM All TH-350 & 250	30280

STARSHIFTER

In normal mode it's a straight line detent shifter. When lever is in low, lift the trigger all the way up and pull the stick back to convert to ratchet action. Comes with neutral safety switch, T-handle and cable. Reverse lockout features meets NHRA/ IHRA requirements.

Part No. 80675



UNIMATIC SHIFTER

Works with virtually any 2, 3 or 4-spd transmission. This cable operated economy shifter is mountable anywhere on the floor of the vehicle. Includes a neutral safety switch & black T-handle.

Part No. 80775



SPORT SHIFTER

Universal in design and detent shifted for most 3 or 4 speed transmissions. Includes neutral safety switch, back up light switch, lighted gear indicator and black T-handle and cable.

Part No. 80776



LIGHT TRUCK MEGASHIFTER

Includes a taller base and an adjustable floor mount for proper installation. Comes with neutral safety and back-up light switch, lighted gear indicator, aluminum T-handle and cable. For 3 & 4-speed trans. Reverse lock-out meets NHRA and IHRA requirements.

Part No. 80680



FLEXPLATES

B&M offers a wide range of SFI approved racing flexplates legal in all classes, NHRA/IHRA. They are ideal for street to extreme duty racing and high RPM use (above 6000 RPM). Others available.



<u>APPLICATION</u> F	ART NO.
55-85 Chevy SB V8 & 90° V6 w/168 Tooth Ring Gear	
& 1-3/4" or 11-1/2" b.c. (exc. 400)	20230
55-85 Chevy SB V8 w/153 Tooth Ring Gear & 10-3/4" b.c. (exc. 400)	20237
90-Earlier Chevy BB V8 w/168 Tooth Ring Gear	
& 1-3/4" or 11-1/2" b.c. (exc. 454)	20230
90-Earlier Chevy 454 ext. balanced BB V8	
w/168 Tooth Ring Gear & 10-3/4" or 11-1/2" b.c.	20233
71-92 Chrysler externally balanced 360 w/A-727	10236
62-80 Chrysler internally balanced TF-727	10230
Chrysler 383, 400, 440 w/cast crank	10237



B&M Manual Shifters & Shift Knobs

B&M now offers over 200 manual shifter applications for vehicles around the world. Road or race, B&M has the applications your customers want with the precision control and quality they demand. Beware of imitations! B&M's involvement in the World Challenge Series works to support your efforts, promote and sell the complete line of B&M Manual Shifters.

PRO RIPPER PRECISION SHIFTERS

- Engineered to substantially shorten shifter throw
- CNC machined from 303 Stainless Steel & 6061-T6 Aluminum
- Billet 303 Stainless Steel sticks
- Bearing assemblies mounted in a 6061-T6 aluminum housing
- Shorter shifter stroke
- Backed by a limited lifetime warranty



APPLICATION	PART NO.
83-03 Mustang w/T5 or T45	45070
03 & up Ford Mustang Cobra w/T56	45045

RIPPER SHIFTER

5&6 Speed manual shifter for Mustangs, Camaros/Firebirds. Shorter throws for quick shifts. Stick made from investment cast 17-4 stainless steel with billet 6061-T6 aluminum housing. Fully adjustable. Lifetime Warranty.

	-
APPLICATION	PART NO.
93-02 Camaro/Firebird with T-56	45052
83-00 Chevy Camaro with T5	45051
97-05 Chevy Corvette C5/C6	45044
89-96 Chevy Corvette	45056
92-02 Dodge Viper	45055
01-03 Ford Mustang with 3650	45072
83-03 Ford Mustang with T5 or T45	45050
2005 Pontiac GTO	45043
Universal Tremec 3550/TKO	45054
Universal Tremec T-56	45053



MANUAL SHIFTER KNOBS


Made from the highest grade materials in the latest European styling. Install in minutes and fits up to 9/16" or 14mm.



DESCRIPTION	PART NO.
Tall Leather	80743
Short Leather	80744
Carbon Fiber Look	80745
Billet-look Aluminum	80746

PRECISION SPORT SHIFTER for 2005 MUSTANG GT

 CNC machined aluminum and stainless steel stick assembly



- Billet 303 Stainless Steel stick
- Stainless steel arm
- Spherical pivot bearing
- Shift throw reduced by 30%

The Precision Sport Shifter for the '05 Mustang GT incorporates the latest B&M technology in shifter development. CAD designed using 3D printer prototypes allowed the engineering staff at B&M to choose from several different designs for the all new '05 Mustang GT. The final design includes a unique stainless steel arm assembly that accepts a fully isolated stick with a spherical pivot bearing which provides for extremely smooth operation and a 30% throw reduction. Quick, smooth precise shifting is the result and to top this, it also includes a million mile warranty!

Part No. 45042 2005 Mustang GT w/3650



PRECISION SPORT SHIFTERS

Threaded for use with both factory and aftermarket knobs. CNC machined using super-tough billet alloy steel. Highly polished and show chromed. High performance red silicone bushings provide you with the most accurate shifter available. Reduce throw by over 2" without sacrificing leverage. Designed and engineered to be a direct bolt-in (only tools needed are 10mm and 12mm wrenches). Counter-balanced bottom end provides the most positive and accurate shifts.

PAR NO. 45075
45075
45187
45156
45040
45071
45121
45075
45074
45075
45100
45077
45076
45088
45087
45068
45163
45168
45156
45114



Don't see a shifter for your vehicle? B&M makes over 200 Precision Shifters. See us for your needs.

HURST Shifters

Known as "America's Number 1 Shifter" Hurst proudly maintains a wide variety of quality products for the performance enthusiast. When you purchase a Hurst Shifter or accessory you are receiving a piece of legendary Hurst heritage and quality. From Drag Racing to Street Rods, Circle Track to Street Machines, Hurst manufactures quality engineered shifters, accessories and transmission controls to fit the needs of the performance minded driver.





COMPETITION/PLUS 4-SPEED SHIFTER

The most popular 4-speed shifter for use in stock consoles and floorpans without modifications. Most feature a bolt-on chrome stick that enables custom fit handle change. Installation kits are sold separately. #114 7494 Boot recommended. Shifters and installation kits too numerous to list. Call for your applications.





BILLET/PLUS SST SHIFTER

This 5-speed racing shifter features a super short throw for quicker shifts. Self-centering alignment improves 2nd and 3rd up-shift gear changes to reduce the chance of "missed

Year	Make/model	Engine	Transmission	Billet/Plus #
83-01	Mustang	5.0L/4.6 V8	BW T5, T45	391 5071
05-07	Mustang	4.6L	Tremec TKO	391 5074

COMPETITION/PLUS SHIFTER For 2005-07 Mustang

transmssion. 40% reduction in knob travel.



05-07 Mustang w/4.0L V6 391 0203

HURST PIT PACK

Each kit contains seven steel or nylon bushings and spring clips. For 3, 4, & 5-speed manual shifters.

DESCRIPTION	PART NO.
Nylon Pit Kit	332 0001
Steel Pit Kit	332 7302



STREET SUPER SHIFTER 4-SPEED

7 1/2" tall stick, high mount straight rod design and heat treated linkage. NOTE: SuperShifters will not fit stock consoles and often require minor floor trimming to facilitate installation. A Hurst Super Boot #114 7494 is recommended to finish appearance. Installation kits are sold separately.

Part No. 391 7535

Numerous installation kits available. Call for your application.



INDY 4-SPEED SHIFTER

Complete universal shifter and installation kit, to fit most applications with some modifications. #114 8429 Boot recommended.

APPLICATION	PART NO.
GM Cars, Muncie and Borg Warner	503 0030
GM Cars, Saginaw Trans 7 Bolt Cover	503 0033
Ford Cars, '62-up 10 Bolt Cover	503 0031
Chrysler Cars, '66-up 10 Bolt Cover	503 0032

BILLET/PLUS SHIFTER

Made from CNC machined 6061 T-6 billet aluminum base & stop collar. Heat-treated billet steel gear selector for strength with high strength steel stick, NOT A CASTING. Adjustable positive gear stops help prevent internal trans damage. Stainless steel rotating pivot for smooth shifting reduces wear. Polymide pivot cup reduces stick vibration & noise transfer. Self centering alignment for improved 2nd to 3rd upshift gear changes. Exclusive oil control seal eliminates trans fluid loss protecting against contamination. Shifters supplied with black steel stick threaded to accept stock factory knob. Shifter knobs are not included. All shifters utilize the stock factory boot.



Year	Make/model	Engine	Transmission	Billet/Plus #
83-92	Camaro/Firebird	V6/V8	BW T-5	391 5032
93-02	Camaro/Firebird	V6	BW T-5	391 5032
93-02	Camaro/Firebird	V8	BW T-56	391 5060
93-02	Camaro/Firebird	V8	BW T-56	391 5061*
83-93	Mustang	V6/V8	BW T-5	391 5030
94-01	Mustang	V6/V8	BW T-5 & T-45	391 5031
83-93	Mustang	5.0L/4.6 V8	Tremec 3550 & TKO	391 5070
83-98	Mustang	V8	BW T56 (aftermarket)	391 5072
83-01	Mustang	V8	BW T5 or T45	391 5033
01-04	Mustang	V8	Tremec 3650	391 5035
03-04	Mustang Cobra	4.6 V8 DOHC	BW T56	391 5036
89-96	Corvette C4	V8	ZF6	391 5084
97-04	Corvette C5	V8	BW T56	391 5085
05-06	Corvette C6	V8	BW T56	391 5086

^{*}Supplied with chrome plated steel stick (3/8" -16 thread) and black knob.



TCI Transmission Products

Whatever you drive, GM, Ford, Mopar, late model or restoration, TCI's track tested transmissions, components and torque converters can turn the muscle in your engine into ground zero power. Designed, built and tested by hardcore racers and enthusiasts, TCI transmission products are specifically engineered to crank out race winning power, mile after grueling mile, run after punishing run.

SHIFT-BY-WIRE SHIFTER SYSTEM Shift by Twist or Touch

Looking for a modern alternative to traditional automatic transmission shifters? The Twist Shift-By-Wire System utilizes a twist knob for gear selection. The Touch Shift-By-Wire allows you to select the desired gear via an illuminated touch pad display. Both systems provide unlimited mounting options and allow positive gear selection via the modern, sleek user interface. Units come equipped with a neutral safety and brake switch that keeps the car from being started in gear or shifted out of park without




PART NO.

the brake being engaged.

Twist Shift-By-Wire Shifter for GM 700R4, 4L60E-4L85E Transmissions TouchShift-By-Wire Shifter for GM 700R4, 4L60E-4L85E Transmissions

STREETFIGHTER® SHIFTER for '05-'08 MUSTANG GT

Shifter fits in stock console and hooks up to the OE 5R55S transmission without modifiction. This shifter provides a positive stop shifting action that allows you to manually "speed shift" the transmission without fear of hanging between gears or missing a gear all together. Billet, race-inspired appearance makes this shifter at home on the track or cruising in town.



OUTLAW™ SHIFTER

TCI's Outlaw™ Shifter not only ensures that you'd find the right gear when you need it, but delivers great looks as well. Rugged construction features billet aluminum with a pistol grip shifter and black-anodized cover with an optional quick release set up. Outlaw™ Shifter is perfectly suited for competition use including compliance with NHRA/IHRA legal reverse lock out regulations. In addition, TCI's Outlaw $^{\text{TM}}$ Shifter features a Park/Neutral safety switch along with provisions for a reverse light system. Includes 5-feet of heavy-duty shift cable and all the hardware required for installation. Optional 3-speed reverse pattern gate plates are also available.

APPLICATION	PART NO.
Powerglide Outlaw Shifter with Cover	611323
3-Speed Forward Pattern Outlaw Shifter with Cover	616331

STREET ROD SHIFTERS

Shifters designed specifically for the needs of today's street rodders. Available in three different shifter rod lengths and a variety of configurations to cover all popular automatic transmission models, the TCI® Street Rod Shifter is the ideal solution to your street rod shifting needs. With classic styling, outstanding durability, and ultra smooth shifting action, the TCI® Street Rod Shifter is destined to become an instant classic. Beautiful chrome-plated shifter rod. Black anodized shifter knob with Teflon-lined lockout button. Shifter boots sold separately in a variety of styles.

Dozens of applications in 9", 11" and 15" rod lengths available.

STREET RODDER® TRANSMISSION PACKAGES

TCI®'s Street Rodder® Transmission Packages are built to meet the demanding requirements of street rod owners who need vehicles that are reliable yet deliver performance

when needed. TCI® Street Rodder® Transmission Packages utilize blueprinted, componentmatched Sizzler® transmissions and torque converters along with a universal

RTF fluid. The included torque converter features a 300-400 rpm increase in stall speed to improve low-end performance. The Sizzler® transmission incorporates higher quality frictions, steels and bands as well as a reprogrammed valve body tuned to the needs of the street rodder, allowing a firmer, yet not too harsh shift in the vehicle.



APPLICATION	PART NO.
Chrysler 727 Big Block	111038P1
Ford C6 FE Blocks 332, 352, 390, 406, 427, 428	411038P1
Ford C6 351M, 400, 429, 460	411238P1
Ford C4, 70-82 289-351 Dipstick goes into the case	511238P1
Ford C4, 70-82 289-351 Dipstick goes into the pan	511638P1
GM 700R4 84-93 30 spline 30-1/2" overall length	371038P1
GM TH350 Non-lockup Chevrolet V8 and 4.3L, w/6" tailshaft	311038P1
GM TH350 Non-lockup Chevrolet V8 and 4.3L, w/9" tailshaft	311098P1
GM TH400 non variable pitch w/4" tailshaft Chevrolet V8	211038P1

SIZZLER® TRANSMISSIONS

The economical TCI® Sizzler® is ideal for vehicles that are powered by engines producing up to Equipped with a TCI® automatic valve body with a Valve Body Improver Kit, it allows you to achieve a firmer, yet not too harsh shift in the vehicle and remains fully automatic and retains the stock shift pattern. For the system to operate properly, all throttle linkage, vacuum lines and kick-down components must be connected.

· ·	
APPLICATION	PART NO.
GM	
TH-350	311038
TH-400	211038
TH700R4	371038
CHRYLSER	
TF727 (Big Block)	111038
TF727 (Small Block)	111138
TF904 (Small Block)	111338
FORD	
C4 (Case Filled)	511238
C4 (Pan Filled)	511638
C6 (Small Block)	411438
C6 (Big Block)	411238
C6 (FE Block)	411038

Shifter Accessories



Mr. Gasket offers excellent value in universal shifters and accessories, whether you are dressing up a Classic Rod or daily driver. Choose one of the items below, or call us for one of several hundred other Mr. Gasket parts we have available.

HURST Shifter Boots

The finishing touches....they make all the difference. Quality Hurst shifter boots finish off a shifter installation or restoration with style. They also protect your vehicle's interior from all those gremlins outside that you DON'T want in!



STREET SHIFTER 3 SPEED MANUAL FLOOR SHIFTER

- Features an 11" chrome plated solid steel stick with black knob (7/16-14
- · Universal GM, Mopar & Ford.

Part No. 7666

Note: #7666 Fits all 6 cyl. H.D. & std. trans. exc. selector type (single shaft) gear boxes. Will not fit front wheel drive or 4 W.D. Also, certain applications require modification to make shifter fit.



CHROME-PLATED SKULL SHIFTER KNOB

Designed for hard-core enthusiast, this skull shifter knob is sure to draw attention to any interior. Fits all 5/16" to 1/2" dia. shifter sticks.

Part No. 9628



SHIFTER BOOTS

Shifter boots are designed to accommodate the additional length, width and height of floor modifications in competition shifter installations. All kits include trim plate and mounting screws.



DESCRIPTION PART NO.

Large round boot - 8" sq. boot plate for applications when shifter handle and tower are exposed from side of floor tunnel, or large hole in floor. Eliminates use of a tunnel kit in most applications. 1650 Small round boot - 5 1/2" diameter boot plate, replacement for Eliminator 3-Speed Shifter 1651 Large square boot - 6 1/2" x 7 1/2" boot plate, replacement for 3 or 4-speed Eliminator Shifter 1652



RACING GEAR LUBES

High performance gear lubes contain special friction modifiers to eliminate chatter & excess wear. Cuts friction and reduces wear over 50%.

DESCRIPTION	PART NO.
Straight hypoid gear lube	32950
Limited slip gear lube	32970



INDY MATIC 1

This chrome plated shifter is floor mounted for easy installation. Shifter comes with black T-handle and is safety detented. The stick has 3/8"-16 threads and comes with boot and hardware.

APPLICATION

PART NO.

Most domestic 2 & 3-spd automatics

506 0001

SUPER BOOT & PLATE

Designed for large hole shifter installations. Complete with chrome ID plate and mounting hardware.

DESCRIPTION

7 3/4" X 8 3/4"

PART NO. 114 7494

B-4 BOOT & PLATE

Hurst's most popular boot is adaptable to most shifter installations. Complete with chrome trim plate and mounting hard-

DESCRIPTION PART NO. 3 1/2" X 4 1/2" 114 4580

INDY BOOT & PLATE

A popular economy boot. Complete with chrome trim plate and mounting hardware.

DESCRIPTION

PART NO.

3 1/2" X 4 1/2" 114 8429





B-1 BOOT & PLATE

Designed for use with round stick shifters. Complete with chrome ID plate and mounting hardware.

DESCRIPTION PART NO. 4 3/8" X 5 1/2' 114 7336



B&M Transmissions & Accessories

B&M has been building transmissions for extreme duty use for almost 50 years. From the famous B&M Hydrostick of the 50's to the Torkmasters and Clutchflites of the 60's. B&M has been the yardstick to which all other performance automatics have been measured. B&M has produced transmissions that are unequalled in quality, features and durability.



GM TH-350 TRANSMISSION

- 2:52 first gear ratio, 1:52 second gear
- Extra wide direct drum bushing
- All new B&M high performance friction plates
- New intermediate and low roller clutches
- New Kickdown Band with welded anchors
- New thrust bearings & races, adjustable modulator and detent control link with new breather & filter

Part No. 113001 Street/Strip Auto transmission 2 wheel drive w/6" tailshaft

GM TH-700/4L60 **TRANSMISSION**

- 4 speed GM transmission
- 3:06 first gear ratio, 1:63 second gear, 1:1 third and
 - .70 overdrive ratio
- Rebuilt front pump & governor
- All new B&M high performance friction plates
- New thrust washer kit, races, thrust bearings bushings & 2-4 band
- High performance reaction carrier assembly
- Corvette 2-4 servo assembly
- New external electric connector
- Can be used with Lock-up Control unit

Part No. 117101 GM except Corvette & 60° V-6 ('84 or later 30 tooth spline converter)

SYNTHETIC TRICK SHIFT

B&M's Synthetic Trick Shift is formulated as a Performance Automatic Transmission Fluid. Synthetic Trick Shift features the latest synthetic fluid technology, suitable for late model automatic transmissions. Synthetic Trick Shift may be mixed with all other types of ATF but works best by itself. Suitable for racing, street performance, towing and off-road.

Part No. 80286

TRICK SHIFT

Compatible with all transmission fluids including Dextron, Type "F" & Mercon fluid. It improves shift times and it inhibits foaming. Per Quart.

Part No. 80259



GM TH-400 TRANSMISSION

- 2:48 first gear ratio, 1:48 second gear
- Rebuilt front pump utilizes B&M pressure regulator
- All new B&M high
- performance friction plates
- New intermediate roller clutch
- New Kickdown Band with welded anchors
- New thrust bearings & races, adjustable modulator & silencer ring and external electric connector & kickdown solenoid

Part No. 112002 Street/Strip Automatic Transmission with large diameter bushing for use with large diameter yoke (1-7/8")

SHIFT IMPROVER KIT™

This kit improves shift feel and quickness on any stock transmission. It eliminates sluggish shifts, shift overlap and excessive clutch and band wear due to slippage. This is a two stage kit that lets you select improved performance or high performance at the time of installation.

DESCRIPTION PART NO.

General Motors	
65-87 TH 400, 375, M440 88-94 TH400 3L80 68-81 TH 350, 375B, M38 81-90 TH 200-4R 82-93 TH 700-R4/4L60 93-01 4L60E	20260 20261 30262 35265 70239 70360
Chrysler	
66-70 TF A-727 71-77 TF A-727 66-77 TF A-904 w/6 cyl 68-70 TF A-904 w/V8 71-77 TF A-904 w/V8	10226 10225 10226 10226 10225
Ford	
67-91 C6 80-92 AOD 70-82 C4 67-69 C4 92-95 AODE/4R70W 4R70W	40262 40263 50262 50260 40264 40266
411/000	40200



TRANS-PAK

E40D

The B&M Trans-Pak is the next step beyond the Shift Improver Kit. The Trans-Pak offers all the features found in the Shift Improver Kit plus provides for additional driver manual control. You can select the stage that best suits your applications at the time of installation. RV/Heavy Ďut


10025

Duty, Hi-Performance, or F	uli Compet	ition.	
DESCRIPTION P	ART NO.	DESCRIPTION	PART NO.
Chevrolet, Buick, Oldsmobile,		Chrysler, Dodge, Plymouth - con't.	
Pontiac, GMC		62-77 Torqueflite A-727	10228
82-91 TH-700R4 (4L60)	70235	68-77 Torqueflite A-904	
65-87 TH-400, 375 and M40		w/V8; 66-77 w/6 cyl.	10228
68-81 TH-350, 375B and M3		Ford, Lincoln, Mercury	
80-86 TH-350C	30235	64-66 C4	50227
62-73 Powerglide	70228	67-91 C6	40228
93-01 4L60E	70365	70-82 C4	50229
91-01 4L80E	10054	80-92 AOD (exc. 92 & late	er
Chrysler, Dodge, Plymouth		w/electric shift)	40227
78-up TF727, 518, 46RH, 47I	RH,	89-97 E40D	10055
TS904, 999, 32RH, 42RH	10227		

B&M Torque Converters

Higher stall speed is the key. A higher stall converter allows the vehicle to accelerate better from a dead stop. Strength and durability is an additional benefit if the converter is properly engineered. Furnace brazing is used to strengthen the converter internally for high performance, racing and heavy-duty applications.






- Low cost and high quality
- Pressure tested
- Fully balanced
- New alloy steel pump drive tube
- Needle thrust bearing when factory equipped
- New thrust washer between turbine and cover when required

Pressure tested and fully balanced the Tork Master Series is the best "value priced" converter available. Similar in performance characteristics to the Holeshot series, the Tork Master is B&M's lowest cost performance torque converter. The Tork Master is an excellent all-around performance street converter. The Tork Master features a new alloy steel pump drive tube, needle thrust bearing when factory equipped and a new thrush washer between turbine and cover when required.



- Furnace brazed impeller
- New precision steel alloy pump drive tube
- New heavy duty needle bearing between stator & impeller (not a thrust washer)
- Needle bearing between stator & turbine
- Furnace brazed turbine
- Dual pattern drive lugs on some GM Holeshots
- New turbine hub
- New springs and rollers in stator

A higher than stock stall speed as delivered by the Holeshot converter will provide several advantages and benefits in vehicles with modified engines. Many modifications, particularly big cams, tend to reduce low end power and torque. The high stall converter allows the engine to launch the car at a higher rpm where more torque is available. The Holeshot is generally a very good choice for the typical street machine that is looking for better launch capability and more tractability.



- Furnace brazed impeller
- New precision steel alloy pump drive tube
- New heavy duty needle bearing between stator and impeller
- New turbine hub
- New springs and rollers in stators

Nitrous engines produce some serious horsepower and require a serious torque converter to handle it. The newest line of street performance converters from B&M is the Nitrous Holeshot series. Built with the same features as the other B&M Holeshots with the addition of anti-balloon plates. The anti-balloon plates will allow these converters to stand up to the instant horsepower nitrous delivers. Converters with higher than stock stall speed will allow the vehicle to accelerate better from a dead stop and it will allow the vehicle to idle better when a big cam is used. Fully furnace brazed, heavy duty needle bearing thrust packages and new turbine hubs are the key features along with anti-balloon plates are found in the Nitrous Holeshot converters. These are serious converters for the serious street performance car.

APPLICATION	Holeshot 2000	Holeshot 2400	Holeshot 3000	Tork Master 2000	Tork Master 2400	Tork Master 3000	Nitrous HS 2400	Nitrous HS 3000
General Motors	2000							
'65-91 TH400, TH425, TH375 (4)	(5)20416	20412	20413	(5)20400	20404	20402	20480	20481
'68-81 TH350, TH375 (6)	20416	20412	20413	(5)20400	20404	20402	20480	20481
'82-84 TH700R-4, TH200C, TH700R-4 27-spline	770416	(11)70415	70426					
'84-93 TH700R-4, '93-96 4L60E 30-spline	770417	770419		770420	7)70418			
'97-04 4L60E Chrysler	70440	70441	(11)70425					
'67-81 Torqueflite A-717 (1&6) Ford		(10)10415	(10)10425	10416	(10)10417	(10)10418		
'66-91 C6 with 332, 352, 360, 390, 406, 427, 428, 429 cid with 1.848" crank pilot (3)		40412						
'71-91 C6 w/289, 302, 315C, 351M, 351W, 400M, 460 cid with 1.375" crank pilot (3)		40422	40442	40427	40428			
'66-69 step case C4 with 10.5" bolt circle, 24 spline input shaft, 1.375" crank pilot		50412						
'70-82 step case C4 with 10.5" bolt circle, 26 spline input shaft, 1.375" crank pilot		50416	50436	50440	50441	50442	50449	50450
'80-92 AOD with 11.4" bolt circle, 1.375 crank pilot. Won't fit AODE/4R7OW* '93-99AODE lockup type converter.		(2)40430	⁽²⁾ 40431	(9)40437	⁽⁹⁾ 40438			
'93-99 AODE lockup type converter (won't fit AOD)			(11)50403					

*Engines smaller than 350 cid may not achieve stall speed indicated. Converters listed on this chart are not to be used in transbrake applications. Stall speed listing are based on engine producing 230 lb. ft. of torque @ 2,500 RPM. If your engine produces more torque at 2,500 RPM stall speed may be higher. If your engine produces less torque you will get less tall speed.

(1) B&M Chrysler converters when used with an externally balanced engine require a B&M Flexplate. (2) Specially designed non-lock up converter, so that no input shaft change or transmission modification is required. (3) Ford C6 converters are supplied with an 11.4" diameter bolt circle mounting pattern, may require a flexplate change. (4) GM vehicles with variable pitch transmissions (same models of '65-67 Olds, Buick, and Cadillac) must have the pump and input shaft changes to a fixed pitch design to use a B&M converter. (5) Required TH350 flexplate or dual pattern flexplate. (6) Will not fit lock-up converter or clutch conveter models. (7) V8's only, retains lock-up feature. Can be run as lock-up or non lock-up. This converter will not fit V6 or 4cyl. (exc. 4.3L V6). (8) Non lock-up converter which requires transmission modifications. Parts instructions are included. (9) Standard lock-up feature retained. AOD 'split path' feature retained. (10) 10" bolt circle (11) Retains lock-up feature.

NOTE: Like all aftermarket converter, B&M torque converters are remanufacturered.



Promotive Torque Converters

All Promotive street and strip converters are precision welded and include all new hardened pump hubs and new roller bearings. Each converter is also leak checked and computer balanced. These converters offer unmatched quality and durability with spragless technology.



HIGH PERFORMANCE TORQUE CONVERTERS

All Promotive street and strip converters are precision welded and include all new hardened pump hubs and new roller bearings. Each converter is also leak checked and computer balanced. These converters offer unmatched quality and durability with spragless technology.

APPLICATION	PART NO
GM Turbo 350/400	
10" Dia., 10 1/2" B.P., 2700-3000 RPM	271030
10" Dia., 10 1/2" B.P., 3200-3500 RPM	271035
10" Dia., 10 1/2" B.P., 3500+RPM	271036
11" Dia., 10 1/2" B.P., 2200-2600 RPM	271126
12" Dia., 10 1/2" B.P., 2000-2200 RPM	271222
GM Powerglide with PG spline	
10" Dia., 10 1/2" B.P., 3500-4000 RPM	271040
Chrysler A-727	
11" Dia., 10" B.P., 2000-2400 RPM	273124
11" Dia., 10" B.P., 2800-3200 RPM	273132
Ford C4 with 26 spline input shaf	ft, '70-'82
11" Dia., 10 1/2" B.P., 2000-2400 RPM	272124
11" Dia., 10 1/2" B.P., 2800-3200 RPM	272132
Ford C4 early with 24 spline	
11" Dia., 10 1/2" B.P., 2500-2800 RPM	272128

HI PERFORMANCE FLEXPLATES

SFI approved. Stamped from high strength material that exceeds OE. Ring gears are double welded and dichromate plated for rust prevention.



APPLICATION	PART NO.
57-58 Chevy 90° V6/SB V8 exc. 400, 12.85 dia. 153 teeth wo/weight	283501
57-85 Chevy 90° V6/SB V8 exc. 400, 14.13 dia. 168 teeth wo/weight	284541
70-76 Chevy SB 400, 14.13 dia. 168 teeth w/weight	284002
86-97 Chevy 90° V6/SB V8, 12.85 dia. 153 teeth w/weight	283503
86-97 Chevy 90° V6/SB V8, 14.13 dia. 168 teeth w/weight	283502
65-90 Chevy BB V8 exc. 454, 14.13 dia. 168 teeth wo/weight	284541
70-90 Chevy BB 454, 14.13 dia. 168 teeth w/weight	284542
91-97 Chevy BB 454 Gen V & VI w/cast crank, 14.13 dia. 168 teeth w/weight	285021
68-76 Ford SB 302/351W, 10.5" converter BC, 28.2 oz. bal wt., 13.30 dia. 157 teeth	283021



Hurst Roll Control & Accessories

11" Dia., 11 7/16" B.P., 2000-2400 RPM

Ford C6

Hurst produced the original Roll/Control and today's improved design offers even better value. Better heat dissipation, 1/100,000 of a second release time, and rebuildable construction assures that you are buying the best line lock available.



ROLL CONTROL SWITCH

Incorporates a micro switch for immediate & accurate release. Includes 2 feet of wire for installation hookup to Roll/Control, nitrous, transbrake or other 12 volt accessories.

Part No. 248 3875



Street or off road. Used in drag racing for eliminating the chance of "Rolling the Lights", or to produce a more effective "Burn Out". It's also a great "hill holder", & fingertip control makes releasing the locked wheels a snap. Stainless steel and aluminum.

DESCRIPTION	PART NO.
Roll Control Kit	174 5000



Ideal for operating Roll/Controls, nitrous

systems, transbrakes, etc. Mounts almost

ROLL CONTROL ADAPTER FITTING KITS

Simplify installation of a roll/control or line/loc system.

System.	
APPLICATION	PART NO.
93-02 Camaro/Firebird, 84-96 Corvette	567 1515
83-03 Mustang	567 1516



272125

HOT SHIFT™ ATF FLUID Formulated to improve the p

Formulated to improve the performance of all automatic transmissions, Hurst Hot Shift ATF is one of the most advanced custom blended fluids available today. This fluid is so effective inreducing friction that your transmission will actually run cooler!

Part No. 180 1000 Performance ATF
Part No. 180 2000 Synthetic Blend ATF





LOCKING DIPSTICKS

TCI® introduces a fresh line of quality filler tubes. Applications for the most popular Ford, GM & Chrysler transmissions are available. Each dip stick features a locking stick which satisfies sanctioning bodies' racing rules. The rubber boot seal is a vast improvement over the small o-ring typically used on older OEM tube designs.

SNAP ACTION SWITCH

Part No. 248 3880

anywhere with 6 foot coil cord.

APPLICATION	PART NO.
GM Powerglide Shorty Filler Tube	743850
GM TH350 Chevy Filler Tube	743861
GM TH400 Chevy Filler Tube	743802
Ford C6 Small-Block Filler Tube	743813
Ford C4 Case-fill Style	743811
Ford C6 460 Big-Block Filler Tube	743815



ANTI-ROLL KIT

Solenoid valve is totally rebuildable and can be disassembled for easy cleaning.





TCI Torque Converters

Whatever you drive, GM, Ford, Mopar, late model or restoration, TCI's track tested transmissions, components and torque converters can turn the muscle in your engine into ground zero power. Designed, built and tested by hardcore racers and enthusiasts, TCI transmission products are specifically engineered to crank out race winning power, mile after grueling mile, run after punishing run.



The "New Look" of Advanced Torque Converter Technology

New HDT Coating™ - Heat Dissipating Technology

The new proprietary metallic gray HDT Coating $^{\text{TM}}$ represents the latest in thermal coating technology and enables TCI $^{\text{R}}$ torque converters to operate at a lower temperature and cool down faster. That means TCI $^{\text{R}}$ torque converters, already the industry performance leader, now provide even greater efficiency and longevity.

TCI® offers a torque converter specifically engineered to meet the performance needs and power output of your vehicle. Check the application chart below to select the converter series that best suits your needs, then ask us to look up the converter for your car.

					9
Torque Convertor Series	Recommended Useage	Camshaft Duration	Rear Gear Ratio	Engine Characteristics	Expected RPM Stall Speeds
Sizzler	Street enthusiast /street rodder	Stock to 260	Stock to 3.23	Smooth idle, stock compression ratio	Small block 1500 to1700 Big block 1700 to 1900
Saturday Night Special	Show cars & street rods	Stock to 265	Stock to 3.23	Smooth idle, stock compression ratio	Small block 1600 to1800 Big block 1800 to 2000
Breakaway	Modified street machines & weekend racers	265 to 280	3.00 to 3.73	Fair idle, mild engine modifications	Small block 2200 to 2400 Big block 2400 to 2600
Streetfighter	Street racer with radically modified engines	280 to 300	3.55 to 4.56	Rough idle, raised comp. ratio large fuel system,	Small block 3000 to 3400 Big block 3400 to 3600
Super Streetfighter	Race only applications	280 to 310	3.73 to 4.88	Rough idle, large fuel system, raised comp. ratio, top end power	Small block 3500 to 3800 Big block 3800 to 4000
Ultimate Streetfighter	1000+ Horsepower Race	290°+	3.73+	Race engines w/power adders creating 1000+ HP	Small block 3500+ Big block 3800+



Dependable, quality unit that when installed in-line with the vehicle's front brakes, allows you to do a burnout like the professionals.



APPLICATION	PART NO.
Universal - Complete Kit	861700
Custom Rollstop® Kit - '99-'04 Ford Mustangs	861729

SFI-APPROVED FLEXPLATE

Race safely with TCI®'s newest addition to our extensive flexplate line. SFI 29.1 approved. Made in the USA from plasmacut, blanchard-ground, billet steel plate Includes mouning hardware



APPLICATION PART NO.

'98-up GM LS1 engine & '99-up GM trucks w/4.8/5.3/6.0L LS engines 399173

LS engine to GM 4L80E transmission 399754

We offer TCI Flexplates for many other applications. Call with your engine family.

CAST ALUMINUM PANS

TCI® cast aluminum deep pans are designed with cooling fins to dissipate heat faster and they also provide additional strength and rigidity to the transmission case. No modifications are necessary to the stock dipstick and the pan includes magnetic drain plug, fluid pickup extension, pan gasket and new rail bolts and washers.



APPLICATION	PART NO.
TH-350	328000
TH-400	228000
GM 4L60E & TH700R4	378000
GM Powerglide (2 extra qts.)	528200

MAX SHIFT® PERFORMANCE TRANSMISSION FLUIDS

Max Shift™ RTF

Racing Transmission Fluid

Tested and proven to run up to 30° F cooler, even during extreme-heat racing sessions and repeated usage.



Designed with heavy-duty and performance applications in mind, this product will run cooler, prevent excessive wear and reduce internal friction.



APPLICATION	PART NO.
One Gallon Max Shift RTF	950601
One Quart Max Shift STF	950655



Shifter Knobs & T-Handles

Hurst has been "America's Number 1 Shifter Company" for over 46 years, and remains one of the most revered brands in performance. Hurst products combine classic styling with the signature Hurst look with quality construction that stands the test of time. The Hurst name always means quality and always demands respect!



"SIDEWINDER" SHIFT KNOBS

The "Sidewinder" shift knob is equipped with a side button switch conveniently located for driver hand comfort, which can be used for Roll/Control or nitrous operation.

- Features a HD quick release "normally open" 12V switch
- 2-1/4" diameter white knob available with engraved shift pattern for 5-speed Mustang w/12mm x 1.75 thread, 6-speed Camaro/ Firebird w/16mm x 1.50 thread
- 2" diameter black knob with Hurst logo for all Hurst Quarter Stick shifters with 7/16"-20 thread and Hurst Comp/Plus chrome plated shifter sticks having 3/8"-16 thread

PART NO.
163 0051
163 0052
163 0069
163 0070

COMPETITION KNOBS & T-HANDLES WITH SWITCH

- Features a heavy-duty, quick release 12 volt normally open switch w/24" long wire lead
- Ideal for use w/Roll/Control, trans brake, nitrous, etc
- Solid plastic knob w/jam nut
- Quality die cast aluminum T-handles

COMPETITION KNOB

THREAD SIZE	BLACK
3/8-16	163 0049
7/16-20	163 0050

COMPETITION T-HANDLE

Camaro/Firebird

THREAD SIZE BRUS	SHED FINISH
3/8-16	153 0003
3/8-24	153 0006
7/16-20	153 8510
12mm x 1.75 Mustang	153 4910
16mm x 1.50	



CLASSIC SHIFTER KNOBS

Original style Hurst Classic Shifter Knobs are a direct fit for late model Mustangs and Camaro/Firebird factory shifters.

DESCRIPTION	PART NO.
Black 6-Speed Camaro/Firebird	163 0116
White 6-Speed Camaro/Firebird	163 0016
Black 5-Speed Mustang	163 0114
White 5-Speed Mustang	163 0014
White 4-Speed 3/8"-16 Thread	163 0003
White 4-Speed 3/8"-24 Thread	163 0002

153 4960



HURST LOGO T-HANDLE

Made of solid die-cast aluminum for strength and durability, this nostalgic T-Handle features a 4-speed shift pattern embossed within the bold Hurst "H" logo.

- Attractive brushed satin finish accented with a black inlaid background for a great look
- Fits all Hurst Comp/Plus chrome plated shifter sticks having 3/8"-16 threads
- Includes jam nut

Part No. 153 5000 Hurst Logo T-Handle

HURST EQUIPPED EMBLEM

Based on original HURST blueprints, this HURST EQUIPPED emblem is an authentic reproduction of the one used on the late '60's muscle cars equipped



with a factory Hurst shifter. Made of durable ABS plastic with 3M adhesive tape backing for permanent mounting. Nominal size is 1-1/4" high by 5-1/4" long. Individually packaged.

Part No. 136 1000

PISTOL-GRIP SHIFTER HANDLE

CNC machined from solid billet aluminum, the Hurst Pistol-Grip Shifter Handle is designed to provide a firm comfortable natural grip when shifting, allowing less chance of your hand slipping and missing a shift.

 Available in natural aluminum finish or an attractive black anodized finish with the Hurst name engraved in contrasting letters



Thread Size	Natural Finish	Black Anodized
16mm x 1.50 Camaro/Firebird	153 6000	153 6010
12mm x 1.75 Mustang	153 6000	153 6010
3/8-16 Comp/Plus Shifters	153 6030	153 6130
1/2-20 Dodge Viper	153 6030	153 6130

BRUSHED ALUMINUM

Thandle has a polished or brushed aluminum finish & logo inscribed in raised letters.



DESCRIPTION	PART NO.
3/8" - 16 Threads, polished	153 0026
3/8" - 16 Threads, brushed	153 4813
3/8" - 24 Threads, brushed	153 4758
7/16" - 20 Threads, polished	153 8500
7/16" - 20 Threads, brushed	153 8501
Universal, SAE threads, brushed	153 0019
Universal, Metric threads, brushed	153 0018
Universal, SAE threads, Indy logo, brushed	153 8430

B&M Shifter Accessories

Over 50 years of race experience, design and performance! Since the very early 1950s, B&M has been at the vanguard of the growing automotive aftermarket. Racers themselves, B&M's founders identified the needs of local racers and street performance enthusiasts, and developed products to fill those needs. As the industry grew so did B&M. And as racers went faster, B&M developed products to help them break the records they just set.





T-HANDLES & KNOBS

Available in three universal finishes, these B&M T-Handles fit all B&M and most aftermarket and OEM shifters with SAE threads. Button T-Handles are designed to activate any line lock, transbrake, or nitrous system.

DESCRIPTION	PART NO.
T-Handles	
Chrome aluminum, Hammer head	80741
Chrome aluminum w/button	80659
Brushed aluminum	80641
Universal chrome aluminum	80643
Brushed aluminum w/button	80658
Knobs	
Knob w/button	46112

HAMMER HEAD T-HANDLES

Fits all B&M shifters and most aftermarket

and OEM (inch thread) shifters. The same ergonomically designed handle featured on our new Hammer shifters. Chrome plated aluminum finish. SAE thread adapters fit 1/2-20, 3/8-24, 3/8-16 & 5/16-18 thread shifters.

DESCRIPTION	PART NO.
With SAE inserts for all B&M shifters	
(exc. short throw manual shifters)	80741
'83-'96 Camaro/Firebird &	
'83-'96 Mustang (M16 x 1.5 & M12 x 1.75	5) 80742

DEEP PANS

Provides 2 to 4 a d d i t i o n a l quarts of oil capacity, increasing cooling ability. Complete with built-in drain plug.



DESCRIPTION	PART NO.
Chrome Steel	
TH-400 (2 qts.)	20289
TH-350, 250 (3 qts.)	30289
TH-700R4, 82-91 (non-elect.)(3 qts.)	70289

TRANSMISSION DRAIN PLUG KIT

Only a few automatic transmissions are equipped with drain plugs. To drain the fluid you remove the pan, and you know what a mess that can be. With the B&M kit just drill a hole, bolt the Drain Plug Kit in, and eliminate messy oil splash forever.

Part No. 80250





SUPERCOOLER AUTOMATIC TRANSMISSION COOLERS

B&M's patented, space-saving, 'stacked plate' design offers the lowest flow restriction and the most efficient heat transfer.

GVW	PART NO.
15,000 lbs. (polished)	70265
16,000 lbs.	70255
19,000 lbs.	70268
24,000 lbs.	70264
28,000 lbs.	70266

SHIFTPLUS™ ELECTRONIC SHIFT IMPROVER

Installs in minutes & 50 state emissions legal. A simple flip of the switch allows the trans to operate in factory mode, or

ate in factory mode, or level 1 - firmer than factory, or level 2 - much firmer than factory.

APPLICATION	PART NO.
93-98 rwd/4wd w/4L60E/4L80E trans.	70380
94-97 F-series w/E40D transmission	70381



TEMPERATURE GAUGE

Most transmission and converter failures are traced directly to excessive heat. The extremely accurate and dependable B&M Transmission Gauge comes with light kit, color coded dial face, anti-glare ABS enclosure, all wires and terminals, a special sending unit, and T-fitting that will make installation a breeze.

DESCRIPTION	PART NO.
Temperature gauge kit	80212
Replacement sending unit	80214

GOVERNOR RECALIBRATION KIT

This kit allows you to adjust the shift points of your transmission after it is installed in your vehicle. It is very useful if you have a vehicle that is very light



or if it has a low rear end gear ratio or if it is a conversion. Governor recalibration kit for GM TH-700, 400 & 350

Part No. 20248

BUTTON KNOB

Activates any line lock, roll control or nitrous system. Works with 12 or 16 volt systems. Thread adapters fit 1/2-20, 3/8-24, 3/8-16 & 5/16-18 threads. Fits most B&M and most other shifters.



Part No. 46112 Universal

CONVERTER LOCK-UP CONTROL FOR: GM TH-700, 4L60, 200, 200-4R & 350

Provides dash mounted control to govern converter lockup at any speed between 30 & 90 MPH. LED indicates converter as locked or unlocked. Provides control of converter lockup through vehicle speed on GM transmissions with a lockup converter. For GM Automatic Trans. w/lockup converter & mechanical speedometer cable 8ppm pulse rate.

Part No. 70244

SHIFTER SERVICE PARTS

Brackets and levers below normally supplied with B&M shifters.



DESCRIPTION	PART NO.
GM Bracket & Lever Kit	
TH400, 350, 250, 2004R, 700-R4	35498
Ford Bracket & Lever Kit	
AOD	40496
Ford C6	40497
GM Transmission Lever	
TH400, 350, 250, 200, 700R4, 2004R	20462
GM Cable Bracket	
B&M Cable Swivel	80638
Neutral/Reverse Micro Switch	
All B&M Shifters exc. Pro Stick, SportShifter & Unimatic	80629

ADJUSTABLE VACUUM MODULATOR

B&M now offers a line of replacement vacuum modulators that have the added feature of being adjustable. These are the same high quality modulators that are equipped with all B&M complete transmissions. The adjustable feature allows you to tailor your shift points within a range of 2-4 MPH. Units are supplied adjusted for normal shift points.







CENTERFORCE Clutches

Centerforce® offers multi-level product lines allowing customers to choose a performance clutch that matches their application and driving style. Centerforce clutch assemblies are designed as an improved OE-style, direct bolt-in replacement performance clutch. The unique Centerforce design allows for easy pedal effort and everyday drivability, while offering increased holding-capacity for maximum performance. Centerforce engineers evaluate each assembly and apply our patented processes to increase the clutches holding-capacity and performance.

WHICH CLUTCH IS RIGHT FOR YOU?

- Centerforce® offers multi-level product lines allowing customers to choose a performance clutch that matches their application and driving style.
- The unique Centerforce® design allows for easy pedal effort and everyday drivability, while offering increased holding capacity for maximum performance.
- Centerforce® engineers evaluate each assembly and apply their patented processes to increase the clutches holding-capacity and performance.



Centerforce® I

- High-quality entry-level performance clutch.
- Patented Centerforce® centrifugal weights (where applicable)
- Premium friction materials
- Stage 1 clutch system is perfect for applications with stock engines or mild power increases from minor bolt-on modifications.



Centerforce® II

- Full facing-disc with premium friction materials.
- Patented Centerforce® centrifugal weights (where applicable)
- Static clamp load is increased via their patented machining process.
- Superb holding power and maximum clutch life, making this stage ideal for selected street/ strip, off-road and towing applications.



- Patented processes to provide a performance clutch that offers exceptional street characteristics.
- Outstanding holding capacity and durability.
- Full facing on the pressure plate side for drivability.
- Carbon composite puc style (segmented) on the flywheel side for a positive engagement.
- The ultimate in street/ strip holding power and performance without sacrificing pedal effort and driver control.



offers over 1600 different applications for cars, trucks and SUVs!



CENTERFORCE Clutches

Centerforce® offers multi-level product lines allowing customers to choose a performance clutch that matches their application and driving style. Centerforce clutch assemblies are designed as an improved OE-style, direct bolt-in replacement performance clutch. The unique Centerforce design allows for easy pedal effort and everyday drivability, while offering increased holding-capacity for maximum performance. Centerforce engineers evaluate each assembly and apply our patented processes to increase the clutches holding-capacity and performance.



THE PERFORMANCE PROCESS

Centerforce® currently holds 9 exclusive patents pertaining to automotive performance clutches. Centerforce® uses their patented processes and over 25 years of experience to create the best clutch and flywheel package for your application.

Some of these processes include:

- The famous Centerforce® weight system
- Dual-Friction discs
- Ball bearing actuated pressure plates
- Precision billet flywheels

Each application is developed to provide you with the right amount of clamp load, friction, durability and ease of use.



DFX®

- SFI approved for safety and performance!
- Engineered to competition standards.
- Increased integrity and holding capacity.
- The best drivability from a race-inspired clutch!
- Centerforce's patented centrifugal weight system and ball bearing actuated diaphragm.



Flywheels

- High strength SFI approved billet flywheels.
- Aluminum flywheels feature mechanically retained starter ring gears and replaceable steel friction surfaces
- CAD/CAM designed and CNC machined to strict tolerances for perfect fitment and performance.



- Lightweight, SFI approved competition clutches designed for road racing and circle track.
- Machined aircraft-grade billet aluminum with a replaceable friction surface.
- Dual-segmented carbon composite lining for improved cooling and excellent torque capacity.
- Centerforce's patented centrifugal weight system and ball bearing actuated diaphragm.



offers over 1600 different applications for cars, trucks and SUVs!





ACT Flywheels

Finally, ACT offers eXACTly what performance enthusiasts need: all the benefits of a premium quality light weight flywheel at an affordable price.

XACT FLYWHEEL

PROLITE AND STREETLITE



▶ PROLITE

STREETLITE

CHOICE OF TWO DIFFERENT WEIGHTS PROLITE AND STREETLITE

- · Quicker acceleration and increased throttle response
- . Maximum gear life gear will not wear out or fall off
- Serviceable can be resurfaced with no need to purchase additional parts
- ... Chrome-moly forgings 3X more rigid than aluminum
- · Longer lasting because of heat treated friction surfaces
- Excellent heat capacity from retaining adequate material behind the friction surface
- · Trouble-free single piece design
- · SFI certified to ensure safety





ACT flywheels are lighter, stronger and safer than stock cast flywheels to meet the needs of both the enthusiast and hard core racer.

Material is properly distributed for maximum strength, lower inertia, good heat tolerance and rigidity.

One piece construction allows less opportunity for failure and provides uniform efficient heat transfer from the clutch disc. No more warped inserts or loose ring gears.

Integral ring gear permits more weight reduction where it matters most and eliminates the chance of gear breakage or separation from the flywheel.

Precision machined threads will not easily strip out or get damaged like those found on aluminum flywheels.

By hot forging chrome-moly steel, each flywheel yields an ultra fine centralized grain structure that is superior in strength to any other manufacturing method.



Timing marks are precisely located and clearly displayed (when applicable).

ACT gives extra effort to strategically slot XACT ProLife flywheels to lower inertia without sacrificing strength and heat dissipation.

ACT heat treats the entire forging for strength and toughness, and induction hardens their ring gears for longest gear life.

XACT Flywheels are certified as meeting SFI Specification 1.1. XACT Flywheels are legal for competition in all racing organizations where SFI certification is required.

Ring gears are cut with lead-in chambers for better starter engagement and prevention against rounding off gear teeth.


All flywheels are CNC machined and dynamically computer balanced for super smooth high RPM reliability.

ACT Performance Clutches

ACT offers complete performance clutch kits and individual components for import and sport compact applications. ACT offers two pressure plates— ACT Heavy Duty and the ACT Xtreme pressure plate. ACT has several options for the disc: Performance Street Modified Street, Standard replacement, and 6 Pad Race.



Get Power To Your Tires - COUNT ON ACT.



CHOICE OF THREE STREET DISCS STOCK • MODIFIED • PERFORMANCE • SOLID

- Quiet operation from OE quality torsional dampeners
- Increased clutch life
- Reduced fade increased heat tolerance which helps prevent warping of mating surfaces

STOCK

MODIFIED PERFORMANCE SOLID



CHOICE OF THREE DISCS SINTERED . SOLID HUB . SPRING CENTERED

- Quicker shifting due to reduced weight
- Higher torque and heat capacity than organic discs with fade-free characteristics
- Longer clutch life through ACT's careful selection of materials and features
- SFI to ensure safety

SPORT . HEAVY DUTY . XTREME . MAXX XTREME



CHOICE OF FOUR CLAMP LOADS SPORT . HEAVY DUTY . XTREME . MAXX XTREME

- Longer clutch life achieved through ACT's exclusive diaphragm design
- Smooth and precise feel with easy modulation
- Quiet, trouble free operation by use of strong drive straps
- Less vibration even at high RPM because of dynamic balancing
- Variety of designs available all factory push, pull, crimp and rivet designs

► HEAVY DUTY ► XTREME ► MAXX XTREME



MCLEOD Clutches & Accessories

We are perhaps best known for our clutches, in fact, we are often referred to as "The best known, unknown clutch company in the business," a statement take as a compliment. It means the industry experts know us, while the public is just learning about us! That's right, ask any respected engine, transmission or race car builder. When it comes to which clutch they want or recommend, inevitably they ask for those "red ones" - McLeod clutches!



STREETPRO™ CLUTCH SERIES

Your entry into the performance clutch world!

The StreetPro clutch kit is an excellent performance clutch for street performance enthusiants. This is an ideal application for use with basic engine modifications and with street tires. Engine modifications usually include cold-air intakes and exhaust upgrades and engine management programming. The StreetPro provides a slightly heavier pedal effort than stock along with good holding capability makes this an excellent factory replacement performance clutch kit. Kit includes: Pressure plate, organic friction disc, throwout bearing and pilot tool.

- Bolts to stock factory flywheels
- Handles up to 350 HP
- Easy installation (instructions inlcuded)
- Supplied with alignment tool
- Smooth engagement with excellent release
- Uses stock pressure plate bolts
- Organic facing for smooth & even engagement



SUPER STREETPRO™ CLUTCH SERIES

Clutch performance for your Street/Strip ride!

The Super StreetPro clutch kit is a great Street/Strip Performance clutch for increased street performance. This is a great application to use with moderate engine modifications and with street tires. Engine modifications can typically include upgraded intake and exhaust, camshaft and cylinder head work and engine management programming. The Super StreetPro provides a slightly heavier pedal effort than stock along with good holding capability makes this an excellent factory replacement performance clutch kit. Kit includes: Pressure plate, organic and ceramic friction disc, may include throwout bearing or master cylinder and pilot tool.

- SFI approved assembly
- Handles up to 500 HP
- Easy installation (instructions inlcuded)
- Supplied with alignment tool
- Includes pressure plate bolts
- Smooth engagement with excellent release **qualities**
- Dual-faced organic and ceramic disc for smooth engagement & exceptional holding capacity



RST STREET TWIN CLUTCH SERIES

Hold up to 800 hp with the McLeod RST Street Twin clutch kits!

The small, lightweight, McLeod RST Street Twin clutch kits feature a low moment of inertia for maximum horsepower control. They include a flywheel ring, a pressure plate, two discs, a floater, and a clutch alignment tool. The McLeod RST Street Twin clutch kits are drilled for multiple popular clutch patterns and dowel pins. With a softer-than-stock pedal effort, they drive like an OEM clutch kit. Available for large-diameter and small-diameter flywheels, the McLeod RST Street Twin clutch kits will help you get all of that horsepower to the ground.

- Smooth engagement with excellent release qualities, ideal for daily driving.
- Unique twin disc organic facing design will handle engines producing up to 800 HP
- Pre-balanced to fit specific applications, includes correct alignment tool for installation.
- With a softer than stock pedal effort, this assembly drives like the stock clutch.



HYDRAULIC THROWOUT BEARINGS

Two styles of the McLeod Hydraulic Throwout Bearings are available for nearly all applications, the slip-on and bolt-on styles. The finest hard anodized billet aluminum is used with high quality elbow swivel fittings and high pressure lines make this hydraulic bearing extremely durable.

APPLICATION PAR	T NO.
Borg Warner T-10/ Super T-10	1301
Borg Warner T5/ T-56	1302
Ford Three Speed/ Top Loader	1304
Ford Richmond and G-Force 5 & 6 speed	1309
1-1/8" Shaft Dia., Tremec TKO, GM/ Ford	1364

ALUMINUM FLYWHEELS

Lighter means quicker.

Heavy flywheels rob power from your engine, and reduce its ability to rev and respond quickly. McLeod's aluminum flywheels can take a big bite out of those losses. They're made from quality aluminum and come with steel-insert friction surfaces. Ring gears are held in place with welded and riv-eted tabs, and all flywheels are drilled to accept balancing weights

for externally balanced engines.	
APPLICATION	PART NO.
Ford 63-79 289, 302, 351 28 oz.	563200-28
Ford 352-428 184-Tooth, 12.00". Dia., Internal Balance	563210
Ford Mustang GT 4.6L Eng., 6 bit crank	563401
Ford 64-69 260-289	



These bellhousings from McLeod are designed to meet SFI 6-1 specs. In the event of a

flywheel or clutch explosion, these bellhousings will contain the explosion, thereby protecting the driver from flying shrapnel and debris.

APPLICATION	PART NO.
Chevy V8, Steel, Manual Transmission	8630
Buick/ Chevy/ Oldsmobile/ Pontiac, Steel, Manual Transmission	8650
Ford, 289/ 302/ 351W, Steel, Gold Iridated, Manual Transmission	8624
Ford SB Windsor/Cleveland, 4/ 5/6-Speed, Steel, Manual Transmiss	ion 8660



LAKEWOOD Safety & Suspension

Lakewood has been the leader in safety and suspension products for over 25 years. Lakewood Bellhousings are hydro-formed for maximum strength and safety and have more specific applications than any competitor. The Lakewood line also includes traction bars, driveshaft safety loops, U-joints, engine stands and a whole lot more.



SAFETY BELLHOUSING ASSEMBLIES

One-piece Bellhousing is stress relieved and manufactured of 1/4" high-quality steel and SFI tested. Block plate included.



APPLICATION	PART NO.
58-81 Chevy most V8 & 90° V6	15000
97-02 Chevy 5.7L LS1	15005
84-92 Camaro & Firebirds SB, V8 & V6	15020
65-77 Pontiac All V-8s	15100
96-03 Mustang 4.6/5.4L V8	15230
79-93 Mustang 289-302-351W	15202
61-70 Ford 390-427-428	15210
Chrysler SB & 5.7L Hemi	15315

SAFETY BLOCK PLATE

A must for block protection and required by most racing associations. Block plate must be used for S.F.I. safety requirements. Exact replacement for most bellhousing kits. Other applications available.



APPLICATION	PART NO.
Fits all Chevy bellhousings	15705

BELLHOUSING LOCATING KIT

This kit is used to dial in a misaligned register bore which could cause a missed shift or premature pilot bearing failure. Welding is required.



APPLICATION	PART NO.
All GM (.622 dia.)	15981

POLISHED ALUMINUM BELLHOUSINGS

These Bellhousings combine the form of a genuine race-car part, with show-car like appearance. The highly polished finish highlights

an area of your street rod or street machine which was formerly neglected. Included with the bellhousing is a polished aluminum block plate that completes the aesthetic requirements, while serving to keep unwanted debris from entering the bellhousing. Stainless steel fasteners are supplied. Not SFI approved.

APPLICATION PART	NO.
------------------	-----

58-81 Chevy most V8 & 90° V-6 w/block mounted starter & conventional mechanical clutch linkage.

HEAVY DUTY CLUTCH FORKS

Constructed of .165 thick heavy gauge stamped steel and zinc plated.

APPLICATION	PARI NO.
For Most Popular GM Intermediates	15500
Ford Mustang when installing long style	
clutch with Lakewood Bellhousing	15525
Ford Mustang	15535

ROLLER PILOT BUSHING

A DDI ICATIONI

Changing your clutch? Change your Pilot Bearings! Lakewood Roller Pilot Bearings improve shifting, and reduce

parasitic drag and transmission wear. Direct replacement for all Chevy V-8 applications.

Part No. 15977

SFI APPROVED **SFI CERTIFIED HEAVY-DUTY FLEXPLATES**



APPLICATION PA	RT NO.
GM Applications	
57-85 Chevy SB & BB	10-010
57-85 Chevy SB w/2-pc rear seal	10-012
70-80 Chevy SB	10-015
70-90 Chevy BB	10-020
86-97 Chevy SB w/1-pc rear seal, 153 Teeth	10-024
86-97 Chevy SB w/1-pc rear seal, 168 Teeth	10-025
91-97 Chevy BB, 168 Teeth	10-026

.41	Maranana
APPLICATION	PART NO.
Ford & Chrysler Applications	
68-80 Ford SB, 164 Teeth	12-030
81-96 Ford SB, 164 Teeth	12-035
81-96 Ford SB, 157 Teeth	12-040
64-76 Ford SB w/C-4, 157 Teeth	12-045
64-76 Ford SB, 157 Teeth	12-050
70-97 Ford BB, 164 Teeth	12-055
68-78 Ford BB, 164T, w/o counterweig	ht 12-060
71-76 Chrysler SB, 340 cid	11-070
71-92 Chrysler SB, 360 cid	11-080
71-up Chrysler BB	11-090

TRANSMISSION ADAPTERS

For street machines rods & oval track, the Lakewood Transmission Adpater delivers extra strength. Made from .25" thick hydroformed steel. (This is not a safety bellhousing.)



APPLICATION	PART NO.
Engine to Transmission Chevy	77-150
65-78 Ford 289, 302, 351C/W, All six bolt locks to Ford Top Loader & T10 Trans	77-200
SB Ford to GM Transmission	77-205

ADJUSTABLE CLUTCH FORK PIVOT

P4700

Allows the adjustment of the clutch fork height when clutch assemblies are changed. Highly recommended for use with Lakewood Bellhousing.

Part No. 15501

E-Z-ADJUSTABLE DOWEL PINS

Designed to be turned with a wrench instead of a screwdriver. Set screw secures pin and prevents turning.



_GM	l (.621)	Ford	(.500)	Chrysl	er (.496)
.007	15907	.007	15967	.007	15957
.014	15914	.014	15964	.014	15954
.021	15921	.021	15961	.021	15951





EXTRA LONG BELLHOUSING DOWEL PINS

Fits virtually all GM V8 and V6 trucks. 1.500" long, standard.

Part No. 37932